

**Table 5.29-- WATER QUALITY AT SELECTED PUBLIC BEACHES:  
2009 AND 2010**

Island and beach	Number of samples		Enterococci density 1/	
	2009	2010	2009	2010
Hawaii	1,431	1,741	(X)	(X)
Hilo Shoreline	1,009	979	(X)	(X)
Hilo Bay ( Canoe Beach)	90	90	7.6	5.6
Honolii Cove (Ocean)	90	90	8.7	6.1
Kona Shoreline	422	762	(X)	(X)
Anaehoomalu Bay	59	88	2.9	3.1
Kahaluu Beach Park	67	18	3.6	4.6
Spencer Beach Park	5	18	4.1	4.6
Maui	1,096	1,170	(X)	(X)
Hukilau Hotel shoreline	84	90	5.6	4.5
Kamaole Beach #1	81	90	3.3	3.0
Kihei (south)	82	90	3.8	4.1
Spreckelsville Beach	84	90	3.5	3.5
Wailea Beach	78	88	3.2	2.8
Oahu	2,986	865	(X)	(X)
Ala Moana Park (center)	111	70	8.7	6.3
Hanauma Bay	114	45	3.7	2.9
Kailua Beach Park	114	23	5.4	4.7
Kuhio Beach	114	58	9.0	7.0
Makaha Beach	101	27	3.0	4.9
Sunset Beach	100	17	3.6	2.3
Waimea Beach	101	17	5.7	6.3
Kauai	766	893	(X)	(X)
Hanapepe Salt Pond	89	87	3.3	3.2
Kalapaki Beach (middle)	89	86	7.7	8.4
Kekaha (Oomano Point)	-	21	(NA)	4.6
Lydgate Park (wading pool)	89	86	7.0	5.0
Poipu Beach Pavilion	89	87	3.8	3.5

X Not applicable.

NA Not available.

1/ Geometric mean, number per 100 ml. The geometric mean standard for Enterococci density was 7 per 100 ml. in 2009 and 35 per 100 ml. in 2010.

Source: Hawaii State Department of Health, Clean Water Branch, records.