

COMMISSION ON WATER RESOURCE MANAGEMENT

STATE OF HAWAII

PETITION TO AMEND INTERIM) Case No.. CCH-MA13-01
 INSTREAM FLOW STANDARDS FOR)
 HONOPOU, HUELO (PUOLUA),)
 HANEHOI, WAIKAMOI, ALO,)
 WAHINEPEE, PUOHOKAMOA,)
 HAIPUAENA, PUNALAU/KOLEA,)
 HONOMANU, NUAAILUA, PIINAAU,)
 PALAUHULU, OHIA (WAIANU),)
 WAIOKAMILO, KUALANI, WAILUANUI,)
 WEST WAILUAIKI, EAST WAILUAIKI,)
 KOPILIULA, PUAKAA, WAIOHUE,)
 PAAKEA, WAIAAKA, KAPAUOLA,)
 HANAWI, AND MAKAPIPI STREAMS)
 _____)

Minute Order No. 22

Revised Schedule for the Re-opened Hearing

The following revises the schedule established in Minute Order 21:

1. Pursuant to H.A.R. Section 13-167-51, the contested case hearing on the above entitled matter is scheduled for February 6-10, 2017 on Maui at a time and place to be determined. More days may be scheduled as warranted.
2. All parties shall file and serve their documents to the Hearings Officer, the Deputy Attorney for the Commission, and all other parties according to the following schedule:

Close of Business (COB) Monday, October 17, 2016: All parties were to file and serve their opening statements, opening briefs, witness lists, and witness statements and exhibits.

COB Friday, January 6, 2017: All parties to file and serve their responsive briefs, witness lists, and witness statements and exhibits.

COB Friday, January 20, 2017: All parties to file and serve their rebuttal briefs, witness lists, and witness statements and exhibits.

Monday, February 6, 2017: Opening day of the contested case hearing.

A prehearing conference will be held sometime between January 20, 2017, and February 6, 2017, to establish the order of witnesses and other matters pertaining to the conduct of the contested case hearing.

Certificates of service and other matters pertaining to documents and other materials that have applied to the contested case hearing to date shall continue to be applicable to this rehearing. (See items 3-8 of Minute Order No. 4, dated April 21, 2014.)

DATED: Honolulu, Hawaii, November 30, 2016.

A handwritten signature in black ink, reading "Lawrence Miike". The signature is written in a cursive style with a large initial "L".

LAWRENCE H. MIIKE
Hearings Officer

COMMISSION ON WATER RESOURCE MANAGEMENT

STATE OF HAWAII

PETITION TO AMEND INTERIM) Case No. CCH-MA13-01
INSTREAM FLOW STANDARDS FOR)
HONOPOU, HUELO (PUOLUA),) CERTIFICATE OF SERVICE
HANEHOI, WAIKAMOI, ALO,)
WAHINEPEE, PUOHOKAMOA,)
HAIPUAENA, PUNALAU/KOLEA,)
HONOMANU, NUAAILUA, PIINAAU,)
PALAUHULU, OHIA (WAIANU),)
WAIOKAMILO, KUALANI, WAILUANUI,)
WEST WAILUAIKI, EAST WAILUAIKI,)
KOPILIULA, PUAKAA, WAIOHUE,)
PAAKEA, WAIAAKA, KAPAUULA,)
HANAWI, AND MAKIPIPI STREAMS)
_____)

CERTIFICATE OF SERVICE

On November 30, 2016, a copy of the foregoing document was served on:

ALAN T. MURAKAMI, ESQ.
CAMILLE K. KALAMA, ESQ.
SUMMER L. SYLVA, ESQ.
Native Hawaiian Legal Corporation
1164 Bishop Street, Suite 1205
Honolulu, Hawaii 96813
Attorneys for Nā Moku Aupuni O Ko‘olau
Hui

DAVID SCHULMEISTER, ESQ.
ELIJAH YIP, ESQ.
Cades Schutte LLP
1000 Bishop Street, Suite 1200
Honolulu, Hawai‘i 96813
Attorneys for Alexander & Baldwin, Inc.
and East Maui Irrigation Company, Ltd.

PATRICK WONG, ESQ.
CALEB ROWE, ESQ.
KRISTIN TARNSTROM, ESQ.
Dept. of the Corporation Counsel
County of Maui
200 S. High Street
Wailuku, Hawai‘i 96793
Attorneys for County of Maui, Department
of Water Supply

ROBERT H. THOMAS, ESQ.
Damon Key Leong Kupchak Hastert
1600 Pauahi Tower
1003 Bishop Street
Honolulu, Hawai‘i 96813
Attorney for Hawai‘i Farm Bureau
Federation

ISAAC HALL, ESQ.
2087 Wells Street
Wailuku, Hawai'i 96793
Attorney for Maui Tomorrow

JEFFREY C. PAISNER
403 West 49th Street, #2
New York, New York 10019
Pro Se

WILLIAM J. WYNHOFF, ESQ.
LINDA L.W. CHOW, ESQ.
Department of the Attorney General
465 South King Street, Room 300
Honolulu, Hawaii 96813
Attorneys for the Tribunal

Copies, as necessary:

JOHN BLUMER-BUELL
P.O. Box 787
Hana, Hawaii 96713
Witness

NIKHILANANDA
P.O. Box 1704
Makawao, Hawaii 96768-1704
Witness

_____/s/ Kathy Yoda
KATHY YODA
Commission on Water Resource Management