

PUBLIC NOTICE

Application for Water Use Permit  
Iao Ground Water Management Area, Maui

The following application for water use permit has been received and is hereby made public in accordance with Department of Land and Natural Resources Administrative Rules 13-171, "Designation and Regulation of Water Management Areas."

Waihee Wells 1 & 2 (Well Nos. 5431-02 & 03, WUP Nos. 695 & 696), TMK:3-3-17:31; **1.480** mgd & **2.439** mgd.  
Waiehu Heights Wells 1 & 2 (Well Nos. 5430-01 & 02, WUP Nos. 697 & 698), TMK:3-3-2:28; **0.165** mgd & **1.415** mgd.  
Kepaniwai Well (Well No. 5332-05, WUP No. 699), TMK:3-3-3:5; **1.042** mgd.  
Mokuhau Wells 1 & 3 (Well Nos. 5330-09 & 11, WUP Nos. 700 & 701), TMK:3-3-2:24; **1.994** mgd & **2.221** mgd.  
Iao Tunnel (Well No. 5332-02, WUP No. 680), TMK:3-3-3:3; **1.359** mgd.

Applicant: County of Maui  
Department of Water Supply  
200 South High Street  
Wailuku, HI 96793

Date Completed Application Accepted: May 20, 2004

Aquifer: Iao System, Wailuku Sector, Maui

Water Source: Waihee Wells 1 & 2 (Well Nos. 5431-02 & 03, WUP Nos. 695 & 696), Waiehu Heights Wells 1 & 2 (Well Nos. 5430-01 & 02, WUP Nos. 697 & 698), Kepaniwai Well (Well No. 5332-05, WUP No. 699), Mokuhau Wells 1 & 3 (Well Nos. 5330-09 & 11, WUP Nos. 700 & 701), and the Iao Tunnel (Well No. 5332-02, WUP No. 680).

Quantity Requested: see respective individual use amounts from each source, above, totaling 12.115 million gallons per day.

Existing/New Water Use: Existing

Place of Water Use: Central Maui Service Area at Tax Map Key: 2-1 (por) and 3-2 through 3-9, inclusive

Written objections or comments on the above application may be filed by any person who has property interest in any land within the hydrologic unit of the source of water supply, any person who will be directly and immediately affected by the proposed water use, or any other interested person. Written objections shall: (1) state property or other interest in the matter (provide TMK information); (2) set forth questions of procedure, fact, law, or policy, to which objections are taken; and (3) state all grounds for objections to the proposed permit. Written objections must be received by July 14, 2004. Objections must be sent to 1) the Commission on Water Resource Management, P.O. Box 621, Honolulu, Hawaii 96809 and 2) the applicant at the above address.

COMMISSION ON WATER RESOURCE MANAGEMENT

YVONNE Y. IZU, Deputy Director for  
PETER T. YOUNG, Chairperson

Dated: June 15, 2004

Publish in: Maui News issues of June 23, 2004 and June 30, 2004