

**Table 5.27-- WATER QUALITY AT SELECTED PUBLIC BEACHES:
1997 AND 1998**

Island and beach	Number of samples		Enterococci density 1/	
	1997	1998	1997	1998
Hawaii:				
Hapuna Beach	13	12	1.5	1.4
Kahaluu Beach	12	12	3.3	2.7
Kealakekua Bay (off curio stand)	11	12	2.1	1.9
Hilo Bay (Mooheau Park)	-	-	-	-
Spencer Beach Park	12	12	5.7	2.5
Maui:				
Kapalua (Fleming) Beach (north)	10	12	2.8	0.9
Kihei (north)	10	12	1.8	2.0
Makena Beach	11	12	1.0	0.8
Seven Pools	10	9	1.1	1.5
Sheraton Kaanapali (shoreline)	11	12	1.1	1.2
Lanai:				
Hulopoe Bay	2	-	6.6	-
Molokai:				
Kaunakakai Harbor	-	-	-	-
Oahu:				
Ala Moana Park (center)	-	-	-	-
Ewa Beach Park	-	-	-	-
Haleiwa Beach	22	23	5.6	1.6
Hanauma Bay	44	46	5.0	3.4
Kailua Beach Park	42	36	3.7	2.2
Kuhio Beach	42	46	10.9	5.0
Makaha Beach	-	-	-	-
Waimea Beach	41	44	3.5	2.0
Kauai:				
Anini Park Pavilion	11	12	4.1	1.4
Kalapaki Beach (middle)	11	12	7.2	6.2
Kekaha (Oomano Point)	11	12	1.2	0.9
Poipu Beach Pavilion	11	12	1.4	1.0
West of Lydgate Park (wading pool)	11	13	1.5	1.5

1/ Geometric mean, number per 100 ml. The geometric mean standard for Enterococci density is 7 per 100 ml.

Source: Hawaii State Department of Health, Clean Water Branch, records.