Table 2.36-- PREVALENCE OF VARIOUS SUBSTANCES WITH HAWAII STUDENTS: 1991 TO 2003

[In percentages. Use of substance at least once in the student's lifetime]

Substance	1991	1993	1996	1998	2000	2002	2003	2002- 2003 % change
Any illicit drug,								
include inhalants 1/								
6th grade	9.2	12.4	13.4	13.7	8.3	9.5	7.5	-2.0
8th grade	21.6	27.3	29.6	26.3	23.3	22.0	19.2	-2.8
10th grade	33.5	38.7	41.3	42.9	36.9	40.4	35.1	-5.3
12th grade	39.3	42.0	47.7	50.3	48.4	49.4	46.9	-2.5
Any illicit drug,								
exclude inhalants 2/								
6th grade	0.0	0.0	6.4	6.6	4.2	5.2	4.3	-0.9
8th grade	0.0	0.0	23.0	20.9	18.5	18.2	14.3	-3.9
10th grade	0.0	0.0	37.8	40.7	35.2	38.6	32.7	-5.9
12th grade	0.0	0.0	45.9	48.9	47.8	48.5	46.1	-2.4
Marijuana								
6th grade	1.7	2.4	5.1	4.9	2.4	2.6	1.5	-1.1
8th grade	12.3	16.7	21.5	19.2	15.9	15.9	12.1	-3.8
10th grade	25.7	31.4	36.5	39.2	33.2	35.8	30.5	-5.3
12th grade	34.3	37.1	44.7	47.7	45.8	46.2	44.4	-1.8
Inhalants								
6th grade	7.2	9.4	9.7	10.1	5.3	5.6	4.2	-1.4
8th grade	12.7	16.6	15.2	12.5	9.9	9.1	9.0	-0.1
10th grade	14.2	15.6	11.2	10.2	7.0	8.4	7.9	-0.5
12th grade	10.2	12.0	7.9	8.1	5.7	7.3	8.8	1.5
Cocaine								
6th grade	0.7	1.0	1.9	2.0	0.4	0.4	0.5	0.1
8th grade	3.4	4.0	5.3	4.2	2.2	2.1	1.2	-0.9
10th grade	6.4	7.2	5.8	5.3	3.5	3.1	3.0	-0.1
12th grade	9.1	8.2	7.9	6.0	5.8	4.5	4.5	0.0
Methamphetamine 3/								
6th grade	1.0	1.3	1.4	1.8	0.5	0.4	0.2	-0.2
8th grade	4.3	4.9	4.4	4.6	2.3	2.0	0.9	-1.1
10th grade	7.0	7.8	5.9	6.7	4.5	4.2	2.7	-1.5
12th grade	8.9	8.4	7.5	7.7	5.8	5.3	4.2	-1.1
Heroin & Other Opiate								
6th grade	0.6	0.8	1.3	1.4	0.2	0.3	0.2	-0.1
8th grade	2.4	2.7	3.4	2.7	1.2	1.0	0.7	-0.3
10th grade	4.1	4.1	1.9	2.3	1.3	1.3	1.1	-0.2
12th grade	4.6	5.1	2.7	2.0	1.8	1.4	1.7	0.3

Continued on next page.

Table 2.36-- PREVALENCE OF VARIOUS SUBSTANCES WITH HAWAII STUDENTS: 1991 TO 2003-- Con.

Substance	1991	1993	1996	1998	2000	2002	2003	2002- 2003 % change
Steroids								
6th grade	2.2	1.9	1.5	2.0	1.3	2.0	1.6	-0.4
8th grade	3.1	3.1	2.8	2.6	2.2	2.0	1.8	-0.4
10th grade	3.8	3.7	2.0	2.0	1.7	2.6	2.2	-0.3
•	3.5	3.7	2.2	1.6	1.7	2.8	2.4	-0.4
12th grade	3.5	ა.ა	2.4	1.0	1.0	2.0	2.4	-0.4
Any alcohol use	24.4	240	20.0	24.0	24.0	20.0	40.0	
6th grade	31.1	34.9	29.8	31.6	24.2	20.0	13.2	-6.8
8th grade	55.8	57.4	54.0	52.6	49.2	42.5	36.8	-5.7
10th grade	72.9	73.3	73.4	72.3	67.1	64.7	59.1	-5.6
12th grade	79.8	79.2	79.7	81.2	77.2	75.4	72.5	-2.9
Any tobacco use								
6th grade	0.0	0.0	24.2	22.2	12.7	10.5	7.2	-3.3
8th grade	0.0	0.0	46.6	44.1	37.2	28.2	23.1	-5.1
10th grade	0.0	0.0	58.4	58.0	50.5	43.2	36.7	-6.5
12th grade	0.0	0.0	64.7	63.6	60.0	50.5	46.1	-4.4
12th grade	0.0	0.0	64.7	63.6	60.0	50.5	46.1	-4.4

^{1/} Includes use of marijuana, inhalants, cocaine, methamphetamine, heroin or other opiates, sedatives or tranquilizers, hallucinogens, steroids, ectasy/MDMA, GHB, Rohypnol, or ketamine. Ectasy was first added to the survey in 1998. GHB, Rohypnol, and ketamine were first added to the survey in 2002.

Source: Hawaii State Department of Health, Alcohol and Drug Abuse Division, *The 2003 Hawaii Student Alcohol, Tobacco and Other Drug Use Study (1987-2003), Hawaii Adolescent Prevention and Treatment Needs Assessment,* (2004), https://www.hawaii.gov/health/substance-abuse/prevention-treatment/survey/report2003/fullreports/index.html accessed May 6, 2005.

^{2/} Includes all of the substances listed in footnote 1 except for inhalants.

^{3/} Commonly known as "Ice".