Table 2.35-- PREVALENCE OF VARIOUS SUBSTANCES WITH STUDENTS IN THE STATE OF HAWAII: 2009 TO 2013 AND UNITED STATES, 2011

[In percentages. The survey is administered in odd-numbered years to Hawaii public school students in grades 6-12. Does not include charter or special public schools]

	Hawaii			U.S.
Substance	2009	2011	2013	2011
Marijuana use 1/ Ever used any form of cocaine Ever used glue, aerosol spray can, or paints/spray to get high Ever used heroin Ever used methamphetamines Ever used hallucinogenic drugs 2/ Ever used ectasy Ever took prescription drugs without a	22.1	21.9	18.9	23.1
	6.0	6.4	6.5	6.8
	10.1	9.7	9.2	11.4
	(NA)	(NA)	3.4	(NA)
	3.9	3.4	4.3	3.8
	(NA)	(NA)	6.0	(NA)
	8.2	9.0	8.0	8.2
doctor's prescription Alcohol use 3/ Binge drinking 4/ Smoked cigarettes 5/	(NA)	14.3	12.9	20.7
	37.8	29.1	25.2	38.7
	22.4	15.4	12.7	21.9
	15.2	10.1	10.4	18.1

NA Not available.

- 1/ Used marijuana one or more times during the 30 days before the survey.
- 2/ Hallucinogenic drugs such as LSD, acid, PCP, angel dust, mescaline, or mushrooms.
- 3/ Had at least one drink of alcohol on at least 1 day during the 30 days before the survey.
- 4/ Had five or more drinks of alcohol in a row within a couple of hours on at least 1 day during the 30 days before the survey.
 - 5/ Smoked cigarettes on at least 1 day during the 30 days before the survey.

Source: University of Hawaii at Manoa, College of Education Curriculum Research & Development Group, Results of the 2013 Hawaii State and Counties Youth Risk Behavior Surveys (YRBS) and Cross-Year Comparisons" (June 2014) http://www.hhdw.org/cms/uploads/Resources/2013%20YRBS%20 Report%20State Final.pdf> accessed July 3, 2014.