

**Table 2.35-- PREVALENCE OF VARIOUS SUBSTANCES WITH STUDENTS IN HAWAII, 2011 TO 2015, AND THE UNITED STATES, 2013**

[In percentages. The survey is administered in odd-numbered years to Hawaii public school students in grades 6-12. Does not include charter or special public schools]

Substance	Hawaii			U.S.
	2011	2013	2015	2013
Marijuana use 1/	21.9	18.9	19.4	23.4
Ever used any form of cocaine	6.4	6.5	5.7	5.5
Ever used glue, aerosol spray can, or paints/spray to get high	9.7	9.2	8.0	8.9
Ever used heroin	(NA)	3.4	3.3	2.2
Ever used methamphetamines	3.4	4.3	3.8	3.2
Ever used hallucinogenic drugs 2/	(NA)	6.0	8.1	7.1
Ever used ecstasy	9.0	8.0	8.0	6.6
Ever took prescription drugs without a doctor's prescription	14.3	12.9	12.3	17.8
Alcohol use 3/	29.1	25.2	25.1	34.9
Binge drinking 4/	15.4	12.7	13.4	20.8
Smoked cigarettes 5/	10.1	10.4	9.7	15.7

NA Not available.

1/ Used marijuana one or more times during the 30 days before the survey.

2/ Hallucinogenic drugs such as LSD, acid, PCP, angel dust, mescaline, or mushrooms.

3/ Had at least one drink of alcohol on at least 1 day during the 30 days before the survey.

4/ Had five or more drinks of alcohol in a row within a couple of hours on at least 1 day during the 30 days before the survey.

5/ Smoked cigarettes on at least 1 day during the 30 days before the survey.

Source: University of Hawaii at Manoa, College of Education Curriculum Research & Development Group , *Results of the 2015 Hawaii State and Counties High School Youth Risk Behavior Survey (YRBS) and Cross-Year Comparisons*" (April 2016) <[http://www.hawaiihealthmatters.org/content/sites/hawaii/2015\\_YRBS\\_High\\_School\\_final\\_report-revised-20160418.pdf](http://www.hawaiihealthmatters.org/content/sites/hawaii/2015_YRBS_High_School_final_report-revised-20160418.pdf)> accessed July 13, 2016.