Table 5.08-- HAWAIIAN PERENNIAL STREAMS, BY ISLAND: 2022 AND 2024

[Perennial refers to fresh waters flowing year-round in all or part of natural channels. Perennial streams discharge continuously to the ocean in their natural state and contain water in the entire length of the stream channel year-round. Flow in perennial streams may vary seasonally and may be modified by humans. Perennial streams may be subdivided into longitudinal zones, based on elevation and gradient: (1) headwater zone (elevation above 800 m (2600 ft) or gradient above 30 percent or both); (2) mid-zone (elevation between 50-800 m (165-2600 ft), or gradient between 5 and 30 percent or both); and (3) terminal zone (elevation below 50 m (165 ft) or gradient below 5 percent or both)]

Island	Total number of streams 1/	Number of impaired streams 2/	Percentage of total impaired streams	Island percentage of total impaired streams
2022				
State total	204	121	59.3	100.0
Kauai Oahu Molokai Lanai Maui Hawaii	37 71 6 - 50 40	30 57 1 - 13 20	81.1 80.3 16.7 0.0 26.0 50.0	24.8 47.1 0.8 0.0 10.7 16.5
State total	204	120	58.8	100.0
Kauai Oahu Molokai Lanai Maui Hawaii	36 72 6 - 50 40	30 56 1 - 13 20	83.3 77.8 16.7 0.0 26.0 50.0	25.0 46.7 0.8 0.0 10.8 16.7

^{1/} Number of streams is based on individual streams, not wet/dry season.

Source: Hawaii State Department of Health, Clean Water Branch, records.

^{2/} Impaired streams for one of more conventional pollutants. Hawaii State Department of Health Clean Water Branch assessed coastal waters for the following conventional pollutants: enterococci, total nitrogen, nitrate+nitrite, ammonia, total phosphorus, turbidity, and chlorophyll a.