Section 2

VITAL STATISTICS AND HEALTH

This section presents data on births, deaths, marriages, divorces, diseases and accidents, nutrition, substance abuse, height and weight, hospitals, dental care, and health personnel.

Vital indexes generally reflect the high health standards of Hawaii. Expectation of life at birth in 1984-86 was 75.37 years for males and 80.92 years for females. There were 5,788 resident deaths in 1986, or 5.4 per 1,000 resident population. Deaths under one year of age per 1,000 live births numbered 10.9 in 1986. Diseases of the heart have accounted for almost a third of all deaths in recent years; cancer, for almost one-fourth. Resident live births in 1986 numbered 18,253, or 17.2 per 1,000 resident population. The total fertility rate for civilians fell from 3,360 per 1,000 women in 1960 to 2,461 in 1970 and 1,871 in 1980. Fully 98 percent of all babies were born in hospitals in 1986, and 22 percent were born to military couples. One out of five births was to an unmarried woman. There were 7,178 fetal deaths in 1986, including 5,700 elective abortions. Marriages numbered 16,219 in 1986, with about 30 percent accounted for by nonresidents. Divorces reached a 1986 total of 4,674. The State had 23 acute care hospitals (with 2,887 beds), 36 long-term care facilities (with 2,977 beds), and nine specialty care facilities (with 956 beds) in 1987. There were 2,150 physicians and surgeons, 847 dentists, 7,088 professional nurses, and 469 pharmacists licensed and living in Hawaii as of November 1986. Acute conditions per 100 persons numbered 246 in 1985, with respiratory conditions the most common complaint (at 186 cases per 100 persons). Among chronic conditions reported in the 1985 survey data, the most frequently mentioned were hypertension without heart involvement (8.0 per 100 persons), hayfever (6.6), and impairments of the back or spine (5.1). The most common communicable diseases reported to authorities in 1986 were scarlet fever, with 4,892 cases, and gonorrhea, with 1,619, but the most fatal was AIDS (15 deaths). State mental health facilities served 8,342 patients in 1986, but the number of in-patients at the end of the year was only 252. Dental health was only fair: according to a 1979 survey, 275,000 residents had not visited a dentist within the previous year, and 176,000 reported one or more dental problems, chiefly cavities. Among persons 18 years old and over in 1984, 53 percent used alcohol, eight percent were heavy drinkers, 43 percent used drugs, and three percent were heavy drug users. The average adult male was 67.5 inches tall and weighed 159.5 lbs.; the average adult female was 62.6 inches and 127.9 lbs.

The major sources for data on vital statistics and health are the annual statistical reports of the Hawaii State Department of Health. Long-term trends are traced in <u>Historical Statistics of Hawaii</u>, Section 2. Sections 2 and 3 of the <u>Statistical Abstract of the United States:</u> 1987 contain similar data for the nation as a whole.

Table 55.-- BIRTHS AND DEATHS: 1970 TO 1986

			Dates no	1 000			
			resid	es per 1,000 resident Rates per 1,000 pulation 2/ live births 3/			
	sident rths <u>1</u> /	Resident deaths <u>1</u> /	Births	Deaths	Illegiti- mate births	Fetal deaths <u>4</u> /	Infant deaths <u>5</u> /
1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1983 1984 1985 188	6,361 5,780 5,364 5,328 5,472 5,689 6,292 6,874 6,717 7,513 8,129 8,174 8,675 9,090 8,667 8,267 8,253	3,971 4,130 4,245 4,356 4,286 4,272 4,349 4,349 4,508 4,791 4,903 4,927 5,123 5,409 5,571 5,751 5,788	21.2 19.7 18.5 18.0 17.8 17.7 18.0 18.4 17.9 18.4 18.7 18.5 18.7 18.7	5.1 5.2 5.1 5.1 4.9 4.8 4.7 4.8 5.0 5.1 5.3 5.4 5.5	95.8 88.4 93.0 104.0 108.8 123.2 125.0 143.3 160.1 163.5 175.6 181.8 186.3 197.8 191.8 201.3 203.9	20.6 23.5 22.8 16.4 16.3 18.9 20.8 21.6 13.5 13.1 15.3 13.1 12.7 11.5 10.0 9.7 10.9	19.1 16.0 17.5 13.7 16.0 13.7 11.2 12.3 12.0 10.9

¹/ Events occurring in Hawaii. Data include births to military couples and deaths of armed forces and their dependents, but exclude nonresident births and deaths, as well as resident births and deaths occurring out of State.

^{2/} Based on estimates in DPED, Statistical Reports 172 and 195.

3/ Place of occurrence basis.

4/ 20 weeks gestation and over. Includes elective abortions.

5/ Under 1 year of age.

Source: Hawaii State Department of Health, Statistical Report (annual), and records.

Table 56.-- BIRTHS AND BIRTH RATES, BY MILITARY STATUS: 1976 TO 1986 [Place of occurrence basis]

			Civilians		
Subject and year	All groups	All civilians	Military dependents	Other civilians	Armed forces and dependents
Live births: 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 Birth rates: 1/ 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986	16,409 16,983 16,762 17,568 18,216 18,230 18,735 19,164 18,756 18,329 18,341 16.9 17.1 16.5 16.8 17.3 17.1 17.2 17.2 17.2 16.5	16,409 16,983 16,762 17,568 18,216 18,230 18,735 19,164 18,756 18,329 18,341 18.0 18.1 17.5 17.8 18.3 18.1 18.1 17.3 16.8 16.4	3,803 3,771 3,656 3,797 3,750 3,502 4,007 4,093 3,976 4,043 3,952 56.8 58.0 59.8 58.9 58.5 54.5 60.1 61.8 59.3 62.9 59.7	12,606 13,212 13,106 13,771 14,466 14,728 14,728 15,071 14,780 14,286 14,389 14.9 15.2 14.6 15.0 15.5 15.6 15.2 14.6 13.9 13.7	3,803 3,771 3,656 3,797 3,750 3,502 4,007 4,093 3,976 4,043 3,952 30.5 31.0 30.6 31.0 30.7 29.0 33.0 33.7 32.0 33.5 31.8

^{1/} Per 1,000 de facto population in each group, based on estimates in DPED, Statistical Reports 172 and 195, as revised.

Source: Hawaii State Department of Health, Research and Statistics

Office, records.

Table 57.-- DEATHS AND DEATH RATES, BY MILITARY STATUS: 1976 TO 1986

[Place of occurrence basis]

				Civilians <u>l</u>	/	Armod
Subject and year	All groups	Armed forces	All civilians	Military dependents	Other civilians	Armed forces and dependents
Deaths: 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 Death rates: 2/ 1976 1977	4,717 4,724 4,852 5,137 5,204 5,269 5,495 5,725 5,942 6,116 6,171	67 76 80 85 69 73 74 97 73 63 59	4,650 4,648 4,772 5,052 5,135 5,196 5,421 5,628 5,869 6,053 6,112	99 93 85 86 82 83 86 85 86 85 86	4,551 4,555 4,687 4,966 5,053 5,113 5,335 5,543 5,783 5,970 6,027	166 169 165 171 151 156 160 182 159 146 144
1977 1978 1979 1980 1981 1982 1983 1984 1985 1986	4.8 4.9 4.9 4.9 5.0 5.1 5.2 5.3 5.2	1.3 1.4 1.5 1.2 1.3 1.3 1.8 1.3 1.1	5.0 5.1 5.1 5.2 5.2 5.3 5.4 5.5 5.5	1.4 1.3 1.3 1.3 1.3 1.3 1.3 1.3	5.2 5.4 5.4 5.5 5.6 5.7 5.8 5.7	1.4 1.4 1.2 1.3 1.3 1.5 1.3 1.5

^{1/} Death rates for military dependents based on 1970 and 1980 age and sex composition of military dependents and 1970 and 1980 age-sex-specific death rates for all civilians. Deaths of civilians other than military dependents calculated as residual.

Source: Hawaii State Department of Health, Research and Statistics Office, records.

^{2/} Per 1,000 de facto population in each group, based on estimates in DPED, Statistical Reports 172 and 195, as revised.

Table 58.-- LIVE BIRTHS, STANDARD FETAL DEATHS, AND ELECTIVE ABORTIONS: 1970 TO 1986

[Place of residence basis]

Calendar Total deliveries		eliveries	Live	Standard fetal	Elective
year	Number	Rate <u>1</u> /	births	deaths	abortions 2/
1970 <u>3/</u> 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986	20,578 21,476 21,468 21,374 21,071 21,481 22,915 23,502 23,990 25,213 26,452 26,468 26,709 25,573 25,335 25,312	26.7 26.8 25.9 25.1 24.3 24.2 25.3 26.6 25.8 26.4 27.1 27.0 26.5 26.2 24.7 24.1 23.8	16,361 15,780 15,364 15,328 15,472 15,689 16,292 16,874 16,717 17,513 18,129 18,174 18,675 19,090 18,667 18,267 18,253	1,458 1,575 1,582 1,560 1,572 1,476 1,675 1,578 1,467 1,683 1,716 1,661 1,618 1,627 1,629 1,473 1,412	2,759 4,121 4,522 4,486 4,027 4,316 4,948 5,050 5,806 6,017 6,396 6,617 6,175 5,992 5,277 5,595 5,647

 $[\]underline{1}/$ Per 1,000 resident population, July 1. From DPED Statistical Reports 172 and 195.

^{2/} Most legal restrictions on abortion were abolished as of March 11, 1970.

^{3/} For earlier years, 1952-1969, see <u>Data Book 1986</u>, table 59. Source: Hawaii State Department of Health, <u>Annual Report</u>, Statistical Supplement, 1970-1986.

Table 59.-- BIRTHS AND DEATHS, BY PLACE OF OCCURRENCE AND RESIDENCE: 1982 TO 1986

		Occurring	in Hawaii		Hawaii	residents
Event and year	Total	Resident	Non- resident	Not reported	Total	Out of State <u>1</u> /
Births:	18,734	18,675	57	2	18,704	29
1982	19,164	19,090	73	1	19,124	34
1983	18,756	18,667	89	-	18,706	39
1984	18,329	18,267	62	-	18,302	35
1985	18,341	18,253	86	2	18,277	24
Deaths: 1982 1983 1984 1985 1986	5,495	5,123	370	2	5,188	65
	5,725	5,409	315	1	5,478	69
	5,942	5,571	369	2	5,639	68
	6,116	5,751	363	2	5,825	74
	6,171	5,788	382	1	5,837	49

Table 60.-- FERTILITY RATES, BY MILITARY STATUS: 1960, 1970, AND 1980 [Military dependents are included in the military category]

Type of rate and military status	1960	1970	1980
Crude birth rate, all groups 1/ Civilian	27.2	21.4	18.8
	22.9	19.1	16.5
	48.8	35.1	35.0
General fertility rate, all groups 2/ Civilian	127.8	96.1	78.7
	106.2	84.8	68.9
	250.5	169.5	147.5
Total fertility rate, all groups 3/ Civilian	3,886.5	2,728.5	2,084.0
	3,360.5	2,461.5	1,871.0
	6,480.5	4,275.0	3,496.0
Gross reproduction rate, all groups 4/ Civilian	1,884.0	1,318.0	1,006.5
	1,628.0	1,189.5	903.5
	3,140.0	2,065.5	1,688.0

^{1/} The annual number of live births per 1,000 resident population.

Source: Calculations by Eleanor C. Nordyke, Community Population Specialist, East-West Population Institute, based on vital statistics from the Hawaii State Department of Health and special tabulations of decennial census data by military status.

 $[\]overline{2}$ / The annual number of live births per 1,000 women of childbearing age.

^{3/} The average number of children to whom 1,000 women would give birth according to a set of fertility rates providing the women survive the childbearing years.

^{4/} The average number of girls to whom 1,000 women would give birth according to a set of fertility rates providing the women survive the childbearing years.

Table 61.-- CHARACTERISTICS OF RESIDENT BIRTHS: 1983 TO 1986 [Excludes births to Hawaii residents occurring out of state]

444.7				
Subject	1983	1984	1985	1986
Number of resident births City and County of Honolulu Percent on Oahu Hawaii County Kauai County Maui County (incl. Kalawao) Percent attended by M.D. or O.D. in hospital 1/	19,090 14,712 77.1 1,921 836 1,621 98.1	14,375 77.0	18,267 14,021 76.8 1,873 778 1,595 98.0	18,253 14,074 77.1 1,800 822 1,557 98.3
Males per 100 females	107.4 3,292 6.4 49.7 1.6	107.1 3,293 7.3 51.7 1.8	108.2 3,307 6.6 51.3 1.8	105.7 3,306 6.1 51.3 2.0
Percent illegitimate	19.8 73.6 32.3 43.1 25 29	19.2 75.4 32.4 42.6 25 29	20.0 74.7 31.9 41.7 26 29	20.4 76.4 31.6 42.5 26 29

1/ Place of occurrence basis.
Source: Hawaii State Department of Health, Statistical Report (annual).

Table 62.-- MEDIAN AND MEAN AGE OF MOTHERS, BY MILITARY STATUS OF FATHERS, FOR RESIDENT BIRTHS OCCURRING IN HAWAII: 1960 TO 1986

	Med	ian age (y	ears)	Mean age (years)		
Year	All births	Military	Civilian	All births	Military	Civilian
1960 <u>1</u> / 1970 1980 1984	26.0 25.0 26.0 26.3 26.7	24.3 24.6 24.5 24.9	25.4 26.4 26.9 27.3	26.7 25.8 26.3 26.7 27.0	25.2 25.2 25.2 25.3 25.7	25.9 26.6 27.1 27.4

^{1/} Includes nonresident births occurring in Hawaii. Not available by military status.

Source: Calculated by DBED from tabulations by 5-year age periods supplied by Hawaii State Department of Health.

Table 63.-- LIVE BIRTHS OCCURRING IN HAWAII, SINGLE AND PLURAL: 1980 TO 1986

[Individuals, not sets. Excludes stillbirths]

Year	All types	Single births	Twins	Triplets	Quadruplets <u>1</u> /	Unknown
1980 1981 1982 1983 1984 1985	18,216 18,230 18,734 19,164 18,756 18,329 18,341	17,920 17,910 18,400 18,866 18,423 18,004 17,974	280 312 331 292 333 325 356	9 5 3 6 - - 6	4 2 - - - 4	3 1 - - - 1

^{1/} One set each in 1980, 1981 (only 2 born alive), and 1986. The first recorded quadruplet birth in Hawaii occurred in 1930. No quintuplet or higher-order births have ever been recorded.

Source: Hawaii State Department of Health, records; Honolulu Star-Bulletin, April 16, 1930, p. 3; Honolulu Advertiser, June 16, 1931, p. 7, and March 14, 1980, p. A-1.

Table 64.-- RESIDENT BIRTHS, MIXED AND UNMIXED, BY MILITARY STATUS OF FATHER: 1986

[Based on data for 18 specified races]

			Mixed 1/			
Military status of father	Total births	Unmixed	Total	Part Haw'n	No Haw'n blood	Not certain <u>2</u> /
All groups	18,253	8,281	8,937	5,503	3,434	1,035
Military Civilian <u>3</u> /	3,923 14,330	3,038 5,243	881 8,056	189 5,314	692 2,742	4 1,031
PERCENT DISTRIBUTION						
All groups	100.0	45.4	49.0	30.1	18.8	5.7
Military Civilian <u>3</u> /	100.0 100.0	77.4 36.6	22.5 56.2	4.8 37.1	17.6 19.1	0.1 7.2

^{1/} Includes all Part Hawaiian births, including those in which both parents were Part Hawaiian.

^{2/} One or both parents of unspecified race (unless one was Part Hawaiian) or both parents classified as "other."

3/ Includes births in which father's military status was not

reported.

Source: Hawaii State Department of Health, Research and Statistics Office, records.

Table 65.-- CHILDREN EVER BORN, BY MARITAL STATUS AND AGE OF MOTHERS: 1980 [For earlier years, 1950-1970, see Data Book 1984, table 69]

Subject	15 years and over		25 to 34 years	35 to 44 years	45 years and over
All women Childless Mothers Children ever born 1/ Per 1,000 women Single (never married) women Childless Mothers Children ever born 1/	360,707 129,611 231,096 684,779 1,898 92,704 85,754 6,950	87,008 69,521 17,487 26,273 302 64,345 60,483 3,862	88,168 32,274 55,894 117,508 1,333 17,816 15,701 2,115	55,285 9,411 45,874 137,037 2,479 4,273 3,750 523 992	130,246 18,405 111,841 403,961 3,102 6,270 5,820 450
Children ever born $1/$ Per 1,000 single women .	10,142 109	4,882 76	3,268 183	232	1,000 159
Women ever married Childless Mothers Children ever born 1/ Per 1,000 women ever	268,003 43,857 224,146 674,637	22,663 9,038 13,625 21,391	70,352 16,573 53,779 114,240	51,012 5,661 45,351 136,045	123,976 12,585 111,391 402,961
married	2,517	944	1,624	2,667	3,250

1/ Excluding stillbirths.
Source: U.S. Bureau of the Census, 1980 Census of Population, Detailed Population Characteristics, Hawaii (October 1983), table 211.

Table 66.-- MOST COMMON NAMES ON BIRTH CERTIFICATES, BY SEX: 1986

[A total of 5,262 first names, including variant spellings, was reported for the 18,341 babies born in Hawaii in 1986. For leading names in 1909-1914, 1950, and 1983, see Data Book 1984, table 72]

	Boys' names <u>1</u> /		Girls' names <u>2</u> /		
Rank	Name	Number	Name	Number	
1 2 3 4 5 6 8 9	Michael Christopher Ryan Matthew Joshua Brandon Justin David James John	266 224 179 172 171 156 154 130 127 110	Ashley Jessica Jennifer Nicole Amanda Michelle Tiffany Sarah Stephanie Christina	222 143 135 132 91 87 87 80 65 63	

¹/ The shortest were B and D (one of each). The longest was Kananiomaunalokukiekiema.

^{2/} The shortest was K; the longest, Kauanoeokalaniulumahiehi. Source: Hawaii State Department of Health, Research and Statistics Office, April 29, 1987.

Table 67.-- MOST COMMON SURNAMES IN THE OAHU TELEPHONE DIRECTORY: 1978 AND 1987

	1978		1987		
Rank	Name	Columns	Name	Columns	
1 2 3 4 5 6 7 8 9	Lee Wong Young Chang Smith Chun Ching Kim Nakamura Lum	18.5 16.0 11.0 10.5 9.5 9.5 8.75 8.67 8.5 7.5	Lee Wong Young Chang Kim Chun Smith Ching Lum (tie) Johnson (tie)	20.67 17.12 11.33 10.67 10.33 10.0 9.75 8.88 7.5 7.5	

Source: Tabulations by Bob Krauss reported in <u>Honolulu</u> Advertiser, November 25, 1978 p. A-11, and January 15, 1987, p. A-3.

Table 68.-- MOST COMMON SURNAMES ON BIRTH AND DEATH CERTIFICATES: 1986

	Birth certifica	ates	Death certificates		
Rank	Surname Births		Surname	Deaths	
1 2 3 4 5 6 7 8 9	Lee Smith Wong Johnson Kim Young Brown Williams Silva Higa	106 84 75 61 53 50 50 47 43 38	Lee Wong Chang Nakamura Young Ching Chun Smith Silva Chung Chung	43 37 35 25 25 24 24 22 22 18	

Source: Hawaii State Department of Health, special tabulation.

Table 69.-- AVERAGE LIFETIME, BY SEX: 1959-61 TO 1984-86

		Years			States ar	nd D.C.)
Period	Both sexes	Male	Female	Both sexes	Male	Female
1959-1961 1969-1971 1979-1981 1984-1986 <u>1</u> / .	71.55 73.60 77.02 77.98	69.79 71.02 74.08 75.37	74.01 76.79 80.33 80.92	7 1 1 (NA)	(NA) 1 1 (NA)	(NA) 3 1 (NA)

NA Not available.

Source: U.S. Department of Health, Education, and Welfare, National Center for Health Statistics, Life Tables: 1959-61, Vol. 2, No. 12, Hawaii State Life Tables: 1959-61 (June 1966), p. 160, and unpublished tabulations; U.S. Department of Health, Education, and Welfare, National Center for Health Statistics, U.S. Decennial Life Tables for 1969-71, Vol. II, No. 12, Hawaii State Life Tables: 1969-71 (June 1975), p. 12-6; and U.S. Department of Health and Human Services, National Center for Health Statistics, U.S. Decennial Life Tables for 1979-81, Vol. II, State Life Tables, No. 12, Hawaii (December 1985), p. 12-3; Robert W. Gardner, East-West Population Institute, Complete Life Tables by Age and Sex for Hawaii, 1984-86 (unpublished, September 11, 1987); U.S. Department of Health and Human Services, National Center for Health Statistics, "Advance Report of Final Mortality Statistics, 1985," Monthly Vital Statistics Report, Vol. 36, No. 5, Supp., August 28, 1987, pp. 2-3.

^{1/} Average lifetime for all States combined in 1985 was 74.7 years for both sexes combined, 71.2 years for males, and 78.2 years for females.

Table 70.-- SELECTED LIFE TABLE VALUES, BY SEX: 1979-1981

	Of	100,000 bo	Average 1	remaining (years)		
	begin	living at ning of of age	during	dying g year age		
Age in years	Male	Female	Male	Female	Male	Female
0-1 1-2 5-6 10-11 15-16 20-21 25-26 30-31 35-36 40-41 45-46 50-51 55-56 60-61 65-66 70-71	100,000 98,879 98,607 98,467 98,303 97,755 97,054 96,430 95,720 94,857 93,529 91,508 88,125 83,935 77,746 69,466 58,516	100,000 99,111 98,920 98,828 98,733 98,513 98,235 97,644 97,134 96,341 95,250 93,616 91,126 87,417 81,987	1,121 93 38 17 81 137 131 132 155 218 327 582 759 1,051 1,483 1,962 2,536	889 64 25 13 34 54 52 58 85 133 190 277 420 629 930 1,331	74.08 73.92 70.11 65.21 60.31 55.64 51.02 46.34 41.66 37.02 32.50 28.16 24.14 20.22 16.61 13.28	80.33 80.05 76.20 71.27 66.34 61.48 56.65 51.79 46.96 42.19 37.52 32.92 28.44 24.15 20.06 16.21
80-81 85-86 90-91 95-96 100-101 . 105-106 .	44,728 28,579 13,630 4,201 779 101	62,633 47,208 27,228 11,023 2,701 448	3,084 3,168 2,454 1,099 248 36	2,725 3,831 3,681 2,405 761 147	7.66 5.56 3.99 2.98 2.49 2.22	9.49 6.73 4.84 3.48 2.81 2.44

Source: U.S. Department of Health and Human Services, National Center for Health Statistics, U.S. Decennial Life Tables for 1979-81, Vol. II, State Life Tables, No. 12, Hawaii, DHHS Pub. No. (PHS) 86-1151-12 (December 1985), tables 2 and 3.

Table 71.-- DEATHS OCCURRING IN HAWAII, BY PLACE OF DEATH: 1968 AND 1986

Year	All deaths	Hos- pital	Nursing or care home	Other specif. places <u>l</u> /	Home, street, etc.	Un- known
1968	4,275	3,274	152	113	736	- 2
1986	6,171	4,205	435	165	1 , 364	

1/ Clinic, doctor's office, enroute to Hawaii, etc. Source: Hawaii State Department of Health, records.

Table 72.-- CHARACTERISTICS OF RESIDENT DEATHS: 1983 TO 1986 [Excludes deaths of Hawaii residents occurring out of state]

Subject	1983	1984	1985	1986
Number of resident deaths City and County of Honolulu Hawaii County Kauai County Maui County (incl. Kalawao) Males per 100 females Median age (years) Percent married	5,409	5,571	5,751	5,788
	4,070	4,122	4,294	4,248
	590	707	715	719
	284	272	256	313
	465	470	486	508
	143.1	146.7	146.3	138.0
	70.6	71.1	71.9	73.2
	48.4	47.4	47.5	47.0
Deaths under 1 year Per 1,000 live births Fetal deaths 1/ Per 1,000 deliveries Fetal deaths, 20 or more weeks gestation 2/ Per 1,000 live births Standard fetal deaths 3/ Elective abortions Per 1,000 live births	175	186	159	168
	9.2	10.0	8.7	9.2
	7,619	6,906	7,068	7,178
	285	270	279	281
	219	178	177	202
	11.4	9.5	9.7	11.0
	1,627	1,629	1,473	1,478
	5,992	5,277	5,595	5,700
	313.9	282.7	306.3	312.3

^{1/} Includes elective abortions.

Source: Hawaii State Department of Health, Statistical Report (annual).

 $[\]frac{2}{2}$ / Place of occurrence basis. Includes elective abortions if 20 weeks or more.

^{3/} Excludes elective abortions.

Table 73.-- CAUSE OF DEATH, BY SEX: 1986
[Place of residence basis]

Cause of death	Both sexes	Males	Females
Total deaths	5,788	3,356	2,432
Tuberculosis Syphilis Other infective Malignant neoplasm Digestive organs Respiratory system Breast Genital organs Urinary organs Leukemia Other Diabetes mellitus Heart disease Rheumatic Hypertensive Ischemic Other heart Hypertension Cerebrovascular disease Arteriosclerosis Aneurysm Other circulatory Influenza/pneumonia Bronchitis/emphysema/asthma Peptic ulcer Cirrhosis of liver Nephritis and nephrosis Pregnancy, birth & puerperium Congenital anomalies Perinatal conditions Other diseases Accidents Motor vehicles Other	6,788 6,396 438 353 104 148 51 39 263 163 1,890 22 62 1,135 671 21 400 47 60 13 240 61 14 68 45 1 51 85 53 690 215 115 100	3,330 4 - 38 790 272 233 1 83 31 26 144 86 1,116 12 33 685 386 11 204 26 41 6 135 33 12 40 24 - 31 51 24 393 150 79 71	2,432 2 30 606 166 120 103 65 20 13 119 77 774 10 29 450 285 10 196 21 19 7 105 28 2 28 21 1 20 34 29 297 65 36 29
Suicide	110 47 44	75 31 35	35 16 9

Source: Hawaii State Department of Health, Research and Statistics Office, records.

Table 74.-- MAJOR CAUSES OF DEATH: 1908-1912 TO 1986
[Annual averages. Excludes armed forces, 1940-1962]

				Major	causes <u>1</u> /		
Year	All causes	Tubercu- losis	Malig- nant neo- plasms	Diseases of heart	Cerebro- vascular disease	Influenza, pneumonia	Gastritis, enteritis, etc. 2/
Number: 1908-12 1918-22 1928-32 1938-42 1948-52 1958-62 1970 1980	3,100 4,430 4,073 3,075 2,923 3,377 4,211 4,903 5,788	365 499 400 263 108 22 14 15	81 164 236 292 435 575 764 1,141 1,396	181 274 506 683 868 1,111 1,386 1,544 1,890	70 165 233 248 258 296 401 376 400	335 896 522 230 102 135 173 178 240	305 486 277 41 23 15
Percent: 1908-12 1918-22 1928-32 1938-42 1948-52 1958-62 1970 1980	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	11.8 11.3 9.8 8.6 3.7 0.7 0.3 0.3	2.6 3.7 5.8 9.5 14.9 17.0 18.1 23.3 24.1	5.8 6.2 12.4 22.2 29.7 32.9 31.5 32.7	2.3 3.7 5.7 8.1 8.8 8.8 9.5 7.7 6.9	10.8 20.2 12.8 7.5 3.5 4.0 4.1 3.6 4.1	9.8 11.0 6.8 1.3 0.8 0.4
Rate: 3/ 1908-12 1918-22 1928-32 1938-42 1948-52 1958-62 1970 1980	1,601 1,663 1,105 739 616 582 546 506 545	188 187 109 63 23 4 2 2	42 62 64 70 92 99 118 131	93 103 137 164 183 192 180 159 178	36 62 63 60 54 51 52 39 38	173 336 142 55 21 23 22 18 23	158 182 75 10 5 3

Continued on next page.

Includes the three leading causes in each listed year.

2/ Gastritis, duodenitis, enteritis, and colitis, except diarrhea of

newborn. Not separately reported in 1970 and later years.

3/ Per 100,000 resident population, 1908-1939 and 1970-1986; per 100,000 civilian population, 1940-1962. Data for periods before 1970 based on 5-year average populations. Population estimates through 1939 from Robert C. Schmitt, Historical Statistics of Hawaii, p. 10; 1940 and later years from DPED, Statistical Reports 172 and 195. Rates not adjusted for age.

Source: Hawaii State Department of Health, "Mortality Trends in Hawaii, 1908-1962," R & S Report, No. 2 (April 1973), and <u>Statistical Report</u> for 1970 (pp. 33-34), 1980 (pp. 23-25), and 1986 (forthcoming).

Table 75.-- DEATHS OCCURRING IN HAWAII, BY METHOD OF DISPOSITION: 1981 TO 1986

[For annual data, 1956-1980, see <u>Data Book 1980</u>, table 36, and Data Book 1982, table 41]

Method	1981	1982	1983	1984	1985	1986
All methods	5,269	5 , 495	5,725	5 , 942	6,116	6,171
Burial Cremation Removal Entombment Educational purpose Other Unknown	2,284 2,342 613 23 -	2,324 2,515 613 33 - 10	2,513 2,588 594 25 - 3	2,517 2,808 587 26 - 4	2,610 2,886 586 27 -	2,512 3,002 614 41 -

Source: Hawaii State Department of Health, Statistical Report for 1981-1985, and records.

Table 76.-- DEATHS OCCURRING IN HAWAII, BY METHOD OF DISPOSITION: ANNUAL AVERAGES, 1939 TO 1986

Years	All deaths	Buria1	Cremation	Removal	A11 others <u>1</u> /
ANNUAL AVERAGES					
1939 1940-1955 1956-1962 2/ 1963-1967 7/ 1968-1972 1973-1977 1978-1982 3/ 1983-1986 PERCENT DISTRIBUTION	3,214 3,293 3,326 3,731 4,299 4,639 5,193 5,988	(NA) (NA) 1,918 2,070 2,251 2,265 2,306 2,538	600 (NA) 1,219 1,364 1,571 1,803 2,255 2,821	(NA) (NA) 279 448 545 590 595	(NA) (NA) 39 18 29 26 43 34
1939 1940-1955 1956-1962 2/ 1963-1967 2/ 1968-1972 1973-1977 1978-1982 3/ 1983-1986	100.0 100.0 100.0 100.0 100.0 100.0 100.0	(NA) (NA) 57.7 55.5 52.4 48.8 44.4 42.4	18.7 (NA) 36.6 36.6 36.5 38.9 43.4 47.1	(NA) (NA) 5 7.5 10.4 11.8 11.4 9.9	(NA) (NA) .7 0.5 0.7 0.6 0.8 0.6

NA Not available.

^{1/} Entombment, educational purpose, lost at sea, other method, or unknown.

^{2/} Excludes armed forces.

3/ Cremations overtook burials in 1981.

Source: "Eternal it flows ...," The Sales Builder, March 1940,
pp. 3-15 (at p. 14). Hawaii State Department of Health, Statistical
Report for 1956-1962, 1964-1967, and 1974-1985; "Vital Statistics and
Population of Hawaii, 1900 to 1973," R&S Report, No. 5 (June 1974); and unpublished tabulations.

Table 77.-- CATASTROPHIC MORTALITY: 1977 TO 1987

[Includes all accidents, natural disasters, and other events causing five or more deaths. Excludes out-of-state deaths to Hawaii residents, such as the Chicago airplane crash which killed 273 persons, including 10 residents of Hawaii, on May 25, 1979. Complete through December 27, 1987]

	Date	Place	Kind of disaster	Deaths
1977: 1978: 1979: 1980: 1981: 1982: 1983: 1985: 1987:	April 13 1/ Dec. 9 (?) Feb. 11 (?) Nov. 24 May 18 Dec. 5 July 24 June 16 Jan. 15 Dec. 23	At sea off Waikiki At sea off West Hawaii . At sea out of Hana Near Wahiawa, Oahu Molokai Pearl Harbor Near Wahiawa, Oahu Honopu, Kauai 540 mi. N. of Honolulu . At sea W. of Molokai	Airplane crash Ship disappearance Boat disappearance 2-car auto crash Helicopter crash Airplane crash Airplane crash Helicopter crash Airplane crash Airplane crash Helicopter crash Airplane disappearance	10 5 7 11 5 14 7

^{1/} For earlier events, see Robert C. Schmitt, "Catastrophic Mortality in Hawaii," The Hawaiian Journal of History, Vol. 3, 1969, pp. 66-86, and "Catastrophic Mortality in Hawaii, 1969-1976," unpublished paper filed in DBED Library, 1976.

Source: DBED file of newspaper accounts.

Table 78.-- PERSONS ON THE STATE BLIND REGISTER, BY COUNTIES: 1985 AND 1986

Date	State total	City and Co. of Honolulu	County of Hawaii	County of Kauai	County of Maui
1985: June 30	1 -	1,565	127	54	153
1986: June 30		1,631	147	66	156

Source: Hawaii State Department of Social Services and Housing, Services for the Blind Branch, records.

Table 79.-- PERCENT OF ADULT POPULATION AFFECTED BY SPECIFIED HEALTH RISK FACTORS, BY ISLANDS: 1986

[Excludes inmates of institutions, armed forces living on military bases, and all persons less than 18 years old]

Health risk factor	State	Hawaii	Maui	Molokai, Lanai	0ahu	Kauai
Inadequate seatbelt use Current hypertension Sedentary lifestyle Obesity Smoking Smokeless tobacco Acute drinking Chronic drinking Drinking and driving	9.2	11.4	14.7	8.0	7.5	26.0
	15.9	21.2	14.7	15.5	15.4	16.0
	48.3	40.7	43.5	40.8	49.7	49.5
	16.8	18.3	15.8	21.5	16.0	28.4
	24.1	32.2	20.7	19.7	23.6	23.0
	1.2	0.4	0.7	0.7	1.2	2.5
	20.1	20.8	18.6	18.0	20.2	19.5
	9.6	10.4	11.3	10.2	9.2	10.4
	3.3	2.6	4.0	4.3	3.1	7.2

Source: Hawaii State Department of Health, <u>Hawaii Health Messenger</u>, Summer 1987, revised.

Table 80.-- ACUTE CONDITIONS: 1986

Condition	Incidence of condition per year	Conditions per 100 persons per year
All acute conditions Infective parasitic diseases Respiratory condition Digestive system condition Injuries	2,151,954 142,326 1,510,339 47,658 189,045	210.2 13.9 147.5 4.6 18.5
All other acute conditions	262,586	25.6

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

Table 81.-- CHRONIC CONDITIONS: 1986

Selected chronic conditions	Prevalence of condition	Conditions per 1,000 persons
Heart condition Impairment of back or spine Hypertension without heart involvement Arthritis/rheumatism Hearing impairment Asthma with or without hayfever Diabetes Mental and nervous condition Visual impairment Malignant neoplasms Chronic and allergic skin conditions Chronic sinusitis Hayfever without asthma Stomach ulcer Bronchitis/emphysema Benign and unspecified neoplasms Hemorrhoids Thyroid/goiter Varicose veins Gout	20,065 52,127 78,942 31,597 34,866 35,311 18,618 11,669 11,194 6,577 44,704 26,363 58,149 5,978 15,738 4,219 11,348 7,995 7,097 13,583	19.6 50.9 77.1 30.8 34.0 34.5 18.2 11.4 10.9 6.4 43.6 25.7 56.8 5.8 12.8 4.1 11.1 7.8 6.9 13.3

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

Table 82.-- LIMITATION OF ACTIVITY DUE TO CHRONIC OR ACUTE CONDITIONS: 1983 AND 1986

Type of limitation	1983	1986
Persons with one or more chronic conditions No limitation of activity Limited, but not in major activity Limited in amount or kind of activity Unable to carry on major activity	336,694 282,116 24,264 19,832 10,482	378,440 313,730 26,073 18,797 10,893
Restricted days in past 12 months $\underline{1}/$	12,788,125 13.0	12,697,600 12.4
Bed days in past 12 months	4,114,394 4.2	(NA) (NA)
Work days lost by persons 17 years of age and older in past 12 months	1,411,259 3.5	(NA) (NA)
School days lost by persons 6 to 16 years of age in past 12 months	570,945 3.3	(NA) (NA)

NA Not available.

Source: Hawaii State Department of Health, Hawaii Health Surveillance Survey Program, special tabulations.

^{1/} A restricted activity day is one in which a person had to cut down on his usual activity for all or most of the day.

^{2/} Base includes persons without chronic or acute conditions or restricted activities.

Table 83.-- SPECIFIED COMMUNICABLE DISEASES: 1984 TO 1986

	Cases			Deaths		
Disease	1984	1985	1986	1984	1985	1986
All reportable diseases	8,512	11,377	9,765	35	38	32
Acquired Immunodeficiency Syndrome (AIDS) 1/ Chickenpox Encephalitis Gonorrhea Hansen's Disease Hepatitis, all types Influenza Measles (Rubeola) Meningitis, all types Mumps Rubella Salmonellosis Scarlet fever, other strep Syphilis Tuberculosis All others	16 834 5 2,664 105 130 328 142 147 22 5 380 2,973 150 218 393	36 1,494 3 2,162 31 260 1,009 31 175 19 44 337 5,036 123 189 428	58 1,386 3 1,619 37 101 316 37 226 24 8 428 4,892 56 180 394	10 - - 5 6 - - 3 - - - 11	18 - - - 7 - 5 - - - 8	15 - 1 - 2 3 - 4 - - 1 -

^{1/} The earliest officially recorded case of AIDS in Hawaii was a 52-year old Oriental woman, who was diagnosed in May 1978 and who died in August 1978. The second case was an infant, infected by a blood transfusion on the Mainland in January 1982, who died later that month. The third case was a male homosexual, who was diagnosed in January 1982 and who died in February 1984. The third AIDS death occurred in August 1982. In this table, AIDS deaths are reported by year of diagnosis rather than year of occurrence.

Source: Hawaii State Department of Health, <u>Statistical Report, 1986</u>, pp. 103 and 106, and memorandum from Roy G. Ohye, <u>Acting Chief</u>, <u>Epidemiology Branch</u>, dated April 3, 1986.

Table 84.-- ALCOHOL AND DRUG USE, BY AGE AND SEX: 1984 [Based on a sample of persons 18 and over on the four largest islands]

		Use (percent of group)					
Substance, sex, and age	Sample size	None <u>1</u> /	Light	Moder- ate	Moderately heavy	Heavy	
ALCOHOL <u>2</u> /							
Total	2,503	47.3	24.4	12.9	7.3	8.1	
Male Female	1,078 1,412	32.3 56.4	21.8 26.4	17.5 9.4	11.5 4.1	13.9 3.7	
18 to 24 years 25 to 34 years 35 to 44 years 45 to 54 years 55 to 64 years 65 to 74 years 75 years and over .	426 426 479 326 367 226 82	42.7 37.5 44.5 51.5 55.3 61.5 67.1	25.6 29.2 28.6 24.2 19.1 13.7 14.6	15.3 15.6 13.8 9.2 10.9 11.5 3.7	7.5 7.5 6.1 6.8 7.1 7.5 6.1	8.9 8.9 7.1 8.3 7.6 5.8 8.5	
DRUGS 3/							
Total	2,503	57.0	6.5	30.8	2.6	3.1	
Male Female	1,073 1,411	55.7 57.8	8.1 5.2	29.9 31.7	2.7 2.5	3.5 2.8	
18 to 24 years 25 to 34 years 35 to 44 years 45 to 54 years 55 to 64 years 65 to 74 years 75 years and over .	424 594 479 326 367 225 82	41.7 44.4 57.0 66.3 73.0 76.4 63.4	12.5 10.9 6.3 2.2 1.6 0	38.0 35.0 32.6 28.2 21.0 21.3 34.2	3.5 5.1 1.5 0.9 1.9 1.3 1.2	4.3 4.6 2.7 2.5 2.5 0.9 1.2	

^{1/} For alcohol use, includes both non-drinkers and infrequent drinkers.

Source: Jonathan S. Raymond, Sharon Murakami, and Frank Ahern, Toward an Epidemiology of Mental Health and Alcohol and Drug Use in Hawaii (September 1985), tables 7 and 11.

^{2/} Based on total ethanol consumption.

3/ Based on frequency of use, weighted by degree of danger to users, for marijuana/hashish, tranquilizers, barbituates, inhalants, LSD, PCP, cocaine, amphetamines, heroin, and morphine/codeine/percodan/demoral.

Table 85.-- NUMBER AND BED CAPACITY OF HOSPITALS AND CARE HOMES, BY TYPE OF FACILITY: 1980 TO 1987

		Hospit	als		Care	homes
Category and year	Total <u>1</u> /	Acute care	Long- term care	Spec- ialty care	Resi- den- tial <u>2</u> /	Fam- ily <u>3</u> /
Number of facilities: 1980	49 49 49 (NA) 48 47 48 51	25 25 25 (NA) 24 23 23 23	33 34 34 (NA) 32 32 32 33 36	8 9 9 (NA) 10 10 9	15 14 15 (NA) 16 (NA) (NA)	281 278 280 (NA) 272 (NA) (NA) 633
1980	6,416 6,488 6,424 (NA) 6,512 6,504 6,595 6,820	2,886 2,925 2,875 (NA) 2,896 2,894 2,870 2,887	2,656 2,670 2,668 (NA) 2,648 2,650 2,769 2,977	874 893 881 (NA) 967 960 956 956	490 500 516 (NA) 549 (NA) (NA)	1,042 1,055 1,098 (NA) 1,082 (NA) (NA) 2,547

NA Not available.

Source: Hawaii State Department of Health, <u>Statistical Report</u> (annual).

¹/ Institutions providing more than one kind of care are only counted once.

²/ Five or more beds. Since 1987, category changed to Type II care homes consisting of more than five beds.

^{3/} Four or fewer beds. Since 1987, Type I care homes consisting of five beds or less.

Table 86.-- OCCUPANCY CHARACTERISTICS OF ACUTE AND LONG-TERM CARE CIVILIAN HOSPITALS: 1980 TO 1986

[Excludes Tripler Army Medical Center]

					
Type of facility and year	Beds <u>1</u> /	Admis- sions	Average daily census	Average length of stay (days)	Average daily percent occupancy
Acute care: 1980	2,359	117,404	2,047	6.4	70.9
	2,366	99,247	1,675	6.2	71.0
	(NA)	(NA)	(NA)	(NA)	(NA)
	2,387	102,331	1,654	5.9	69.3
	2,385	96,530	1,558	5.9	65.3
	2,361	84,473	1,566	6.8	66.3
	2,378	91,704	1,586	6.3	66.7
Long-term care: 1980 1981 1982 1983 1984 1985 1986 2/	2,670	2,653	2,391	328.9	90.0
	2,668	2,478	2,487	366.4	93.2
	(NA)	(NA)	(NA)	(NA)	(NA)
	2,648	2,574	2,519	357.3	95.2
	2,650	2,606	2,552	357	96.3
	2,769	2,575	2,590	367	93.5
	2,977	2,901	2,602	327	87.4

NA Not available.

^{1/} Civilian bed count of succeeding year.
2/ Excludes statistics for Lanai.
Source: Hawaii State Department of Health, Statistical Report (annual).

Table 87.-- NUMBER AND BED CAPACITY OF HOSPITALS, BY TYPE OF FACILITY, BY ISLANDS: 1987

[Except for Tripler Army Medical Center, data are for facilities recognized by the Hawaii State Health Planning and Development Agency]

		Hospit	als		Care	homes
Category and island	Total <u>1</u> /	Acute care 2/	Long- term care	Specialty care	Type II <u>3</u> /	Type I <u>4</u> /
NUMBER OF FACILITIES						
State total	51	23	36	9	17	633
Oahu Hawaii Kauai Maui Molokai Lanai NUMBER OF BEDS	33 6 5 4 2 1	10 5 3 3 1 1	21 6 5 2 1 1	7 - - 1 1	11 1 4 - 1	496 63 44 18 12
State total	6,820	2,887	2,977	956	540	2,547
Oahu	5,253 672 328 499 54 14	2,344 251 117 153 16 6	1,985 421 211 338 14 8	924 - - 8 24 -	406 13 107 - 14	2,040 246 143 69 49

^{1/} Institutions providing more than one kind of care are counted only once.

2/ Includes Tripler Army Medical Control of the C

²/ Includes Tripler Army Medical Center which had a bed capacity of 509 (plus 52 nursery beds).

^{3/} More than five beds.

 $[\]overline{4}$ / Five beds or less.

Source: Hawaii State Department of Health, <u>Statistical Report</u>, 1986, pp. 81 and 82.

Table 88.-- OCCUPANCY CHARACTERISTICS OF ACUTE AND LONG-TERM CARE CIVILIAN HOSPITALS, BY ISLANDS: 1986

[Excludes Tripler Army Medical Center]

Type of facility and island	Admissions	Average daily census	Average length of stay (days)	Average daily percent occupancy
ACUTE CARE				
State total	91,704	1,586	6.3	66.7
Oahu	67,499 11,006 5,204 7,626 369 (NA)	1,295 135 52 100 4 (NA)	6.8 4.5 3.6 3.5 3.5 (NA)	67.3 53.8 44.4 65.4 25.0 (NA)
LONG-TERM CARE State total	2,901	2,602	327	87.4
Oahu	1,526 468 233 289 48 (NA)	1,753 379 127 330 13 (NA)	419 296 101 418 95 (NA)	90.5 93.8 83.0 97.6 89.3 (NA)

NA Not available.

Source: Data by islands from Hawaii State Department of Health, Statistical Report 1986, pp. 82-85; state totals estimated by Hawaii State Department of Business and Economic Development.

Table 89.-- COMMUNITY HOSPITAL AVERAGE COSTS AND ROOM CHARGES: 1979 TO 1986

	Avenage		Average cost to hospital			
Year	Average length of stay (days)	Per in- patient day (dollars)	Per admission (dollars)	semiprivate room charges 1/ (dollars)		
1979	7.5 7.5 7.9 8.3 8.2 8.3 (NA)	263.70 245.80 276.80 307.30 357.87 383.05 (NA) (NA)	1,978 1,844 2,187 2,551 2,964 3,186 (NA) (NA)	114.34 126.98 141.09 176.24 215.84 224.31 230.82 252.89		

NA Not available.

Table 90.-- PATIENTS SERVED BY STATE MENTAL HEALTH FACILITIES: 1981 TO 1986

	Patients active, end of period Admissions				ssions		Patients
Year	Total	In- patients	Out- patients	Total	Undupli- cated	Termina- tions	served (undup.)
1981 1982 1983 1984 <u>1</u> / 1985	6,642 6,287 6,022 5,692 6,328 5,852	408 336 303 337 251 252	6,213 5,951 5,719 5,355 6,077 5,600	4,947 4,885 4,761 4,307 3,933 3,826	4,474 4,163 4,112 3,845 3,268 3,292	5,062 5,155 5,030 4,887 4,221 3,725	10,689 10,312 9,970 9,724 8,891 8,342

^{1/} Year ended June 30.

^{1/} January data, except 1983, which refers to July.

Source: Health Insurance Association of America, Source Book of Health Insurance Data (biennial) and Update (biennial).

 $[\]overline{\text{S}}\text{ource:}$ Hawaii State Department of Health, $\underline{\text{Statistical Report}}$ (annual) and records.

Table 91.-- HAWAII STATE HOSPITAL BEDS AND OCCUPANCY: 1983 TO 1987

Number of beds,		Admissi	ons <u>1</u> /	Patients in hospital <u>2</u> /		
Year	June 30	Total	First	Average <u>1</u> /	June 30	
1983 1984 1985 1986 3/ . 1987 3/ .	220 220 220 240 240	1,070 744 647 738 776	445 276 514 611 614	239 221 220 263 254	243 240 224 272 223	

^{1/} Year ended June 30.

Source: Hawaii State Hospital, records.

Table 92.-- WAIMANO TRAINING SCHOOL AND HOSPITAL: 1983 TO 1987 [Waimano Training School and Hospital is the State institution for the mentally retarded]

Beds,		Patients in	Patients on leave,		
Year	June 30	Admissions <u>1</u> /	Average <u>2</u> /	June 30	June 30
1983 1984 1985 1986 1987	426 410 410 410 285	10 2 2 - -	365 356 354 331 266	375 364 360 333 260	614 603 586 593 575

^{1/} Year ended June 30. Excluding returns from community placement. $\overline{2}/$ Year ended June 30.

Source: Hawaii State Department of Health, Statistical Report (annual); Waimano Training School and Hospital, records; and Community Services for the Developmentally Disabled Branch, records.

Includes patients on leave and absent without 164...

Includes children's unit at Leahi Hospital assigned to the factive July 1. 1985. Hawaiī State Hospital effective July 1, 1985.

Table 93.-- HANSEN'S DISEASE PATIENTS REGISTERED: 1982 TO 1986

Subject	1982	1983	1984	1985	1986
Patients on register, Dec. 31 Medically released At home	550 550 432 112 6	578 578 462 110 6	661 661 555 101 5	651 651 545 101 5	653 653 549 99 5
Net annual change	44 49 11 4 12 -	28 41 5 6 12 -	83 43 58 15 5 - +2	-10 31 4 10 39 - +4	2 37 6 4 6 26 -5

Source: Hawaii State Department of Health, <u>Statistical Report</u>, 1986, pp. 108-109.

Table 94.-- SELECTED HEALTH SERVICES (SIC 801-803): 1982
[Includes only establishments with payroll]

Service	Estab- lish- ments	Receipts (\$1,000)	Annual payroll 1/ (\$1,000)	Paid em- ployees, <u>l</u> / mid- March
Offices of physicians Offices of osteopathic physicians Offices of dentists With in-house laboratories Medical and dental laboratories Medical laboratories Dental laboratories	889	229,507	97,872	3,830
	13	1,533	626	31
	488	99,175	36,856	2,420
	75	16,808	(NA)	(NA)
	58	18,838	8,055	497
	21	12,685	5,227	313
	37	6,153	2,828	184

NA Not available.

^{1/} For data by occupation, see source.

Source: U.S. Bureau of the Census, 1982 Census of Service Industries, Miscellaneous Subjects, SC82-I-5 (December 1985), tables 25-29.

Table 95.-- DENTAL CARE, BY AGE GROUP: 1979 [Based on a sample of 4,457 persons surveyed in April-June 1979]

Subject	A11 ages <u>1</u> /	Under 20 years	20 to 39 years	40 to 59 years	60 years and over
Population surveyed	867,755	293,667	300,852	175,113	92,666
Months since last visit: Less than 6	312,781 138,438 114,922 219,379 55,394 26,842	111,515 52,918 42,132 34,942 47,244 4,916	113,509 52,923 32,545 84,555 3,653 13,667	63,300 20,147 28,031 56,284 2,290 5,061	22,983 12,127 10,119 42,578 2,118 2,742
Services received in past 12 months: 2/ Checkup	23,601 344,731 434,384 291,238 155,870 66,266 27,081 35,048 53,243 16,192 13,016 8,128 17,642	12,394 119,090 160,282 105,669 97,968 24,683 3,033 376 8,701 11,913 867 4,224 7,135	6,124 133,835 158,072 114,037 47,498 25,831 12,894 7,629 22,939 3,130 3,918 1,796 4,917	4,272 65,831 83,836 49,970 8,220 10,512 6,633 14,641 14,214 1,148 5,243 699 4,189	811 22,428 28,742 21,217 2,183 5,161 4,175 12,323 7,376
Dental problems: 2/ Cavities Toothache Wisdom tooth Dentures Crooked teeth or bad bite Disease of gum and/or bone Other None Unknown	85,192 11,132 22,066 32,651 33,595 8,861 18,324 636,968 54,917	19,904 1,683 6,109 1,547 20,436 452 5,903 220,371 24,001	44,345 4,666 13,928 2,644 9,049 2,555 6,918 213,235 18,857	14,491 2,808 1,513 12,399 2,726 4,789 3,081 135,848 6,063	6,451 1,974 516 16,061 1,384 1,040 2,422 62,908 5,171

^{1/} Includes 5,456 persons not reporting age.
2/ Some respondents reported two or more categories.
Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, printout dated January 29, 1981.

Table 96.-- POPULATION USING FLUORIDATED WATER: 1964 TO 1980

Subject	1964	1972	1980
Persons using fluoridated water 1/ Percent of total population Rank (50 States, D.C., and P.R.)	87,000	104,500	61,000
	12.2	12.8	6.3
	41	48	50

^{1/} Covers both natural and controlled fluoridation.

Source: Statistical Abstract of the United States for 1965

(p. 174) and 1975 (p. 180); Hawaii Health Messenger, Spring 1987, p. 3.

Table 97.-- PHYSICIANS, DENTISTS, NURSES, AND PHARMACISTS LICENSED IN HAWAII, BY PLACE OF ADDRESS: NOVEMBER 19, 1986

Place of address	Physicians and surgeons <u>1</u> /	Dentists	Regis- tered nurses	Pharma- cists
Total licensed	3,597	1,103	9,368	764
Hawaii addresses Hawaii Maui Lanai Molokai Oahu Kauai Niihau Out of State	2,150 170 147 3 8 1,740 82 - 1,447	847 74 50 - 4 694 25 - 256	7,088 572 531 8 33 5,671 273 - 2,280	469 37 35 1 2 375 19 - 295

¹/ Permanent licenses only. Does not include interns, residents, or physicians who provided State government services only.

Source: Hawaii State Department of Commerce and Consumer Affairs, Professional and Vocational Licensing Division, Licensing Branch, data provided February 13, 1987.

Table 98.-- MARRIAGES AND DIVORCES: 1970 TO 1986 [Place of occurrence basis]

	Marr	iages	Divorces and			Percent of marriages	
Calendar year	Total	Resi- dent <u>1</u> /	annul- ments <u>2</u> /	Resident marriages	Divorces, annulments <u>2</u> /	Nonresi- dent <u>4</u> /	Inter- racial
1970 1971 1972 1973 1974 1975 1976 1977 1978	10,599 9,734 9,750 9,776 9,649 9,673 9,769 10,266 10,736 11,678	7,889 8,104 8,482 8,656 8,500 8,440 8,318 8,427 8,650 9,424	2,589 3,691 3,891 4,170 4,111 4,265 4,712 4,601 4,837 5,055	10.2 10.1 10.2 10.2 9.8 9.5 9.2 9.2 9.3 9.9	3.4 4.6 4.7 4.9 4.7 4.8 5.2 5.0 5.2 5.3	25.6 16.7 13.0 11.5 11.9 12.7 14.9 17.9 19.4 19.3	33.7 38.7 38.6 40.6 40.1 39.6 38.8 37.5 37.9 38.2
1980 1981 1982 1983 1984 1985	11,856 12,218 13,483 14,062 14,982 15,421 16,219	9,442 9,445 10,053 10,216 10,020 9,893 9,571	4,438 4,253 4,233 4,583 4,769 4,887 4,674	9.7 9.6 10.1 10.0 9.7 9.4 9.0	4.6 4.3 4.2 4.5 4.6 4.6 4.4	20.4 22.7 25.4 27.3 33.3 35.8 30.4	37.6 36.1 35.7 35.5 33.4 33.6 30.7

^{1/} One or both partners residents of Hawaii.

2/ Final decrees only. An interlocutory decree of six months was abolished July 1, 1971.

3/ Based on estimates in DPED, Statistical Reports 172 and 195.

4/ Both partners nonresidents of Hawaii.

Source: Hawaii State Department of Health, Statistical Report (annual).

Table 99.-- CHARACTERISTICS OF MARRIAGES AND DIVORCES: 1983 TO 1986

[Place of occurrence basis]

Subject	1983	1984	1985	1986
MARRIAGES				
Number Percent on Oahu Percent Hawaii residents:	14,062	14,982	15,421	16,219
	69.8	66.8	64.5	62.0
Both bride and groom	67.5	61.7	59.4	54.6
	5.2	5.2	4.7	4.4
	27.3	33.1	35.8	41.0
Groom	29.0	29.7	29.9	30.6
	26.8	27.5	27.8	28.1
Groom	36.6	38.3	39.3	40.4
	36.8	38.8	39.1	39.6
DIVORCES AND ANNULMENTS				
Number Divorces Annulments Not reported Percent occurring on Oahu	4,583	4,769	4,887	4,674
	4,573	4,758	4,875	4,652
	10	11	12	19
	-	-	-	3
	76.1	79.2	77.2	76.2
Residence: Both residents of Hawaii	76.1 12.2 11.8	74.2 13.0 12.8	75.3 12.3 12.4	74.4 12.9 12.5 0.1
Husband	33.4	33.9	34.3	34.3
	30.8	31.3	32.0	32.1
	39.9	41.1	39.0	38.2
	54.4	54.0	55.6	53.2
	5.4	6.1	6.3	6.4

^{1/} For these calculations, marriages where both bride and groom are in the "Part Hawaiian" or "Other races" categories are classified as non-interracial.

Source: Hawaii State Department of Health, Statistical Report (annual).

Table 100.-- RESIDENT MARRIAGES, TOTAL AND INTERRACIAL, BY OCCUPATION OF BRIDE AND GROOM: 1986

[For earlier years, see Data Book 1976, table 41]

	By occupation of groom			By occupation of bride			
		Mixed m	arriages		Mixed m	arriages	
Occupation	All marriages	Number	Percent	All marriages	Number	Percent	
Total	9,570	4,447	46.5	9,570	4,447	46.5	
No occupation Prof., technical Farm, mgr., official Clerical Sales Craft, foremen Operatives Priv. household Farm laborers Labor, exc. farm Armed forces Unknown	702 1,221 1,080 434 431 1,389 585 1,135 16 372 2,194	342 551 524 225 185 713 304 579 8 156 855	48.7 45.1 48.5 51.8 42.9 51.3 52.0 51.0 50.0 41.9 39.0 45.5	2,802 1,179 603 2,319 621 94 115 1,122 7 32 669 7	1,402 502 311 1,129 315 41 52 555 2 15 119 4	50.0 42.6 51.6 48.7 50.7 43.6 45.2 49.5 28.6 46.9 17.8 57.1	

Source: Hawaii State Department of Health, records.

Table 101.-- MARRIAGES OCCURRING IN HAWAII, RESIDENT AND NONRESIDENT, BY RACE MIXTURE AND TYPE OF CEREMONY: 1986

Race mixture and type of ceremony	Total	At least one partner Hawaii resident	Both partners nonresidents
All marriages	16,219	9,570	6,649
Race of bride and groom: Both partners same Different Percent different	11,126	5,123	6,003
	5,093	4,447	646
	31.4	46.5	9.7
Type of ceremony: Civil	4,990	3,875	1,115
	11,228	5,694	5,534
	1	1	-
	30.8	40.5	16.8

Source: Hawaii State Department of Health, Research and Statistics Office, special tabulations.

Table 102.-- PERSONAL HEALTH CARE EXPENDITURES: 1966 AND 1982

	Total (mill	Per capita (dollars)		
Type of expenditure	1966	1982	1966	1982
All expenditures	147.9	1,224.4	208	1,228
Hospital care	56.4 33.3 14.2 3.1 19.2 4.1 4.2 13.6	477.6 374.5 133.0 20.8 92.9 22.6 62.8 40.1	79 47 20 4 27 6 6 19	479 376 133 21 93 23 63 40

Source: U.S. Department of Health and Human Services, Health Care Financing Administration, <u>Health Care Financing Review</u>, Summer 1985, pp. 19, 21, 37, and 45.

Table 103.-- HEIGHT DISTRIBUTION, BY SEX, AND AVERAGE WEIGHT, BY HEIGHT AND SEX, FOR PERSONS 18 YEARS OLD AND OVER: 1975-1980

[Based on a sample of approximately 48,000 Hawaii residents 18 years old and over. Height and weight values are those reported by respondents; inclusion or exclusion of clothing or shoes not specified. Fractional values of 1/2 and over have been rounded upward]

	Cumulative per		rcent Average weight (pounds	
Height (inches)	Male	Female	Male	Female
Total	100.0	100.0	159.5	127.9
Under 54 54 55 56 57 58 59 60 61 62 63 64 65 66 67 70 71 72 73 74 75 76 77	0.1 0.1 0.2 0.3 0.4 0.7 2.1 3.5 7.3 12.1 19.8 27.8 39.3 51.2 61.8 70.7 78.4 85.7 92.7 95.7 98.1 99.0 99.6 99.8	0.7 0.8 1.0 1.7 2.7 5.2 11.4 24.4 34.9 51.2 63.3 74.7 82.8 89.9 94.6 97.4 98.6 99.3 99.7 99.9 100.0 100.0 100.0 100.0	(B) (B) (B) (B) (B) (B) 122.7 124.2 126.7 131.7 133.6 136.1 140.8 145.1 150.0 155.8 161.6 168.4 170.7 177.7 182.4 188.7 193.9 198.9 201.8 205.9	111.0 106.0 112.9 107.3 107.8 107.9 113.6 116.3 121.3 124.6 128.7 133.9 138.5 140.3 144.4 148.5 156.5 156.5 153.2 156.8 167.4 (B) (B) (B) (B)
78	99.9 100.0	100.0 100.0	210.8 192.2	(B) (B)

B Base figure too small to meet statistical standards for reliability of derived figure.

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

Table 104.-- WEIGHT DISTRIBUTION, BY SEX, AND AVERAGE HEIGHT, BY WEIGHT AND SEX, FOR PERSONS 18 YEARS OLD AND OVER: 1975-1980

[Based on a sample of approximately 48,000 Hawaii residents 18 years old and over. Height and weight values are those reported by respondents; inclusion or exclusion of clothing or shoes not specified. Fractional values of 1/2 and over have been rounded upward]

	Cumulative percent		Average height (inches)	
Weight (pounds)	Male	Female	Male	Female
Total	100.0	100.0	67.5	62.6
Under 75 75 to 99 100 to 124 125 to 149 150 to 174 175 to 199 200 to 224 225 to 249 275 to 299 300 to 324 325 to 349 350 and over	0.0 0.4 7.7 38.3 71.7 90.0 96.8 98.7 99.5 99.8 99.9 99.9 100.0	0.1 7.8 51.2 82.5 93.3 97.7 99.1 99.6 99.9 100.0 100.0 100.0	(B) 61.4 63.5 65.7 68.0 69.8 70.7 70.9 70.6 71.0 72.1 (B) (B)	57.8 59.7 61.9 63.4 64.2 64.7 65.0 65.5 63.9 (B) (B)

B Base figure too small to meet statistical standards for reliability of derived figure.

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

Table 105.-- DAILY FOOD INTAKE OF INDIVIDUALS: WINTER 1978

Food	Average daily intake (grams)	Percent using in a day
Meats, poultry, fish Milk, milk products (calcium equivalent) Eggs Legumes, nuts, seeds Grain products Bread, rolls, biscuits Rice Fats, oils Vegetables Nonalcoholic beverages Alcoholic beverages Fruits Sugar, sweets	244 273 28 38 281 49 116 13 160 491 79 169	94.7 69.8 32.2 25.8 96.9 70.4 58.7 62.9 86.4 77.1 12.2 58.5 53.8

Source: U.S. Department of Agriculture, Science and Education Administration, Food and Nutrient Intakes of Individuals in 1 Day in Hawaii, Winter 1978 (Nationwide Food Consumption Survey 1977-78, Preliminary Report No. 5, May 1981), pp. 33-42.

Table 106.-- NUTRITIVE VALUE OF FOOD: WINTER 1978

Nutrient	Average intake per individual in a day Unit Amount		Percent of recommended dietary allowances in a day	Percent of households meeting recommended allowances
Nucl Tellt	OHIC	Allouit	III a day	allowances
Food energy Protein Fat Carbohydrate Calcium Iron Magnesium Phosphorus Vitamin A value Thiamin Riboflavin Preformed niacin Vitamin B6 Vitamin B12 Vitamin C	Kcal G G G Mg Mg Mg Mg Mg Mg Mg Mg	1,751 73.8 75.8 188.2 625 12.6 236 1,068 5,429 1.23 1.50 18.3 1.44 5.11	81 163 73 103 79 127 122 110 116 124 75 139 166	77 98 50 88 70 96 83 88 87 68 84 96

Source: U.S. Department of Agriculture, Science and Education Adminiatration, Food Consumption and Dietary Levels of Households in Hawaii, Winter 1978 (Nationwide Food Consumption Survey 1977-78, Preliminary Report No. 4, April 1981), p. 19, and Food and Nutrient Intakes of Individuals in 1 Day in Hawaii, Winter 1978 (Nationwide Food Consumption Survey 1977-78, Preliminary Report No. 5, May 1981), pp. 58 and 60.