Section 2

VITAL STATISTICS AND HEALTH

This section presents data on births, deaths, marriages, divorces, diseases, accidents, alcohol and drug use, height and weight, hospitals, and health personnel.

Vital indexes generally reflect the high health standards of Hawaii. Expectation of life at birth in 1984-86 was 75.37 years for males and 80.92 years for females. There were 5,970 resident deaths in 1988, or 5.4 per 1,000 resident population. Deaths under one year of age per 1,000 live births numbered 10.8 in 1988. Diseases of the heart have accounted for almost a third of all deaths in recent years; cancer, for one-fourth. Resident live births in 1988 numbered 18,937, or 17.2 per 1,000 resident population. The total fertility rate for civilians fell from 3,360 per 1,000 women in 1960 to 2,013 in 1988. Fully 98.6 percent of all babies were born in hospitals in 1988, and 20 percent were born to military couples. More than one out of five births was to an unmarried woman. There were 7,409 fetal deaths in 1988, including 5,998 elective abortions. Marriages numbered 17,281 in 1988, with about 44 percent accounted for by nonresidents. Divorces reached a 1988 total of 5,020. The State had 22 acute care hospitals (with 2,855 beds), 38 long-term care facilities (with 3,191 beds), and nine specialty care facilities (with 808 beds) in 1989. There were 2,425 physicians and surgeons, 882 dentists, 8,218 professional nurses, and 516 pharmacists licensed and living in Hawaii as of March 1989. Acute conditions per 100 persons numbered 210 in 1986, with respiratory conditions the most common complaint (at 148 cases per 100 persons). Among chronic conditions reported in the 1986 survey data, the most frequently mentioned were hypertension without heart involvement (7.7 per 100 persons), hayfever (5.7), and impairments of the back or spine (5.1). The most common communicable diseases reported to authorities in 1987 were scarlet fever, with 3,620 cases, and chickenpox, with 1,484, but the most fatal was AIDS (41 deaths). State mental health facilities served 8,389 patients in 1988, but the number of in-patients at the end of the year was only 260. Among persons 18 years old and over in 1984, 53 percent used alcohol, eight percent were heavy drinkers, 43 percent used drugs, and three percent were heavy drug users. The average adult male was 67.5 inches tall and weighed 159.5 lbs.; the average adult female was 62.6 inches and 127.9 lbs.

The major sources for data on vital statistics and health are the annual statistical reports of the Hawaii State Department of Health. Long-term trends are traced in <u>Historical Statistics of Hawaii</u>, Section 2. Sections 2 and 3 of the <u>Statistical Abstract of the United States:</u> 1989 contain similar data for the nation as a whole.

Table 44.-- BIRTHS AND DEATHS: 1970 TO 1988

			Rates per 1,000 resident population <u>2</u> /		Rates per 1,000 live births <u>3</u> /			
Calendar year	Resident births <u>1</u> /	Resident deaths <u>1</u> /	Births	Deaths	Illegiti- mate hirths	Fetal deaths <u>4</u> /	Infant deaths <u>5</u> /	
1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987	16,361 15,780 15,364 15,328 15,472 15,689 16,292 16,874 16,717 17,513 18,129 18,174 18,675 19,090 18,667 18,267 18,253 18,555 18,937	3,971 4,130 4,245 4,356 4,286 4,272 4,349 4,349 4,508 4,791 4,903 4,927 5,123 5,409 5,571 5,751 5,788 6,149 5,970	21.2 19.7 18.5 18.0 17.8 17.7 18.0 18.4 17.9 18.4 18.7 18.5 18.7 18.7 18.7 18.7	5.1 5.2 5.1 5.1 4.9 4.8 4.7 4.8 5.0 5.1 5.3 5.4 5.5 5.4 5.7	95.8 88.4 93.0 104.0 108.8 123.2 125.0 143.3 160.1 163.5 175.6 181.8 186.3 197.8 191.8 201.3 203.9 213.7 223.3	20.6 23.5 22.8 16.4 16.3 18.9 20.8 21.6 13.5 13.1 15.3 13.1 12.7 11.4 9.5 9.7 11.0 9.2 10.8	19.1 16.0 17.5 13.7 16.0 13.7 11.2 12.3 12.0 10.9 10.8 10.5 8.9 10.0 10.9 9.1 9.2 8.8 7.4	

¹/ Events occurring in Hawaii. Data include births to military couples and deaths of armed forces and their dependents, but exclude nonresident births and deaths, as well as resident births and deaths occurring out of State.

^{2/} Based on estimates in present report, table 2.
3/ Place of occurrence basis.
4/ 20 weeks gestation and over. Includes elective abortions.

^{5/} Under 1 year of age.

Source: Hawaii State Department of Health, Statistical Report (annual), and records.

Table 45.-- BIRTHS AND DEATHS, BY MILITARY STATUS: 1987 AND 1988

[Place of occurrence basis]

				Armed		
Subject	All groups	Armed forces	All civilians	Military dependents	Other civilians	forces and dependents
Live births: 1987 1988	18,698 19,054	-	18,698 19,054	3,966 3,821	14,732 15,233	3,966 3,821
Deaths: 1987 1988	6,490 6,315	64 60	6,426 6,255	83 90	6,343 6,165	147 150
Birth rates: 2/ 1987 1988	15.6 15.6	0 0	16.4 16.4	61.2 54.7	13.7 13.9	32.3 30.2
Death rates: 2/ 1987 1988	5.4 5.2	1.1 1.1	5.6 5.4	1.3 1.3	5.9 5.6	1.2

^{1/} Death rates for military dependents based on 1980 age and sex composition of military dependents and 1980 age-sex-specific death rates for all civilians. Deaths of civilians other than military dependents calculated as residual.

Source: Hawaii State Department of Health, Office of Health Status Monitoring, records.

^{2/} Per 1,000 de facto population in each group, based on estimates in present report, tables 2 and 3.

Table 46.-- LIVE BIRTHS, STANDARD FETAL DEATHS, AND ELECTIVE ABORTIONS: 1983 TO 1988

[Place of residence basis]

Calendar	Total o	deliveries	Live	Standard fetal	Elective	
year	Number	Rate <u>1</u> /	births	deaths	abortions	
1983 1984 1985 1986 1987	26,709 25,573 25,335 25,312 25,931 26,346	26.2 24.7 24.1 23.8 24.0 24.0	19,090 18,667 18,267 18,253 18,555 18,937	1,627 1,629 1,473 1,412 1,405 1,411	5,992 5,277 5,595 5,647 5,971 5,998	

^{1/} Per 1,000 resident population, July 1. From present report, table 2.

Source: Hawaii State Department of Health, Annual Report, Statistical Supplement, 1983-1987, and records.

Table 47.-- BIRTHS AND DEATHS, BY PLACE OF OCCURRENCE AND RESIDENCE: 1986 TO 1988

		Occurring	Hawaii residents			
Event and year	Total	Resident	Non- resident	Not reported	Total	Out of State 1/
Births: 1986 1987 1988	18,341 18,698 19,054	18,253 18,555 18,937	86 143 115	2 - 2	18,277 18,595 18,964	24 40 27
Deaths: 1986 1987 1988	6,171 6,490 6,315	5,788 6,147 5,970	382 343 340	1 - 5	5,837 6,214 6,052	49 67 82

^{1/} Mainland U.S., U.S. territories and possessions, and Canada. Source: Hawaii State Department of Health, Statistical Report, and 1987, and records.

Table 48.-- CHARACTERISTICS OF RESIDENT BIRTHS: 1985 TO 1988 [Excludes births to Hawaii residents occurring out of state]

Subject	1985	1986	1987	1988
Number of resident births City and County of Honolulu Percent on Oahu Hawaii County Kauai County Maui County (incl. Kalawao) Percent attended by M.D. or O.D. in hospital 1/	18,267 14,021 76.8 1,873 778 1,595 98.0	18,253 14,074 77.1 1,800 822 1,557 98.3	18,555 14,160 76.3 1,915 865 1,615 98.3	18,937 14,430 76.2 1,980 873 1,654 98.6
Males per 100 females	108.2 3,307 6.6 51.3 1.8	105.7 3,306 6.1 51.3 2.0	107.6 3,308 7.2 52.2 2.4	103.6 3,315 6.9 51.1 1.8
Percent illegitimate Percent with prenatal visit in first three months Percent first child born to mother Percent first child born alive to mother Median age of mothers (years) Median age of known fathers (years)	20.0 74.7 31.9 41.7 26 29	76.4 31.6 42.5 26 29	73.9 29.7 41.3 26.8 29.3	22.4 71.6 30.3 42.1 27.1 29.6

^{1/} Place of occurrence basis.
Source: Hawaii State Department of Health, Statistical Report (annual),
and records.

Table 49.-- FERTILITY RATES, BY MILITARY STATUS: 1980 AND 1988

[Military dependents are included in the military category. For 1960 and 1970 data, see Data Book 1987, table 60]

	Crude birth rate <u>1</u> /		General fertility rate <u>2</u> /		fert	tal ility e <u>3</u> /
Military status	1980	1988	1980	1988	1980	1988
Total Civilian Military	18.8 16.5 35.0	17.4 15.7 30.2	78.7 68.9 147.5	73.5 66.5 126.9	2,084 1,871 3,496	2,158 2,013 2,930

^{1/} Annual number of live births per 1,000 resident population.

Source: 1980 calculated by Eleanor C. Nordyke, East-West Population Institute; 1988 estimated by Hawaii State Data Center.

Table 50.-- RESIDENT BIRTHS, MIXED AND UNMIXED, BY MILITARY STATUS OF FATHER: 1988

Military status of father	Total births	Unmixed	Mixed <u>1</u> /	Not certain <u>2</u> /
All groups	19,054	8,473	9,305	1,276
Military Civilian or not reported	3,821 15,233	2,972 5,501	819 8,486	30 1,246

^{1/} Includes all Part Hawaiian births, including those in which both parents were Part Hawaiian.

Source: Hawaii State Department of Health, records.

^{2/} Annual number of live births per 1,000 women 15-44 years of age.

 $[\]overline{3}/$ Average number of children to whom 1,000 women would give birth according to a set of fertility rates providing the women survive the childbearing years.

^{2/} One or both parents of unspecified race (unless one was Part Hawaiian) or both parents classified as "other."

Table 51.-- MOST COMMON FIRST NAMES ON BIRTH CERTIFICATES, BY SEX: 1988

[A total of 6,352 first names, including variant spellings, was reported for the 19,054 babies born in Hawaii in 1988]

	Boys' names		Girls' names		
Rank	Name	Number	Name	Number	
1 2 3 4 5 6 7 8 9	Michael Joshua Christopher Matthew Justin Ryan Brandon James David Andrew	198 190 184 163 156 140 125 122 121	Ashley Jessica Nicole Jennifer Amanda Sarah Tiffany Samantha Lauren Chelsea	172 157 119 106 92 89 75 73 69	

Source: Hawaii State Department of Health, special tabulation.

Table 52.-- MOST COMMON SURNAMES ON BIRTH AND DEATH CERTIFICATES: 1988

	Birth certific	ates	Death certificates		
Rank	Surname	Births	Surname	Deaths	
1 2 3 4 5 6 7 8 9 10	Smith Lee Wong Williams Johnson Garcia Kim Miller Brown Young Jones	100 81 79 66 56 52 50 50 48 44 44	Wong Lee Chang Kim Young Chun Higa Yamamoto Lau Silva Lum	40 39 38 27 27 23 22 21 20 20	

Source: Hawaii State Department of Health, special tabulation.

Table 53.-- SELECTED LIFE TABLE VALUES, BY SEX: 1984-1986

[For earlier years and rankings relative to other States, see Data Book 1987, tables 69 and 70]

A		Of 100,000 be	orn alive		Average remaining	
Age in years (period of life between two exact	Number living at beginning of year of age			ving during of age	lifetime at beginning of year of age <u>1</u> /	
ages stated)	Male	Female	Male	Female	Male	Female
0-1	100,000 98,814 98,573 97,650 96,469 94,660 90,060 80,321 61,250 31,274	100,000 99,023 98,831 98,453 98,013 96,998 94,310 88,116 75,146 49,110	1,020 17 57 117 134 281 719 1,387 2,492 (2/)	833 22 31 36 67 162 430 923 1,946 (2/)	75.37 71.27 61.43 51.96 42.53 33.24 24.64 16.95 10.53 5.56	80.92 76.72 66.85 57.09 47.32 37.76 28.67 20.29 12.83 6.73

^{1/} For males and females combined, the average remaining lifetime at birth was 77.98 years. For the entire United States in 1985, the corresponding figure was 74.7 years (71.2 years for males and 78.2 years for females).

2/ Not calculated for this and higher ages.

Source: Robert W. Gardner, East-West Population Institute, Complete Life Tables by Age and Sex for Hawaii, 1984-86 (unpublished, September 11, 1987); Statistical Abstract of the United States: 1989, p. 71.

Table 54.-- CHARACTERISTICS OF RESIDENT DEATHS: 1985 TO 1988 [Excludes deaths of Hawaii residents occurring out of state]

Subject	1985	1986	1987	1988
Number of resident deaths City and County of Honolulu Hawaii County Kauai County Maui County (incl. Kalawao) Males per 100 females Median age (years) Centenarian deaths: Male Female Oldest (years): Male Female Percent married	5,751	5,788	6,147	5,970
	4,294	4,248	4,534	4,304
	715	719	784	793
	256	313	305	339
	486	508	522	534
	146.3	138.0	144.4	145.1
	71.9	73.2	72.2	72.9
	10	10	14	14
	23	19	21	24
	114	106	107	102
	109	106	103	107
	47.5	47.0	46.9	48.2
Deaths under 1 year Per 1,000 live births Fetal deaths 1/ Per 1,000 deliveries Fetal deaths, 20 or more weeks gestation 2/ Per 1,000 live births Standard fetal deaths 3/ Elective abortions Per 1,000 live births	159	168	164	131
	8.7	9.2	8.8	7.4
	7,068	7,178	7,264	7,409
	279	281	392	281
	177	202	183	205
	9.7	11.0	9.2	10.8
	1,473	1,478	1,405	1,411
	5,595	5,700	5,971	5,998
	306.3	312.3	321.8	314.8

Source: Hawaii State Department of Health, Statistical Report (annual).

 $[\]frac{1}{2}$ Includes elective abortions. $\frac{2}{2}$ Place of occurrence basis. Includes elective abortions if 20 weeks or more.

^{3/} Excludes elective abortions.

Table 55.-- CAUSE OF DEATH, BY SEX: 1988
[Place of residence basis]

Cause of death Both sexes Males Females Total deaths 5,970 3,534 2,436 Tuberculosis 15 11 4 Syphilis - - - - Other infective 146 108 38 Malignant neoplasm 1,516 895 621 Digestive organs 523 324 199 Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 992 605 387 Other disease 1,858 1,071 787 Hypertensive 60 25 35				
Cause of death sexes Males Females Total deaths 5,970 3,534 2,436 Tuberculosis 15 11 4 Syphilis - - - - Other infective 146 108 38 Malignant neoplasm 1,516 895 621 Digestive organs 523 324 199 Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Other heart 777 431 346		Both		
Total deaths 5,970 3,534 2,436 Tuberculosis 15 11 4 Syphilis - - - Other infective 146 108 38 Malignant neoplasm 1,516 895 621 Digestive organs 523 324 199 Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 78 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertensive <	Cause of death	1	Males	Females
Tuberculosis		30,03	Marcs	1 Chaics
Tuberculosis				
Syphilis - - - Other infective 146 108 38 Malignant neoplasm 1,516 895 621 Digestive organs 523 324 199 Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertensive 992 605 387 Other heart 777 431 346 Hypertensive <td< td=""><td>Total deaths</td><td>5,970</td><td>3,534</td><td>2,436</td></td<>	Total deaths	5,970	3,534	2,436
Syphilis - - - Other infective 146 108 38 Malignant neoplasm 1,516 895 621 Digestive organs 523 324 199 Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertensive 992 605 387 Other heart 777 431 346 Hypertensive <td< td=""><td></td><td>_</td><td></td><td></td></td<>		_		
Other infective 146 108 38 Malignant neoplasm 1,516 895 621 Digestive organs 523 324 199 Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm <td></td> <td>15</td> <td> 11</td> <td>4</td>		15	11	4
Malignant neoplasm 1,516 895 621 Digestive organs 523 324 199 Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 <td>Syphilis</td> <td>- </td> <td>-</td> <td>-</td>	Syphilis	-	-	-
Digestive organs 523 324 199 Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60				
Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 75 5	Malignant neoplasm		1	i .
Respiratory system 389 275 114 Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 75 5	Digestive organs		T .	199
Breast 90 - 90 Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - - - Other circulatory 78 46 32 11 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27	Respiratory system	389	275	114
Genital organs 153 81 72 Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium		90	-	90
Urinary organs 51 35 16 Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium		153	81	72
Leukemia 48 31 17 Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions<		51	35	16
Other 262 149 113 Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal co		48	31	17
Diabetes mellitus 145 78 67 Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30		262	149	113
Heart disease 1,858 1,071 787 Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19			1	
Rheumatic 29 10 19 Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327 <td></td> <td>1</td> <td></td> <td>787</td>		1		787
Hypertensive 60 25 35 Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327				i .
Ischemic 992 605 387 Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327				
Other heart 777 431 346 Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327		1 - 1	i .	I
Hypertension 12 6 6 Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327		1 3	1	l .
Cerebrovascular disease 426 215 211 Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327			i .	
Arteriosclerosis 39 25 14 Aneurysm - - - Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327		1 1	1	
Aneurysm -<		1		i .
Other circulatory 78 46 32 Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327] 39	23	14
Influenza/pneumonia 198 120 78 Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327		70	16	72
Bronchitis/emphysema/asthma 60 33 27 Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327		1 1	1	
Peptic ulcer 20 13 7 Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327	Influenza/pneumonia		1	
Cirrhosis of liver 75 54 21 Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327	Bronchitis/emphysema/asthma			1
Nephritis and nephrosis 41 25 16 Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327	reptic uicer	1 1		
Pregnancy, birth & puerperium 2 1 1 Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327		1	1	1
Congenital anomalies 50 32 18 Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327		: :	1	1
Perinatal conditions 61 31 30 Ill-defined conditions 42 23 19 Other diseases 738 411 327		1	. –	ľ
Ill-defined conditions 42 23 19 Other diseases 738 411 327	Congenital anomalies	1 1	i	i
Other diseases		1 3		l .
V	TIT GOTTING CONGITOTORIO !!!!	1 i		ı
Accidents	Other diseases	738		1
	Accidents	281	1	
Motor vehicles	Motor vehicles	142		
Other 139 106 33	Other	1 1		
Suicide 103 83 20	Suicide	103	í	
Homicide & legal intervention 41 24 17	Homicide & legal intervention	41	24	17
Other external causes 23 19 4	<u> </u>	23	19	4

Source: Hawaii State Department of Health, Office of Health Status Monitoring, records.

Table 56.-- CATASTROPHIC MORTALITY: 1980 TO 1989

[Includes all accidents, natural disasters, and other events causing five or more deaths. Complete through October 30, 1989]

	Date Place		Kind of disaster	Deaths
1980: 1981: 1982: 1983: 1985: 1987: 1988:	Jan. 8-10 May 18 Dec. 5 July 24 June 16 Dec. 23 June 9 July 9 July 9 Feb. 24 June 11 Oct. 28	Oahu, Maui, Hawaii Molokai Pearl Harbor Near Wahiawa, Oahu Honopu, Kauai 540 mi. N. of Honolulu At sea W. of Molokai Near Waimanalo, Oahu Near Kawaihae, Hawaii Texas 100 mi. S. of Honolulu Waimanu, Hawaii Halawa, Molokai		7 11 5 14 7 8 5 6

Source: Robert C. Schmitt, "Catastrophic Mortality in Hawaii: An Update," <u>The Hawaiian Journal of History</u>, Vol. 23 (1989), pp. 217-227; DBED file of newspaper accounts.

Table 57.-- DEATHS OCCURRING IN HAWAII, BY METHOD OF DISPOSITION: 1983 TO 1988

Method	1983	1984	1985	1986	1987	1988
All methods	5,725	5,942	6,116	6,171	6,490	6,315
Burial Cremation Removal Entombment Educational purpose Other Unknown	2,513 2,588 594 25 - 3 2	2,517 2,808 587 26 - - 4	2,610 2,886 586 27 - - 7	2,512 3,002 614 41 - - 2	2,690 3,185 565 39 - - 11	2,543 3,145 591 29 - - 7

Source: Hawaii State Department of Health, $\underline{\text{Statistical Report}}$ for 1983-1987, and records.

Table 58.-- PERCENT OF ADULT POPULATION AFFECTED BY SPECIFIED HEALTH RISK FACTORS, BY SEX AND ISLANDS: 1987

[Excludes inmates of institutions, armed forces living on military bases, and all persons less than 18 years old]

		Island		Sex		
Health risk factor	State	0ahu	Others	Male	Female	
Seatbelt nonuse Current hypertension Sedentary lifestyle Obesity Smoking Acute drinking Heavier drinking Drinking and driving	7.3 15.7 51.7 18.1 22.3 22.6 8.9 3.7	5.9 15.7 51.6 17.5 21.4 21.2 7.4 3.0	12.2 15.7 52.0 20.3 25.5 27.7 13.9 6.2	9.1 15.2 45.3 21.3 23.6 35.3 15.2 5.5	5.6 16.1 57.9 15.0 21.1 10.2 2.7 1.9	

Source: Hawaii State Department of Health, Health Promotion and Education Office, <u>HPEO Report - 1987 Statistical Annual Report</u>, tables 2 and 3.

Table 59-- CHOLESTEROL LEVELS OF PERSONS SCREENED BY THE STATE DEPARTMENT OF HEALTH: NOVEMBER 1986 TO MAY 1988

Cholesterol level (mgm/dl)	Number	Percent
All persons screened	9,440	100.0
Normal (under 200)	4,311 2,957 2,172	45.7 31.3 23.0

Source: Hawaii State Department of Health, Chronic Disease Branch, records.

Table 60.-- PERSONS ON THE STATE BLIND REGISTER, BY COUNTIES: 1987 AND 1988

	Date	State total	City and Co. of Honolulu	County of Hawaii	County of Kauai	County of Maui
1987:	June 30	2,008	1,643	147	66	152
1988:	June 30	2,121	1,730	156	73	162

Source: Hawaii State Department of Social Services and Housing, Services for the Blind Branch, records.

Table 61-- EYEGLASS WEARERS, FOR OAHU: 1988

Type of eyeglasses	Percent
Persons surveyed	100 60 6 4 30

Source: Survey by East West Research Institute, cited in Honolulu Advertiser, May 23, 1988, p. A-2.

Table 62.-- CHRONIC CONDITIONS: 1986

Selected chronic conditions conditions Heart condition		
Impairment of back or spine Hypertension without heart involvement	evalence of condition	Conditions per 1,000 persons
Arthritis/rheumatism Hearing impairment Asthma with or without hayfever Diabetes Mental and nervous condition Visual impairment Malignant neoplasms Chronic and allergic skin conditions Chronic sinusitis Hayfever without asthma Stomach ulcer Bronchitis/emphysema Benign and unspecified neoplasms Hemorrhoids Thyroid/goiter Varicose veins Gout	20,065 52,127 78,942 31,597 34,866 35,311 18,618 11,669 11,194 6,577 44,704 26,363 58,149 5,978 15,738 4,219 11,348 7,995 7,097	19.6 50.9 77.1 30.8 34.0 34.5 18.2 11.4 10.9 6.4 43.6 25.7 56.8 5.8 12.8 4.1 11.1 7.8 6.9

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

Table 63.-- LIMITATION OF ACTIVITY DUE TO CHRONIC OR ACUTE CONDITIONS: 1986

Type of limitation	Number
Persons with one or more chronic conditions No limitation of activity Limited, but not in major activity Limited in amount or kind of activity Unable to carry on major activity	378,440 313,730 26,073 18,797 10,893
Restricted days in past 12 months 1/ Per person 2/	12,697,600

^{1/} A restricted activity day is one in which a person had to cut down on his usual activity for all or most of the day.

2/ Base includes persons without chronic or acute

Source: Hawaii State Department of Health, Hawaii Health Surveillance Survey Program, special tabulations.

Table 64.-- ACUTE CONDITIONS: 1986

Condition	Incidence of condition per year	Conditions per 100 persons per year
All acute conditions Infective parasitic diseases Respiratory condition Digestive system condition Injuries	2,151,954 142,326 1,510,339 47,658 189,045 262,586	210.2 13.9 147.5 4.6 18.5 25.6

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

conditions or restricted activities.

Table 65.-- SPECIFIED COMMUNICABLE DISEASES: 1986 TO 1988

	Cases			Deaths		
Disease	1986	1987	1988	1986	1987	1988
All reportable diseases	9,762	8,152	9,657	39	71	62
AIDS Chickenpox Gonorrhea Hansen's Disease 1/ Hepatitis, all types Influenza Leptospirosis 2/ Malaria 3/ Measles (Rubeola) Meningitis, all types Mumps Rubella Salmonellosis Scarlet fever, other strep Syphilis Tuberculosis All others	58 1,386 1,619 37 101 316 15 1 37 222 24 8 4,892 56 180 382	79 1,484 1,159 25 110 332 24 3 5 137 12 32 475 3,620 64 195 396	114 840 875 20 127 660 67 10 17 170 24 33 508 5,671 122 171 228	27 	41 13 5 1 11	43

^{1/} Excludes reinstated cases.
2/ Includes previously unreported cases.
3/ Acquired outside the State.
Source: Hawaii State Department of Health, Statistical Report, 1988.

Table 66.-- ALCOHOL AND DRUG USE BY PERSONS 18 YEARS AND OVER, BY SEX: 1984

[Percent distributions. Based on a sample survey of 2,505 persons on the four largest islands]

	Alcohol <u>1</u> /			Drugs <u>2</u> /		
Use	Both sexes	Male	Female	Both sexes	Male	Female
Total None 3/ Light Moderate Moderately heavy Heavy	100.0 47.3 24.4 12.9 7.3 8.1	100.0 32.3 21.8 17.5 11.5 13.9	100.0 56.4 26.4 9.4 4.1 3.7	100.0 57.0 6.5 30.8 2.6 3.1	100.0 55.7 8.1 29.9 2.7 3.5	100.0 57.8 5.2 31.7 2.5 2.8

1/ Based on total ethanol consumption.

Z/ Based on frequency of use, weighted by degree of danger to users, for marijuana/hashish, tranquilizers, barbituates, inhalants, LSD, PCP, cocaine, amphetamines, heroin, and morphine/codeine/percodan/demoral.

3/ For alcohol use, includes both non-drinkers and infrequent drinkers. Source: Jonathan S. Raymond, Sharon Murakami, and Frank Ahern, Toward an Epidemiology of Mental Health and Alcohol and Drug Use in Hawaii (September 1985), tables 7 and 11.

Table 67-- ESTIMATED HEALTH AND ECONOMIC COSTS OF SMOKING: 1985

Subject	Amount
Adult deaths attributable to smoking Years of potential life lost	753 2,182 170.7 88.1 82.6 12

Source: Hawaii State Department of Health, "The Health and Economic Impact of Smoking in Hawaii," R & S Report, No. 59 (November 1988).

Table 68.-- NUMBER AND BED CAPACITY OF HOSPITALS AND CARE HOMES, BY TYPE OF FACILITY: 1980 TO 1989

[Includes Tripler Army Medical Center]

		Hospit	als		Care	homes
Category and year	Total <u>1</u> /	Acute care	Long- term care	Spec- ialty care	Fam- ily <u>2</u> /	Resi- dent- tial <u>3</u> /
Number of facilities: 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989	49 49 45 48 47 48 51 51	25 25 25 23 24 23 23 23 22 22	33 34 34 34 32 32 33 36 36 36	8 9 9 10 10 9 9	281 278 280 282 272 299 633 633 531 515	15 14 15 16 16 16 17 17 17
Number of beds: 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989	6,416 6,488 6,424 6,379 6,512 6,504 6,595 6,820 6,671 6,854	2,886 2,925 2,875 2,848 2,896 2,894 2,870 2,887 2,855 2,855	2,656 2,670 2,668 2,640 2,648 2,650 2,769 2,977 2,995 3,191	874 893 881 891 967 960 956 956 821 808	1,042 1,055 1,098 1,096 1,082 1,258 2,547 2,547 2,235 2,184	490 500 516 549 549 559 540 540 490 481

NA Not available.

Source: Hawaii State Department of Health, <u>Statistical Report</u> (annual); State Health Planning and Development Agency, records; Hospital and Medical Facilities Branch, records.

¹/ Institutions providing more than one kind of care are only counted once.

^{2/} Four or fewer beds. Since 1987, Type I care homes consisting of five $\overline{\text{beds}}$ or less.

^{3/} Five or more beds. Since 1987, category changed to Type II care homes consisting of more than five beds.

Table 69.-- OCCUPANCY CHARACTERISTICS OF ACUTE AND LONG-TERM CARE CIVILIAN HOSPITALS: 1980 TO 1988

[Excludes Tripler Army Medical Center]

Type of facility and year	Beds <u>1</u> /	Admis- sions	Average daily census	Average length of stay (days)	Average daily percent occupancy
Acute care: 1980	2,359 2,366 2,366 2,387 2,385 2,361 2,378 2,346 2,835	117,404 99,247 102,374 102,331 96,530 84,473 91,704 93,256 117,548	2,047 1,675 1,728 1,654 1,558 1,566 1,586 1,661 2,074	6.4 6.2 6.2 5.9 5.9 6.8 6.3 6.5	70.9 71.0 73.0 69.3 65.3 66.3 66.7 70.8 73.3
Long-term care: 1980	2,670 2,668 2,640 2,648 2,650 2,769 2,977 2,995 3,187	2,653 2,478 2,498 2,574 2,606 2,575 2,901 2,553 2,746	2,391 2,487 2,523 2,519 2,552 2,590 2,602 2,779 2,907	328.9 366.4 368.7 357.3 357 367 327 397 376	90.0 93.2 95.6 95.2 96.3 93.5 87.4 92.8 91.7

NA Not available.

^{1/} Civilian bed count of succeeding year.

2/ Excludes statistics for Lanai.

Source: Hawaii State Department of Health, Statistical Report (annual); State Health Planning and Development Agency, records.

Table 70.-- NUMBER AND BED CAPACITY OF HOSPITALS, BY TYPE OF FACILITY, BY ISLANDS: 1989

[Except for Tripler Army Medical Center, data are for facilities recognized by the Hawaii State Health Planning and Development Agency]

		Hospit	als		Care	homes
Category and island	Total <u>1</u> /	Acute care <u>2</u> /	Long- term care	Specialty care	Type I <u>3</u> /	Type II <u>4</u> /
NUMBER OF FACILITIES						
State total	53	22	38	9	515	15
Oahu	33 6 5 4 2 1	10 4 3 3 1 1	23 6 5 2 1 1	7 - 1 1 -	422 53 29 18 9	11 1 3 - 1
State total	6,671	2,855	3,191	808	2,184	481
Oahu	5,120 667 328 498 44 14	2,336 240 114 151 8 6	1,985 427 214 339 22 8	799 - - 8 14 -	1,817 207 102 75 34	406 13 57 - 14 -

¹/ Institutions providing more than one kind of care are counted only once.

^{2/} Includes Tripler Army Medical Center which had a bed capacity of 509 (plus 52 nursery beds).

^{3/} Five beds or less.

^{4/} More than five beds.

Source: Hawaii State Department of Health, Annual Summary of Acute, Long Term Care and Specialty Hospital Utilization, 1988; State Health Planning and Development Agency.

Table 71.-- OCCUPANCY CHARACTERISTICS OF ACUTE AND LONG-TERM CARE CIVILIAN HOSPITALS, BY ISLANDS: 1988

[Includes Tripler Army Medical Center]

Type of facility and island	Admissions	Average daily census	Average length of stay (days)	Average daily percent occupancy
ACUTE CARE				
State total	117,531	2,073	6.4	73.1
Oahu	92,930 11,076 5,152 8,181 192 (NA)	1,742 159 61 110 1 (NA)	6.8 5.2 4.3 4.9 2.8 (NA)	75.1 67.8 53.4 72.6 18.4 (NA)
State total	2,743	2,900	385.9	90.9
Oahu	1,615 430 282 292 124 (NA)	1,992 381 184 328 15 (NA)	434 324 236 410 45 (NA)	91.4 92.3 86.9 97.0 70.1 (NA)

NA Not available.

Source: Data by islands from Hawaii State Department of Health, State Health Planning and Development Agency, Annual Summary of Acute, Long Term Care and Specialty Hospital Utilization By County, 1988.

Table 72.-- COMMUNITY HOSPITAL AVERAGE COSTS AND ROOM CHARGES: 1982 TO 1988

	Average	Average cost	to hospital	Hospital	
Average length of stay (days)	Per in- patient day (dollars)	Per admission (dollars)	semiprivate room charges <u>1</u> / (dollars)		
1982 1983 1984 1985 1986 1987	8.3 8.2 8.3 8.3 7.5 7.9 (NA)	307.30 357.87 383.05 420.11 489.93 512.48 (NA)	2,551 2,964 3,186 3,522 3,707 4,106 (NA)	176.24 215.84 224.31 230.82 252.89 241.72 257.25	

NA Not available.

1/ January data, except 1983, which refers to July.
Source: Health Insurance Association of America, Source Book of Health Insurance Data (biennial) and Update (biennial).

Table 73.-- PATIENTS SERVED BY STATE MENTAL HEALTH FACILITIES: 1983 TO 1988

	Patients active, end of period			Admi	ssions		Patients
Year .	Total	In- patients	Out- patients	Total	Undupli- cated	Termina- tions	served (undup.)
1983 1984 <u>1</u> / 1985 1986 1987	6,022 5,692 6,328 5,852 5,754 5,234	303 337 251 252 248 260	5,719 5,355 6,077 5,600 5,506 4,974	4,761 4,307 3,933 3,826 3,678 3,694	4,112 3,845 3,268 3,292 3,122 3,147	5,030 4,887 4,221 3,725 3,452 4,143	9,970 9,724 8,891 8,342 8,220 8,389

^{1/} Year ended June 30.

Source: Hawaii State Department of Health, Statistical Report (annual) and records.

Table 74.-- HAWAII STATE HOSPITAL BEDS AND OCCUPANCY: 1985 TO 1989

	Number of beds,	Admissi	ons <u>1</u> /	Patients in hospital $2/$		
Year	June 30	Total	First	Average <u>1</u> /	June 30	
1985 1986 $3/$ 1987 $3/$ 1988 $3/$ 1989 $3/$	220 240 240 240 240	647 738 776 811 863	514 611 614 651 711	220 263 254 241 242	224 272 223 210 238	

^{1/} Year ended June 30.

Table 75.-- WAIMANO TRAINING SCHOOL AND HOSPITAL: 1985 TO 1989 [Waimano Training School and Hospital is the State institution for the mentally retarded]

Beds,		Patients in	Patients on leave,		
Year	June 30	Admissions <u>1</u> /	Average <u>2</u> /	June 30	June 30
1985 1986 1987 1988 1989	410 410 285 285 205	2 - - 2 -	354 331 266 225 183	360 333 260 199 165	586 593 575 3/3 <u>3</u> /4

^{1/} Year ended June 30. Excluding returns from community placement.

Includes patients on leave and absent without leave.
 Includes children's unit at Leahi Hospital assigned to the Hawaii State Hospital effective July 1, 1985. Source: Hawaii State Hospital, records.

Year ended June 30.
 Reflects effect of deinstitutionalization of the facility; placement into community-based ICF/MR.

Source: Hawaii State Department of Health, Statistical Report (annual); Waimano Training School and Hospital, records.

Table 76.-- HANSEN'S DISEASE PATIENTS REGISTERED: 1984 TO 1988

Subject	1984	1985	1986	1987	1988
Patients on register, Dec. 31 Medically released At home Kalaupapa Hale Mohalu or Leahi	661 661 555 101	651 651 546 101 5	653 653 549 99 5	633 633 532 97 4	571 571 474 93 4
New cases Deaths	43 15	31 10	37 4	24 6	20 13

Source: Hawaii State Department of Health, Statistical Report, 1988.

Table 77.-- PHYSICIANS, DENTISTS, NURSES, AND PHARMACISTS LICENSED IN HAWAII, BY PLACE OF ADDRESS: MARCH 7, 1989

Place of address	Physicians and surgeons <u>1</u> /	Dentists	Regis- tered nurses	Pharma- cists
Total licensed	4,143	1,162	10,930	875
Hawaii addresses Hawaii Maui Lanai Molokai Oahu Kauai Niihau	2,425 187 170 1 8 1,965 94	882 78 55 1 4 715 29 -	8,218 633 579 8 31 6,662 305 - 2,712	516 45 37 1 2 407 24 -

^{1/} Permanent licenses only. Does not include interns, residents, or physicians who provided State government services only.

Source: Hawaii State Department of Commerce and Consumer Affairs, Professional and Vocational Licensing Division, Licensing Branch, records.

Table 78.-- MARRIAGES AND DIVORCES: 1970 TO 1988 [Place of occurrence basis]

	Mar	riages	Rates per 1,000 resident population			Percent of marriages		
Calendar year	Total	Resi- dent <u>1</u> /	annul- ments <u>2</u> /	Resident marriages	Divorces, annulments 2/	Nonresi- dent <u>3</u> /	Inter- racial <u>4</u> /	
1970 1971 1972 1973 1974 1975 1976 1977 1978	10,599 9,734 9,750 9,776 9,649 9,673 9,769 10,266 10,736 11,678	7,889 8,104 8,482 8,656 8,500 8,440 8,318 8,427 8,650 9,424	2,589 3,691 3,891 4,170 4,111 4,265 4,712 4,601 4,837 5,055	10.2 10.1 10.2 10.2 9.8 9.5 9.2 9.2 9.2 9.3 9.9	3.4 4.6 4.7 4.9 4.7 4.8 5.2 5.0 5.2 5.3	25.6 16.7 13.0 11.5 11.9 12.7 14.9 17.9 19.4 19.3	40.7 42.7 41.7 43.7 43.2 43.1 43.2 43.3 44.5 44.6	
1980 1981 1982 1983 1984 1985 1986 1987 1988	11,856 12,218 13,483 14,062 14,982 15,421 16,219 16,567 17,281	9,442 9,445 10,053 10,216 10,020 9,893 9,571 9,714 9,708	4,438 4,253 4,233 4,583 4,769 4,887 4,674 4,419 5,020	9.7 9.6 10.1 10.0 9.7 9.4 9.0 9.0 8.8	4.6 4.3 4.2 4.5 4.6 4.7 4.4 4.1 4.6	20.4 22.7 25.4 27.3 33.3 35.8 30.4 41.3 43.8	44.4 44.5 45.0 45.5 46.3 46.9 46.5 44.6 42.9	

and records.

Table 79.-- CHARACTERISTICS OF MARRIAGES AND DIVORCES: 1985 TO 1988

[Place of occurrence basis]

Subject	1985	1986	1987	1988
MARRIAGES				
Number Percent on Oahu Percent Hawaii residents:	15,421 64.5	16,219 62.0	16,567 61.4	17,281 58.8
Both bride and groom One partner only Neither bride nor groom	59.4 4.7 35.8	54.6 4.4 41.0	54.5 4.2 41.3	52.2 4.0 43.8
Median age (years): Groom	29.9 27.8	30.6 28.1	30.7 28.4	31 28
Groom	39.3 39.1	40.4 39.6	39.6 39.0	40.4 39.8
DIVORCES AND ANNULMENTS				
Number Divorces Annulments Not reported	4,887 4,875 12	4,674 4,652 19 3	4,419 4,404 15	5,020 5,005 14 1
Percent occurring on Oahu	77.2	76.2	75.3	79.8
Both partners One partner only Neither partner	75.3 24.7	74.4 25.4 0.1	75.0 24.7 0.2	76.1 23.6 0.3
Median age (years): Husband Wife Percent interracial 1/ Percent with children under 18 years Median years married	34.3 32.0 39.0 55.6 6.3	34.3 32.1 38.2 53.2 6.4	35.2 32.7 38.9 51.8 6.4	34.9 32.6 40.5 52.2 6.6

^{1/} For these calculations, marriages where both bride and groom are in the "Part Hawaiian" or "Other races" categories are classified as non-interracial.

Source: Hawaii State Department of Health, $\underline{\text{Statistical Report}}$ (annual), and records.

Table 80.-- MARRIAGES OCCURRING IN HAWAII, RESIDENT AND NONRESIDENT, BY RACE MIXTURE AND TYPE OF CEREMONY: 1988

Race mixture and type of ceremony	Total	At least one partner Hawaii resident	Both partners nonresidents	
All marriages	17,281	9,709	7,572	
Race of partners: Both partners same race Different Percent different	12,276	5,539	6,937	
	5,005	4,170	625	
	29.0	42.9	8.4	
Type of ceremony: Civil ceremony Religious ceremony	4,811	3,787	1,024	
	12,470	5,922	6,548	

Source: Hawaii State Department of Health, special tabulations.

Table 81.-- MARITAL DISSOLUTION: 1970 TO 1987

				Percent		
Subject	1970	1980	1987	1970	1980	1987
Married couples 1/	154,678	185,698	233,662	100.0	100.0	100.0
Marriages ended By divorce By death Husbands Wives	4,466 2,589 1,877 1,312 565	6,782 4,438 2,344 1,678 666	7,260 4,419 2,841 2,036 805	2.9 1.7 1.2 0.8 0.4	3.7 2.4 1.3 0.9 0.4	3.1 1.9 1.2 0.9 0.3

^{1/} Figure for 1987 refers to number of married women, except separated.
Source: Hawaii State Department of Health, Statistical Report (annual);
U.S. Bureau of the Census, 1970 Census of Population, PC(1)-Cl3, table 52, and 1980 Census of Population, PC80-1-Bl3, table 21; Data Book 1988, table 38.

Table 82.-- HEIGHT AND WEIGHT OF PERSONS 18 YEARS OLD AND OVER, BY SEX: 1975-1980

[Based on a sample of approximately 48,000 Hawaii residents 18 years old and over. Height and weight values are those reported by respondents; inclusion or exclusion of clothing or shoes not specified. Fractional values of 1/2 and over have been rounded upward. For further information, see Data Book 1984, tables 104-107]

	Height (inches)		Weight (pounds)		
Centile	Men	Women	Men	Women	
10th	63.1 67.4 72.1	59.3 62.4 66.5	126.4 158.3 199.5	100.8 123.8 166.9	
Average	67.5	62.6	159.5	127.9	

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulations.