Section 2

VITAL STATISTICS AND HEALTH

This section presents data on births, deaths, marriages, divorces, diseases, accidents, drinking and smoking, height and weight, hospitals, and health personnel.

Vital indexes generally reflect the high health standards of Hawaii. Expectation of life at birth in 1984-86 was 75.37 years for males and 80.92 years for females. There were 6,696 resident deaths in 1991, or 5.9 per 1,000 resident population. Deaths under one year of age per 1,000 live births numbered 7.0 in 1991. Diseases of the heart have accounted for almost a third of all deaths in recent years; cancer, for one-fourth. Resident live births in 1992 numbered 19,837, or 17.2 per 1,000 resident population. The total fertility rate for civilians fell from 3,360 per 1,000 women in 1960 to 2,013 in 1988. Fully 96.4 percent of all babies were born in hospitals in 1992, and 19.4 percent were born to military couples. More than one out of four births was to an unmarried woman. There were 7,460 fetal deaths in 1992, including 5,942 elective abortions. Marriages numbered 17,725 in 1992, with over 43 percent accounted for by nonresidents. Divorces reached a 1992 total of 5,040. The State had 25 acute care hospitals (with 3,175 beds), 40 long-term care facilities (with 3,416 beds), and 11 specialty care facilities (with 810 beds) in 1990. There were 2,803 physicians and surgeons, 971 dentists, 9,609 professional nurses, and 664 pharmacists licensed and living in Hawaii as of March 1993. Acute conditions per 100 persons numbered 245 in 1988, with respiratory conditions the most common complaint (at 168 cases per 100 persons). Among chronic conditions reported in the 1988 survey data, the most frequently mentioned were hypertension (7.8 per 100 persons), impairments of the back or spine (6.7), and hayfever (6.4). The most common communicable diseases reported to authorities in 1991 were chickenpox, with 825 cases, and gonorrhea, with 695, but the most fatal was AIDS (79 deaths). State mental health facilities served 8,110 patients in 1991, but the number of in-patients at the end of the year was only 182. Among persons 18 years old and over in 1988, 9.4 percent were heavy drinkers and 23.8 percent were current regular cigarette smokers. Tooth decay was a serious problem among Island children. The average adult male was 67.5 inches tall and weighed 159.5 lbs.; the average adult female was 62.6 inches and 127.9 lbs.

The major source for data on vital statistics and health is the annual statistical report of the Hawaii State Department of Health. Long-term trends are traced in *Historical Statistics of Hawaii*, Section 2. Sections 2 and 3 of the *Statistical Abstract of the United States: 1993* contain data for the nation as a whole.

			resi	oer 1,000 ident ation <u>2</u> / Rates		per 1,000 live births <u>3</u> /		
Calendar year	Resident births <u>1</u> /	Resident deaths <u>1</u> /	Births	Deaths	To unmarried mothers	Fetal deaths <u>4</u> /	Infant deaths <u>5</u> /	
1970	16,361	3,971	21.2	5.1	95.8	20.6	19.1	
1971	15,780	4,130	19.7	5.2	88.4	23.5	16.0	
1972 1973	15,364 15,328	4,245 4,356	18.5 18.0	5.1 5.1	93.0 104.0	22.8 16.4	17.5 13.7	
1974	15,328	4,330 4,286	17.8	4.9	104.0	16.3	16.0	
1975	15,689	4,272	17.8	4.8	123.2	18.9	13.7	
1976	16,292	4,349	18.0	4.8	125.0	20.8	11.2	
1977	16,874	4,349	18.4	4.7	143.3	21.6	12.3	
1978	16,717	4,508	17.9	4.8	160.1	13.5	12.0	
1979	17,513	4,791	18.4	5.0	163.5	13.1	10.9	
1980	18,129	4,903	18.7	5.1	175.6	15.3	10.8	
1981	18,174	4,927	18.6	5.0	181.8	13.1	10.5	
1982	18,675	5,123	18.8	5.2	186.3	12.7	8.9	
1983	19,090	5,409	18.8	5.3	197.8	11.4	10.0	
1984	18,667	5,571	18.2	5.4	191.8	9.5	10.9	
1985	18,267	5,751	17.6	5.5	201.3	9.7	9.1	
1986	18,253	5,788	17.4	5.5	203.9	11.0	9.2	
1987	18,555	6,149	17.4	5.8	213.7	9.2	8.8	
1988	18,937	5,970	17.5	5.5	223.3	10.8	7.4	
1989	19,335	6,381	17.7	5.8	239.0	9.9	8.4	
1990	20,438	6,687	18.4	6.0	249.3	10.4	7.1	
1991	19,880	6,696	17.5	5.9	262.5	10.5	7.0	
1992	19,837	6,846	17.2	5.9	264.5	11.1	6.5	

Table 2.1-- BIRTHS AND DEATHS: 1970 TO 1992

1/ Events occurring in Hawaii. Data include births to military couples and deaths of armed forces and their dependents, but exclude nonresident births and deaths, as well as resident births and deaths occurring out of State.

2/ Based on July 1 estimates in present report.

 $\underline{3}$ / Place of occurrence basis.

 $\underline{4}$ / 20 weeks gestation and over. Includes elective abortions.

5/ Under 1 year of age.

Source: Hawaii State Department of Health, *Statistical Report* (annual), and Office of Health Status Monitoring, records.

Table 2.2-- BIRTHS AND DEATHS, BY MILITARY STATUS: 1990 TO 1992

				Civilians <u>1</u> /		
Subject	All groups	Armed forces	All civilians	Military dependents	Other civilians	Armed forces and dependents
Live births: 1990 1991 1992	20,528 19,985 19,949	- - -	20,528 19,985 19,949	4,091 3,665 3,875	16,437 16,320 16,074	4,091 3,665 3,875
Deaths: 1990 1991 1992	7,055 7,041 7,177	40 133 164	7,015 6,908 7,013	78 82 74	6,937 6,826 6,939	118 215 238
Birth rates: <u>2</u> / 1990 1991 1992	16.3 15.7 15.7	0 0 0	17.1 16.4 16.4	68.3 57.9 68.0	14.4 14.3 13.5	35.5 31.0 34.6
Death rates: <u>2</u> / 1990 1991 1992	5.6 5.6 5.6	0.7 2.4 3.0	5.8 5.7 5.8	1.3 1.3 1.3	6.1 6.0 5.8	1.0 1.8 2.1

[Place of occurrence basis]

1/ Death rates for military dependents based on 1980 age and sex composition of military dependents and 1980 age-sex-specific death rates for all civilians. Deaths of civilians other than military dependents calculated as residual. 2/ Per 1,000 de facto population in each group.

Source: Hawaii State Department of Health, Office of Health Status Monitoring, records.

Table 2.3-- LIVE BIRTHS, STANDARD FETAL DEATHS, AND ELECTIVEABORTIONS: 1987 TO 1992

	Total deliveries					
Calendar year	Number	Rate <u>1</u> /	Live births	Standard fetal deaths	Elective abortions	
1987	25,931	24.3	18,555	1,405	5,971	
1988	26,346	24.4	18,937	1,411	5,998	
1989	26,083	23.8	19,335	1,468	5,280	
1990	26,834	24.1	20,438	1,689	4,707	
1991 <u>2</u> /	27,289	24.0	19,880	1,717	5,692	
1992	27,297	23.6	19,837	1,518	5,942	

[Place of residence basis]

 $\underline{1}$ / Per 1,000 resident population, July 1.

2/ Excludes one birth, seven standard fetal deaths and seven elective abortions with unknown residence.

Source: Hawaii State Department of Health, Office of Health Status Monitoring, records.

Table 2.4-- BIRTHS AND DEATHS, BY PLACE OF OCCURRENCE AND
RESIDENCE: 1991 AND 1992

		Occurring	Hawaii residents			
Event and year	Total	Resident	Non- resident	Not reported	Total	Out of State <u>1</u> /
Births:						
1991	19,985	19,880	104	1	19,924	44
1992	19,949	19,837	111	1	19,863	26
Deaths:						
1991	7,041	6,696	335	10	6,894	198
1992	7,177	6,846	323	8	7,072	226

1/ Figure for 1992 includes persons born in Hawaii who became residents of other states. Source: Hawaii State Department of Health, Office of Health Status Monitoring, records.

Table 2.5-- CHARACTERISTICS OF RESIDENT BIRTHS: 1990 TO 1992

Subject	1990	1991	1992
Number of resident births	20,438	19,880	19,837
City and County of Honolulu	15,380	14,756	14,827
Percent on Oahu	75.3	74.2	74.7
Hawaii County	2,228	2,278	2,234
Kauai County	945	983	892
Maui County (incl. Kalawao)	1,885	1,863	1,884
Percent attended by M.D. or O.D. in hospital <u>1</u> /	98.2	96.7	96.4
Males per 100 females	105.3	108.2	109.3
Median weight of single births (grams)	3,318	3,315	3,312
Percent low birth weight (under 2,500 grams)	7.1	6.8	7.2
Percent single births under 40 weeks gestation	48.6	48.1	54.9
Percent plural	2.0	2.2	2.1
Percent with 1 or more congenital malformations	1.4	1.6	1.5
Percent to unmarried mothers	25.0	26.3	26.5
Percent with prenatal visit in first three months	68.9	68.8	68.1
Percent first child born to mother 2/	29.1	29.0	29.0
Percent first child born alive to mother	42.5	41.7	41.9
Median age of mothers (years)	27	27	27
Median age of known fathers (years)	29	29	29

[Excludes births to Hawaii residents occurring out of state]

 $\underline{1}$ / Place of occurrence basis prior to 1991.

2/ Includes live births, fetal deaths, and abortions.

Source: Hawaii State Department of Health, Office of Health Status Monitoring, records.

Table 2.6-- CHILDREN EVER BORN PER 1,000 WOMEN 15 TO 44 YEARS OLD, FOR THE STATE AND OAHU: 1990

Age of women	State total	Oahu only
Women 15 to 24 years	289	281
Women 25 to 34 years	1,199	1,132
Women 35 to 44 years	1,812	1,778

Source: U.S. Bureau of the Census, 1990 CPH-L-80 and 81, table 1.

Table 2.7-- RESIDENT BIRTHS, MIXED AND UNMIXED, BY MILITARYSTATUS OF PARENTS: 1991

Military status of parents	Total births	Unmixed	Mixed <u>1</u> /	Not certain <u>2</u> /
All groups	19,880	8,580	10,133	1,167
Military Civilian Status not reported	3,620 14,439 1,821	2,653 5,917 10	888 8,519 726	79 3 1,085

1/ Includes all Part Hawaiian births, including those in which both parents were Part Hawaiian.

2/ One or both parents of unspecified race (unless one was Part Hawaiian) or both parents classified as "other."

Source: Hawaii State Department of Health, records.

Table 2.8-- MOST COMMON FIRST NAMES ON BIRTH CERTIFICATES, BY SEX:1992

	Boys' names	5	Girls' names		
Rank	Name	Number	Name	Number	
1 2 3 4 5 6 7 8 9 10	Joshua Michael Christopher Matthew Ryan Brandon David Jordan Justin Nicholas	179 173 147 139 125 124 120 118 116 104	Ashley Jessica Nicole Sarah Chelsea Jennifer Brittany Amanda Kayla Samantha	148 107 99 86 83 79 76 68 68 68 63	

[A total of 7,130 first names, including variant spellings, was reported for the 19,949 babies born in Hawaii in 1992]

Source: Hawaii State Department of Health, Office of Health Status Monitoring, special tabulation, March 31, 1993.

Table 2.9-- MOST COMMON SURNAMES ON BIRTH AND DEATHCERTIFICATES: 1992

	Birth certifica	ites	Death certificates		
Rank	Surname	Births	Surname	Deaths	
1	Lee	111	Lee	47	
2	Smith	83	Wong	39	
3	Johnson	73	Kim	33	
4	Brown	66	Nakamura (tie)	31	
5	Kim	63	Smith (tie)	31	
6	Wong	60	Ching	28	
7	Williams	50	Silva	26	
8	Young	44	Kam (tie)	24	
9	Jones (tie)	42	Lum (tie)	24	
10	Nguyen (tie)	42	Watanabe	23	

Source: Hawaii State Department of Health, Office of Health Status Monitoring, special tabulation, April 5, 1994.

Table 2.10-- SELECTED LIFE TABLE VALUES, BY SEX: 1984-1986

[For earlier years and ranking relative to other States, see Data Book 1987, tables 69 and 70]

		Of 100,000				
	Number living at beginning of year of age		Number dying during year of age		Average remaining lifetime at beginning of year of age <u>1</u> /	
Age in years (period of life between two exact ages stated)	Male	Female	Male	Female	Male	Female
0-1 5-6 15-16 25-26 35-36 45-46 55-56 65-66 75-76 85-86	100,000 98,814 98,573 97,650 96,469 94,660 90,060 80,321 61,250 31,274	100,000 99,023 98,831 98,453 98,013 96,998 94,310 88,116 75,146 49,110	1,020 17 57 117 134 281 719 1,387 2,492 (<u>2</u> /)	833 22 31 36 67 162 430 923 1,946 (2/)	75.37 71.27 61.43 51.96 42.53 33.24 24.64 16.95 10.53 5.56	80.92 76.72 66.85 57.09 47.32 37.76 28.67 20.29 12.83 6.73

1/ For males and females combined, the average remaining lifetime at birth was 77.98 years. For the entire United States in 1985, the corresponding figure was 74.7 years (71.2 years for males and 78.2 years for females).

2/ Not calculated for this and higher ages.

Source: Robert W. Gardner, East-West Population Institute, Complete Life Tables by Age and Sex for Hawaii, 1984-86 (unpublished, September 11, 1987); Statistical Abstract of the United States: 1992, p. 76.

Table 2.11-- CHARACTERISTICS OF RESIDENT DEATHS: 1990 TO 1992

Subject	1990	1991	1992
Number of resident deaths	6,687	6,696	6,846
City and County of Honolulu	4,796	4,793	4,914
Hawaii County	889	880	916
Kauai County	341	358	369
Maui County (incl. Kalawao)	661	665	647
Males per 100 females	139.2	137.2	140.5
Median age (years)	73	73	73
Centenarian deaths: Male	14	23	9
Female	36	37	34
Oldest (years): Male	105	109	104
Female	104	107	111
Percent married	46.7	46.0	47.1
Deaths under 1 year	132	140	122
Per 1,000 live births	6.5	7.0	6.2
Fetal deaths <u>1</u> /	6,396	7,409	7,460
Per 1,000 deliveries	238	272	273
Fetal deaths, 20 or more weeks gestation <u>2</u> /	213	209	270
Per 1,000 live births	10.4	10.5	13.6
Standard fetal deaths <u>3</u> /	1,689	1,717	1,518
Elective abortions	4,707	5,692	5,942
Per 1,000 live births	230.3	286.3	299.5

[Excludes deaths to Hawaii residents occurring out of state]

1/ Includes elective abortions.

2/ Place of occurrence basis. Includes elective abortions if 20 weeks or more.

 $\underline{3}$ / Excludes elective abortions.

Source: Hawaii State Department of Health, *Statistical Report* (annual), and Office of Health Status Monitoring, records.

Table 2.12-- CAUSE OF DEATH, BY SEX: 1992

Cause of death	Both sexes	Males	Females
Total deaths	6,846	3,999	2,847
Total deaths Tuberculosis Other infective Malignant neoplasm Digestive organs Respiratory system Breast Genital organs Urinary organs Leukemia Other Diabetes mellitus Heart disease Rheumatic Hypertensive Ischemic Other heart Hypertension Cerebrovascular disease Arteriosclerosis Other circulatory Influenza/pneumonia Chronic obstructive pulmonary diseases Peptic ulcer Cirrhosis of liver			2,847 4 43 725 220 152 129 76 16 23 109 93 850 4 21 455 370 17 299 15 41 108 73 8 20
Nephritis and nephrosis Pregnancy, birth & puerperium Congenital anomalies Perinatal conditions Ill-defined conditions Other diseases Accidents Motor vehicles Other Suicide Homicide & legal intervention Other external causes	4 38 56 54 647 262 123 139 129 46 53	20 38 26 337 191 88 103 98 25 38	35 4 18 28 310 71 35 36 31 21 15

Source: Hawaii State Department of Health, Office of Health Status Monitoring, records.

Table 2.13-- CATASTROPHIC MORTALITY: 1984 TO 1994

[Includes all accidents, natural disasters, and other events causing five or more deaths. Complete through January 31, 1994]

	Date	Place	Kind of disaster	Deaths
1985:	Jan. 15	540 mi. N. of Honolulu	Helicopter crash	7
1987:	Dec. 23	At sea W. of Molokai	Airplane disappearance.	8
1988	June 9	Near Waimanalo, Oahu	2-car auto crash	5
	July 9	Near Kawaihae, Hawaii	2-car auto crash	6
1989:	Jan. 31	Texas	Crash of Hawaii-bound	
			airplane	19
	Feb. 24	100 mi. S. of Honolulu	Airplane door lost	9
	June 11	Waimanu, Hawaii	Airplane crash	11
	Oct. 28	Halawa, Molokai	Airplane crash	20
1990:	Nov. 13	Near Puunene, Maui	3-car auto crash	5
1991:	Aug. 25-26	Waipahu and Kailua	Murder spree	5
1992:	Jan. 14	Between Oahu and Maui	Airplane disappearance	5
	Apr. 22	Haleakala summit, Maui	Airplane crash	9
	Sept. 11	Kauai and Oahu	Hurricane Iniki	8
	Sept. 16	Haleakala slope, Maui	Helicopter crash	7
1994:	Jan. 21	Keawaula Bay, Oahu	1-car auto crash	5

Source: Robert C. Schmitt, "Catastrophic Mortality in Hawaii: An Update," *The Hawaiian Journal of History*, Vol. 23 (1989), pp. 217-227; DBEDT file of newspaper accounts.

Table 2.14-- DEATHS OCCURRING IN HAWAII, BY METHOD OF DISPOSITION:1970 TO 1992

1970	1980	1989	1990	1991	1992
4,197	5,204	6,730	7,055	7,041	7,177
2,197 1,509 470 13 3 -	2,343 2,241 567 44 - 1	2,740 3,369 594 19 -	2,798 3,564 656 35 -	2,723 3,649 649 12 1 -	2,751 3,784 601 17 12 - 12
	4,197 2,197 1,509 470 13 3	4,197 5,204 2,197 2,343 1,509 2,241 470 567 13 44 3 - - 1	4,197 5,204 6,730 2,197 2,343 2,740 1,509 2,241 3,369 470 567 594 13 44 19 3 - - - 1 -	4,197 5,204 6,730 7,055 2,197 2,343 2,740 2,798 1,509 2,241 3,369 3,564 470 567 594 656 13 44 19 35 3 - - - - 1 - -	4,197 5,204 6,730 7,055 7,041 2,197 2,343 2,740 2,798 2,723 1,509 2,241 3,369 3,564 3,649 470 567 594 656 649 13 44 19 35 12 3 - - 1 - -

Source: Hawaii State Department of Health, *Statistical Report* (annual) and Office of Health Status Monitoring, records.

Table 2.15-- PERSONS ON THE STATE BLIND REGISTER, BY COUNTIES:1992 AND 1993

Date	State total	City and County of Honolulu	County of Hawaii	County of Kauai	County of Maui
1992: June 30	2,318	1,804	215	101	198
1993: June 30	2,339	1,804	224	102	209

Source: Hawaii State Department of Human Services, Services for the Blind Branch, records.

Table 2.16-- CHRONIC CONDITIONS: 1990

Selected chronic conditions	Prevalence of condition	Conditions per 1,000 persons
Malignant neoplasms	10,581	9.7
Benign and unspecified neoplasms	5,436	5.0
Thyroid disease	16,286	14.9
Diabetes	28,572	26.2
Mental and nervous condition	13,552	12.4
Heart disease	32,649	30.0
Hypertension	95,245	87.4
Varicose veins	12,168	11.2
Hemorrhoids	19,959	18.3
Bronchitis/emphysema	23,817	21.9
Asthma	45,624	41.9
Hayfever	78,138	71.7
Chronic sinusitis	52,127	47.8
Peptic ulcer	9,022	8.3
Gallbladder	11,581	10.6
Kidney disease	7,956	7.3
Skin condition	45,303	41.6
Arthritis	48,485	44.5
Visual impairment	13,219	12.1
Hearing impairment	54,520	50.0
Impairment of back or spine	78,812	72.3
Gout	15,257	14.0

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

Condition	Incidence of condition per year	Conditions per 100 persons per year
All acute conditions	2,720,126	249.6
Infective parasitic diseases Respiratory condition Digestive system condition Injuries All other acute conditions	160,742 1,845,685 62,195 233,748 417,756	14.8 169.4 5.7 21.5 38.3

Table 2.17-- ACUTE CONDITIONS: 1990

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

Table 2.18-- LIMITATION OF ACTIVITY DUE TO CHRONIC OR ACUTECONDITIONS: 1990

Type of limitation	Number
Persons with one or more chronic conditions	498,556
No limitation of activity	374,878
Limited, but not in major activity	53,184
Limited in amount or kind of activity	37,250
Unable to carry on major activity	22,703
Not reported	10,541
Restricted activity days in past month <u>1</u> /	2,098,026
Per person <u>2</u> /	1.9

1/ A restricted activity day is one in which a person had to cut down on his usual activity for all or most of the day.

2/ Base includes persons without chronic or acute conditions or restricted activities.

Source: Hawaii State Department of Health, Hawaii Health Surveillance Survey Program, special tabulations.

		Cases		Deaths		
Disease	1990	1991	1992	1990	1991	1992
	151	176	133	79	120	118
AIDS	2,007	825	1,009	/9	120	110
Chickenpox Gonorrhea		695	686	-	-	-
	639			-	-	-
Hansen's Disease <u>1</u> /	19	12	19	-	_	-
Hepatitis, all types	171	120	356	8	5	10
Influenza	199	135	135	3	· -	1
Leptospirosis <u>2</u> /	43	33	31	-	1	-
Malaria <u>3</u> /	8	4	11	-	-	-
Measles (Rubeola)	41	12	46	-	-	-
Meningitis, all types	136	80	145	6	6	2
Mumps	26	30	28	-		-
Rubella	8	9	25	-	-	-
Salmonellosis	458	373	321	-	-	-
Syphilis	19	10	10	-	-	-
Tuberculosis	205	202	274	6	11	5

Table 2.19-- SPECIFIED COMMUNICABLE DISEASES: 1990 TO 1992

1/ Excludes reinstated cases.

 $\frac{1}{2}$ / Includes previously unreported cases.

 $\underline{3}$ / Acquired outside the State.

Source: Hawaii State Department of Health, Office of Health Status Monitoring, Epidemiology Branch, and AIDS Surveillance Program, records.

Table 2.20-- TOOTH DECAY AMONG PUBLIC SCHOOL PUPILS, FOR THE
UNITED STATES, 1986-1989, AND HAWAII, 1989

Characteristics	U.S.	Hawaii
Dental caries prevalence per child:		
Primary or deciduous teeth <u>1</u> /	1.884	3.658
Secondary or permanent teeth <u>2</u> /	0.818	0.897
Percent of 5-year old public school pupils with baby bottle tooth decay (3 or more decayed maxillary	5.0	15.0
anterior teeth)	5.0	15.8
Percent of 6- to 8-year old students with		
Untreated primary or permanent tooth decay <u>3</u> /	27.0	36.2
One or more decayed primary or permanent teeth	53.0	96.9

1/ Mean decayed or filled for ages 5-9, cumulative. U.S. rate is for 1987.

2/ Mean decayed, missing or filled for ages 5-12, cumulative. U.S. rate is for 1987.

 $\underline{3}$ / Teeth with active decay and in need of treatment. U.S. rate is for 1986.

 $\underline{4}$ / Decayed, missing due to decay, or filled.

Source: Hawaii from Hawaii State Department of Health, Dental Health Division. U.S. from National Survey of Dental Caries in U.S. School Children: 1986-1987; Louis Ripa, "Nursing Caries: A Comprehensive Review," Pediatric Dentistry, December 1988; and National Year 2000 Oral Health Objectives (1990).

Table 2.21-- HUNGER, BY AGE: 1992

[Includes all persons in households in which some individual (s) missed meals for economic reasons during the past year]

Subject	All ages	Under 6	6 to 11	12 to 17	18 to 59	60 and over
Number	176,443	21,042	23,928	13,936	109,524	8,013
Percent	14.2	19.2	21.3	18.9	14.1	4.8

Source: SMS Research, *Homelessness and Hunger in Hawaii*, submitted to Homeless Aloha, June 15, 1992, p. 32.

Table 2.22-- NUMBER AND BED CAPACITY OF HOSPITALS AND CAREHOMES, BY TYPE OF FACILITY:1987 TO 1992

		Hos	pitals		nomes	
Category and year	Total <u>1</u> /	Acute care	Long- term care	Specialty care	Family <u>2</u> /	Residen- tial <u>3</u> /
Number of facilities:						
1987	51	23	36	9	633	17
1988	51	22	36	9	531	16
1989	52	22	38	8	515	16
1990	57	24	40	11	501	15
1991	58	24	41	13	494	14
1992	58	24	41	13	490	14
Number of beds:						
1987	6,820	2,887	2,977	956	2,547	540
1988	6,671	2,855	2,995	821	2,235	490
1989	6,854	2,855	3,191	808	2,184	481
1990	7,401	3,175	3,416	810	2,162	449
1991	7,433	3,169	3,475	789	2,159	450
1992	7,410	3,174	3,497	739	2,175	436

[Includes Tripler Army Medical Center]

NA Not available.

1/ Institutions providing more than one kind of care are only counted once.

 $\underline{2}$ / Five beds or fewer.

.

 $\underline{3}$ / Six beds or more.

Source: Hawaii State Department of Health, State Health Planning and Development Agency, records, and Hospital and Medical Facilities Branch, records.

Table 2.23-- OCCUPANCY CHARACTERISTICS OF ACUTE AND LONG-TERM CARECIVILIAN HOSPITALS: 1987 TO 1992

Type of facility and year	Beds Dec. 31	Admissions	Average daily census	Average length of stay (days)	Average daily percent occupancy
Acute care:					
1987	2,346	93,256	1,661	6.5	70.8
1988 <u>1</u> /	2,835	117,548	2,074	6.4	73.3
1989	2,351	91,686	1,722	6.7	73.3
1990	2,532	93,511	1,755	6.8	69.4
1991	2,593	96,961	1,814	6.8	70.0
1992 <u>2</u> /	2,583	98,973	1,837	6.8	71.1
Long-term care:					
1987	2,995	2,553	2,779	397	92.8
1988 <u>1</u> /	3,187	2,746	2,907	376	91.7
1989	3,212	2,653	2,993	409	93.5
1990	3,401	3,137	3,165	368	93.1
1991	3,443	3,181	3,216	369	93.4
1992	3,476	3,255	3,343	375	96.2

[Excludes Tripler Army Medical Center]

1/ Excludes statistics for Lanai.

2/ Revised.

Source: Hawaii State Department of Health, *Statistical Report* (annual); State Health Planning and Development Agency, *Utilization of Inpatient Facilities* (various years), and records.

Table 2.24-- NUMBER AND BED CAPACITY OF HOSPITALS AND CARE HOMES, BYTYPE OF FACILITY, BY ISLANDS: 1992-1993

[Except for Tripler Army Medical Center, data are for facilities recognized by the Hawaii State Health Planning and Development Agency. Excludes Tripler Army Medical Center, which had a bed capacity of 535]

	Но	Hospitals, December 31, 1992				s, Jan. 1993
Category and island	Total <u>1</u> /	Acute care <u>4</u> /	Long- term care	Specialty care	Type I <u>2</u> /	Type II <u>3</u> /
NUMBER OF FACILITIES						
State total	58	23	41	14	490	14
Oahu Hawaii Kauai Maui Molokai Lanai NUMBER OF BEDS	39 7 6 3 2 1	11 5 3 2 1 1	25 7 5 2 1 1	11 - 1 1 -	393 52 21 16 8 -	10 - 3 - 1 -
State total	6,794	2,583	3,476	735	2,175	436
Oahu Hawaii Kauai Maui Molokai Lanai	5,141 726 375 494 44 14	2,069 239 114 147 8 6	2,355 487 261 343 22 8	717 - - 4 14 -	1,794 207 74 66 34	370 - 52 - 14 -

1/ Institutions providing more than one kind of care are counted only once.

 $\underline{2}$ / Five beds or fewer.

 $\underline{3}$ / More than five beds.

4/ Revised June 3, 1994.

Source: Hawaii State Department of Health, State Health Planning and Development Agency, Utilization of Inpatient Facilities, 1992, and Hospital and Medical Facilities Branch, records.

Table 2.25-- OCCUPANCY CHARACTERISTICS OF ACUTE AND LONG-TERM CARE CIVILIAN HOSPITALS, BY ISLANDS: 1992

Type of facility and island	Admissions	Average daily census	Average length of stay (days)	Average daily percent occupancy
ACUTE CARE <u>1</u> /				
State total	98,973	1,837	6.8	71.1
Oahu Hawaii Kauai Maui Molokai Lanai. LONG-TERM CARE State total	74,544 11,285 4,626 8,409 93 16 3,255	1,505 138 63 130 1 1 3,343	7.4 4.5 5.0 5.6 2.4 3.8	72.7 57.9 55.4 88.2 7.5 2.7 96.2
Oahu Hawaii Kauai Maui Molokai Lanai	2,280 409 331 195 40 -	2,227 508 251 335 17 5	357 453 277 627 155 (NA)	94.6 104.3 96.1 97.7 77.1 62.7

[Excludes Tripler Army Medical Center]

NA Not available.

<u>1</u>/ Revised June 3, 1994.

Source: Data by islands from Hawaii State Department of Health, State Health Planning and Development Agency, *Utilization of Inpatient Facilities by County*.

Table 2.26-- COMMUNITY HOSPITAL AVERAGE COSTS AND ROOMCHARGES: 1985 TO 1990

	Average cos		
Average length of stay (days)	Per inpatient day (dollars)	Per admission (dollars)	Hospital semiprivate room charges <u>1</u> / (dollars)
83	420 11	3 522	231
1	489.93		253
7.9	512.48	4,106	242
8.9	517.16	4,651	257
9.0	549.90	5,077	317
9.3	637.62	6,048	348
	length of stay (days) 8.3 7.5 7.9 8.9 9.0	Average length of stay (days) Per inpatient day (dollars) 8.3 420.11 7.5 489.93 7.9 512.48 8.9 517.16 9.0 549.90	length of stay (days)Per inpatient day (dollars)Per admission (dollars)8.3420.113,5227.5489.933,7077.9512.484,1068.9517.164,6519.0549.905,077

1/ January data.

Source: Health Insurance Association of America, Source Book of Health Insurance Data (biennial) and Update (biennial).

Table 2.27-- PATIENTS SERVED BY STATE MENTAL HEALTH FACILITIES:1986 TO 1991

	Patient	s active, end of period Admissions					
Year	Total	In- patients	Out- patients	Total	Undupli- cated	Termina- tions	Patients served (undup.)
1986	5,852	252	5,600	3,826	3,292	3,725	8,342
1987	5,754	248	5,506	3,678	3,122	3,452	8,220
1988	5,234	260	4,974	3,694	3,147	4,143	8,389
1989	5,448	251	5,197	3,943	3,306	3,644	8,003
1990	5,487	205	5,282	3,660	3,237	3,569	8,044
1991	5,441	182	5,259	3,094	2,881	2,010	8,110

Source: Hawaii State Department of Health, Mental Health Division, records.

Table 2.28-- HAWAII STATE HOSPITAL BEDS AND OCCUPANCY:1991 TO 1994

		Admissions <u>1</u> /		Patients in hospital <u>2</u> /		
Year	Number of beds, June 30	Total	First	Average <u>1</u> /	June 30	
1991	215	354	293	195	165	
1992	202	398	324	182	197	
1993	202	447	344	182	195	
1994	202	273	216	181	199	

[Includes children's unit at Leahi Hospital assigned to the Hawaii State Hospital]

 $\underline{1}$ / Year ended June 30.

2/ Includes patients on leave and absent without leave.

Source: Hawaii State Hospital, records.

Table 2.29-- WAIMANO TRAINING SCHOOL AND HOSPITAL: 1990 TO 1993

[Waimano Training School and Hospital is the State institution for the mentally retarded]

			Patients in		
Year	Beds, June 30	Admissions <u>1</u> /	Average <u>2</u> /	June 30	Patients on leave, June 30
1990	205	10	153	158	6
1991	195	2	148	134	6
1992	172	1	114	112	-
1993	172	4	101	82	-

1/ Year ended June 30. Excluding returns from community placement.

 $\underline{2}$ / Year ended June 30.

Source: Waimano Training School and Hospital, records.

Subject	1988	1989	1990	1991	1992
Patients on register, Dec. 31	571	541	498	487	479
At home	474	447	405	397	393
Kalaupapa	93	90	89	86	83
Hale Mohalu at Leahi	4	4	4	4	3
New cases	20	18	18	19	19
Deaths	13	14	9	3	-

Table 2.30-- HANSEN'S DISEASE PATIENTS REGISTERED: 1988 TO 1992

Source: Hawaii State Department of Health, Hansen's Disease Community Program, records.

Table 2.31-- PHYSICIANS, DENTISTS, NURSES, AND PHARMACISTSLICENSED IN HAWAII, BY PLACE OF ADDRESS:MARCH 5, 1993

Place of address	Physicians and surgeons <u>1</u> /	Dentists	Registered nurses	Pharmacists
Total licensed	5,099	1,284	12,689	1,137
Hawaii addresses Hawaii Maui Lanai Molokai Oahu Kauai Niihau Mainland U.S. Foreign Not reported	2,803 215 186 1 7 2,299 95 - 2,233 63 -	971 89 59 1 4 781 37 - 308 5 -	9,609 830 705 12 38 7,640 384 - 2,852 227 1	664 66 57 1 2 507 31 - 468 5 -

1/ Permanent licenses only. Does not include interns, residents, or physicians who provided State government services only.

Source: Hawaii State Department of Commerce and Consumer Affairs, Professional and Vocational Licensing Division, Licensing Branch, records.

Table 2.32-- MARRIAGES AND DIVORCES: 1970 TO 1992

	Ma	arriages		Rates per 1,000 resident population		Percent of	marriages
Calendar year	Total	Resident <u>1</u> /	Divorces and annul- ments <u>2</u> /	Resident marriages	Divorces, annul- ments <u>2</u> /	Nonresi- dent <u>3</u> /	Inter- racial <u>4</u> /
1970	10,599	7,889	2,589	10.2	3.4	25.6	40.7
1971	9,734	8,104	3,691	10.1	4.6	16.7	42.7
1972	9,750	8,482	3,891	10.2	4.7	13.0	41.7
1973	9,776	8,656	4,170	10.2	4.9	11.5	43.7
1974	9,649	8,500	4,111	9.8	4.7	11.9	43.2
1975	9,673	8,440	4,265	9.5 9.2	4.8 5.2	12.7	43.1
1976	9,769	8,318	4,712	9.2 9.2	5.2 5.0	14.9 17.9	43.2 43.3
1977 1978	10,266 10,736	8,427 8,650	4,601 4,837	9.2 9.3	5.0	17.9	43.3
1978	11,678	9,424	5,055	9.3 9.9	5.3	19.4	44.5
1070	11,070	5,424	0,000	0.0	0.0	10.0	44.0
1980	11,856	9,442	4,438	9.7	4.6	20.4	44.4
1981	12,218	9,445	4,253	9.7	4.3	22.7	44.5
1982	13,483	10,053	4,233	10.1	4.3	25.4	45.0
1983	14,062	10,216	4,583	10.1	4.5	27.3	45.5
1984	14,982	10,020	4,769	9.7	4.6	33.3	46.3
1985	15,421	9,893	4,887	9.5	4.7	35.8	46.9
1986	16,219	9,571	4,674	9.1	4.4	30.4	46.5
1987	16,567	9,714	4,419	9.1	4.1	41.3	44.6
1988	17,281	9,708	5,020	9.0	4.6	43.8	42.9
1989	17,974	9,952	5,613	9.1	5.1	44.6	44.3
1990	18,306	10,407	5,179	9.4	4.7	43.1	45.9
1991	17,764	10,051	5,184	8.9	4.6	43.4	43.9
1992	17,725	10,049	5,040	8.7	4.4	43.3	44.3

[Place of occurrence basis]

NA Not available.

1/ One or both partners residents of Hawaii.

2/ Final decrees only. An interlocutory decree of six months was abolished July 1, 1971.

3/ Both partners nonresidents of Hawaii.

 $\underline{4}$ / Excludes nonresident marriages.

Source: Hawaii State Department of Health, Statistical Report (annual), and records.

Table 2.33-- MARRIAGE AND DIVORCE RATES BASED ON RISKPOPULATION: 1910 TO 1990

		males 15 years old and over <u>1</u> / Marriages <u>2</u> / Divorces <u>2</u> /		Marriages <u>2</u> /		ces <u>2</u> /
Census year	Unmarried <u>3</u> /	Married <u>4</u> /	Number	Rate <u>5</u> /	Number	Rate <u>6</u> /
1910 1920 1930 1940 1950 1960 1970 1980 1990	9,667 14,616 26,059 51,669 58,995 65,156 98,016 150,166 183,984	31,380 45,550 53,948 66,569 94,520 128,528 166,596 210,085 244,799	2,112 2,070 2,504 4,659 5,446 5,098 7,312 9,148 10,180	218 142 96 90 92 78 75 61 55	210 548 546 906 1,112 1,324 2,452 4,144 5,396	7 12 10 14 12 10 15 20 22

1/ Females 14 years old and over for 1940-1970.

2/ Annual averages for two-year periods centering on each census date. Place of occurrence basis. Marriage data for 1969-1970 and later years exclude nonresident marriages.

3/ Single, windowed or divorced.

 $\underline{4}$ / Includes separated persons.

5/ Per 1,000 unmarried females 15 (or 14) years old and over.

6/ Per 1,000 married females 15 (or 14) years old and over.

Source: Robert C. Schmitt, *Demographic Statistics of Hawaii: 1778-1965* (University of Hawaii Press, 1968), pp. 214-215 and underlying data; *U.S. Census of Population: 1970*, Final Report PC (1)-B13, table 22; *U.S. Census of Population; 1980*, PC80-1-B13, table 21; Hawaii State Data Center, 1990 census tapes; Hawaii State Department of Health, *Annual Report, Statistical Supplement* for 1969, 1970, 1979, and 1980, and records.

Table 2.34-- CHARACTERISTICS OF MARRIAGES AND DIVORCES:1989 TO 1992

Subject	1989	1990	1991	1992
MARRIAGES				
Number	17,974	18,306	17,764	17,725
Percent on Oahu Percent Hawaii residents:	57.7	58.3	57.9	58.0
Both bride and groom	51.3	53.1	52.4	52.7
One partner only	4.1	3.7	4.2	4.0
Neither bride nor groom Median age (years):	44.6	43.1	43.4	43.3
Groom	31	31	31	31
Bride	28	28	29	29
Percent previously married:	20	20	20	20
Groom	39.8	39.5	38.8	38.1
Bride	40.4	40.1	39.2	38.5
DIVORCES AND ANNULMENTS	1			
Number	5,613	5,179	5,184	5,040
Divorces	5,600	5,163	5,161	5.024
Annulments	13	10	13	14
Not reported	-	6	10	2
Percent occurring on Oahu	78.5	77.5	76.7	74.2
Percent Hawaii residents:				
Both partners	75.4	73.9	76.4	76.4
One partner only	23.1	26.0	23.3	23.4
Neither partner	0.1	0.2	0.2	0.2
Median age (years):				
Husband	35	35	35	35
Wife	32	33	33	33
Percent interracial <u>1</u> /	39.4	40.3	40.0	39.9
Percent with children under 18 years	55.3	52.1	52.1	52.1
Median years married	6.2	6.3	6.3	6.3

[Place of occurrence basis]

1/ For these calculations, marriages where both bride and groom are in the "Part Hawaiian" or "Other races" categories are classified as non-interracial.

Source: Hawaii State Department of Health, Statistical Report (annual), and records.

Table 2.35-- MARRIAGES OCCURRING IN HAWAII, RESIDENT AND NONRESIDENT, BY RACE MIXTURE AND TYPE OF CEREMONY: 1992

Race mixture and type of ceremony	Total	At least one partner Hawaii resident	Both partners nonresidents
All marriages	17,725	10,049	7,676
Race of partners: Both partners same race <u>1</u> / Different Percent different	12,204 5,521 31.1	5,453 4,596 45.7	6,751 925 12.1
Type of ceremony: Civil ceremony Religious ceremony Unknown	4,628 13,096 1	3,840 6,208 1	788 6,888 -

1/ Includes marriages with both partners of unknown race.

Source: Hawaii State Department of Health, special tabulations.

				Percent		
Subject	1980	1990	1992	1980	1990	1992
Married couples	185,698	210,468	224,000	100.0	100.0	100.0
Marriages ended By divorce By death Husbands Wives	6,782 4,438 2,344 1,678 666	8,292 5,172 3,120 2,234 886	8,265 5,040 3,225 2,285 940	3.7 2.4 1.3 0.9 0.4	3.9 2.5 1.5 1.1 0.4	3.7 2.2 1.4 1.0 0.4

Table 2.36-- MARITAL DISSOLUTION: 1980 TO 1992

Source: Hawaii State Department of Health, *Statistical Report* (annual), and records; U.S. Bureau of the Census, *1980 Census of Population*, PC80-1-B13, table 21, and *1990 Census of Population*, 1990 CP-1-13, table 30; 1992 DBEDT estimate of married couples, based on 1990-92 percent increase in female population 18 years and older.

Table 2.37-- HEALTH SPENDING BY FAMILIES AND BUSINESSES:1980 AND 1991

[Health payments cover the delivery of all health services and supplies and the purchase of medical products, including prescription drugs and vision products in retail outlets. It also includes government public health expenditures, the administrative costs of public programs, and the net cost of private insurance. Data exclude non-patient revenue, research and construction]

Subject	1980	1991
Total health payments (million dollars)	946	3,252
By families	641	2,079
By businesses	305	1,173
Average health payments per family (dollars)	2,701	7,190
By families	1,829	4,596
By businesses	872	2,594
Average health payments by families (dollars)	1,829	4,596
Out-of-pocket	575	1,379
Insurance	200	757
Medicare payroll tax	128	341
Medicare premiums	25	100
General taxes	901	2,020
Rank among 50 States	12	7
Percent of average family income	8.2	10.0
Total health payments by businesses (million dollars)	305	1,173
Insurance	181	744
Medicare payroll tax	45	154
General taxes	47	169
Other	33	106

Source: Families USA Foundation, *Health Spending: The Growing Threat to the Family Budget* (December 1991).