Section 2

VITAL STATISTICS AND HEALTH

This section presents data on births, deaths, marriages, divorces, diseases, accidents, drinking and smoking, hospitals, and health care personnel and expenditures.

Vital indexes generally reflect the high health standards of Hawaii. Expectation of life at birth in 1990 was 75.9 years for males and 82.1 years for females, well above national averages. There were 7,206 resident deaths in 1994, or 6.1 per 1,000 resident population. Deaths under one year of age per 1,000 live births numbered 6.8 in 1994. Diseases of the heart have accounted for almost a third of all deaths in recent years; cancer, for one-fourth. Resident live births in 1994 numbered 19,438, or 16.5 per 1,000 resident population. Fully 95.3 percent of all babies were born in hospitals in 1993, and 18.1 percent were born to military couples. More than one out of four births was to an unmarried woman. There were 7,198 fetal deaths in 1993, including 5,806 elective abortions. Marriages numbered 18,118 in 1994, with over 49 percent accounted for by nonresidents. Divorces reached a 1994 total of 4,933. The State had 23 acute care hospitals (with 2,649 beds), 41 long-term care facilities (with 3,502 beds), and 13 specialty care facilities (with 739 beds) in 1993. There were 2,844 physicians and surgeons, 1,012 dentists, 9,640 professional nurses, and 694 pharmacists licensed and living in Hawaii as of August 1994. Acute conditions per 100 persons numbered 239 in 1992, with respiratory conditions the most common complaint (at 178 cases per 100 persons). Among chronic conditions reported in the 1992 survey data, the most frequently mentioned were hypertension (8.1 per 100 persons), impairments of the back or spine (6.3), and hayfever (5.6). The most common communicable diseases reported to authorities in 1993 were influenza, with 2,531 cases, and chickenpox, with 2,303, but the most fatal was AIDS (129 deaths). State mental health facilities served 5,572 patients in 1994, but the number of in-patients at the end of the year was only 199. Among persons 18 years old and over in 1992, a fourth were heavy drinkers and a fifth were current regular cigarette smokers. Tooth decay was a serious problem among Island children.

The major source for data on vital statistics and health is the annual statistical report of the Hawaii State Department of Health. Long-term trends are traced in *Historical Statistics of Hawaii*, Section 2. Sections 2 and 3 of the *Statistical Abstract of the United States: 1995* contain data for the nation as a whole.

Table 2.01-- BIRTHS AND DEATHS: 1970 TO 1994

			Rates per 1,000 resident population <u>2</u> /		Rates per 1,000 live births <u>3</u> /			
Calendar year	Resident births <u>1</u> /	Resident deaths <u>1</u> /	Births	Deaths	To unmarried mothers	Fetal deaths <u>4</u> /	Infant deaths <u>5</u> /	
1970	16,361	3,971	21.2	5.1	95.8	20.6	19.1	
1971	15,780	4,130	19.7	5.2	88.4	23.5	16.0	
1972	15,364	4,245	18.5	5.1	93.0	22.8	17.5	
1973	15,328	4,356	18.0	5.1	104.0	16.4	13.7	
1974	15,472	4,286	17.8	4.9	108.8	16.3	16.0	
1975	15,689	4,272	17.7	4.8	123.2	18.9	13.7	
1976	16,292	4,349	18.0	4.8	125.0	20.8	11.2	
1977	16,874	4,349	18.4	4.7	143.3	21.6	12.3	
1978	16,717	4,508	17.9	4.8	160.1	13.5	12.0	
1979	17,513	4,791	18.4	5.0	163.5	13.1	10.9	
1980	18,129	4,903	18.7	5.1	175.6	15.3	10.8	
1981	18,174	4,927	18.6	5.0	181.8	13.1	10.5	
1982	18,675	5,123	18.8	5.2	186.3	12.7	8.9	
1983 1984	19,090 18,667	5,409 5,571	18.8 18.2	5.2 5.3 5.4	197.8 191.8	11.4 9.5	10.0 10.9	
1985	18,267	5,751	17.6	5.5	201.3	9.7	9.1	
1986	18,253	5,788	17.4	5.5	203.9	11.0	9.2	
1987 1988 1989	18,555 18,937	6,149 5,970 6,381	17.4 17.5 17.7	5.8 5.5 5.8	213.7 223.3 239.0	9.2 10.8 9.9	8.8 7.4 8.4	
1999	19,335	6,687	18.4	6.0	239.0	10.4	7.1	
1991	19,880	6,696	17.5	5.9	262.5	10.5	7.0	
1992	19,837	6,846	17.2	5.9	264.5	11.1	6.5	
1993	19,567	7,226	16.8	6.2	273.0	11.7	7.6	
1994	19,438	7,206	16.5	6.1	283.8	12.0	6.8	

<u>1</u>/ Events occurring in Hawaii. Data include births to military couples and deaths of armed forces and their dependents, but exclude nonresident births and deaths, as well as resident births and deaths occurring out of State.

Source: Hawaii State Department of Health, *Statistical Report* (annual), and Office of Health Status Monitoring, records.

^{2/} Based on July 1 estimates in present report.

^{3/} Place of occurrence basis.

^{4/ 20} weeks gestation and over. Includes elective abortions.

^{5/} Under 1 year of age.

Table 2.02-- BIRTHS AND DEATHS, BY MILITARY STATUS: 1990 TO 1993

[Place of occurrence basis]

			Civilians <u>1</u> /			
Subject	All groups	Armed forces	All civilians	Military dependents	Other civilians	Armed forces and dependents
Live births:						
1990	20,528	-	20,528	4,091	16,437	4,091
1991	19,985	-	19,985	3,665	16,320	3,665
1992	19,949	-	19,949	3,875	16,074	3,875
1993	19,650	-	19,650	3,564	16,086	3,564
Deaths:						
1990	7,055	40	7,015	85	6,930	125
1991	7,041	133	6,908	89	6,819	222
1992	7,177	164	7,013	80	6,933	244
1993	7,570	170	7,400	87	7,313	257
	,				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Birth rates: 2/						
1990	16.3	0	17.1	67.5	14.4	35.3
1991	15.7	0	16.4	57.9	14.1	31.0
1992	15.7	0	16.4	68.0	13.9	34.6
1993	15.5	0	16.2	57.3	14.0	31.0
Death rates: 2/						
1990	5.6	0.7	5.8	1.4	6.1	1.1
1991	5.5	2.4	5.7	1.4	5.9	1.9
1992	5.7	3.0	5.8	1.4	6.0	2.2
1993	6.0	3.2	6.1	1.4	6.4	2.2

<u>1</u>/ Death rates for military dependents based on 1990 age and sex composition of military dependents and 1990 age-sex-specific death rates for all civilians. Deaths of civilians other than military dependents calculated as residual.

^{2/} Per 1,000 de facto population in each group.

Table 2.03-- LIVE BIRTHS, STANDARD FETAL DEATHS, AND ELECTIVE ABORTIONS: 1988 TO 1993

[Place of residence basis]

	Total deliveries				
Calendar year	Number	Rate <u>1</u> /	Live births	Standard fetal deaths	Elective abortions
1988	26,346	24.4	18,937	1,411	5,998
1989	26,083	23.8	19,335	1,468	5,280
1990	26,834	24.1	20,438	1,689	4,707
1991 <u>2</u> /	27,289	24.1	19,880	1,717	5,692
1992	27,297	23.7	19,837	1,518	5,942
1993 <u>3</u> /	26,765	23.0	19,567	1,392	5,806

^{1/} Per 1,000 resident population, July 1.

Table 2.04-- BIRTHS AND DEATHS, BY PLACE OF OCCURRENCE AND RESIDENCE: 1991 TO 1993

		Occurring	Hawaii residents			
Event and year	Total	Resident	Non- resident	Not reported	Total	Out of State <u>1</u> /
Births:						
1991	19,985	19,880	104	1	19,924	44
1992	19,949	19,837	111	1	19,863	26
1993	19,650	19,567	82	1	19,595	28
Deaths:						
1991	7,041	6,696	335	10	6,894	198
1992	7,177	6,846	323	8	7,072	226
1993	7,570	7,226	341	3	7,426	200

^{1/} Death figures for 1992 and 1993 include persons born in Hawaii who became residents of other states.

^{2/} Excludes one birth, seven standard fetal deaths and seven elective abortions with unknown residence.

<u>3</u>/ Excludes one birth, four standard fetal deaths, and six elective abortions with unknown residence. Source: Hawaii State Department of Health, Office of Health Status Monitoring, records.

Table 2.05-- CHARACTERISTICS OF RESIDENT BIRTHS: 1991 TO 1993

[Excludes births to Hawaii residents occurring out of state]

Subject	1991	1992	1993
Number of resident births	19,880	19,837	19,567
City and County of Honolulu	14,756	14,827	14,599
Percent on Oahu	74.2	74.7	74.6
Hawaii County	2,278	2,234	2,118
Kauai County	983	892	961
Maui County (incl. Kalawao)	1,863	1,884	1,889
Percent attended by M.D. or O.D. in hospital	96.7	96.4	95.3
Males per 100 females	108.2	109.3	104.8
Median weight of single births (grams)	3,315	3,312	3,317
Percent low birth weight (under 2,500 grams)	6.8	7.2	6.9
Percent single births under 40 weeks gestation	48.1	54.9	55.1
Percent plural	2.2	2.1	2.2
Percent with 1 or more congenital malformations	1.6	1.5	1.6
Percent to unmarried mothers	26.3	26.5	27.3
Percent with prenatal visit in first three months	68.8	68.1	67.6
Percent first child born to mother 1/	29.0	29.0	30.9
Percent first child born alive to mother	41.7	41.9	42.7
Median age of mothers (years)	27	27	27
Median age of known fathers (years)	29	29	30

 $[\]underline{1}$ / Includes live births, fetal deaths, and abortions.

Table 2.06-- CHILDREN EVER BORN PER 1,000 WOMEN 15 TO 44 YEARS OLD, BY GEOGRAPHIC AREA: 1990

State total	Oahu	Other islands
289	281	316
1,199 1,812	1,132 1,778	1,423 1,911
	289 1,199	289 281 1,199 1,132

Source: U.S. Bureau of the Census, 1990 Census of Population, Social and Economic Characteristics, Hawaii, 1990 CP-2-13 (September 1993), table 35.

Table 2.07-- RESIDENT BIRTHS, MIXED AND UNMIXED, BY MILITARY STATUS OF PARENTS: 1993

Military status of parents	Total births	Unmixed	Mixed <u>1</u> /	Not reported <u>2</u> /	Percent mixed <u>3</u> /
All groups	19,567	8,640	9,767	1,160	53.1
Military Civilian Status not reported	3,534 14,214 1,819	2,618 6,021 1	853 8,185 729	63 8 1,089	24.6 57.6 99.9

^{1/} Includes all Part Hawaiian births, including those in which both parents were Part Hawaiian.

Source: Hawaii State Department of Health, records.

 $[\]underline{2}$ / One or both parents of unspecified race (unless one was Part Hawaiian) or both parents classified as "other."

^{3/} Based on number reporting.

Table 2.08-- MOST COMMON FIRST NAMES ON BIRTH CERTIFICATES, BY SEX: 1993

[A total of 7,361 first names, including variant spellings, was reported for the 19,650 babies born in Hawaii in 1993]

	Boys' names	3	Girls' names		
Rank	Name	Number	Name	Number	
1	Joshua	178	Ashley	114	
2	Michael	159	Jessica	104	
3	Matthew	144	Nicole	92	
4	Christopher	133	Kayla	85	
5	Brandon	129	Jasmine	84	
6	Justin (tie)	119	Taylor	82	
7	Tyler (tie)	119	Samantha	72	
8	Ryan	118	Brittany	67	
9	Nicholas	100	Lauren	66	
0	Jordan (tie)	99	Sarah	65	
	Joseph (tie)	99			

Source: Hawaii State Department of Health, Office of Health Status Monitoring, records.

Table 2.09-- MOST COMMON SURNAMES ON BIRTH AND DEATH CERTIFICATES: 1993

	Birth certifica	ites	Death certificates		
Rank	Surname	Births	Surname	Deaths	
1	Lee	99	Lee	51	
2	Kim	80	Wong	45	
3	Smith (tie)	78	Chang	31	
4	Wong (tie)	78	Nakamura (tie)	29	
5	Johnson	63	Young (tie)	29	
6	Ramos	50	Chun	26	
7	Williams	47	Fernandez (tie)	25	
8	Fernandez (tie)	45	Higa (tie)	25	
9	Young (tie)	45	Silva (tie)	23	
0	Nguyen	44	Yamamoto (tie)	23	

Table 2.10-- EXPECTATION OF LIFE AT BIRTH, BY SEX, FOR THE UNITED STATES AND HAWAII: 1910 TO 1994

[Average expectation of life (e₀) in years]

United States			s	Hawaii			
Year	Both sexes	Male	Female	Both sexes	Male	Female	
1910	50.0	48.4	51.8	43.96	44.04	43.83	
1920	54.1	53.6	54.6	45.69	45.64	45.75	
1930	59.7	58.1	61.6	53.95	52.70	55.86	
1940	62.9	60.8	65.2	62.00	59.92	64.86	
1950	68.2	65.6	71.1	69.53	67.77	71.67	
1960	69.7	66.6	73.1	72.42	70.39	74.75	
1970	70.8	67.1	74.7	74.20	72.12	76.44	
1980	73.7	70.0	77.4	78.02	75.04	81.45	
1990	75.4	71.8	78.8	78.88	75.91	82.12	
1994	75.7	72.3	79.0	(NA)	(NA)	(NA)	

NA Not available.

Source: U.S. Bureau of the Census, *Historical Statistics of the United States, Colonial Times to* 1970, Part 1 (1975), p. 55; U.S. Department of Health and Human Services, National Center for Health Statistics, "Annual Summary of Births, Marriages, Divorces, and Deaths: United States, 1994," *Monthly Vital Statistics Report*, Vol. 43, No. 13, October 23, 1995, p. 17; Hawaii State Department of Health, Office of Health Status Monitoring, "Life Tables by Ethnic Group for Hawaii, 1920-1970," *R & S Report*, No. 26 (June 1979), "Life Tables by Ethnic Group for Hawaii, 1980," *R & S Report*, No. 47 (March 1984), and unpublished provisional estimates for 1990.

Table 2.11-- CHARACTERISTICS OF RESIDENT DEATHS: 1991 TO 1993

[Excludes deaths to Hawaii residents occurring out of state]

Subject	1991	1992	1993
Number of resident deaths	6,696	6,846	7,226
City and County of Honolulu	4,793	4,914	5,202
Hawaii County	880	916	973
Kauai County	358	369	398
Maui County (incl. Kalawao)	665	647	653
Males per 100 females	137.2	140.5	144.2
Median age (years)	73	73	74
Centenarian deaths: Male	23	9	14
Female	37	34	38
Oldest (years): Male	109	104	106
Female	107	111	110
Percent married	46.0	47.1	47.1
Deaths under 1 year	140	122	141
Per 1,000 live births	7.0	6.2	7.2
Fetal deaths <u>1</u> /	7,409	7,460	7,198
Per 1,000 deliveries	272	273	269
Fetal deaths, 20 or more weeks gestation 2/	209	270	230
Per 1,000 live births	10.5	13.6	11.8
Standard fetal deaths 3/	1,717	1,518	1,392
Elective abortions	5,692	5,942	5,806
Per 1,000 live births	286.3	299.5	296.7

^{1/} Includes elective abortions.

Source: Hawaii State Department of Health, *Statistical Report* (annual), and Office of Health Status Monitoring, records.

^{2/} Place of occurrence basis. Includes elective abortions if 20 weeks or more.

^{3/} Excludes elective abortions.

Table 2.12-- CAUSE OF DEATH, BY SEX: 1993

[Place of residence basis]

Cause of death	Both sexes	Males	Females
Total deaths	7,226	4,267	2,959
Tuberculosis	5	2	3
Other infective	255	199	56
Malignant neoplasm	1,717	1,006	711
Digestive organs	589	356	233
Respiratory system	432	284	148
Breast	109	1	108
Genital organs	170	103	67
Urinary organs	63	45	18
Leukemia	61	33	28
Other	293	184	109
Diabetes mellitus	175	81	94
Heart disease	2,204	1,287	917
Rheumatic	12	4	8
Hypertensive	84	44	40
Ischemic	1,162	706	456
Other heart	946	533	413
Hypertension	35	20	15
Cerebrovascular disease	546	276	270
Arteriosclerosis	25	13	12
Other circulatory	118	81	37
Influenza/pneumonia	303	163	140
Chronic obstructive pulmonary diseases	259	166	93
Peptic ulcer	26	15	11
Cirrhosis of liver	82	58	24
Nephritis and nephrosis	76	46	30
Pregnancy, birth & puerperium	10	-	30
Congenital anomalies	44	26	18
Perinatal conditions	69	39	30
	53	23	30
Symptoms, signs & ill-defined conditions	1	i	
Other diseases	741 272	389 204	352 68
Accidents	133	∠04 98	35
- · ·	139	106	33
Other	123	108	
Suicide	1 '		19
Homicide & legal intervention	38	25	13
Other external causes	60	44	16

Table 2.13-- CATASTROPHIC MORTALITY: 1985 TO 1995

[Includes all accidents, natural disasters, and other events causing five or more deaths.

Complete through November 12, 1995]

	Date	Place	Kind of disaster	Deaths
1985:	Jan. 15	540 mi. N. of Honolulu	Helicopter crash	7
1987:	Dec. 23	At sea W. of Molokai	Airplane disappearance	8
1988:	June 9	Near Waimanalo, Oahu	2-car auto crash	5
1989:	July 9 Jan. 31	Near Kawaihae, Hawaii	2-car auto crash	6
			airplane	19
	Feb. 24	100 mi. S. of Honolulu	Airplane door lost	9
	June 11	Waimanu, Hawaii	Airplane crash	11
	Oct. 28	Halawa, Molokai	Airplane crash	20
1990:	Nov. 13	Near Puunene, Maui	3-car auto crash	5
1991:	Aug. 25-26	Waipahu and Kailua	Murder spree	5
1992:	Jan. 14	Between Oahu and Maui	Airplane disappearance	5
	Apr. 22	Haleakala summit, Maui	Airplane crash	9
	Sept. 11	Kauai and Oahu	Hurricane Iniki	8
	Sept. 16	Haleakala slope, Maui	Helicopter crash	7
1994:	Jan. 21	Keawaula Bay, Oahu	1-car auto crash	5
1995:	Nov. 10	Kuliouou, Oahu	1-car auto crash	5

Source: Robert C. Schmitt, "Catastrophic Mortality in Hawaii: An Update," *The Hawaiian Journal of History*, Vol. 23 (1989), pp. 217-227; DBEDT file of newspaper accounts.

Table 2.14-- DEATHS OCCURRING IN HAWAII, BY METHOD OF DISPOSITION: 1970 TO 1993

Method	1970	1980	1990	1991	1992	1993
All methods	4,197	5,204	7,055	7,041	7,177	7,570
Burial Cremation Removal Entombment Educational purpose Other	2,197 1,509 470 13 3	2,343 2,241 567 44 -	2,798 3,564 656 35	2,723 3,649 649 12 1	2,751 3,784 601 17 12	2,925 3,997 604 18 21
Unknown	5	8	2	7	12	5

Source: Hawaii State Department of Health, *Statistical Report* (annual) and Office of Health Status Monitoring, records.

Table 2.15-- PERSONS ON THE STATE BLIND REGISTER, BY COUNTIES: 1993 TO 1995

Date	State total	City and County of Honolulu	County of Hawaii	County of Kauai	County of Maui
1993: June 30	2,339	1,804	224	102	209
1994: June 30	2,377	1,783	255	102	237
1995: June 30	2,358	1,760	261	107	230

Source: Hawaii State Department of Human Services, Services for the Blind Branch, records.

Table 2.16-- CHRONIC CONDITIONS: 1992

Selected chronic conditions	Prevalence of condition	Conditions per 1,000 persons	
Malignant neoplasms	12,122	10.6	
Benign and unspecified neoplasms	6,332	5.6	
Thyroid disease	17,793	15.6	
Diabetes	25,448	22.3	
Mental and nervous condition	17,953	15.8	
Heart disease	35,197	30.9	
Hypertension	92,182	80.9	
Varicose veins	9,709	8.5	
Hemorrhoids	14,008	12.3	
Bronchitis/emphysema	22,307	19.6	
Asthma	53,863	47.3	
Hayfever	63,853	56.1	
Chronic sinusitis	57,805	50.8	
Peptic ulcer	9,137	8.0	
Gallbladder	10,256	9.0	
Kidney disease	8,887	7.8	
Skin condition	44,558	39.1	
Arthritis	47,125	41.4	
Visual impairment	13,384	11.8	
Hearing impairment	50,882	44.7	
Impairment of back or spine	72,017	63.2	
Gout	14,301	12.6	

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

Table 2.17-- ACUTE CONDITIONS: 1992

Condition	Incidence of condition per year	Conditions per 100 persons per year
All acute conditions	2,722,388	239.0
Infective parasitic diseases	121,871	10.7
Respiratory condition	2,021,680	177.5
Digestive system condition	57,001	5.0
Injuries	119,960	10.5
All other acute conditions	401,876	35.3

Source: Hawaii State Department of Health, Hawaii Health Surveillance Program, special tabulation.

Table 2.18-- LIMITATION OF ACTIVITY DUE TO CHRONIC OR ACUTE CONDITIONS: 1992

Type of limitation	Number
Persons with one or more chronic conditions	509,997
No limitation of activity	372,361
Limited, but not in major activity	65,081
Limited in amount or kind of activity	34,698
Unable to carry on major activity	21,245
Not reported	16,612
Restricted activity days in past month 1/	1,946,798
Per person <u>2</u> /	1.8

 $[\]underline{1}$ / A restricted activity day is one in which a person had to cut down on his usual activity for all or most of the day.

^{2/} Base includes persons without chronic or acute conditions or restricted activities.

Source: Hawaii State Department of Health, Hawaii Health Surveillance Survey Program, special tabulations.

Table 2.19-- SPECIFIED COMMUNICABLE DISEASES: 1991 TO 1993

		Cases			Deaths			
Disease	1991	1992	1993	1991	1992	1993		
AIDS	176	133	379	120	118	129		
Chickenpox	825	1,009	2,303	-	-	1		
Gonorrhea	695	686	614	-	-	-		
Hansen's Disease 1/	12	19	17	-	-	-		
Hepatitis, all types	120	356	94	5	10	14		
Influenza	135	135	2,531	-	1	1		
Leptospirosis 2/	33	31	24	1	-	-		
Malaria <u>3</u> /	4	11	7	-	-	-		
Measles (Rubeola)	12	46	20	-	-	-		
Meningitis, all types	80	145	170	6	2	1		
Mumps	30	28	31	-	-	-		
Rubella	9	25	28	-	-	_		
Salmonellosis	373	321	337	-	-	-		
Syphilis	10	10	7	-	-	-		
Tuberculosis	202	274	251	11	5	5		

^{1/} Excludes reinstated cases.

Source: Hawaii State Department of Health, Office of Health Status Monitoring, Epidemiology Branch, and AIDS Surveillance Program, records.

^{2/} Includes previously unreported cases.

^{3/} Acquired outside the State.

Table 2.20-- HEALTH RISK BEHAVIORS FOR PERSONS 18 YEARS AND OLDER, BY PLACE OF RESIDENCE: 1992

[Percent of increased risk for morbidity and mortality]

Risk factor	Risk factor State		Neighbor islands
Seatbelt nonuse	4.2	4.1	4.5
Overweight (20 percent or more)	24.9	24.6	26.3
Hypertension	14.8	14.9	14.6
Sedentary lifestyle	55.5	54.3	59.9
Cigarette smoking	20.1	18.2	27.1
Chronic drinking 1/	5.8	5.4	7.5
Acute drinking 2/	19.1	17.8	24.0
Drinking and driving	3.1	2.9	3.6

^{1/} Sixty or more drinks during past month.

Source: Hawaii State Department of Health, *Hawai î's Health Risk Behaviors 1992* (January 1995), p.8.

Table 2.21-- HUNGER, BY AGE: 1992

[Includes all persons in households in which one or more individuals missed meals for economic reasons during the past year]

Subject	All ages	Under 6	6 to 11	12 to 17	18 to 59	60 and over
Number	176,443	21,042	23,928	13,936	109,524	8,013
Percent	14.2	19.2	21.3	18.9	14.1	4.8

Source: SMS Research, *Homelessness and Hunger in Hawaii*, submitted to Homeless Aloha, June 15, 1992, p. 32.

^{2/} Five or more drinks on an occasion, one or more times a month.

Table 2.22-- TOOTH DECAY AMONG PUBLIC SCHOOL PUPILS, FOR THE UNITED STATES, 1986-1989, AND HAWAII, 1989

Characteristics	U.S.	Hawaii
Dental caries prevalence per child: Primary or deciduous teeth 1/	1.884	3.658
Secondary or permanent teeth 2/	0.818	0.897
Percent of 5-year old public school pupils with baby bottle tooth decay (3 or more decayed maxillary anterior teeth)	5.0	15.8
Percent of 6- to 8-year old students with Untreated primary or permanent tooth decay 3/ One or more decayed primary or permanent teeth	27.0 53.0	36.2 96.9

^{1/} Mean decayed or filled for ages 5-9, cumulative. U.S. rate is for 1987.

Source: Hawaii from Hawaii State Department of Health, Dental Health Division. U.S. from *National Survey of Dental Caries in U.S. School Children: 1986-1987*; Louis Ripa, "Nursing Caries: A Comprehensive Review," *Pediatric Dentistry*, December 1988; and *National Year 2000 Oral Health Objectives* (1990).

Table 2.23-- HOME HEALTH CARE AGENCIES, HOSPICES, NURSING HOMES, AND BOARD AND CARE HOMES: 1991

			Residents with reported ag		
Type of facility	Number	Residents	Total	65 and over	
Total Home health care agencies Hospices Nursing homes Board and care homes	380 18 8 54 300	2,840 2,267	2,721 1,289	 2,504 849	

Source: National Center for Health Statistics, "Urban and Rural Classification of National Health Provider Inventory Providers: United States, 1991," *Advance Data*, No. 266 (September 1995).

^{2/} Mean decayed, missing or filled for ages 5-12, cumulative. U.S. rate is for 1987.

^{3/} Teeth with active decay and in need of treatment. U.S. rate is for 1986.

Table 2.24-- NUMBER AND BED CAPACITY OF STATE-APPROVED HOSPITALS AND CARE HOMES, BY TYPE OF FACILITY: 1988 TO 1993

[Institutions approved through the Certificate of Need Process. Tripler Army Medical Center included through 1992 but excluded thereafter]

		Hos	pitals	Care homes		
Category and year	Total <u>1</u> /	Acute care	Long- term care	Specialty care	Type I <u>2</u> /	Type II <u>3</u> /
Number of facilities:						
1988	51	22	36	9	531	16
1989	52	22	38	8	515	16
1990	57	24	40	11	501	15
1991	59	24	41	13	494	14
1992	59	24	41	13	490	14
1993	57	23	41	13	486	13
Number of beds:						
1988	6,671	2,855	2,995	821	2,235	490
1989	6,854	2,855	3,191	808	2,184	481
1990	7,401	3,175	3,416	810	2,162	449
1991	7,433	3,169	3,475	789	2,159	450
1992	7,410	3,174	3,497	739	2,175	436
1993	6,890	2,649	3,502	739	2,164	413

^{1/} Institutions providing more than one kind of care are only counted once.

Source: Hawaii State Department of Health, State Health Planning and Development Agency, *Utilization of Inpatient Facilities, by County* (annual) and records, and Hospital and Medical Facilities Branch, records.

^{2/} Five beds or fewer.

^{3/} Six beds or more.

Table 2.25-- OCCUPANCY CHARACTERISTICS OF STATE-APPROVED ACUTE AND LONG-TERM CARE CIVILIAN HOSPITALS: 1988 TO 1993

[Excludes Tripler Army Medical Center]

Type of facility and year	Admissions	Average daily census	Average length of stay (days)	Average daily percent occupancy
Acute care:				
1988 <u>1</u> /	117,548	2,074	6.4	73.3
1989	91,686	1,722	6.7	73.3
1990	93,511	1,755	6.8	69.4
1991	96,961	1,814	6.8	70.0
1992	98,973	1,837	6.8	71.1
1993	100,290	1,848	6.7	71.1
Long-term care:				
1988 <u>1</u> /	2,746	2,907	376	91.7
1989	2,653	2,993	409	93.5
1990	3,137	3,165	368	93.1
1991	3,181	3,216	369	93.4
1992	3,255	3,343	375	96.2
1993	3,346	3,339	364	95.1

^{1/} Excludes statistics for Lanai.

Source: Hawaii State Department of Health, *Statistical Report* (annual); State Health Planning and Development Agency, *Utilization of Inpatient Facilities by County* (annual) and records.

Table 2.26-- NUMBER AND BED CAPACITY OF STATE-APPROVED CIVILIAN HOSPITALS AND CARE HOMES, BY TYPE OF FACILITY, BY ISLANDS: DECEMBER 1993

[Facilities recognized by the Hawaii State Health Planning and Development Agency. Excludes
Tripler Army Medical Center, which had a bed capacity of 535]

		Hos	spitals		Care	homes
Category and island	Total <u>1</u> /	Acute care	Long- term care	Specialty care	Type I <u>2</u> /	Type II <u>3</u> /
NUMBER OF FACILITIES				:		
State total	57	23	41	13	486	13
Oahu	38 7 6 3 2 1	11 4 3 3 1 1	25 7 5 2 1 1	10 - 1 1 1 -	394 49 20 15 8	10 - 2 - 1
State total	6,890	2,649	3,502	739	2,164	413
Oahu Hawaii Kauai Maui Molokai Lanai	5,191 746 397 498 44 14	2,118 252 114 151 8 6	2,359 494 276 343 22 8	714 - 7 4 14	1,803 193 72 62 34	354 - 45 - 14

^{1/} Institutions providing more than one kind of care are counted only once.

Source: Hawaii State Department of Health, State Health Planning and Development Agency, *Utilization of Inpatient Facilities by County*, 1993 (revised edition, January 1995), and Hospital and Medical Facilities Branch, records.

^{2/} Five beds or fewer.

^{3/} More than five beds.

Table 2.27-- OCCUPANCY CHARACTERISTICS OF STATE-APPROVED ACUTE AND LONG-TERM CARE CIVILIAN HOSPITALS, BY ISLANDS: 1993

[Excludes Tripler Army Medical Center]

Type of facility and island	Admissions	Average daily census	Average length of stay (days)	Average daily percent occupancy
ACUTE CARE				
State total	100,290	1,848	6.7	71.1
Oahu	75,292 11,422 4,827 8,602 137 10	1,491 148 65 142 1 1	7.2 4.7 4.9 6.0 2.2 1.7	71.9 59.0 56.9 96.8 10.3 0.8
Oahu Hawaii Kauai Maui Molokai Lanai	2,400 385 352 136 64	2,212 519 251 334 16 7	336 492 260 897 91 271	93.9 100.5 94.6 97.4 72.5 83.5

Source: Hawaii State Department of Health, State Health Planning and Development Agency, *Utilization of Inpatient Facilities by County*, 1993 (revised edition, January 1995).

Table 2.28-- SELECTED HEALTH STATISTICS FOR THE UNITED STATES AND HAWAII: 1991-1993

		Hav	Hawaii		
Subject	United States	Number	Rank <u>1</u> /		
Health Maintenance Organizations, 1993:					
Number	546	5	32		
Enrollment (1,000)	46,722	252.7	32		
Percent of population	18.5	21.0	12		
Preferred provider plans (managed care):					
Number, October 1993	895	3	43		
Enrollment, December 1992 (1,000)	50,478	404.4	(NC)		
Community hospitals, 1992:					
Occupancy rate (percent)	65.6	82.6	2		
Average length of stay (days)	7.1	8.9	6		
Cost per patient day (dollars)	820	761	28		
Cost per patient stay (dollars)	5,794	6,876	4		
Hospital visits per 1,000 population, 1991:					
Admissions	(NC)	107	49		
Emergency room visits	(NC)	294	46		
Outpatient visits	(NC)	1,190	43		
Surgical operations in hospitals, 1992 (1,000)	23,959	71.7	45		

NC Not calculated.

Source: Health Insurance Association of America, Source Book of Health Insurance Data 1994 (1995), pp. 44, 48, 98, 99, 128.

^{1/} Among 50 States.

Table 2.29-- PATIENTS SERVED BY STATE MENTAL HEALTH FACILITIES: 1986 TO 1994

Facilities and year	Persons active, Dec. 31	Admissions	Discharges	Persons served
Hawaii State Hospital:				
1986	238	607	593	831
1987	214	675	699	913
1988	237	712	689	926
1989	220	777	794	1,014
1990	193	738	765	958
1991	159	311	345	504
1992	198	394	355	553
1993	195	446	449	644
1994	199	275	271	470
State-supported outpatient community mental health				
centers:				
1986	2.389	1,759	2,194	4,583
1987	2,563	2,158	1,984	4,547
1988	2,612	2,092	2,043	4,655
1989	2,369	1,840	2,083	4,452
1990	2,505	1,764	1,628	4,133
1991	3,037	2,494	1,962	4,999
1992	3,509	2,182	1,710	5,219
1993	3,410	2,004	2,103	5,513
1994	3,246	1,692	1,856	5,102

Source: Hawaii State Department of Health, Mental Health Division, records.

Table 2.30-- HAWAII STATE HOSPITAL BEDS AND OCCUPANCY: 1991 TO 1995

[Includes children's unit at Leahi Hospital assigned to the Hawaii State Hospital]

Year		Admis	sions <u>1</u> /	Patients in	Patients in hospital <u>2</u>	
	Number of beds, June 30	Total	First	Average <u>1</u> /	June 30	
1991	215	354	293	195	165	
1992	202	398	324	182	197	
1993	202	447	344	182	195	
1994	202	273	216	181	199	
1995	202	151	112	186	171	

^{1/} Year ended June 30.

Source: Hawaii State Hospital, records.

Table 2.31-- WAIMANO TRAINING SCHOOL AND HOSPITAL: 1992 TO 1995

[Waimano Training School and Hospital is the State institution for the mentally retarded]

			Patients in		
Year	Beds, June 30	Admissions <u>1</u> /	Average <u>2</u> /	June 30	Patients on leave, June 30
1992	172	1	114	112	_
1993	172	4	101	82	-
1994	172	-	82	80	-
1995	172	3	77	75	3

^{1/} Year ended June 30. Excluding returns from community placement.

Source: Waimano Training School and Hospital, records.

^{2/} Includes patients on leave and absent without leave.

^{2/} Year ended June 30.

Table 2.32-- HANSEN'S DISEASE PATIENTS REGISTERED: 1989 TO 1993

Subject	1989	1990	1991	1992	1993
Patients on register, Dec. 31 At home Kalaupapa Hale Mohalu at Leahi	541	498	487	479	460
	447	405	397	393	378
	90	89	86	83	79
	4	4	4	3	3
New cases	18	18	19	19	17
	14	9	3	8	10

Source: Hawaii State Department of Health, Hansen's Disease Community Program, records.

Table 2.33-- PHYSICIANS, DENTISTS, NURSES, AND PHARMACISTS LICENSED IN HAWAII, BY PLACE OF ADDRESS: AUGUST 11, 1994

Place of address	Physicians and surgeons <u>1</u> /	Dentists	Registered nurses	Pharmacists
Total licensed	5,243	1,316	12,368	1,191
Hawaii addresses Hawaii Maui Lanai Molokai Oahu Kauai Niihau Mainland U.S.	2,844 221 194 1 7 2,326 95 - 2,307	1,012 94 58 2 4 815 39 - 296	9,640 884 986 16 38 7,329 387 - 2,507	694 72 57 - 2 532 31 - 489 8

 $[\]underline{1}$ / Permanent licenses only. Does not include interns, residents, or physicians who provided State government services only.

Source: Hawaii State Department of Commerce and Consumer Affairs, Professional and Vocational Licensing Division, Licensing Branch, records.

Table 2.34-- MARRIAGES AND DIVORCES: 1970 TO 1994

[Place of occurrence basis]

	Ma	arriages		Rates per 1,000 resident population		Percent of	marriages
Calendar year	Total	Resident <u>1</u> /	Divorces and annul- ments <u>2</u> /	Resident marriages	Divorces, annul- ments <u>2</u> /	Nonresi- dent <u>3</u> /	Inter- racial <u>4</u> /
1970	10,599	7,889	2,589	10.2	3.4	25.6	40.7
1971	9,734	8,104	3,691	10.1	4.6	16.7	42.7
1972	9,750	8,482	3,891	10.2	4.7	13.0	41.7
1973	9,776	8,656	4,170	10.2	4.9	11.5	43.7
1974	9,649	8,500	4,111	9.8	4.7	11.9	43.2
1975	9,673	8,440	4,265	9.5	4.8	12.7	43.1
1976	9,769	8,318	4,712	9.2	5.2	14.9	43.2
1977	10,266	8,427	4,601	9.2	5.0	17.9	43.3
1978	10,736	8,650	4,837	9.3	5.2	19.4	44.5
1979	11,678	9,424	5,055	9.9	5.3	19.3	44.6
1980	11,856	9,442	4,438	9.7	4.6	20.4	44.4
1981	12,218	9,445	4,253	9.7	4.3	22.7	44.5
1982	13,483	10,053	4,233	10.1	4.3	25.4	45.0
1983	14,062	10,216	4,583	10.1	4.5	27.3	45.5
1984	14,982	10,020	4,769	9.7	4.6	33.3	46.3
1985	15,421	9,893	4,887	9.5	4.7	35.8	46.9
1986	16,219	9,571	4,674	9.1	4.4	30.4	46.5
1987	16,567	9,714	4,419	9.1	4.1	41.3	44.6
1988	17,281	9,708	5,020	9.0	4.6	43.8	42.9
1989	17,974	9,952	5,613	9.1	5.1	44.6	44.3
1990	18,306	10,407	5,179	9.4	4.7	43.1	45.9
1991	17,764	10,051	5,184	8.9	4.6	43.4	43.9
1992	17,725	10,049	5,040	8.7	4.4	43.3	44.3
1993	17,252	9,744	4,888	8.4	4.2	43.5	44.1
1994	18,118	9,317	4,933	7.9	4.2	48.6	(NA)

NA Not available.

Source: Hawaii State Department of Health, Statistical Report (annual), and records.

^{1/} One or both partners residents of Hawaii.

^{2/} Final decrees only. An interlocutory decree of six months was abolished July 1, 1971.

^{3/} Both partners nonresidents of Hawaii.

^{4/} Excludes nonresident marriages.

Table 2.35-- MARRIAGE AND DIVORCE RATES BASED ON RISK POPULATION: 1910 TO 1990

	Females 15 years old and over <u>1</u> /		Marriages <u>2</u> /		Divorces <u>2</u> /	
Census year	Unmarried <u>3</u> /	Married <u>4</u> /	Number	Rate <u>5</u> /	Number	Rate <u>6</u> /
1910	9,667	31,380	2,112	218	210	7
1920	14,616	45,550	2,070	142	548	12
1930	26,059	53,948	2,504	96	546	10
1940	51,669	66,569	4,659	90	906	14
1950	58,995	94,520	5,446	92	1,112	12
1960	65,156	128,528	5,098	78	1,324	10
1970	98,016	166,596	7,312	75	2,452	15
1980	150,166	210,085	9,148	61	4,144	20
1990	183,984	244,799	10,180	55	5,396	22

^{1/} Females 14 years old and over for 1940-1970.

- 3/ Single, widowed or divorced.
- 4/ Includes separated persons.
- 5/ Per 1,000 unmarried females 15 (or 14) years old and over.
- 6/ Per 1,000 married females 15 (or 14) years old and over.

Source: Robert C. Schmitt, *Demographic Statistics of Hawaii: 1778-1965* (University of Hawaii Press, 1968), pp. 214-215 and underlying data; *U.S. Census of Population: 1970*, Final Report PC (1)-B13, table 22; *U.S. Census of Population; 1980*, PC80-1-B13, table 21; Hawaii State Data Center, 1990 census tapes; Hawaii State Department of Health, *Annual Report, Statistical Supplement* for 1969, 1970, 1979, and 1980, and records.

^{2/} Annual averages for two-year periods centering on each census date. Place of occurrence basis. Marriage data for 1969-1970 and later years exclude nonresident marriages.

Table 2.36-- CHARACTERISTICS OF MARRIAGES AND DIVORCES: 1990 TO 1993

[Place of occurrence basis]

Subject	1990	1991	1992	1993
MARRIAGES				
Number	18,306	17,764	17,725	17,252
Percent on Oahu	58.3	57.9	58.0	57.7
Percent Hawaii residents:				
Both bride and groom	53.1	52.4	52.7	52.6
One partner only	3.7	4.2	4.0	3.9
Neither bride nor groom	43.1	43.4	43.3	43.5
Median age (years):				
Groom	31	31	31	31
Bride	28	29	29	29
Percent previously married:				
Groom	39.5	38.8	38.1	36.8
Bride	40.1	39.2	38.5	37.4
DIVORCES AND ANNULMENTS				
Number	5,179	5,184	5,040	4,888
Divorces	5,163	5,161	5,024	4,878
Annulments	10	13	14	[′] 10
Not reported	6	10	2	_
Percent occurring on Oahu	77.5	76.7	74.2	72.2
Percent Hawaii residents:				
Both partners	73.9	76.4	76.4	75.5
One partner only	26.0	23.3	23.4	24.3
Neither partner	0.2	0.2	0.2	0.2
Median age (years):				
Husband	35	35	35	36
Wife	33	33	33	34
Percent interracial 1/	40.3	40.0	39.9	41.8
Percent with children under 18 years	52.1	52.1	52.1	51.8
Median years married	6.3	6.3	6.3	6.4

^{1/} For these calculations, marriages where both bride and groom are in the "Part Hawaiian" or "Other races" categories are classified as non-interracial.

Source: Hawaii State Department of Health, Statistical Report (annual), and records.

Table 2.37-- MARRIAGES OCCURRING IN HAWAII, RESIDENT AND NONRESIDENT, BY RACE MIXTURE AND TYPE OF CEREMONY: 1993

Race mixture and type of ceremony	Total	At least one partner Hawaii resident	Both partners nonresidents
All marriages	17,252	9,744	7,508
Race of partners:			
Both partners same race 1/	12,122	5,445	6,677
Different	5,130	4,299	831
Percent different	29.7	44.1	11.1
Type of ceremony:			
Civil ceremony	4,495	3,728	767
Religious ceremony	12,757	6,016	6,741
Unknown	-	-	-

^{1/} Includes marriages with both partners of unknown race.

Source: Hawaii State Department of Health, special tabulations.

Table 2.38-- MARITAL DISSOLUTION: 1980 TO 1993

				Percent		
Subject	1980	1990	1993	1980	1990	1993
Married couples	185,698	210,468	224,000	100.0	100.0	100.0
Marriages ended	6,782	8,292	8,281	3.7	3.9	3.7
By divorce	4,438	5,172	4,878	2.4	2.5	2.2
By death	2,344	3,120	3,403	1.3	1.5	1.5
Husbands	1,678	2,234	2,474	0.9	1.1	1.1
Wives	666	886	929	0.4	0.4	0.4

Source: Hawaii State Department of Health, *Statistical Report* (annual), and records; U.S. Bureau of the Census, *1980 Census of Population*, PC80-1-B13, table 21, and *1990 Census of Population*, 1990 CP-1-13, table 30; 1993 DBEDT estimate of married couples, based on 1990-93 percent increase in households.

Table 2.39-- PERSONAL HEALTH CARE EXPENDITURES, BY TYPE: 1993

[Data represent spending for services produced by Hawaii's health care providers, as opposed to those consumed by Hawaii residents or supplied by Hawaii employers]

Expenditure type	Million dollars	Percent	
Personal health care expenditures, total	3,485	100.0	
Hospital care	1,460	41.9	
Physician services	771	22.1	
Dental services	235	6.7	
Other professional services	222	6.4	
Home health care	32	0.9	
Drugs and other medical nondurables	416	11.9	
Vision products and other medical durables	64	1.8	
Nursing home care	181	5.2	
Other personal health care	104	3.0	
Medicare personal health care expenditures	496	•••	
Medicaid personal health care expenditures	354		

Source: Statistical Abstract of the United States: 1995 (1995), p. 111.

Table 2.40-- HEALTH CARE EXPENDITURES: 1980 AND 1991

[Data represent spending for services provided by Hawaii's health care providers, as opposed to those consumed by Hawaii residents or supplied by the State's employers]

Туре	1980 (million dollars)	1991 (million dollars)	Average annual percent change, 1980-91
Total	655	2,144	11.4
Hospital care Physician services Prescription drugs (retail purchases)	360 251 44	1,287 719 137	12.3 10.0 10.9

Source: U.S. Health Care Financing Administration and Office of National Health Statistics, cited in Statistical Abstract of the United States: 1994, p. 111.