

Table
Number **Table Name**

(Click on the table number to go to corresponding table)

Narrative

05.01	Great Circle Distance Between Specified Places
05.02	Latitude and Longitude of Selected Places
05.03	Time Difference Between Honolulu and Selected Cities
05.04	Width and Depth of Channels
05.05	General Coastline and Tidal Shoreline of Counties and Islands
05.06	Hawaiian Coastal Waters, by Island: 2006 to 2014
05.07	Land and Water Area within the Fishery Conservation Zone
05.08	Hawaiian Perennial Streams, by Island: 2006 to 2014
05.09	Land Area, by County: 2010
05.10	Land Area, by Islands: 2010
05.11	Major and Minor Islands in the Hawaiian Archipelago
05.12	Area and Depth of Selected Craters
05.13	Elevation of Major Summits
05.14	Major Named Waterfalls, by Island
05.15	Major Streams, by Island
05.16	Lakes and Lake-Like Waters, by Island
05.17	Length and Width of Selected Beaches
05.18	Miscellaneous Geographic Statistics, by Island
05.19	Volcanic Eruptions: Mauna Loa 1950 to 1984, Kilauea 1969 to 2014
05.20	Major Earthquakes: 1838 to 2014
05.21	Earthquakes with Intensities on Oahu of V or Greater: 1859 to 2014
05.22	Tsunamis with Run-up of 2 Meters (6.6 feet) or More: 1812 to 2014
05.23	Major Dams
05.24	Fresh Water Use, by Type, by County: 2010
05.25	Water Services and Consumption, for County Waterworks: 2012 to 2014
05.26	Water Withdrawals by Source and Major Use, for the United States and Hawaii: 2010
05.27	Top 25 Water Users on Oahu: May 2013 to April 2014
05.28	Wastewater Treatment Plant Operation and Compliance: 1994 to 2014
05.29	Wastewater Recycled: 1994 to 2013
05.30	Hazardous Waste Sites, Threats and Contaminants on Oahu
05.31	Toxic Chemical Releases in 2013 and Hazardous Waste Generated, Shipped, and Received in 2011
05.32	Solid Waste Recycled in Hawaii: 2001 to 2012
05.33	Deposit Beverage Container Redemption (DBC) Rate: 2006 to 2013

Table
Number **Table Name**

(Click on the table number to go to corresponding table)

05.34	Water Quality at Public Beaches, by Island: 2013 and 2014
05.35	Water Quality at Selected Public Beaches: 2013 and 2014
05.36	Total Days per Year of Shoreline Postings: 2006 to 2014
05.37	Refuse and Sewage Statistics for Oahu: 2000 to 2013
05.38	Air Quality in Downtown Honolulu: 1988 to 2014
05.39	Air Quality at Specified Locations: 2014
05.40	Release of Toxics: 1999 to 2013
05.41	Toxic Release Inventory Chemical Releases: 1988 to 2013
05.42	Release of Persistent, Bioaccumulative and Toxic (PBT) Chemicals: 2002 to 2013
05.43	Oil and Chemical Releases: 2006 to 2012
05.44	Atmospheric Carbon Dioxide Measurements at Mauna Loa: 1958 to 2014
05.45	Temperatures and Precipitation for Selected Places
05.46	Climatic Normals, Means, and Extremes for Hilo, Kahului, Honolulu, and Lihue Airports: 2014
05.47	Monthly and Annual Climatic Data for Honolulu International Airport: 2014
05.48	Average Temperature, Percent of Possible Sunshine, and Precipitation, for Honolulu International Airport: 1960 to 2014
05.49	Average Daily Temperature and Days with Maximum of 90° or Higher, for Honolulu International Airport: 1971 to 2014
05.50	Climatic Data for Honolulu International Airport: 2001 to 2014
05.51	Climatic Data for the Period of Record
05.52	Rainfall at Specified Locations: 2002 to 2014
05.53	Major Hurricanes: 1950 to 2014
05.54	Trade Winds, High Surf, and Temperatures in Hawaiian Waters, by Month
05.55	Sunrise, Sunset, and Hours of Daylight at Selected Locations, at Beginning of Each Season: 2015
05.56	Sunrise, Sunset, and Hours of Daylight at Selected Locations, at Beginning of Each Season: 2016
05.57	Hawaii Audubon Society Bird Counts of Major Species in the Honolulu Area: 2008 to 2012
05.58	Hawaii Audubon Society Bird Counts in the Honolulu Area, by Type of Species: 2003 to 2012
05.59	Bird Species of Hawaii: 2002
05.60	Trees Along Streets or in Parks Under the Jurisdiction of the City and County of Honolulu: 2009 to 2014
05.61	Threatened and Endangered Species, for the United States and Hawaii

Section 5

GEOGRAPHY AND ENVIRONMENT

This section relates to land and water areas, physical geography, climate, air and water quality, and other geographic and environmental measurements of Hawaii. Most statistics on land use and ownership, however, appear in Section 6.

Important sources of data include the U.S. Geological Survey, the National Ocean Survey, the National Climatic Data Center, the Division of Water Resource Management of the Hawaii State Department of Land and Natural Resources, the Hawaii State Department of Health, and the University of Hawaii Institute of Geophysics. Detailed information is given in *Atlas of Hawaii*, 3rd edition, published by the University of Hawaii Press in 1998. National data are reported in the *Statistical Abstract of the United States: 2012*, Section 6.

Table 5.01-- GREAT CIRCLE DISTANCE BETWEEN SPECIFIED PLACES

Places	Statute miles	Nautical miles	Kilometers
DISTANCES FROM HONOLULU INTERNATIONAL AIRPORT			
Hawaiian Islands locations			
Hilo, Hawaii	214	186	344
Kailua, Kona, Hawaii	168	146	270
Kahului, Maui	98	85	158
Lanai Airport	72	63	116
Molokai Airport	54	47	87
Lihue, Kauai	103	90	166
Puuwai, Niihau	152	132	245
Nihoa	283	246	455
Necker Island	520	452	837
French Frigate Shoals	556	483	895
Gardner Pinnacles	688	598	1,107
Maro Reef	851	739	1,369
Laysan Island	936	813	1,506
Lisianski Island	1,065	925	1,714
Pearl and Hermes Atoll	1,208	1,050	1,944
Midway Islands	1,309	1,137	2,106
Kure Atoll	1,367	1,188	2,200
Other Pacific locations			
Apra Harbor, Guam	3,806	3,307	6,124
Auckland, New Zealand	4,393	3,817	7,068
Baker Island	1,900	1,649	3,058
Hong Kong	5,541	4,815	8,915
Howland Island	1,900	1,649	3,058
Jarvis Island	1,560	1,354	2,511
Johnston Atoll	820	713	1,319
Kingman Reef	1,073	932	1,726
Kiritimati (Christmas Island), Kiribati	1,344	1,168	2,163
Majuro, Marshall Islands	2,271	1,973	3,654
Manila, Philippines	5,293	4,599	8,516
Nuku Hiva, Marquesas Islands	2,400	2,086	3,864
Pago Pago, American Samoa	2,606	2,265	4,193
Palmyra Atoll	1,101	957	1,772
Papeete, Tahiti	2,741	2,382	4,410
Suva, Fiji	3,159	2,745	5,083
Sydney (Port Jackson), Australia	5,070	4,406	8,158
Tokyo, Japan	3,847	3,343	6,190
Wake Island	2,294	1,993	3,691

Continued on next page.

Table 5.01-- GREAT CIRCLE DISTANCE BETWEEN SPECIFIED PLACES -- Con.

Places	Statute miles	Nautical miles	Kilometers
DISTANCES FROM HONOLULU INT. AIRPORT--Con.			
North and South American locations			
Anchorage, Alaska	2,781	2,417	4,475
Cape Horn, Chile	7,457	6,480	11,998
Chicago, Illinois	4,179	3,631	6,724
Cristobal, Canal Zone	5,214	4,531	8,389
Los Angeles, California	2,557	2,222	4,114
Miami, Florida	4,856	4,220	7,813
New York, New York	4,959	4,309	7,979
Portland, Oregon	2,595	2,255	4,175
San Diego, California	2,610	2,268	4,199
San Francisco, California	2,397	2,083	3,857
Seattle, Washington	2,679	2,328	4,311
Vancouver, B.C.	2,709	2,354	4,359
Tijuana, Mexico	2,616	2,273	4,209
Washington, D.C.	4,829	4,196	7,770
London, England	7,226	6,279	11,627
Bombay, India	8,010	6,960	12,888
Ghanzi, Botswana 1/	12,417	10,790	19,979
Equator, due south of Honolulu	1,470	1,277	2,367
North Pole	4,740	4,119	7,631
OTHER DISTANCES			
Hilo to --			
Los Angeles, California	2,447	2,126	3,937
San Francisco, California	2,315	2,012	3,725
Kure Atoll to --			
Cape Kumukahi, Puna, Hawaii 2/	1,523	1,323	2,451
Log Point, Elliot Key, Florida 3/	5,852	5,085	9,416
Tokyo, Japan	2,486	2,160	4,000
West Quoddy Head, Maine	5,788	5,030	9,313

1/ Ghanzi, Botswana is Honolulu's antipode, that is, the point precisely opposite to it on the globe.

2/ Cape Kumukahi and Kure Atoll are the points farthest apart in the Hawaiian Archipelago and State of Hawaii.

3/ Log Point and Kure Atoll are the points farthest apart in the 50 states.

Source: U.S. Geological Survey, *Elevations and Distances in the United States* (1980), pp. 22-23, and records; and E. H. Bryan, Jr., *American Polynesia and the Hawaiian Chain* (1942), pp. 38, 42, and 134.

Table 5.02-- LATITUDE AND LONGITUDE OF SELECTED PLACES

Island and place	Latitude (North)	Longitude (West)
Hawaii		
Hilo (International Airport)	19°43'	155°04'
Cape Kumukahi	19°31'	154°49'
Ka Lae	18°56'	155°41'
Keahole Point	19°44'	156°04'
Upolu Point	20°16'	155°51'
Geographic center of State (off Maui)	20°15'	156°20'
Maui		
Wailuku	20°53'	156°30'
Kahului (Airport)	20°54'	156°26'
Hana	20°45'	155°59'
Cape Hanamanioa	20°35'	156°25'
Lahaina	20°52'	156°41'
Kahoolawe		
Puu Moaulanui	20°34'	156°34'
Lanai		
Airport	20°48'	156°57'
Molokai		
Kaunakakai	21°05'	157°02'
Laaupoint	21°06'	157°19'
Cape Halawa	21°10'	156°43'
Oahu		
Honolulu: International Airport	21°20'	157°55'
Aloha Tower	21°19'	157°52'
Kaena Point	21°35'	158°17'
Kahuku Point	21°43'	157°59'
Makapuu Point	21°19'	157°39'
Diamond Head	21°16'	157°49'
Kauai		
Lihue (Kauai Airport)	21°59'	159°21'
Mana	22°02'	159°46'
Kilauea Point	22°14'	159°24'
Niihau		
Puuwai	21°54'	160°12'
Kure Atoll	28°25'	178°22'

Source: U.S. Board on Geographic Names, *Gazetteer No. 24, Hawaiian Islands* (1956); U.S. Geological Survey, *Elevations and Distances in the United States* (1980), pp. 17 and 22-23; U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data, Annual Summary with Comparative Data, 1984* for Hilo, Kahului, Honolulu, and Lihue; Bernice P. Bishop Museum, records; and Hawaii State Department of Accounting and General Services, Survey Division and records.

**Table 5.03-- TIME DIFFERENCE BETWEEN HONOLULU AND
SELECTED CITIES**

[Standard time]

City	Country	Day	Hour	Time difference
Honolulu	United States	Same	9:00 a.m.	-
Anchorage	United States	Same	10:00 a.m.	+1
Vancouver	Canada	Same	11:00 a.m.	+2
Los Angeles	United States	Same	11:00 a.m.	+2
Las Vegas	United States	Same	11:00 a.m.	+2
Denver	United States	Same	12:00 p.m.	+3
Houston	United States	Same	1:00 p.m.	+4
Winnipeg	Canada	Same	1:00 p.m.	+4
Chicago	United States	Same	1:00 p.m.	+4
Atlanta	United States	Same	2:00 p.m.	+5
Miami	United States	Same	2:00 p.m.	+5
Toronto	Canada	Same	2:00 p.m.	+5
Lima	Peru	Same	2:00 p.m.	+5
New York City	United States	Same	2:00 p.m.	+5
Santiago	Chile	Same	3:00 p.m.	+6
Buenos Aires	Argentina	Same	4:00 p.m.	+7
Sao Paulo	Brazil	Same	4:00 p.m.	+7
London	United Kingdom	Same	7:00 p.m.	+10
Madrid	Spain	Same	8:00 p.m.	+11
Paris	France	Same	8:00 p.m.	+11
Frankfurt	Germany	Same	8:00 p.m.	+11
Rome	Italy	Same	8:00 p.m.	+11
Johannesburg	South Africa	Same	9:00 p.m.	+12
Jerusalem	Israel	Same	9:00 p.m.	+12
Moscow	Russia	Same	10:00 p.m.	+13
Baghdad	Iraq	Same	10:00 p.m.	+13
Kabul	Afghanistan	Same	11:30 p.m.	+14.5
Calcutta	India	Next	12:30 a.m.	+15.5
Bangkok	Thailand	Next	2:00 a.m.	+17
Singapore	Singapore	Next	3:00 a.m.	+18
Hong Kong	China	Next	3:00 a.m.	+18
Beijing	China	Next	3:00 a.m.	+18
Manila	Philippines	Next	3:00 a.m.	+18
Taipei	Taiwan	Next	3:00 a.m.	+18
Seoul	Korea	Next	4:00 a.m.	+19
Tokyo	Japan	Next	4:00 a.m.	+19
Sydney	Australia	Next	5:00 a.m.	+20
Auckland	New Zealand	Next	7:00 a.m.	+22

Source: 2009 HYP Media Finance LLC., *The Official Hawaiian Telcom White Pages O'ahu 2009*, pp. 20-23, and "Time Zone Converter" at <<http://www.timezoneconverter.com/cgi-bin/tzc.tzc>> accessed November 26, 2008.

Table 5.04-- WIDTH AND DEPTH OF CHANNELS

Channel 1/	Width 2/		Depth 3/	
	Statute miles	Kilometers	Feet	Meters
Alenuihaha (Hawaii-Maui)	29.6	47.6	6,810	2,076
Alalakeiki (Kahoolawe-Maui)	6.7	10.8	822	251
Kealaikahiki (Kahoolawe-Lanai)	17.8	28.6	1,086	331
Auau (Lanai-Maui)	9.5	15.3	252	77
Kalohi (Lanai-Molokai)	9.2	14.8	540	165
Pailolo (Maui-Molokai)	8.8	14.2	846	258
Kaiwi (Molokai-Oahu)	25.8	41.5	2,202	671
Kauai (Oahu-Kauai)	72.1	116.0	10,890	3,319
Kaulakahi (Kauai-Niihau)	17.2	27.7	3,570	1,088
Niihau-Kaula	21.5	34.6	5,364	1,635
Niihau-Nihoa	133.9	215.5	14,550	4,435
Nihoa-Necker I.	179.6	289.0	12,600	3,840
Necker I.-French Frigate Shoals	100.3	161.4	12,780	3,895
French Frigate Shoals-Gardner Pinnacles	137.0	220.5	11,448	3,489
Gardner Pinnacles-Marø Reef	155.5	250.3	12,300	3,749
Marø Reef-Laysan I.	65.9	106.1	8,280	2,524
Laysan I.-Lisianski I.	137.4	221.1	16,830	5,130
Lisianski I.-Pearl and Hermes Atoll	162.6	261.7	17,400	5,304
Pearl and Hermes Atoll-Midway Islands	86.9	139.9	15,840	4,828
Midway Islands-Kure Atoll	57.1	91.9	12,960	3,950

1/ Listed in geographic order, from east to west. The channels between major islands were measured between the following points:

- Alenuihaha: Upolu Pt., Hawaii, to Puhilele Pt., Maui;
- Alalakeiki: Lae o ka Ule, Kahoolawe, to Nukuele Pt., Maui;
- Kealaikahiki: Makaalae, Kahoolawe, to Kamaiki Pt., Lanai;
- Auau: Kikoa Pt., Lanai, to Lahaina, Maui;
- Kalohi: Wahie Pt., Lanai, to Kamalo, Molokai;
- Pailolo: Lipoa Pt., Maui, to Pohakuloa, Molokai;
- Kaiwi: Ilio Pt., Molokai, to Makapuu Pt., Oahu;
- Kauai: Kaena Pt., Oahu, to Kamilo Pt., Kauai; and
- Kaulakahi: Mana Pt., Kauai, to Kaunuopou, Niihau.

2/ Width measured in statute miles between designated points on National Ocean Survey and Coast and Geodetic Survey charts. Width in kilometers calculated from miles (1 mile = 1.60934 km.).

3/ Depths given are the deepest soundings noted at or near the line joining the two designated points, on National Ocean Survey and Coast and Geodetic Survey charts. Depths measured in fathoms and converted to feet and meters (1 fathom = 6 feet = 1.8288 meters).

Source: Compiled by Lee S. Motteler, Geography and Map Division, Bernice P. Bishop Museum, in November 1980.

Table 5.05-- GENERAL COASTLINE AND TIDAL SHORELINE OF COUNTIES AND ISLANDS

County and island	General coastline 1/		Tidal shoreline 3/	
	Statute miles	Kilometers 2/	Statute miles	Kilometers 2/
State total	750	1,207	1,052	1,693
Counties				
Hawaii	266	428	313	504
Maui, including Kalawao	210	338	343	552
Honolulu	137	220	234	377
Kauai	137	220	162	261
Islands 4/				
Hawaii	266	428	313	504
Maui	120	193	149	240
Kahoolawe	29	47	36	58
Lanai	47	76	52	84
Molokai	88	142	106	171
Oahu	112	180	209	336
Kauai	90	145	110	177
Niihau	45	72	50	80
Kaula	2	3	2	3
Northwestern Hawaiian Islands 5/	25	40	25	40
Niihau	3	5	3	5
Necker Island	2	3	2	3
French Frigate Shoals	6	10	6	10
Laysan Island	6	10	6	10
Lisianski Island	3	5	3	5
Kure Atoll	5	8	5	8

1/ Figures are lengths of general outline of seacoast. Data for the four islands of Maui County are not consistent with the reported county total.

2/ Derived from data expressed in statute miles; independently rounded and accordingly may not add exactly to indicated totals and subtotals. 1 mi. = 1.609 km.

3/ Shoreline of outer coast, offshore islands, bays, rivers, and creeks is included to the head of tidewater or to a point where tidal waters narrow to a width of 100 feet.

4/ Data are not available for five minor islands: Molokini, Lehua, Gardner Pinnacles, Maro Reef, and Pearl and Hermes Atoll.

5/ Excludes the Midway Islands, which are part of the Hawaiian Archipelago but not legally part of the State of Hawaii. Midway has a general coastline of 20 miles and a tidal shoreline of 33 miles.

Source: U.S. Department of Commerce, National Ocean Survey, *The Coastline of the United States* (1975) and records.

Table 5.06-- HAWAIIAN COASTAL WATERS, BY ISLAND: 2006 TO 2014

[Coastal waters means all waters surrounding the islands of the State from the coast of any island to a point three miles seaward from the coast, and in the case of streams, rivers, and drainage ditches, to a point three miles seaward from their point of discharge into the sea and includes those brackish waters, freshwaters and saltwaters that are subject to the ebb and flow of the tide. (HAR §11-54-1 & HRS §342D-1). Hawaii State Department of Health, Clean Water Branch assessed coastal waters for the following conventional pollutants: enterococci, total nitrogen, nitrates+nitrite, ammonia, total phosphorus, turbidity, and chlorophylla]

Island	Number of coastal waters 1/	Number of impaired 2/	Percentage of total impaired coastal waters	Island percentage of total impaired coastal waters
2006				
State total	522	210	40.2	100.0
Kauai	81	28	34.6	13.3
Oahu	176	68	38.6	32.4
Molokai	37	3	8.1	1.4
Lanai	17	6	35.3	2.9
Maui	122	72	59.0	34.3
Hawaii	89	33	37.1	15.7
2008-2010				
State total	522	207	39.7	100.0
Kauai	81	26	32.1	12.6
Oahu	176	65	36.9	31.4
Molokai	37	3	8.1	1.4
Lanai	17	8	47.1	3.9
Maui	122	72	59.0	34.8
Hawaii	89	33	37.1	15.9
2012				
State total	575	228	39.7	100.0
Kauai	88	26	29.5	11.4
Oahu	194	73	37.6	32.0
Molokai	36	3	8.3	1.3
Lanai	17	7	41.2	3.1
Maui	130	76	58.5	33.3
Hawaii	110	43	39.1	18.9

Continued on next page.

**Table 5.06-- HAWAIIAN COASTAL WATERS, BY ISLAND:
2006 TO 2014 --Con.**

Island	Number of coastal waters 1/	Number of impaired 2/	Percentage of total impaired coastal waters	Island percentage of total impaired coastal waters
2014				
State total	577	266	46.1	100.0
Kauai	88	39	44.3	14.7
Oahu	196	78	39.8	29.3
Molokai	36	3	8.3	1.1
Lanai	17	7	41.2	2.6
Maui	130	77	59.2	28.9
Hawaii	110	62	56.4	23.3

1/ Number of coastal waters is based on the total number of scopes of assessments in the intergrated reports.

2/ Impaired coastal waters for one of more conventional pollutants.

Source: Hawaii State Department of Health, Clean Water Branch, records.

**Table 5.07-- LAND AND WATER AREA WITHIN
THE FISHERY CONSERVATION ZONE**

[Land and water area within the 200 nautical mile Fishery Conservation Zone surrounding the
Hawaiian Archipelago]

Unit	Total area	Land area	Water area
Square nautical miles	634,023	4,852	629,171
Square statute miles	839,623	6,425	833,198
Square kilometers	2,174,626	16,641	2,157,985

Source: Marine Surveys and Maps, National Ocean Survey, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, information supplied September 15, 1978.

Table 5.08-- HAWAIIAN PERENNIAL STREAMS, BY ISLAND: 2006 TO 2014

[Perennial means fresh waters flowing year-round in all or part of natural channels, portions of which may be modified by humans. Flow in perennial streams may vary seasonally. Perennial streams may be subdivided into longitudinal zones, based on elevation and gradient: (1) headwater zone (elevation above 800 m (2600 ft) or gradient above 30 percent or both); (2) mid-zone (elevation between 50-800 m (165-2600 ft), or gradient between 5 and 30 percent or both); and (3) terminal zone (elevation below 50 m (165 ft) or gradient below 5 percent or both). Perennial streams may be either continuous or interrupted. Continuous perennial streams discharge continuously to the ocean in their natural state, and contain water in the entire length of the stream channel year-round. Interrupted perennial streams usually flow perennially in their upper reaches but only seasonally in parts of their middle or lower reaches, due to either downward seepage of surface flow (naturally interrupted) or to man-made water diversions (artificially interrupted) (HAR §11-54-1). Hawaii State Department of Health Clean Water Branch assessed coastal waters for the following conventional pollutants: enterococci, total nitrogen, nitrate+nitrite, ammonia, total phosphorus, turbidity, and chlorophyll a]

Island	Total number of streams 1/	Number of impaired 2/	Percentage of total impaired streams	Island percentage of total impaired streams
2006				
State total	168	91	54.2	100.0
Kauai	29	20	69.0	22.0
Oahu	50	44	88.0	48.4
Molokai	6	1	16.7	1.1
Lanai	-	-	0.0	0.0
Maui	48	10	20.8	11.0
Hawaii	35	16	45.7	17.6
2008-2010				
State total	168	92	54.8	100.0
Kauai	29	20	69.0	21.7
Oahu	50	44	88.0	47.8
Molokai	6	1	16.7	1.1
Lanai	-	-	0.0	0.0
Maui	48	11	22.9	12.0
Hawaii	35	16	45.7	17.4

Continued on next page.

**Table 5.08-- HAWAIIAN PERENNIAL STREAMS, BY ISLAND:
2006 TO 2014 --Con.**

Island	Total number of streams 1/	Number of impaired 2/	Percentage of total impaired streams	Island percentage of total impaired streams
2012				
State total	168	91	54.2	100.0
Kauai	29	20	69.0	22.0
Oahu	50	43	86.0	47.3
Molokai	6	1	16.7	1.1
Lanai	-	-	0.0	0.0
Maui	48	11	22.9	12.1
Hawaii	35	16	45.7	17.6
2014				
State total	169	92	54.4	100.0
Kauai	30	21	70.0	22.8
Oahu	50	43	86.0	46.7
Molokai	6	1	16.7	1.1
Lanai	-	-	0.0	0.0
Maui	48	11	22.9	12.0
Hawaii	35	16	45.7	17.4

1/ Number of streams is based on individual stream not wet/dry season.

2/ Impaired streams for one of more conventional pollutants.

Source: Hawaii State Department of Health, Clean Water Branch, records.

Table 5.09-- LAND AREA, BY COUNTY: 2010

[See maps]

Measurement unit and type of area	State total	Hawaii	Maui	Kalawao	Honolulu	Kauai
Square miles	6,422.6	4,028.4	1,161.5	12.0	600.7	620.0
Square kilometers	16,634.5	10,433.6	3,008.3	31.1	1,555.9	1,605.7

Source: U.S. Census Bureau, 2010 Census Redistricting Data (Public Law 94-171) Summary File (February 2011); and calculations by the Hawaii State Department of Business, Economic Development & Tourism, Hawaii State Data Center.

Table 5.10-- LAND AREA, BY ISLANDS: 2010

Island	Square miles	Square kilometers
State total	6,422.63	16,634.53
Hawaii	4,028.42	10,433.55
Maui	771.99	1,999.45
Molokini	0.036	0.093
Kahoolawe	44.6	115.5
Lanai	141.07	365.36
Molokai	260.46	674.58
Oahu	597.64	1,547.88
Kauai	552.35	1,430.59
Niihau	67.60	175.09
Lehua	0.444	1.149
Kaula	0.247	0.640
Northwestern Hawaiian Islands 1/	3.100	8.030
Niihoa	0.271	0.701
Necker Island	0.071	0.183
French Frigate Shoals	0.096	0.249
Gardner Pinnacles	0.009	0.024
Maro Reef	Awash	Awash
Laysan Island	1.588	4.114
Lisianski Island	0.601	1.556
Pearl and Hermes Atoll	0.139	0.359
Kure Atoll	0.333	0.862

1/ Exclusive of the Midway Islands, which are part of the Hawaiian Archipelago but not legally part of the State of Hawaii.

Source: U.S. Census Bureau, 2010 Census Redistricting Data (P.L. 94-171) Summary File (February 2011), and calculations by the Hawaii State Department of Business, Economic Development & Tourism, Office of Planning and the Hawaii State Data Center, and unpublished records.

**Table 5.11-- MAJOR AND MINOR ISLANDS IN THE
HAWAIIAN ARCHIPELAGO**

Classification	Number of islands		Land area (square miles)
	Total	Inhabited, 1990 1/	
All named islands	137	12	6,427.0
Major islands	8	7	6,419.4
Named minor islands 2/	129	5	7.6
Offshore of major islands	96	3	2.6
Northwestern Hawaiian Islands 3/	33	2	4.9
Part of State	28	1	2.9
Not part of State (Midway Islands)	5	1	2.0

1/ For populations, see present volume, table 1.05.

2/ For individual data, see DPED Report GN-6, pp. 3-7.

3/ Includes individual islets in the 10 Northwestern Hawaiian Islands.

Source: Hawaii State Department of Planning and Economic Development, *Geographic Names Approved, Second Quarter 1969* (Report GN-6, July 8, 1969), p. 8; *Data Book 1986*, table 152.

Table 5.12-- AREA AND DEPTH OF SELECTED CRATERS

Island and crater	Area (acres)	Maximum depth (feet)
Hawaii		
Kilauea Caldera	2,319	476
Mokuaweoweo Crater 1/	2,221	572
Maui		
Haleakala Crater 2/	12,575	3,028
Oahu		
Diamond Head Crater	255	562
Koko Crater	133	968
Punchbowl Crater	62	140

1/ Data exclude North and South Pits.

2/ Data exclude Koolau and Kaupo Gaps.

Source: Measured from U.S. Geological Survey maps by the Hawaii State Department of Business, Economic Development & Tourism.

Table 5.13-- ELEVATION OF MAJOR SUMMITS

[Elevation of the highest point on each island and other important peaks]

Island and summit	Feet	Meters
Hawaii		
Mauna Kea 1/	13,796	4,205
Mauna Loa	13,679	4,169
Hualalai	8,271	2,521
Kaumu o Kaleihoohe	5,480	1,670
Kilauea (Uwekahuna)	4,093	1,248
Kilauea (Halemaumau Rim)	3,660	1,116
Kahoolawe		
Puu Moaulanui	1,483	452
Puu Moaulaiki	1,434	437
Molokini	160	49
Maui		
Haleakala (Red Hill)	10,023	3,055
Haleakala (Kaupo Gap)	8,201	2,500
Puu Kukui	5,788	1,764
Iao Needle	2,250	686
Lanai		
Lanaihale	3,366	1,026
Molokai		
Kamakou	4,961	1,512
Olokui	4,606	1,404
Kalaupapa Lookout	1,600	488
Mauna Loa (Kukui)	1,430	436
Oahu		
Kaala	4,003	1,220
Puu Kalena	3,504	1,068
Konahuanui	3,150	960
Tantalus	2,013	614
Olomana	1,643	501
Koko Crater (Kohelepelepe)	1,208	368
Nuuanu Pali Lookout	1,186	361
Diamond Head	760	232
Koko Head	642	196
Punchbowl	500	152

Continued on next page.

Table 5.13-- ELEVATION OF MAJOR SUMMITS -- Con.

Island and summit	Feet	Meters
Kauai		
Kawaikini	5,243	1,598
Waialeale	5,148	1,569
Kalalau Lookout	4,120	1,256
Haupu	2,297	700
Sleeping Giant (Nonou)	1,241	378
Niihau		
Paniau	1,250	381
Lehua	699	213
Kaula	548	167
Nihoa		
Millers Peak	903	275
Necker Island		
Summit Hill	276	84
French Frigate Shoals		
La Perouse Pinnacles	120	37
Gardner Pinnacles	190	58
Maro Reef	Awash	Awash
Laysan Island	40	12
Lisianski Island	40	12
Pearl and Hermes Atoll	10	3
Midway Islands	12	4
Kure Atoll	20	6

1/ According to the *1995 Guinness Book of Records* (p. 147), "The world's tallest mountain measured from its submarine base (3,280 fathoms) in the Hawaiian Trough to its peak is Mauna Kea... with a combined height of 33,480 ft., of which 13,796 ft. are above sea level."

Source: Hawaii State Department of Accounting and General Services, Survey Division, data provided April 21, 1992; U.S. National Cartographic Information Center, data provided October 11, 1978; U.S. Geological Survey topographic maps, 1981-1984; Hawaiian Government Survey (for Nihoa and Molokini); and U.S.S. Tanager survey, 1923 (for Necker Island, French Frigate Shoals, Laysan, Lisianski, Pearl and Hermes Atoll and Kure Atoll).

Table 5.14-- MAJOR NAMED WATERFALLS, BY ISLAND

Island	Waterfall	Height (feet)		Horizontal distance (feet)
		Sheer drop	Cascade	
Hawaii	Kaluahine	(NA)	620	400
	Akaka	442	(NA)	(NA)
	Waiilikahi	320	(NA)	6
Maui	Honokohau	(NA)	1,120	500
	Waihiumalu	(NA)	400	150
Molokai	Kahiwa	(NA)	1,750	1,000
	Papalaua	(NA)	1,200	500
	Waialele	(NA)	500	150
Oahu	Kaliuwaa (Sacred)	1/ 80	1,520	3,000
Kauai	Waipoo (2 falls)	(NA)	800	600
	Awini	(NA)	480	500
	Hinalele	280	(NA)	(NA)
	Wailua	200	(NA)	(NA)

NA Not available.

1/ Refers to the northernmost fall of a cascade of six falls.

Source: U.S. Geological Survey, records; Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records; and "Tall Falls", *The Honolulu Advertiser*, June 25, 1995, pp. A17 and A20.

Table 5.15-- MAJOR STREAMS, BY ISLAND

Island	Feature or stream	Length or average discharge
Longest water feature (miles)		
Hawaii	Wailuku River	32.0
Maui	Kailiinui-Waiale Gulch	18.0
Kahoolawe	Ahupu Gulch	4.0
Lanai	Maunalei-Waialala Gulch	12.9
Molokai	Wailau-Pulena Stream	6.5
Oahu	Kaukonahua Stream (So. Fork)	33.0
Kauai	Waimea River-Poomau Stream	19.5
Niihau	Keanaulii-Puniopo Valley	5.9
Largest perennial stream (miles) 1/		
Hawaii	Wailuku River	22.7
Maui	Palikea Stream	7.8
Molokai	Wailau-Pulena Stream	6.5
Oahu	Kaukonahua Stream	30.0
Kauai	Waimea River	19.7
Streams with greatest average discharge (million gal./day)		
Hawaii	Wailuku River	180
Maui	Waihee River	50
Molokai	Wailau Stream	30
Oahu	Waikele Stream	2/ 26
Kauai	Hanalei River	129

1/ Estimated on basis of drainage area rather than stream runoff. Other major streams include Wailoa River, Hawaii (1/2-mile long); Honokohau Stream (9.4 miles long) and Iao Stream (5), both on Maui; Halawa Stream (6.4), Waikolu Stream (4.7), and Pelekunu (2.3), all on Molokai; Waikele Stream (15.3), Kipapa Stream (12.8), Waiakakalaua Stream (11.8), Nuuanu Stream (4), and Ala Wai Canal (1.9), all on Oahu; and the Makaweli River (15.1), Wainiha River (13.8), Hanapepe River (13.3), and Wailua River (11.8), all on Kauai.

2/ Most of discharge is from nearby groundwater outflow.

Source: Longest water feature from U.S. Geological Survey, records; and other data from Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records.

Table 5.16-- LAKES AND LAKE-LIKE WATERS, BY ISLAND

Island and lake	Type	Elevation (feet)	Area 1/ (acres)	Maximum depth (feet)
Hawaii				
Green Lake	Lake	3	2	20
Lake Waiiau 2/	Lake	13,020	2	10
Waiakea Pond	Tidal pond	(3/)	27	7
Maui				
Kanaha Pond	Marsh	(3/)	41	3
Kealia Pond	Marsh	(3/)	500	(NA)
Waialeale	Pond	6,690	0.5	21
Molokai				
Kauhako	Pool	(3/)	0.9	814
Kualapuu Reservoir	Reservoir	821	100	50
Meyer Lake	Impoundment	2,021	6-10	5
Oahu				
Ho'omaluhia	Reservoir	202	90	90
Kaelepulu Pond	Lake	(3/)	198	(NA)
Kawainui Marsh	Marsh	(3/)	1,000	(NA)
Wahiawa Reservoir	Reservoir	842	302	85
Kauai				
Nomilu Fishpond	Pond	(3/)	20	66
Waita Reservoir	Reservoir	241	424	23
Niihau				
Halalii Lake	Playa	(3/)	841-865	(NA)
Halulu Lake	Playa	(3/)	182-371	(NA)
Laysan				
Laysan Lagoon	Closed lagoon	(3/)	161	16

NA Not available.

1/ Ranges shown for Meyer Lake, Halalii Lake, and Halulu Lake reflect differences in estimates between sources.

2/ Highest lake in the State and third highest in the United States.

3/ Sea level.

Source: J.A. Maciolek, *Lakes and Lake-like Waters of the Hawaiian Archipelago* (Bernice P. Bishop Museum, Occasional Papers, Vol. XXV, No. 1, April 30, 1982); and Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, May 18, 1994.

Table 5.17-- LENGTH AND WIDTH OF SELECTED BEACHES

[Includes the longest white sand beach on each inhabited island, plus other important beaches]

Island and beach	Length (miles)	Width 1/ (feet)
Hawaii		
Hapuna	0.5+	200+
Maui		
Spreckelsville	2+	(NA)
Kaanapali	1.5	60-80
Lanai		
Polihua	1.5+	(NA)
Molokai		
Papohaku	2+	300
Oahu		
Waikiki	2	(NA)
Waimanalo	3.5-4.5	(NA)
Sunset	2-3+	200
Kauai		
Polihale to Kekaha	15	300
Polihale	3	300
Niihau		
Keawanui	3.5	175

NA Not available.

1/ Summer averages. Many beaches in Hawaii are seasonally reduced in width by winter storms.

Source: Hawaii State Department of Planning and Economic Development, *Hawaii's Shoreline* (1965), pp. 33, 47, 55, 62, 68, and 100; John R. K. Clark, *Beaches of the Big Island* (1985), p. 132, *The Beaches of Maui County* (1980), pp. 10, 62, 84-85, and 114, *The Beaches of O'ahu* (1977), pp. 45, 125, and 177, and *Beaches of Kaua'i and Ni'ihau* (1990), pp. 48-49 and 84.

Table 5.18-- MISCELLANEOUS GEOGRAPHIC STATISTICS, BY ISLAND

Island	Extreme length (miles)	Extreme width (miles)	Miles of sea cliffs with heights 1,000 ft. or more 1/	Miles from coast of most remote point	Percent of area within 5 miles of coast
State total	(X)	(X)	33	28.5	48.6
Hawaii	93	76	4	28.5	30.0
Maui	48	26	-	10.6	76.1
Kahoolawe	11	6	-	2.4	100.0
Lanai	18	13	1	5.2	100.0
Molokai	38	10	14	3.9	100.0
Oahu	44	30	-	10.6	79.0
Kauai	33	25	11	10.8	65.0
Niihau	8	6	3	2.4	100.0
Island	Percent of area with elevation		Approximate mean altitude (feet)	Percent of area with slope	
	Less than 500 feet	2,000 feet or more		Less than 10 percent	20 percent or more
State total	20.8	50.9	3,030	63.5	17.0
Hawaii	12.0	68.4	3,950	76.0	4.0
Maui	24.9	41.4	2,390	38.5	36.0
Kahoolawe	38.9	0.0	600	60.0	9.0
Lanai	24.8	6.3	1,140	61.0	16.0
Molokai	37.3	17.8	1,150	53.0	26.0
Oahu	45.3	4.6	860	42.5	45.5
Kauai	35.6	24.0	1,380	33.5	50.5
Niihau	78.2	0.0	530	68.0	12.5

X Not applicable.

1/ According to Lee S. Motteler, Geography and Map Division, Bernice P. Bishop Museum, the sea cliffs along the northeastern coast of Molokai between Umilehi Point and Puukaoku Point drop 3,250 feet at an average slope of 58 degrees. These cliffs have been described by *The Guinness Book of Records* (1995 edition, p. 154) as "the highest sea cliffs in the world."

Source: Hawaii State Department of Planning and Economic Development, *Hawai'i the Natural Environment* (1974), p. 19; and U.S. Geological Survey, *Elevations and Distances in the United States* (1978), pp. 4-5.

**Table 5.19-- VOLCANIC ERUPTIONS: MAUNA LOA 1950 TO 1984,
KILAUEA 1969 TO 2014**

[As of December 31, 2014. Four volcanoes have erupted in historical times: Haleakala, last active in 1460; Hualalai, last active in 1801; Mauna Loa, last active in 1984; Kilauea, still active]

Volcano and date of outbreak	Repose period since previous eruption (months)	Duration (days)	Location 1/	Altitude of main vent (meters)	Area covered (km ²)	Volume (km ³)
Mauna Loa						
1950: June 1	17.0	23	S, SWR	3,840-2,380	112.0	0.3760
1975: July 5	301.0	<1	S	3,900	13.5	0.0300
1984: March 25	104.6	22	S, NER	4,030-2,870	48.0	0.2200
Kilauea						
1969: Feb. 22	4.0	6	ER	930-870	6.0	0.0161
May 24	2.0	874	ER	940	50.0	0.1850
1971: Aug. 14	-	<1	C	1,100-1,080	3.1	0.0091
Sept. 24	-	5	C, SWR	1,120-820	3.9	0.0077
1972: Feb. 3	4.3	900	ER	940	46.0	0.1620
1973: May 5	-	<1	ER	1,000-980	0.3	0.0012
Nov. 10	-	30	ER	980-870	1.0	0.0027
1974: July 19	-	3	C, ER	1,080-980	3.1	0.0066
Sept. 19	2.0	<1	C	1,100	1.0	0.0102
Dec. 31	3.4	<1	SWR	1,080	7.5	0.0143
1975: Nov. 29	11.0	<1	C	1,080-1,060	0.3	0.0002
1977: Sept. 13	21.5	18	ER	620-480	7.8	0.0329
1979: Nov. 16	26.3	1	ER	980-960	0.3	0.0006
1982: April 30	29.5	<1	C	1,080	0.3	0.0005
Sept. 25	4.8	<1	C	1,080	0.8	0.0030
1983: Jan. 3	3.3	2/ 11,685	ER	900	2/ 137.9	2/ ~4.0
2008: March 19	-	2/ 2,478	C	1,080	(3/)	(3/)

1/ C, summit caldera; ER, east rift zone; NER northeast rift zone; S, summit area; SWR, southwest rift zone.

2/ Revised from previous *Data Book*.

3/ Volume erupted is 1,900,000 kg. (no volume), vent opening is 170 m. by 220 m.

Source: Gordon A. Macdonald, Agatin T. Abbott, and Frank L. Peterson, *Volcanoes in the Sea: The Geology of Hawaii*, 2nd ed. (1986), pp. 80-81; U.S. Geological Survey, Hawaiian Volcano Observatory <<http://hvo.wr.usgs.gov/kilauea/history/historytable.html>> and records.

Table 5.20-- MAJOR EARTHQUAKES: 1838 TO 2014

[As of December 31, 2014. Includes all earthquakes with magnitudes of 6.0 or greater, 1838 to 1983, and 5.0 or greater, 1984 to present. Except for the earthquake of April 2, 1868, magnitudes of earthquakes prior to 1929 are conjectural]

Date and time (HST)	Location	Magnitude (Richter scale)
1838: December 12	Hawaii	6.0
1841: April 7	Hawaii	6.0
1852: March 31	Hawaii	6.0
1868: March 28	Mauna Loa, south flank, Hawaii	6.5-7.0
April 2	Mauna Loa, south flank, Hawaii	7.5-8.1
1871: February 19	Molokai or Maui	6.5
1875: November 23	Hawaii	6.0
1887: January 24	Hawaii	6.0
1913: October 25	Hawaii	6.5
1918: November 1	Hawaii	6.5
1919: September 14	Hawaii	6.5
1929: October 5	Hualalai, Hawaii	6.5
1938: January 23	North of Pauwela Point, Maui	6.8
1940: June 17	Hawaii	6.0
1941: September 25	South east of Mauna Loa, Kaoiki fault zone, Hawaii	6.0
1950: May 29	Mauna Loa, south west rift, Hawaii	6.2
1951: April 22	Kilauea, Hawaii	6.3
August 21	Kona, Hawaii	6.9
1952: May 23	Kona, Hawaii	6.0
1954: March 30	Kilauea, south flank, Hawaii	6.5
1961: September 25	Hawaii	5.75-6.0
1962: June 27	South east of Mauna Loa, Kaoiki fault zone, Hawaii	6.1
1973: April 26	North of Hilo, Honomu, Hawaii	6.2
1975: Nov. 29, 4:47 AM	Kilauea, south flank, Kalapana, Hawaii	7.2
1983: Nov. 16, 6:13 AM	South east of Mauna Loa, Kaoiki fault zone, Hawaii	6.7
1984: June 8, 5:34 PM	80 miles south of Honolulu, Oahu	5.3
1986: April 26, 7:19 AM	28 miles north east of Maui	5.1
1987: Feb. 3, 4:22 PM	26 miles south of Kahoolawe	5.0
1989: June 25, 5:27 PM	Kilauea, south flank, Kalapana, Hawaii	6.2
1994: Feb. 1, 12:01 AM	12 miles south of Kilauea, offshore, Hawaii	5.2
1997: June 30, 5:47 AM	5 miles west of Kalapana, Hawaii	5.2
1999: April 16, 2:56 PM	4 miles north of Pahala, Hawaii	5.6
2000: April 1, 8:18 PM	7 miles south east of Kilauea Summit, Hawaii	5.0
2003: August 26, 8:24 PM	6 miles north west of Kaena Point, Oahu	5.0
2005: May 13, 12:06 AM	27 miles south of Naalehu near Loihi, Hawaii	5.0
2005: July 15	49 miles north of Hilo, Hawaii	5.2
2005: July 17, 9:15 AM	Near seamount Loihi, Hawaii	5.2

Continued on next page.

Table 5.20-- MAJOR EARTHQUAKES: 1838 TO 2014 -- Con.

Date and time (HST)	Location	Magnitude (Richter scale)
2006: October 15, 7:07:49 AM	Just offshore of Kiholo Bay, Hawaii	6.7
2006: October 15, 7:14:12 AM	6 miles west of Mahukona, Hawaii	6.0
2006: November 23, 9:20:10 AM	Just offshore of Kiholo Bay, Hawaii	5.1
2007: August 13, 7:38 PM	Kilauea, south flank, Hawaii	5.4
2009: April 14, 12:44 PM	9 miles south of Volcano, Hawaii	5.0
2013: June 4, 2:12 PM	34 miles southeast of Pahala, Hawaii	5.3

Source: Augustine S. Furumoto, N. Norby Nielsen, and William R. Phillips, *A Study of Past Earthquakes, Isoseismic Zones of Intensity and Recommended Zones for Structural Design for Hawaii* (University of Hawaii, Center for Engineering Research, Engineering Bulletin, June 15, 1972); information supplied by Wm. Mansfield Adams and Augustine S. Furumoto, Institute of Geophysics, University of Hawaii; Hawaii Institute of Geophysics, records; U.S. Geological Survey, National Earthquake Information Service; U.S. Geological Survey, Hawaiian Volcano Observatory, records; and U.S. Geological Survey, Earthquake Hazards Program, <<http://earthquake.usgs.gov/eqcenter/eqinthenews/>> and records.

**Table 5.21-- EARTHQUAKES WITH INTENSITIES ON OAHU OF
V OR GREATER: 1859 TO 2014**

[As of December 31, 2014]

Date	Epicentral location	Magnitude	Oahu average intensity (Modified Mercalli Scale 1/)
1861: Dec. 5	Molokai-Lanai vicinity (?)	(NA)	Mid V
Dec. 15	Molokai-Lanai vicinity (?)	(NA)	Lower V - mid V
1868: Apr. 2	SE coast of Hawaii	7.5	Upper IV - lower V
Apr. 4	Maui group vicinity (?)	(NA)	Lower V
1870: Aug. 7	Near Molokai	≥ 6	V
1871: Feb. 19	S coast of Lanai	7.0	Upper VI - lower VII
1881: Sep. 30	Maui vicinity	≥ 6	IV - V
1887: Jan. 13	Oahu vicinity	(NA)	V
1890: Aug. 6	Hawaii	(NA)	IV - V
1895: Dec. 8	Oahu vicinity (?)	(NA)	Mid V
1926: Mar. 19	N of Kohala, Hawaii	(NA)	Upper IV - lower V
1938: Jan. 22	N of Maui	6.8	Upper V - lower VI
1940: June 16	N of Hawaii	6.0	IV - V
1948: June 28	S coast of Oahu	4.8	Mid VI
1964: Oct. 11	Ka Lae, Hawaii	5.5	Upper IV - lower V
1973: Apr. 26	Hamakua coast, Hawaii	6.2	Mid V
1975: Nov. 29	Kalapana, Hawaii	7.2	V
1981: Mar. 5	Kalohi Channel	5.0	Mid V
2006: Oct.15	Just offshore of Kiholo Bay, Hawaii	6.7	V

NA Not available.

1/ Modified Mercalli Scale of 1931, 1956 abridged version further simplified. This scale, which extends from I to XII, reads in part:

IV. Hanging objects swing. Vibration like passing of heavy trucks or sensation of a jolt. Standing autos rock. Windows, dishes, doors rattle. Crockery clashes. In the upper part of range wooden construction creaks.

V. Felt outdoors; direction estimated. Sleepers wakened. Liquids distributed, some spilled. Small unstable objects displaced or upset. Doors, shutters, pictures swing. Pendulum clocks stop.

VI. Felt by all. Many frightened, run outdoors. Persons walk unsteadily. Windows, dishes, glassware broken. Knickknacks, books thrown off shelves, pictures off walls. Furniture moved, overturned. Weak plaster and masonry cracked. Small bells ring. Trees, bushes noticeably shaken.

VII. Difficulty in standing. Noticed by drivers of autos. Hanging objects quiver. Furniture broken. Damage to weak masonry. Weak chimneys broken at roof line. Fall of plaster, loose bricks, etc. Some cracks in ordinary masonry. Waves on ponds. Small slides on sand and gravel banks. Large bells ring. Irrigation ditches damaged.

Source: Doak C. Cox, "Earthquake Experience in Honolulu", *The Hawaiian Journal of History*, Vol. 21 (1987), pp. 98-109; U.S. Department of the Interior, U.S. Geological Survey, U.S. Geological Survey Bulletin 2006, *Isoseismal Maps, Macroseismic Epicenters, and Estimated Magnitudes of Historical Earthquakes in the Hawaiian Islands* (1992), table 4; and U.S. Geological Survey, Hawaiian Volcano Observatory, records.

**Table 5.22-- TSUNAMIS WITH RUN-UP OF 2 METERS (6.6 FEET)
OR MORE: 1812 TO 2014**

Date	Place of observation	Source	Maximum height in Hawaii		Deaths in Hawaii	Damage in Hawaii
			Meters	Feet		
1812: Dec. 21 1/	Hookena, Hawaii	California	2.5	8	-	Hut flooded
1819: April 12	W. Hawaii	Chile	2.0	7	-	Houses destroyed
1837: Nov. 7	Hilo, Hawaii	Chile	6.0	20	16	100 houses destroyed
1841: May 17	Hilo, Hawaii	Kamchatka	4.6	15	-	Unknown
1860: Dec. 1	Maliko Bay, Maui	N. Pacific 2/	3.6	12	-	Houses, wharf destroyed
1868: April 2	Keauhou Landing, Hawaii	Ka'u	13.7	45	47	Severe in Puna and Ka'u
1868: Aug. 13	Hilo, Hawaii	Chile	4.6	15	-	Houses, bridges destroyed
1869: Aug. 24	S.E. Puna	S. Pacific 2/	8.2	27	-	Houses destroyed, roads washed out
1877: May 10	Hilo, Hawaii	Chile	4.8	16	5	Severe in Hilo
1878: Jan. 10	Maliko Bay, Maui	N. Molokai 2/	3.6	12	-	Scattered flooding, N. Maui, N. Oahu
1896: June 15	Keauhou, Hawaii	Japan	5.5	18	-	Houses, wharfs, stores destroyed
1903: Nov. 29	Pelekunu, Molokai	N. Molokai	4.5	15	-	Houses destroyed on Maui, railroad washed out on Oahu
1906: Aug. 17	Maalaea, Maui	Chile	3.6	12	-	Piers damaged
1919: Oct. 2	Hoopuloa, Hawaii	S. Kona	4.3	14	-	Wharf damaged, car swept away
1922: Nov. 11	Hilo, Hawaii	Chile	2.1	7	-	Fishing boats swept away
1923: Feb. 3	Hilo, Hawaii	Kamchatka	6.1	20	1	\$1,500,000
1933: March 2	Keauhou, Hawaii	Japan	3.2	10	-	Boathouses, walls destroyed in Kona
1946: April 1	Waikolu valley, Molokai	Aleutian Islands	16.4	54	159	\$26,000,000
1952: Nov. 4	Kaena, Oahu	Kamchatka	9.1	30	-	\$1,000,000
1957: March 9	Haena, Kauai	Aleutian Islands	16.1	53	-	\$5,000,000
1960: May 22	Hilo, Hawaii	Chile	10.5	34	61	\$23,000,000
1964: March 27	Waimea Bay, Oahu	Alaska	4.9	16	-	\$68,000

Continued on next page.

**Table 5.22-- TSUNAMIS WITH RUN-UP OF 2 METERS (6.6 FEET)
OR MORE: 1812 TO 2014--Con.**

Date	Place of observation	Source	Maximum height in Hawaii		Deaths in Hawaii	Damage in Hawaii
			Meters	Feet		
1975: Nov. 29	Keauhou Landing, Hawaii	S. Puna	14.3	47	2	\$1,500,000
2011: March 11	Kealakekua Bay, Hawaii	Japan	5.4	18	-	(NA)

NA Not available.

1/ Earliest tsunami for which definite information exists.

2/ Probable source.

Source: George Pararas-Carayannis, *Catalog of Tsunamis in the Hawaiian Islands* (U.S. Coast and 'Geodetic Survey, May 1969); Harold G. Loomis, *The Tsunami of November 29, 1975 in Hawaii* (Hawaii Institute of Geophysics, December 1975), pp. 1 and 10; D.C. Cox and J. Morgan, *Local Tsunamis and Possible Local Tsunamis in Hawaii* (Hawaii Institute of Geophysics, Report HIG 77-14, November 1977); Doak C. Cox, *Tsunami Casualties and Mortality in Hawaii* (University of Hawaii, Environment Center, June 1987), p. 39; James F. Lander and Patricia A. Lockridge, *United States Tsunamis (Including United States Possessions) 1690-1988*, Publication 41-2, National Geophysical Data Center, August 1989, pp.17-77; U.S. Geological Survey, Hawaiian Volcano Observatory, records; Pacific Tsunami Warning Center, records; and National Oceanic and Atmospheric Administration, National Geophysical Data Center, Tsunami Runup database <<http://www.ngdc.noaa.gov/nndc/struts/form?t=101650&s=167&d=166>> accessed January 23, 2015.

Table 5.23-- MAJOR DAMS

[Includes all dams whose maximum storage equals or exceeds 600 acre-ft.]

Dam name	Nearest city	Purpose	Year completed	Height (ft.)	Length (ft.)	Drainage area (sq. miles)	Maximum storage (acre-ft.)
Waita Reservoir	Koloa, Kauai	Irrigation	1906	23	3,250	3.36	9,900
Wahiawa Dam	Wahiawa, Oahu	Irrigation	1906	88	660	16.70	9,200
Kualapuu Reservoir	Kualapuu, Molokai	Irrigation, water supply	1969	57	7,100	0.21	5,082
Kaneohe Dam	Kaneohe, Oahu	Flood control, recreation	1980	83	2,200	2.45	4,500
Nuuanu Dam No. 4	Honolulu, Oahu	Flood control, recreation	1910	66	2,120	1.40	3,600
Alexander	Kalaheo, Kauai	Hydroelectric, irrigation	1931	112	600	2.86	2,540
Puukapu Dam	Waimea, Hawaii	Flood control	1965	12	4,340	3.05	1,450
Kaloko Reservoir	Kilauea, Kauai	Irrigation	1890	27	915	0.12	1,400
Wailua Reservoir	Wailua, Kauai	Irrigation	1920	40	1,080	0.88	1,223
Kapaia Reservoir	Kapaia, Kauai	Irrigation	1910	50	1,050	2.51	1,114
Ku Tree Reservoir	Wahiawa, Oahu	Other	1925	97	550	0.83	1,085
Papuaa Reservoir	Omao, Kauai	Irrigation	1914	43	2,000	1.75	921
Puu Lua Reservoir	Kekaha, Kauai	Fish & Wildlife pond, other	1925	105	640	0.08	888
Upper Heleman Reservoir	Waialua, Oahu	Irrigation	1912	46	530	0.45	700
Aepoeha Reservoir	Kukuila, Kauai	Irrigation	1913	42	600	0.81	670

Source: Hawaii State Department of Land & Natural Resources, Engineering Division, Flood Control & Dam Safety Section, records and Dam Inventory System, Hawaii State Department of Land & Natural Resources <<http://132.160.239.52/daminventory/>> accessed on March 23, 2015.

Table 5.24-- FRESH WATER USE, BY TYPE, BY COUNTY: 2010

[Million gallons per day]

Use	State total	Hawaii	Honolulu	Kalawao	Kauai	Maui
Total	1,273.77	134.68	799.23	0.01	61.77	278.08
Ground water	473.57	109.48	188.00	0.01	18.31	157.77
Public supply	258.07	42.29	162.98	0.01	13.22	39.57
Domestic	1.85	-	0.83	-	0.75	0.27
Industrial	4.63	-	4.61	-	-	0.02
Irrigation	100.94	10.10	15.21	-	-	75.63
Livestock	0.63	-	0.16	-	0.18	0.29
Aquaculture	2.14	1.46	0.68	-	-	-
Mining	1.40	0.69	0.50	-	0.12	0.09
Thermoelectric	103.91	54.94	3.03	-	4.04	41.90
Surface water	800.20	25.20	611.23	-	43.46	120.31
Public supply	15.80	2.82	-	-	2.02	10.96
Domestic	6.17	6.17	-	-	-	-
Industrial	-	-	-	-	-	-
Irrigation	222.52	13.53	58.36	-	41.44	109.19
Livestock	1.20	1.20	-	-	-	-
Aquaculture	2.40	1.48	0.87	-	-	0.05
Mining	0.11	-	-	-	-	0.11
Thermoelectric	552.00	-	552.00	-	-	-

Source: U.S. Geological Survey, Water Resources, *Water Use in the United States, Estimated Use of Water in the United States County-Level Data for 2010* <<http://water.usgs.gov/watuse/data/2010/>> accessed June 18, 2015.

Table 5.25-- WATER SERVICES AND CONSUMPTION, FOR COUNTY WATERWORKS: 2012 TO 2014

[Services as of June 30; consumption during the year ending June 30]

Geographic area	Number of services			Consumption (million gallons)		
	2012	2013	2014	2012	2013	2014
State total	273,968	275,072	276,526	74,961	74,722	76,722
City and County of Honolulu	175,281	175,921	176,518	49,128	47,734	51,794
Honolulu District 1/	68,463	67,424	67,404	21,792	25,620	35,323
Rest of Oahu	106,818	108,497	109,114	27,336	22,114	16,471
Hawaii County	41,786	42,022	42,378	9,073	9,230	9,080
Kauai County	21,148	21,263	21,590	4,085	4,505	3,997
Maui County	35,753	35,866	36,040	12,675	13,253	11,851
Maui	34,090	34,200	34,373	12,410	12,958	11,592
Molokai	1,663	1,666	1,667	265	295	259

1/ Maunaloa to Moanalua.

Source: Data compiled by Hawaii State Department of Business, Economic Development & Tourism from City and County of Honolulu Board of Water Supply, County of Hawaii Department of Water Supply, County of Kauai Department of Water, and County of Maui Department of Water Supply.

**Table 5.26-- WATER WITHDRAWALS BY SOURCE AND MAJOR USE,
FOR THE UNITED STATES AND HAWAII: 2010**

[Withdrawal signifies water physically withdrawn from a source. Includes fresh and saline water]

Subject	U.S. 1/	Hawaii
Water withdrawals, total, millions of gallons per day	355,000	1,270
Source, percent		
Ground water	22.4	37.2
Surface water	77.6	62.8
Selected major uses, percent		
Public supply	11.9	21.5
Domestic	1.0	0.6
Irrigation	32.5	25.4
Livestock	0.6	0.1
Aquaculture	2.7	0.4
Industrial	4.5	0.4
Mining	1.5	0.1
Thermoelectric power	45.4	51.5

1/ Includes Puerto Rico and Virgin Islands.

Source: U.S. Geological Survey, *Estimated Use of Water in the United States in 2010*, Circular 1405 table 1 <<http://pubs.usgs.gov/circ/1405/pdf/circ1405.pdf>> accessed June 12, 2015 and calculations by Hawaii State Department of Business, Economic Development & Tourism.

**Table 5.27-- TOP 25 WATER USERS ON OAHU:
MAY 2013 TO APRIL 2014**

[Estimated monthly average]

Rank	User	Gallons (1,000)
1	Marine Corp Base Hawaii	53,135
2	Chevron Usa Inc	31,852
3	Hilton Hotels Corporation	23,816
4	Honolulu International Airport Maintenance - 2980 Aolele St	23,214
5	Honolulu International Airport Maintenance - 530 Paiea St	13,748
6	University of Hawaii - 2566 Dole St	11,987
7	United Laundry Services	11,035
8	Sheraton Waikiki Hotel	10,991
9	Sand Island Treatment Plant	10,866
10	Tesoro Hawaii Corp	10,584
11	Waialua Sugar Interconnection	9,936
12	Hawaii Kai Golf Course	9,313
13	Disney Resort And Spa	9,291
14	Ggp Ala Moana Llc	9,282
15	University Of Hawaii - 2525 Dole St	8,653
16	Kailua Treatment Plant	8,004
17	Central Regional Park	7,974
18	Hawaiian Cement	7,854
19	Halekoa Hotel Ilima Tower	7,741
20	University Of Hawaii - 2444 Dole St	7,215
21	Hyatt Regency Waikiki	6,873
22	Honolulu Zoo	6,229
23	Bellows Air Force Station	6,091
24	Kapiolani Park	5,926
25	Ala Wai Golf Course	5,901

Source: Honolulu Board of Water Supply, records.

**Table 5.28-- WASTEWATER TREATMENT PLANT
OPERATION AND COMPLIANCE: 1994 TO 2014**

[Calendar year]

Year	Total plants	Plants inspected	Plants rated unsatisfactory	In compliance (percent)
1994	(NA)	135	33	(NA)
1995	(NA)	163	35	(NA)
1996	(NA)	103	23	(NA)
1997	(NA)	176	45	(NA)
1998	(NA)	169	41	(NA)
1999	(NA)	164	35	(NA)
2000	(NA)	113	38	(NA)
2001	(NA)	144	35	(NA)
2002	(NA)	106	29	(NA)
2003	(NA)	100	20	(NA)
2004	(NA)	57	17	(NA)
2005	(NA)	41	8	(NA)
2006	180	93	14	92
2007	180	102	33	82
2008	180	34	15	92
2009	180	119	38	79
2010	180	114	13	93
2011	180	62	17	91
2012	190	58	13	93
2013	190	58	16	92
2014	190	82	30	84

NA Not available.

Source: Hawaii State Department of Health, *Indicators of Environmental Quality Report* (annual); Hawaii State Department of Health, *Environmental Health Management Report 2011-2013*; and Hawaii State Department of Health, Wastewater Branch, records.

Table 5.29-- WASTEWATER RECYCLED: 1994 TO 2013

[In millions gallons per day]

Year	Total wastewater treated	Wastewater reused	Percent Reused
1994	150	10.50	7.00
1995	150	11.10	7.40
1996	150	12.30	8.19
1997	150	15.60	10.40
1998	150	17.00	11.33
1999	150	19.50	13.00
2000	150	20.20	13.47
2001	150	19.90	13.27
2002	150	24.00	16.00
2003	150	23.50	15.67
2004	150	23.50	15.67
2005	150	23.50	15.67
2006	150	24.60	16.40
2007	150	24.40	16.27
2008	150	23.91	15.94
2009	150	23.91	15.94
2010	145	22.98	15.85
2011	141	19.64	13.93
2012	141	21.14	14.99
2013	134	22.00	16.42

Source: Hawaii State Department of Health, *Indicators of Environmental Quality Report* (annual); Hawaii State Department of Health, *Environmental Health Management Report 2011-2013*; and Hawaii State Department of Health, Wastewater Branch, records.

**Table 5.30-- HAZARDOUS WASTE SITES, THREATS AND
CONTAMINANTS ON OAHU**

[Sites on the National Priorities List for the Superfund Program]

Sites with threats and contaminants	Location	Final listing 1/	Deletion
Del Monte Corp. (Oahu Plantation) 2/	Kunia	12/16/94	3/ (NA)
Naval Computer & Telecommunications Area 4/	Pearl Harbor	5/31/94	(NA)
Pearl Harbor Naval Complex 5/	Pearl Harbor	10/14/92	(NA)
Schofield Barracks (US Army) 6/	Wahiawa	8/30/90	8/30/00

NA Not available.

1/ After the proposed listing, site was added on this date to the National Priorities List.

2/ Soil and shallow groundwater at the site have been contaminated with the fumigants EDB, DBCP and DCP, the solvents TCP and benzene and the pesticide lindane. Deep groundwater is contaminated with EDB, DBCP and TCP. People who touch or ingest contaminated groundwater or soil could be at risk.

3/ Partial deletion, EPA delisted the Poamoho section of the Site from NPL list on January 13, 2004.

4/ The Navy's Installation Restoration Program (IRP) is addressing the sites at NCTAMS EASTPAC. The sites are primarily land disposal areas that are no longer in use and PCB transformer sites. Soil contamination depends on the site but generally the chemicals of concern are PCBs, volatile organics, semi-volatile organics and metals.

5/ Soil, groundwater and sediment are contaminated with metals, organic compounds and petroleum hydrocarbons. There is a potential human health and ecological risk with contact or accidental ingestion with the contaminated media.

6/ Groundwater contain trichloroethylene (TCE). People who drink or come into direct contact with contaminated groundwater could be at risk.

Source: U.S. Environmental Protection Agency, *National Priorities List Sites in Hawaii*
<<http://www.epa.gov/region9/cleanup/pacific.html>> accessed June 18, 2015.

Table 5.31-- TOXIC CHEMICAL RELEASES IN 2013 AND HAZARDOUS WASTE GENERATED, SHIPPED, AND RECEIVED IN 2011

Category	Unit
Number of TRI Facilities in Hawaii in 2013	35
Toxic chemical releases in 2013 1/	3,023,584
On-site releases	2,402,119
Air emissions	1,727,045
Water emissions	441,572
Land emissions	233,503
Off-site releases, transfers to disposal	621,465
Hazardous waste generators, shippers, and receivers 2011	
Number of generators	51
Number of shippers	49
Number of receivers	1
Hazardous waste generated, shipped, and received 2011 2/	
Generated	425,644
Shipped	1,300
Received	190

1/ In pounds.

2/ In tons. Covers hazardous wastes regulated under the Resource Conservation and Recovery Act (RCRA) of 1976 as amended.

Source: United States Environmental Protection Agency, *TRI Explorer Fact Sheet, Summary of TRI Information for Hawaii* <http://iaspub.epa.gov/triexplorer/tri_factsheet_search.searchfactsheet> accessed June 12, 2015; United States Environmental Protection Agency, *The National Biennial RCRA Hazardous Waste Report: 2011 Edition* <<http://www.epa.gov/solidwaste/inforesources/data/biennialreport/index.htm>> accessed June 10, 2014.

Table 5.32-- SOLID WASTE RECYCLED IN HAWAII: 2001 TO 2012

[Fiscal year ending June 30. In tons]

Year	Generated	Disposed	Diverted	Percent diverted
2001	1,794,496	1,441,000	353,496	19.7
2002	1,971,336	1,478,668	492,668	25.0
2003	2,115,313	1,489,974	625,339	29.6
2004	2,140,648	1,517,915	622,733	29.1
2005	2,116,724	1,427,904	688,820	32.5
2006	2,227,124	1,425,752	801,373	36.0
2007	2,526,134	1,733,889	792,245	31.4
2008	2,617,350	1,778,009	839,341	32.1
2009	2,532,370	1,629,397	902,973	35.7
2010	1,636,298	988,444	647,854	39.6
2011	1,786,343	1,159,027	627,316	35.1
2012	1/ 1,593,887	1,147,194	1/ 608,857	1/ 38.2

1/ For 2012, figure is incomplete as Maui County data currently unavailable.

Source: Hawaii State Department of Health, Environmental Health Management Report 2011-2013; and Hawaii State Department of Health, Solid & Hazardous Waste Branch, records.

**Table 5.33-- DEPOSIT BEVERAGE CONTAINER REDEMPTION (DBC)
RATE: 2006 TO 2013**

[Fiscal year ending June 30. In millions of beverage containers]

Year	Beverage container sold	Beverage container redeemed	Redemption rate (percent)
2006	930	628	67.5
2007	936	632	67.5
2008	947	681	71.9
2009	895	705	78.8
2010	901	686	76.1
2011	907	686	75.6
2012	907	697	76.8
2013	912	684	75.0

Source: Hawaii State Department of Health, Environmental Health Management Report 2011-2013; and Hawaii State Department of Health, Solid & Hazardous Waste Branch, records.

**Table 5.34-- WATER QUALITY AT PUBLIC BEACHES, BY ISLAND:
2013 AND 2014**

Island	Number of locations	Number of samples	Enterococci density 1/			
			Lowest 2/	Highest 3/	Number over 4/	Mean 5/
2013						
State total	129	3,056	6/ 10.0	510.4	6/ 5	6/ 13.5
Hawaii	34	995	10.0	25.0	6/ -	6/ 12.6
Hilo Shoreline	9	263	11.0	19.6	6/ -	15.1
Kona Shoreline	25	732	10.0	25.0	6/ -	11.8
Maui	62	1,062	6/ 10.0	510.4	6/ 2	12.2
Lanai	-	-	(X)	(X)	(X)	(X)
Molokai	-	-	(X)	(X)	(X)	(X)
Oahu	13	185	10.0	25.5	6/ -	11.9
Kauai	20	814	10.3	118.6	6/ 3	16.9
2014						
State total	148	3,183	10.0	58.8	3	13.4
Hawaii	34	700	10.0	54.4	1	14.3
Hilo Shoreline	10	253	10.0	25.6	-	16.4
Kona Shoreline	24	447	10.0	54.4	1	13.2
Maui	62	790	10.0	17.4	-	12.4
Lanai	-	-	(X)	(X)	(X)	(X)
Molokai	-	-	(X)	(X)	(X)	(X)
Oahu	27	917	10.0	16.9	-	12.0
Kauai	25	776	10.0	58.8	2	15.8

X Not applicable.

1/ Geometric mean, number per 100 ml. The geometric mean standard for Enterococci density was 35 per 100 ml. in 2013 and 35 per 100 ml. in 2014.

2/ The lowest reported average value for 2013 was shared by 11 beaches, one of which was Sans Souci Beach, on the island of Oahu. The lowest reported average value for 2014 was shared by 11 beaches, one of which was Keoniloa Bay, on the island of Kauai (stations with ≥ 5 sampling events).

3/ The highest average value in 2013 was reported for End of Weke Road, on the island of Kauai. The highest average value in 2014 was reported for End of Weke Road on the island of Kauai.

4/ Refers to number of samples over the geometric mean standard for Enterococci density which was 35 per 100 ml. in 2013 and 35 per 100 ml. in 2014 (stations with ≥ 5 sampling events).

5/ Not weighted by number of samples.

6/ Revised from previous *Data Book*.

Source: Hawaii State Department of Health, Clean Water Branch, records.

**Table 5.35-- WATER QUALITY AT SELECTED PUBLIC BEACHES:
2013 AND 2014**

Island and beach	Number of samples		Enterococci density 1/	
	2013	2014	2013	2014
Hawaii	995	700	12.6	14.3
Hilo Shoreline	263	253	15.1	16.4
Hilo Bay (Canoe Beach)	28	28	12.3	17.4
Honolii Cove (Ocean)	28	28	15.5	25.6
Kona Shoreline	732	447	12.6	13.2
Anaehoomalu Bay	85	53	10.8	11.5
Kahaluu Beach Park	85	54	12.3	17.8
Spencer Beach Park	18	8	19.6	22.8
Maui	1,062	790	2/ 12.3	12.4
Hukilau Hotel shoreline	83	66	2/ 12.1	15.5
Kamaole Beach #1	91	69	2/ 11.8	10.7
Kihei (south)	90	70	12.6	11.4
Spreckelsville Beach	80	67	11.4	11.0
Wailea Beach	81	65	10.4	10.2
Oahu	185	917	11.9	12.0
Ala Moana Park (center)	20	53	10.7	12.5
Hanauma Bay	9	44	11.7	10.2
Kailua Beach Park	9	44	12.7	11.5
Kuhio Beach	19	52	15.9	16.7
Makaha Beach	(X)	28	(X)	10.0
Sunset Beach	(X)	29	(X)	15.3
Waimea Beach	(X)	44	(X)	11.9
Kauai	814	776	16.9	17.7
Hanapepe Salt Pond	76	75	11.4	11.6
Kalapaki Beach (middle)	75	75	16.5	17.5
Kekaha (Oomano Point)	(X)	(X)	(X)	(X)
Lydgate Park (wading pool)	74	75	12.0	14.1
Poipu Beach Pavilion	76	75	11.0	10.7

X Not applicable.

1/ Geometric mean, number per 100 ml. The geometric mean standard for Enterococci density was 35 per 100 ml. in 2013 and 35 per 100 ml. in 2014.

2/ Revised from previous *Data Book*.

Source: Hawaii State Department of Health, Clean Water Branch, records.

Table 5.36-- TOTAL DAYS PER YEAR OF SHORELINE POSTINGS: 2006 TO 2014

[For fiscal year ending June 30. These numbers represent sign postings for sewage-related events along coastal shorelines, but do not reflect postings of warning signs on streams, lakes and other inland waters, such as the Ala Wai Canal. Other agencies may also post other shoreline warning signs. These numbers exclude 'brown water advisories' which are general media releases anticipating or responding to heavy storm water runoff and are not accompanied by actual sign postings]

Year	Days 1/	Year	Days 1/	Year	Days 1/
2006	394	2009	235	2012	11
2007	153	2010	365	2013	91
2008	74	2011	264	2014	40

1/ Total days may include same-day postings of separate posting events, therefore the total may exceed 365 days.

Source: Hawaii State Department of Health, Clean Water Branch, records.

**Table 5.37-- REFUSE AND SEWAGE STATISTICS FOR OAHU:
2000 TO 2013**

[Fiscal year ending June 30]

Year	Tons of municipal solid waste delivered 1/			Sewage treated 2/ (millions of gallons)
	Total	City and County refuse vehicles	Other vehicles	
2000	868,588	298,207	570,381	41,444
2001	955,019	326,696	628,323	40,369
2002	897,068	300,833	596,235	40,025
2003	890,275	344,786	545,489	40,524
2004	933,028	350,298	582,730	44,472
2005	952,703	368,288	584,415	40,975
2006	937,726	363,233	574,493	42,275
2007	909,587	433,962	475,625	38,345
2008	883,365	447,972	435,393	39,217
2009	824,633	377,562	447,071	38,018
2010	777,069	326,201	450,868	38,549
2011	778,158	306,939	471,219	38,307
2012	746,368	285,153	461,215	36,517
2013	748,227	289,203	459,024	36,318

Year	Sewage pumped 2/ (millions of gallons)	Miles of sewers 2/	City and County pump stations	City and County treatment plants
2000	49,623	2,230	65	8
2001	48,626	2,230	65	8
2002	49,851	2,399	65	8
2003	50,497	3/ 2,205	65	8
2004	50,969	2,212	65	8
2005	44,476	2,268	66	8
2006	44,168	2,268	66	8
2007	43,388	3/ 2,105	67	9
2008	49,538	2,105	67	9
2009	50,093	2,105	69	9
2010	47,051	2,105	72	9
2011	48,679	2,226	72	9
2012	45,778	2,226	72	9
2013	47,922	2,016	72	9

1/ Excludes small landfill controlled by armed forces.

2/ Data limited to system maintained by the City and County of Honolulu, Department of Environmental Services.

3/ GIS editing for more accurate dimensions resulted in a reduction of lateral length.

Source: City and County of Honolulu, Department of Environmental Services, records.

Table 5.38-- AIR QUALITY IN DOWNTOWN HONOLULU: 1988 TO 2014

[Annual arithmetic means, in micrograms per cubic meter ($\mu\text{g}/\text{m}^3$), for particulate matter 10 microns or less in diameter (PM_{10}) and in parts per million (ppm) for carbon monoxide (CO). Sampling is conducted about 46 feet above ground on the roof of the State Health Department building (Kinau Hale), 1250 Punchbowl Street, Honolulu, Hawaii]

Year	PM_{10} ($\mu\text{g}/\text{m}^3$) 1/	CO (ppm) 2/	Year	PM_{10} ($\mu\text{g}/\text{m}^3$) 1/	CO (ppm) 2/
1988	-	1.7	2002	15	0.6
1989	-	1.8	2003	15	0.6
1990	-	1.5	2004	13	0.6
1991	-	1.7	2005 3/	14	0.6
1992	-	1.6	2006 4/	13	0.4
1993	13	1.8	2007	14	0.5
1994	14	0.8	2008	14	0.5
1995	14	0.8	2009	13	0.4
1996	14	0.8	2010	12	0.4
1997	8	0.8	2011	12	0.4
1998	9	0.8	2012	12	0.4
1999	14	0.6	2013	11	0.4
2000	14	0.7	2014	13	0.4
2001	16	0.6			

1/ The State Ambient Air Standard for PM_{10} annual average is $50 \mu\text{g}/\text{m}^3$. The Federal standard was revoked by the U.S. Environmental Protection Agency effective December 17, 2006.

2/ There is no annual standard for CO.

3/ Represents data until July 14, 2005, when the monitoring station was closed for roof repairs.

4/ Represents data from August 5, 2006, after completion of roof repairs.

Source: Hawaii State Department of Health, Environmental Management Division, Clean Air Branch, records.

Table 5.39-- AIR QUALITY AT SPECIFIED LOCATIONS: 2014

Sampling station	PM ₁₀ (µg/m ³) 1/			Sulfur dioxide (ppm) 2/		
	Annual range 24-hr		Annual arithmetic average	Annual range 1-hr		Annual arithmetic average
	Minimum	Maximum		Minimum	Maximum	
Oahu						
Downtown Honolulu	4	30	13	0.000	0.018	0.001
Pearl City	5	40	19	(X)	(X)	(X)
Kapolei	3	32	15	0.000	0.024	0.002

X Not applicable.

1/ Particulate matter up to 10 microns in diameter. The State and Federal Ambient Air Standard for 24-hr PM10 is 150 µg/m³.

2/ The State Ambient Air Standard for 24-hr SO₂ is 0.14 ppm. Federal standard for SO₂ is now a 1 hour average not to exceed 75 ppb (0.075 ppm).

Source: Hawaii State Department of Health, Environmental Management Division, Clean Air Branch, records.

Table 5.40-- RELEASE OF TOXICS: 1999 TO 2013

[In pounds]

Year	Release 1/					
	Total	Air	Water	On-site land	Under-ground injection	Off-site
1999	1,681,101	1,584,809	2,721	38,163	5,070	50,338
2000	1,311,611	1,057,090	1,224	31,833	7,284	214,180
2001	3,108,521	2,379,969	29,770	224,400	2,071	472,311
2002	3,688,240	2,495,256	454,684	228,634	2,241	507,425
2003	3,163,057	2,131,959	364,067	249,267	2,670	415,094
2004	3,170,737	2,358,741	296,415	227,719	6,601	281,261
2005	3,102,730	2,311,635	522,217	89,734	2,736	176,408
2006	3,022,392	2,254,027	358,266	174,678	4,743	230,678
2007	3,015,602	2,266,925	446,948	143,011	2,670	156,048
2008	3,245,524	2,277,988	549,838	169,076	3,471	245,151
2009	2,947,241	2,228,566	222,963	147,530	4,477	343,705
2010	2,495,605	1,739,249	452,359	171,221	2,603	130,173
2011	2,597,069	1,845,550	409,370	124,224	3,722	214,203
2012	2,693,617	1,876,897	435,662	181,039	4,508	195,511
2013	3,023,584	1,727,045	441,572	232,261	1,242	621,465

1/ Release is defined as the amount of a toxic chemical released on-site (to air, water, underground injection, landfills, and other land disposal), and the amount transferred off-site for disposal.

Source: U.S. Environmental Protection Agency, *Hawaii Report: Toxics Release Inventory* (annual) <http://iaspub.epa.gov/triexplorer/tri_factsheet.factsheet_forstate?pstate=HI&pyear=2013> accessed June 18, 2015.

**Table 5.41-- TOXIC RELEASE INVENTORY CHEMICAL RELEASES:
1988 TO 2013**

[In pounds. For all industries and all chemicals]

Year	Total on-site disposal or other releases	Total off-site disposal or other releases	Total on- and off-site disposal or other releases	Total production-related waste managed
1988	2,225,959	164,482	2,390,441	(NA)
1989	2,105,585	20,458	2,126,043	(NA)
1990	844,758	7,209	851,967	(NA)
1991	916,001	12,388	928,389	8,322,961
1992	873,910	163,500	1,037,410	8,348,939
1993	706,345	14,982	721,327	8,259,575
1994	588,489	17,371	605,860	3,133,045
1995	492,923	163,769	656,692	5,401,395
1996	536,272	3,995	540,267	4,185,584
1997	444,040	8,365	452,405	4,118,506
1998	2,026,357	85,903	2,112,260	5,806,154
1999	1,630,843	50,438	1,681,281	5,221,169
2000	1,097,432	176,546	1,273,978	1,782,121
2001	2,950,196	430,325	3,380,521	4,258,038
2002	3,180,814	514,846	3,695,661	4,620,356
2003	2,747,963	419,791	3,167,753	4,023,425
2004	2,889,493	281,224	3,170,718	3,853,008
2005	2,925,433	179,935	3,105,369	4,009,430
2006	2,790,816	230,671	3,021,488	3,679,473
2007	2,859,554	156,023	3,015,577	3,878,790
2008	3,000,373	245,176	3,245,550	4,393,104
2009	2,603,536	343,728	2,947,264	3,734,894
2010	2,365,432	130,212	2,495,644	3,045,978
2011	2,375,076	214,223	2,589,299	3,274,039
2012	2,498,106	195,511	2,693,617	6,633,891
2013	2,402,119	621,465	3,023,584	5,906,320

NA Not available.

Source: United States Environmental Protection Agency, Toxic Release Inventory Program, TRI Explorer <http://iaspub.epa.gov/triexplorer/tri_release.chemical> accessed on January 15, 2015.

Table 5.42 -- RELEASE OF PERSISTENT, BIOACCUMULATIVE AND TOXIC (PBT) CHEMICALS: 2002 TO 2013

[In pounds; dioxin and dioxin-like compounds in grams]

Year	Total on- and off-site disposal or other releases 1/				
	Lead and lead compounds	PAC's 2/	Mercury and mercury compounds	Benzo (g,h,i) perylene	Dioxin 3/
2002	91,912	1,407	317	0.95	6.330
2003	106,067	1,533	203	1.18	5.129
2004	131,952	1,786	187	9.84	5.390
2005	46,192	1,683	211	213.00	5.100
2006	90,131	1,467	127	7.00	5.000
2007	84,110	1,271	203	6.00	5.080
2008	91,106	1,288	293	6.00	0.010
2009	107,782	2,276	147	16.00	4.080
2010	93,115	1,328	553	6.00	4.110
2011	74,488	1,798	236	9.00	4.233
2012	101,479	1,627	345	33.00	3.888
2013	134,234	1,361	294	6.00	3.678

1/ Release is defined as the amount of a toxic chemical released on-site (to air, water, underground injection, landfills, and other land disposal), and the amount transferred off-site for disposal.

2/ Polycyclic aromatic compounds.

3/ Dioxin and dioxin-like compounds (in grams) unless otherwise specified.

Source: U.S. Environmental Protection Agency, *Hawaii Report: Toxics Release Inventory* (annual) <http://iaspub.epa.gov/triexplorer/tri_release.chemical> accessed June 18, 2015.

Table 5.43-- OIL AND CHEMICAL RELEASES: 2006 TO 2012

Year	Total oil & chemical releases	Oil releases			Chemical releases		
		Total	To land	To water	Total	To land	To water
2006	384	206	(NA)	(NA)	178	(NA)	(NA)
2007	489	289	(NA)	(NA)	200	(NA)	(NA)
2008	305	198	(NA)	(NA)	107	(NA)	(NA)
2009	268	143	56	87	125	63	62
2010	414	218	126	92	196	131	65
2011	371	257	185	72	114	51	63
2012	359	263	194	69	96	43	53

NA Not available.

Source: Hawaii State Department of Health, Hazard Evaluation and Emergency Response Office, records.

**Table 5.44-- ATMOSPHERIC CARBON DIOXIDE MEASUREMENTS
AT MAUNA LOA: 1958 TO 2014**

[Average carbon dioxide mixing ratio, parts per million]

Year	Annual average	Year	Annual average	Year	Annual average
1958	1/ 315.17	1977	333.79	1996	362.40
1959	315.83	1978	335.35	1997	363.54
1960	316.75	1979	336.73	1998	366.61
1961	317.49	1980	338.72	1999	368.33
1962	318.30	1981	340.12	2000	369.62
1963	318.83	1982	341.21	2001	371.20
1964	2/ 319.04	1983	342.87	2002	372.99
1965	319.87	1984	344.48	2003	375.82
1966	321.21	1985	345.85	2004	377.54
1967	322.02	1986	347.21	2005	379.97
1968	322.83	1987	348.98	2006	381.89
1969	323.93	1988	351.34	2007	383.86
1970	325.27	1989	352.89	2008	385.61
1971	326.17	1990	354.26	2009	387.33
1972	327.26	1991	355.45	2010	389.80
1973	329.45	1992	356.58	2011	391.72
1974	1/ 329.72	1993	357.01	2012	393.82
1975	3/ 331.14	1994	358.51	2013	396.48
1976	332.04	1995	360.62	2014	398.55

1/ Based on data for 8 months.

2/ Based on data for 9 months.

3/ Based on data for 11 months.

Source: National Weather Service, Pacific Region, Honolulu (for 1958-1991); Mauna Loa Observatory (for 1992-1999); and U.S. Department of Commerce, National Oceanic & Atmospheric Administration (NOAA), Cooperative Global Air Sampling Network, Global Monitoring Division, Earth Systems Research Laboratory (ESRL) <ftp://aftp.cmdl.noaa.gov/products/trends/co2/co2_annmean_mlo.txt> accessed June 12, 2015 and records.

Table 5.45-- TEMPERATURES AND PRECIPITATION FOR SELECTED PLACES

[Updated through December 2014]

Island and station	Ground elevation (feet)	Average temperature 1/ (°F)		Extreme temperature of record (°F)		Average annual precipitation (inches)
		Coollest month	Warmest month	Lowest	Highest	
Hawaii:						
Hilo Airport	38	66.4	81.2	53	94	128.05
Hawaii Volcanoes Nat. Park Hdq.	3,971	52.7	69.1	34	89	109.21
Naalehu	800	65.8	79.4	50	93	48.19
Kailua	700	63.7	76.5	50	88	119.30
Puako 2/	49	68.3	83.8	52	92	10.11
Waimea (Kamuela) 3/	2,671	66.6	84.1	49	95	22.56
Honokaa	1,080	(NA)	(NA)	(NA)	(NA)	78.53
Mauna Kea summit 4/	13,773	(NA)	(NA)	12	75	7.41
Maui:						
Hana Airport 5/	75	67.4	80.8	50	94	80.76
Haleakala summit 6/	9,964	44.7	62.7	27	80	52.89
Kihei 7/	160	64.4	86.2	49	98	12.84
Kahului Airport	51	67.4	83.8	48	97	18.93
Lahaina 8/	40	66.4	84.9	52	97	14.62
Molokai:						
Kaunakakai	12	(NA)	(NA)	(NA)	(NA)	13.66
Molokai Airport	443	67.6	81.4	46	96	25.07
Lanai:						
Lanai City 9/	1,620	62.4	75.4	47	89	35.04

Continued on next page.

Table 5.45-- TEMPERATURES AND PRECIPITATION FOR SELECTED PLACES -- Con.

Island and station	Ground elevation (feet)	Average temperature 1/ (°F)		Extreme temperature of record (°F)		Average annual precipitation (inches)
		Coollest month	Warmest month	Lowest	Highest	
Oahu:						
Honolulu International Airport	7	70.3	84.0	52	95	20.87
Waikiki (Honolulu Zoo)	10	69.1	84.6	42	95	24.13
Manoa (Lyon Arboretum)	500	66.6	79.0	49	96	151.05
Kaneohe (State Hospital)	48	68.8	79.8	43	93	76.03
Kahuku	13	68.6	80.9	51	99	44.11
Wheeler AFB 10/	820	45.6	59.8	25	88	38.46
Kauai:						
Kilauea (town)	390	67.1	79.5	50	90	67.97
Lihue Airport	100	69.8	81.1	50	90	41.76
Poipu (Makahuena Pt.) 6/	52	69.3	82.6	50	95	36.08
Kekaha 11/	10	64.8	84.8	44	95	21.78
Kokee (Kanalohuluhulu)	3,600	51.0	67.3	29	90	66.70
Northwestern Hawaiian Islands:						
Midway 12/	10	68.4	76.2	51	92	42.52

Continued on next page.

Table 5.45-- TEMPERATURES AND PRECIPITATION FOR SELECTED PLACES -- Con.

NA Not available.

1/ For some stations, data represent 30-year normals.

2/ Data available through 1976. Temperature data are for Mahukona.

3/ Data available through 1980.

4/ Based on incomplete and non-continuous data for 1966-1972.

5/ Data available through 2005.

6/ Data available through 1976.

7/ Temperature data available through 1982, refer to Keawakapu Beach.

8/ Data available through 2001.

9/ Data available through 2008, then restarted since June 2010.

10/ Data available through 1949.

11/ Data available through 2000.

12/ Data available through 1991, not confirmed.

Source: Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records; and University of Hawaii at Manoa, School of Ocean and Earth Science and Technology, Department of Meteorology, records.

Table 5.46-- CLIMATIC NORMALS, MEANS, AND EXTREMES FOR HILO, KAHULUI, HONOLULU, AND LIHUE AIRPORTS: 2014

[Normals are 30-year averages (1981 - 2010)]

Subject	Hilo	Kahului	Honolulu	Lihue
Temperatures (°F)				
Normal daily maximum, annual	80.9	84.3	84.4	81.2
Highest daily maximum	94	97	95	91
Month and year of occurrence	Nov 2013	Aug 1994	Sep 1994	Oct 2012
Normal daily minimum, annual	66.8	67.4	70.9	70.4
Lowest daily minimum	53	22	53	50
Month and year of occurrence	Feb 1962	Jan 2004	Jan 1998	Jan 1969
Normal dry bulb (temperature of ambient air)				
Coolest	71.2	71.8	73.1	71.6
Month	Feb	Feb	Feb	Feb
Warmest	76.4	79.7	81.9	79.7
Month	Aug	Aug	Aug	Aug
Annual	73.9	75.8	77.7	75.8
Normal no. days with maximum 90°F and above	-	17.0	18.7	0.1
Normal relative humidity (percent), annual				
8 a.m.	80	74	72	77
2 p.m.	68	58	56	66
Percent of possible sunshine, annual	41	67	71	59
Mean no. days (annual) with				
Clear	35.5	130.5	90.0	55.3
Partly cloudy	131.3	145.2	179.8	183.2
Cloudy	195.3	89.5	92.0	123.2
Wind speed (m.p.h.), annual				
Mean	6.7	12.9	10.4	13.4
Maximum 2-minute	39	48	40	48
Month and year of occurrence	Aug 2014	Jan 2004	Jan 2004	Dec 2007
Precipitation (inches)				
Normal, annual	126.72	17.83	17.10	37.05
Maximum monthly	50.82	14.46	20.79	36.13
Month and year of occurrence	Dec 1954	Jan 1980	Mar 1951	Mar 2006
Minimum monthly	0.13	-	0.01	0.08
Month and year of occurrence	Jan 1998	Jun 1957	Dec 2012	Dec 2005
Maximum in 24 hours	27.36	7.01	17.07	11.54
Month and year of occurrence	Nov 2000	Jan 1980	Mar 1958	Dec 1968

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data, Annual Summary with Comparative Data, 2014*, "Normals, Means, and Extremes," for Hilo, Kahului, Honolulu, and Lihue (annual).

Table 5.47-- MONTHLY AND ANNUAL CLIMATIC DATA FOR HONOLULU INTERNATIONAL AIRPORT: 2014

[Normals are 30-year averages (1981 - 2010)]

Month	Normal temperature (°F)			Extreme temperature (°F)		Precipitation (inches)			
	Daily maximum	Daily minimum	Normal dry bulb 1/	Highest daily maximum	Lowest daily minimum	Normal	Maximum monthly	Minimum monthly	Maximum in 24 hours
January	80.1	66.3	73.2	88	53	2.31	14.74	0.18	6.72
February	80.2	66.1	73.1	88	53	1.99	13.68	0.06	6.88
March	81.2	67.7	74.5	88	55	2.02	20.79	0.01	17.07
April	82.7	69.4	76.1	91	57	0.63	8.92	0.01	4.21
May	84.6	70.9	77.8	93	60	0.62	7.23	0.03	3.44
June	87.0	73.4	80.2	92	65	0.26	2.46	(2/)	2.28
July	87.9	74.5	81.2	94	66	0.51	2.33	0.03	2.20
August	88.7	75.1	81.9	93	65	0.56	3.74	(2/)	3.03
September	88.6	74.4	81.5	95	66	0.70	2.74	0.05	1.40
October	86.7	73.4	80.0	94	61	1.84	11.15	0.07	7.57
November	83.9	71.4	77.6	93	57	2.42	18.79	0.03	9.15
December	81.2	68.3	74.8	89	54	3.24	17.29	0.01	8.25
Annual	84.4	70.9	77.7	95	53	17.10	20.79	0.01	17.07

Continued on next page.

Table 5.47-- MONTHLY AND ANNUAL CLIMATIC DATA FOR HONOLULU INTERNATIONAL AIRPORT: 2014-- Con.

Month	Relative humidity (percent)		Wind (miles/hour)		Percent of possible sunshine	Number of days		
	8 a.m.	2 p.m.	Mean speed	Maximum 2-minute speed		Mean		Normal
						Clear	Cloudy	Precipitation .01 inch or more
January	81	61	8.6	40	65	9.5	8.5	8.5
February	79	59	9.2	37	68	8.1	7.6	7.4
March	73	57	10.3	39	72	7.4	9.3	8.8
April	70	55	11.0	35	70	5.9	9.6	7.5
May	67	54	10.6	30	72	6.7	8.7	5.8
June	66	52	12.0	30	74	6.5	6.2	5.7
July	68	52	12.0	30	76	7.4	5.1	7.1
August	68	52	11.8	31	77	8.0	5.7	5.6
September	70	53	10.2	30	77	7.9	5.7	6.9
October	71	56	9.6	31	71	7.5	8.1	7.6
November	75	59	9.6	35	64	7.2	8.8	8.8
December	79	60	9.3	39	63	7.9	8.7	9.7
Annual	72	56	10.4	40	71	90.0	92.0	89.4

1/ Temperature of the ambient air.

2/ Trace precipitation.

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data, Annual Summary With Comparative Data, 2014*, "Normals, Means, and Extremes, Honolulu, HI" (annual).

Table 5.48-- AVERAGE TEMPERATURE, PERCENT OF POSSIBLE SUNSHINE, AND PRECIPITATION, FOR HONOLULU INTERNATIONAL AIRPORT: 1960 TO 2014

Year	Average temperature (°F)	Percent of possible sunshine	Precipitation (inches)	Year	Average temperature (°F)	Percent of possible sunshine	Precipitation (inches)
1960	76.7	70	12.07	1990 1/	77.6	69	19.84
1961	77.2	81	14.26	1991 1/	77.7	69	17.94
1962	76.5	71	13.58	1992 1/	77.8	69	19.00
1963	76.7	64	37.91	1993 1/	77.1	69	5.84
1964	77.0	63	20.12	1994 1/	78.8	70	15.59
1965 2/	76.1	74	42.78	1995 1/	79.3	70	13.60
1966 2/	77.6	68	23.18	1996 1/	78.6	70	33.12
1967 2/	77.6	58	34.34	1997 1/	77.8	71	19.99
1968 2/	77.9	63	37.26	1998 1/	77.1	71	4.52
1969 2/	77.4	68	22.50	1999 1/	76.9	71	11.99
1970 2/	78.2	72	15.49	2000 1/	77.6	71	7.10
1971 2/	76.1	70	26.64	2001 1/	78.2	71	9.14
1972	76.2	65	26.94	2002 1/	77.9	71	12.18
1973	77.2	63	14.24	2003 1/	78.5	71	12.69
1974	77.5	61	24.02	2004 1/	78.7	71	39.01
1975	76.2	62	24.39	2005 1/	78.4	71	15.60
1976	76.8	60	12.90	2006 1/	77.1	71	29.45
1977	78.2	68	12.36	2007 1/	78.0	71	11.99
1978	76.8	69	25.05	2008 1/	78.3	71	14.76
1979	77.0	68	16.93	2009 1/	(NA)	71	11.55
1980 1/	77.4	68	26.90	2010 1/	77.5	71	17.40
1981 1/	77.1	68	13.41	2011 1/	78.3	71	15.69
1982 1/	76.9	67	34.92	2012 1/	77.2	71	8.58
1983 1/	77.2	67	5.03	2013 1/	77.1	71	16.18
1984 1/	78.1	67	17.08	2014 1/	78.2	71	20.82
1985 1/	76.9	67	17.38				
1986 1/	78.3	68	13.93				
1987 1/	77.9	68	23.53				
1988 1/	78.5	68	16.47				
1989 1/	77.5	68	27.52				

NA Not available.

1/ From 1980 on, data taken from "Normals, Means, and Extremes, Honolulu, HI" table, and represents a historic average rather than annual data.

2/ Site conditions produced distorted temperature measurements from 1965 to 1971.

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data, Annual Summary With Comparative Data, 2014*, "Average Temperature (°F), Honolulu, HI", "Normals, Means, and Extremes, Honolulu, HI", "Precipitation (inches), Honolulu, HI" (annual).

Table 5.49-- AVERAGE DAILY TEMPERATURE AND DAYS WITH MAXIMUM OF 90° OR HIGHER, FOR HONOLULU INTERNATIONAL AIRPORT: 1971 TO 2014

Year	Average daily maximum (°F)	Days 90° or higher	Year	Average daily maximum (°F)	Days 90° or higher
1971	82.7	-	2001	84.5	19
1972	83.2	3	2002	84.1	9
1973	84.4	10	2003	84.8	35
1974	85.0	25	2004	84.9	53
1975	83.6	1	2005	84.7	55
1976	84.1	9	2006	83.1	1
1977	85.2	16	2007	84.2	11
1978	84.2	13	2008	84.5	12
1979	84.7	51	2009	(NA)	31
1980	84.6	22	2010	84.0	1
1981	84.6	9	2011	84.6	8
1982	83.5	27	2012	83.4	-
1983	85.1	44	2013	83.6	3
1984	85.5	63	2014	84.4	40
1985	84.6	53			
1986	86.2	64			
1987	85.7	93			
1988	86.1	70			
1989	85.2	34			
1990	84.0	47			
1991	84.9	35			
1992	85.2	28			
1993	84.5	23			
1994	85.5	85			
1995	86.8	116			
1996	85.8	69			
1997	85.1	50			
1998	83.7	-			
1999	83.2	-			
2000	84.0	4			

NA Not available

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data, Annual Summary With Comparative Data 2014*, "Meteorological Data, Honolulu" (annual).

**Table 5.50-- CLIMATIC DATA FOR HONOLULU INTERNATIONAL
AIRPORT: 2001 TO 2014**

Year	Average temperature (°F) 1/			Extreme temp. (°F)		Precipitation (inches)
	Annual	Coolest month	Warmest month	Lowest	Highest	
2001	78.2	74.1	82.2	59	92	9.14
2002	77.9	73.1	82.2	60	90	12.18
2003	78.5	72.5	83.2	57	92	12.69
2004	78.7	73.6	82.8	60	92	39.01
2005	78.4	72.7	83.6	58	93	15.60
2006	77.1	72.1	81.2	60	90	29.45
2007	78.0	73.4	82.1	57	91	11.99
2008	78.3	73.6	82.2	62	90	14.76
2009	(NA)	72.5	82.5	58	92	11.55
2010	77.5	73.1	80.7	61	90	17.40
2011	78.3	73.4	81.5	59	90	15.69
2012	77.2	73.9	80.8	60	89	8.58
2013	77.1	72.9	81.2	59	90	16.18
2014	78.2	72.7	82.9	60	93	20.82

Year	Relative humidity (percent)		Wind speed (miles/hour)		Percent of possible sunshine	Days with precipitation .01 inch or more
	8 a.m.	2 p.m.	Annual average	Peak gust		
2001	73	58	11.3	(NA)	(NA)	84
2002	72	58	10.2	(NA)	(NA)	64
2003	71	56	10.5	(NA)	(NA)	87
2004	75	61	9.7	(NA)	(NA)	122
2005	71	55	10.6	(NA)	(NA)	90
2006	66	58	9.9	(NA)	(NA)	97
2007	63	54	11.1	(NA)	(NA)	83
2008	62	53	10.0	(NA)	(NA)	92
2009	62	54	10.2	(NA)	(NA)	74
2010	63	53	10.1	(NA)	(NA)	88
2011	66	56	10.1	(NA)	(NA)	108
2012	66	57	10.7	(NA)	(NA)	51
2013	65	56	9.4	(NA)	(NA)	83
2014	65	56	8.9	(NA)	(NA)	104

NA Not available.

1/ Average dry bulb (temperature of the ambient air).

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Local Climatological Data, Annual Summary With Comparative Data 2014*, "Meteorological Data, Honolulu, HI" (annual).

Table 5.51-- CLIMATIC DATA FOR THE PERIOD OF RECORD

Subject	Date	Place	Magnitude
Long-term averages:			
Lowest monthly average minimum temp. (°F)	February	Mauna Kea summit	23.5
Lowest monthly average daily temp. (°F)	February	Mauna Kea summit	31.3
Highest monthly average maximum temp. (°F)	September	Kawaihae 1/	91.9
Highest monthly average daily temp. (°F)	September	Kawaihae 1/	80.8
Lowest average annual rainfall (inches)	...	Kawaihae	8.7
Highest average annual rainfall (inches)	...	Waialeale	444
Single events:			
Lowest temperature of record (°F)	Jan. 20, 1970	Mauna Kea summit 2/	1.4
Highest temperature of record (°F)	April 27, 1931	Pahala	100
Lowest annual rainfall of record (inches)	1953	Kawaihae	0.2
Highest annual rainfall of record (inches)	1982	Waialeale	666
Highest wind speed of record (m.p.h.)	Sept. 11, 1992	Makahuena Pt. 3/	143

1/ Puukohola Heiau National Historical Site, Kawaihae, Hawaii.

2/ Recorded by Dr. Alfred Woodcock 60 meters inside the Mauna Kea summit cone, at 6:50 a.m. The rim at that time had a temperature of 39°F.

3/ Makahuena Point Coast Guard Station, Poipu, Kauai.

Source: Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, data provided February 14, 1995.

**Table 5.52-- RAINFALL AT SPECIFIED LOCATIONS:
2002 TO 2014**

[In inches]

Year	Hawaii				Maui		
	Hilo Airport	Lalamilo	Kona Village	Naalehu	Kahului Airport	Kihei	Lahaina
2002	134.03	18.01	9.70	59.15	15.07	13.33	(NA)
2003	91.38	1/ 12.37	5.66	1/ 25.71	13.83	11.58	(NA)
2004	137.49	29.99	19.97	2/ 47.56	26.17	26.38	(NA)
2005	123.32	15.58	14.90	1/ 25.01	2/ 15.45	10.88	(NA)
2006	122.02	10.61	9.68	1/ 71.26	18.65	16.49	(NA)
2007	106.75	16.39	12.45	42.46	13.06	14.61	(NA)
2008	127.53	7.43	7.74	1/ 48.43	9.55	5.84	(NA)
2009	131.18	2/ 9.41	6.99	4/ 23.20	14.07	7.33	(NA)
2010	63.29	8/ 0.25	5.55	8/ 0.51	9.44	4.68	(NA)
2011	97.66	8/ 0.36	3.29	6/ 11.49	1/ 10.59	7.42	(NA)
2012	90.94	5/ 1.04	1.50	7/ 18.73	5.04	2.17	(NA)
2013	102.24	9/ 0.90	4/ 4.29	1/ 27.02	15.41	1/ 6.76	(NA)
2014	115.24	7/ 11.83	13.64	1/ 52.87	23.25	17.97	(NA)

Year	Oahu				Kauai		
	Waikiki	University of Hawaii	Nuuanu Res. 4	Kane-ohe	Koloa	Lihue Airport	Princeville
2002	17.26	23.66	106.70	44.16	1/ 40.33	31.92	66.81
2003	23.09	1/ 24.36	111.33	50.75	2/ 31.06	35.78	74.82
2004	40.31	61.89	146.17	81.26	64.89	49.91	93.17
2005	19.26	36.45	1/ 79.09	58.24	4/ 22.35	27.61	79.95
2006	31.84	38.90	89.54	81.28	3/ 60.48	67.03	91.58
2007	27.30	1/ 33.81	1/ 93.06	45.19	43.52	24.37	72.09
2008	15.60	33.79	103.82	41.44	57.56	40.07	78.85
2009	11.56	24.22	1/ 88.12	52.50	1/ 30.99	26.63	82.53
2010	15.60	32.76	83.33	40.91	1/ 43.12	25.94	52.02
2011	23.74	1/ 29.87	93.76	1/ 52.56	3/ 39.64	42.67	83.11
2012	14.25	23.01	5/ 61.22	32.66	(10/)	41.12	73.40
2013	19.25	32.11	112.48	47.44	(10/)	37.15	62.28
2014	21.48	32.83	123.63	52.51	(10/)	30.94	70.73

Continued on next page.

**Table 5.52-- RAINFALL AT SPECIFIED LOCATIONS:
2002 TO 2014 -- Con.**

NA Not available.

1/ Missing 1 day.

2/ Missing 2 days.

3/ Missing 3 days.

4/ Missing 4 days.

5/ Missing 5 days.

6/ Missing 6 days.

7/ Missing 7 days.

8/ Missing 10 days.

9/ Missing 11 days.

10/ Missing 26 or more days.

Source: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Climatic Data Center, *Climatological Data, Annual Summary, Hawaii and Pacific* (annual); Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records; and University of Hawaii at Manoa, School of Ocean and Earth Science and Technology, Department of Meteorology, records.

Table 5.53-- MAJOR HURRICANES: 1950 TO 2014

Hurricane name	Date 1/	Islands most affected	Maximum recorded winds ashore (m.p.h.)		Deaths	Property damage (mil. dol.)
			Sustained	Peak gusts		
Hiki	Aug. 15-17, 1950	Kauai	68	(NA)	1	0.2
Della	Sept. 4, 1957	French Frigate Shoals	82	109	-	Minor
Nina	Dec. 1-2, 1957	Kauai	(NA)	92	1	0.1
Dot	Aug. 6, 1959	Kauai	81	103	-	5.5+
Fico	July 18-20, 1978	Hawaii	(NA)	58+	-	0.2
Iwa	Nov. 23, 1982	Kauai, Oahu	65	117	1	234.0
Estelle	July 22, 1986	Maui, Hawaii	(NA)	55	-	2.0
Iniki	Sept. 11, 1992	Kauai, Oahu	92	143	8	1,900

NA Not available.

1/ Period affecting the Hawaiian Islands.

Source: Samuel L. Shaw, *A History of Tropical Cyclones in the Central North Pacific and the Hawaiian Islands, 1832-1979* (U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Weather Service, September 1981); Hawaii State Department of Defense, Civil Defense Division, *Catalogue of Natural and Man-Caused Incidents and Disasters in the Hawaiian Islands* (December 1978); The Governor's Ad Hoc Committee on the Economic Impact of Hurricane Iwa, *Hurricane Iwa's Economic Impact on Hawaii* (January 1983); "The History of Hurricanes in Hawaii", *Honolulu Star-Bulletin*, July 18, 1983, p. A-5; "20-Foot Waves Hit Big Isle As Storm Brushes Coastline", *The Honolulu Advertiser*, July 23, 1986, pp. A1, A2; "Hawaii Hurricanes", *Honolulu Star-Bulletin*, August 4, 1988, p. A-8; Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, records; and University of Hawaii at Manoa, School of Ocean and Earth Science and Technology, Department of Meteorology, records.

**Table 5.54-- TRADE WINDS, HIGH SURF, AND TEMPERATURES
IN HAWAIIAN WATERS, BY MONTH**

Month	Trade wind frequency 1/ (percent)	Expected days of strong trade winds 2/	Highest surf 3/ (average number of days)		Water temperature 4/ (°F)	
			Flat or 1 foot	6 feet or more	Mean maximum	Mean minimum
Jan.	42	9	1	19	74.7	71.1
Feb.	55	7	1	16	75.6	70.3
March	61	10	1	12	76.5	71.8
April	74	10	3	7	77.7	73.0
May	86	7	8	3	79.5	74.7
June	91	7	15	-	81.1	77.7
July	95	10	16	-	81.1	78.3
Aug.	94	7	15	-	81.9	79.2
Sept.	83	4	10	2	81.9	78.4
Oct.	71	4	1	12	81.1	77.2
Nov.	64	8	-	19	79.3	74.5
Dec.	57	9	-	20	75.9	71.4
Annual	73	92	71	110	78.6	74.8

1/ Mean monthly frequency of trade winds in Hawaiian waters.

2/ Expected number of hazardous days in Hawaiian waters due to strong trade winds.

3/ Observations at Sunset Beach, Oahu. Annual averages were: flat or 1 foot, 71 days; 2-5 feet, 184 days; 6-10 feet, 71 days; 11-15 feet, 26 days; 16 feet or higher, 13 days.

4/ Observations at Kaneohe, Oahu. The mean ranged from 73.0 in January and February to 80.2 in August. Absolute maximums and minimums were respectively 84 (in July, August, and October) and 68 (December and February).

Source: Paul Haraguchi, *Weather in Hawaiian Waters* (Honolulu: Pacific Weather, Inc., 1979), pp. 14, 22, 56, and 74; and Hawaii State Department of Land and Natural Resources, Commission on Water Resource Management, data provided February 14, 1995.

**Table 5.55-- SUNRISE, SUNSET, AND HOURS OF DAYLIGHT AT
SELECTED LOCATIONS, AT BEGINNING OF EACH SEASON: 2015**

[Based on Hawaii-Aleutian Standard Time which is 10 hours less than Universal Time
Coordinated (UTC), the international standard for civil time]

Subject	Hilo	Kahului	Honolulu	Lihue
Sunrise (a.m.)				
March 20	6:24	6:30	6:35	6:42
June 21	5:43	5:46	5:50	5:55
Sept. 22	6:09	6:15	6:20	6:26
Dec. 21	6:50	6:58	7:04	7:12
Sunset (p.m.)				
March 20	6:31	6:37	6:42	6:49
June 21	7:02	7:10	7:16	7:24
Sept. 22	6:17	6:22	6:28	6:34
Dec. 21	5:47	5:50	5:55	5:59
Daylight (hours, minutes)				
March 20	12, 07	12, 07	12, 07	12, 07
June 21	13, 19	13, 24	13, 26	13, 29
Sept. 22	12, 08	12, 07	12, 08	12, 08
Dec. 21	10, 57	10, 52	10, 51	10, 47

Source: U.S. Naval Observatory, Astronomical Applications Department
<<http://aa.usno.navy.mil/data/docs/EarthSeasons.php>> and
<http://aa.usno.navy.mil/data/docs/RS_OneYear.php> accessed June 12, 2015; and
calculations by the Hawaii State Department of Business, Economic Development & Tourism.

**Table 5.56-- SUNRISE, SUNSET, AND HOURS OF DAYLIGHT AT
SELECTED LOCATIONS, AT BEGINNING OF EACH SEASON: 2016**

[Based on Hawaii-Aleutian Standard Time which is 10 hours less than Universal Time
Coordinated (UTC), the international standard for civil time]

Subject	Hilo	Kahului	Honolulu	Lihue
Sunrise (a.m.)				
March 19	6:25	6:30	6:36	6:42
June 20	5:42	5:46	5:50	5:55
Sept. 22	6:09	6:15	6:20	6:26
Dec. 21	6:51	6:58	7:05	7:12
Sunset (p.m.)				
March 19	6:31	6:37	6:42	6:49
June 20	7:02	7:10	7:16	7:24
Sept. 22	6:16	6:21	6:27	6:33
Dec. 21	5:47	5:50	5:55	6:00
Daylight (hours, minutes)				
March 19	12, 06	12, 07	12, 06	12, 07
June 20	13, 20	13, 24	13, 26	13, 29
Sept. 22	12, 07	12, 06	12, 07	12, 07
Dec. 21	10, 56	10, 52	10, 50	10, 48

Source: U.S. Naval Observatory, Astronomical Applications Department
<<http://aa.usno.navy.mil/data/docs/EarthSeasons.php>> and
<http://aa.usno.navy.mil/data/docs/RS_OneYear.php> accessed June 12, 2015; and
calculations by the Hawaii State Department of Business, Economic Development & Tourism.

Table 5.57-- HAWAII AUDUBON SOCIETY BIRD COUNTS OF MAJOR SPECIES IN THE HONOLULU AREA: 2008 TO 2012

[Counts are made in late December at various locations between Hawaii Kai and Aiea, and between Waimanalo and Kaneohe. Annual changes reflect differences in numbers of bird counters and counting time in the field, as well as changes in bird populations. Totals by species are also affected by the types of habitats studied]

Species	2008	2009	2010	2011	2012
Endemic species 1/					
'Apapane	7	4	6	50	8
Hawaiian Moorhen 2/	17	22	32	59	67
Hawaiian Stilt 2/	181	189	135	195	145
Oahu 'Amakihi	-	3	14	40	8
Oahu 'Elepaio	-	8	-	7	4
Indigenous species 3/					
Black-crowned Night Heron	-	49	45	44	54
Brown Booby	-	1	-	7	3
Great Frigatebird	-	2	9	40	39
Laysan Albatross	-	3	2	-	-
Red-footed Booby	347	333	568	875	522
White Tern	5	5	5	20	7
Alien species 4/					
Cattle Egret	165	167	169	161	185
Common Myna	725	772	580	1,257	814
Common Waxbill	215	705	270	1,340	1,189
House Finch	129	114	102	134	193
House Sparrow	99	122	91	156	199
Japanese White-eye	71	207	279	230	192
Java Sparrow	69	291	72	763	503
Northern Cardinal	19	36	40	132	52
Nutmeg Mannikin	7	94	5	98	186
Red-billed Leiothrix	17	45	-	113	112
Red-crested Cardinal	118	140	49	213	155
Red-vented Bulbul	35	491	390	561	492
Red-whiskered Bulbul	32	45	141	46	45
Rock Dove/Pigeon	125	711	203	377	464
Spotted Dove	302	347	319	584	292
White-rumped Shama	10	15	53	39	46
Yellow-fronted Canary	-	2	16	43	19
Zebra Dove	340	569	542	2,155	1,962

Continued on next page.

Table 5.57-- HAWAII AUDUBON SOCIETY BIRD COUNTS OF MAJOR SPECIES IN THE HONOLULU AREA: 2008 TO 2012 -- Con.

Species	2008	2009	2010	2011	2012
Visitor species 5/					
Mallard	55	106	65	11	24
Pacific Golden-Plover	553	594	432	530	518
Ruddy Turnstone	180	411	317	414	322
Sanderling	12	5	3	77	13
Wandering Tattler	20	34	16	13	26

1/ Birds peculiar to Hawaii, and found nowhere else.

2/ Endangered species.

3/ Native to Hawaii, but also found elsewhere.

4/ Formerly termed "introduced". Includes accidental escapes from captivity.

5/ Formerly termed "migratory". Includes stragglers and seasonal migrants.

Source: Hawaii Audubon Society, 'Elepaio, Volume 69, Number 5, "Results of Audubon's 109th Annual Christmas Bird Count", June/July 2009; Volume 70, Number 5, "Results of Audubon's 110th Annual Christmas Bird Count", June/July 2010; Volume 71, Number 5, "Results of Audubon's 111th Annual Christmas Bird Count", June/July 2011; Volume 72, Number 5, "National Audubon Society 112th Christmas Bird Count", September/October 2012, "National Audubon Society 113th Christmas Bird Count", November/December 2013, and Audubon, Christmas Bird Count <<http://netapp.audubon.org/CBCObservation/>> accessed November 12, 2013.

Table 5.58-- HAWAII AUDUBON SOCIETY BIRD COUNTS IN THE HONOLULU AREA, BY TYPE OF SPECIES: 2003 TO 2012

[Counts are made in late December of various locations between Hawaii Kai and Aiea, and between Waimanalo and Kaneohe. Annual changes reflect differences in numbers of bird counters and counting time in the field, as well as changes in bird populations. Totals by species are also affected by the types of habitats studied]

Year	Type of species				
	All species	Endemic	Indigenous	Alien	Visitor
2003	52	5	10	28	9
2004	56	4	9	31	12
2005	52	5	8	28	11
2006	55	5	13	27	10
2007	47	5	7	26	9
2008	40	3	5	22	10
2009	51	5	11	28	7
2010	46	4	8	27	7
2011	60	5	9	33	13
2012	54	5	7	28	14

Year	Number of individuals				
	All species	Endemic	Indigenous	Alien	Visitor
2003	8,105	183	778	6,069	1,075
2004	11,306	160	1,294	8,243	1,609
2005	7,007	106	1,143	4,673	1,085
2006	7,386	152	620	5,671	943
2007	5,021	149	695	3,445	732
2008	4,110	193	553	2,587	777
2009	6,963	149	656	5,102	1,056
2010	5,475	304	808	3,574	789
2011	11,807	512	1,242	8,985	1,068
2012	9,600	403	837	7,458	902

Source: Audubon, "Historical Results: Data for a Species" <<http://netapp.audubon.org/CBCObservation/Historical/ResultsByCount.aspx>> accessed on June 12, 2014; Robert L. Pyle, "Checklist of the Birds of Hawaii" <<http://www.hawaii.audubon.com/checklist/checklist2002.pdf>> accessed on June 22, 2010; and calculations by the Department of Business, Economic Development & Tourism.

Table 5.59-- BIRD SPECIES OF HAWAII: 2002

Type of species	Number
All species	1/ 333
Resident native: normally does not leave the islands	78
Alien, introduced: resident, does not leave the islands	58
Breeding in Hawaii: most individuals leave Hawaii when not breeding	13
Visitor: breeds elsewhere, occurs in Hawaii when not breeding	184
Endangered (or threatened): on the Federal List of Endangered Species	32

1/ Includes double counts for mallard and eurasian skylark, that were classified as alien and visitor.

Source: Hawaii Audubon Society, 'Elepaio, Volume 65, Number 5, "Checklist of the Birds of Hawaii - 2002", updated to March 31, 2005 <<http://www.hawaii-audubon.com/newsletter.html>> accessed October 24, 2005.

Table 5.60-- TREES ALONG STREETS OR IN PARKS UNDER THE JURISDICTION OF THE CITY AND COUNTY OF HONOLULU: 2009 to 2014

[As of June 30]

Location	2009	2010	2011	2012	2013	2014
Along City and County streets and highways 1/	138,800	139,200	139,300	143,400	142,700	143,281
In City and County parks	92,550	92,900	92,900	95,600	95,100	95,521

1/ Excludes Federal, State, and private thoroughfares.

Source: City and County of Honolulu, Department of Parks and Recreation, Urban Forestry, records.

Table 5.61-- THREATENED AND ENDANGERED SPECIES, FOR THE UNITED STATES AND HAWAII

[As of June 12, 2015]

Group	United States	Hawaii
Animal species	648	67
Amphibians	32	-
Arachnids	12	1
Birds	98	34
Clams	88	-
Corals	6	-
Crustaceans	25	2
Fishes	136	-
Insects	72	20
Mammals	98	1
Reptiles	35	4
Snails	46	5
Plant species	883	367
Conifers and cycads	3	-
Ferns and allies	30	16
Flowering plants	848	351
Lichens	2	-

Source: U.S. Fish & Wildlife Service, Threatened and Endangered Species System (TESS)
 <http://ecos.fws.gov/tess_public> accessed June 12, 2015.