

DAVID Y. IGE  
GOVERNOR  
STATE OF HAWAII

SHAN S. TSUTSUI  
LT GOVERNOR  
STATE OF HAWAII



FILE COPY

JOBIE M. K. MASAGATANI  
CHAIRMAN  
HAWAIIAN HOMES COMMISSION

JAN 08 2017

WILLIAM J. AILA, JR.  
DEPUTY TO THE CHAIRMAN

STATE OF HAWAII  
DEPARTMENT OF HAWAIIAN HOME LANDS

P. O. BOX 1879  
HONOLULU, HAWAII 96805

December 19, 2017

Scott Glenn, Director  
Office of Environmental Quality Control  
Department of Health, State of Hawai'i  
235 S. Beretania Street, Room 702  
Honolulu, Hawai'i 96813

RECEIVED  
16 DEC 27 P3:10  
OFFICE OF ENVIRONMENTAL  
QUALITY CONTROL

Dear Mr. Glenn:

Subject: Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements

With this letter, the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) hereby transmits the Final Environmental Assessment and Finding of No Significant Impact (FEA-FONSI) for the Proposed Kapa'akea Flood Mitigation Improvements Project, situated on five (5) DHHL Homestead lots identified by TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.), within the Kapa'akea Ahupua'a near Kaunakakai on the island of Molokai for publication in the next available edition of the Environmental Notice.

Enclosed is a completed OEQC Publication Form, one (1) copy of the FEA-FONSI, an Adobe Acrobat PDF file of the same, and an electronic copy of the publication form in MS Word. Simultaneously with this letter, we have submitted the summary of the action in a text file by electronic mail to your office. If there are any questions, please contact Gwendolyn Rivera at (808) 244-2015.

Aloha,

Jobie M.K. Masagatani, Chairman  
Hawaiian Homes Commission

- c: Nancy McPherson, DHHL Planning Office (w/one copy)  
Chad McDonald, Mitsunaga & Associates (w/one copy)  
Chris Ball, Mitsunaga & Associates  
Gwendolyn Rivera, Munekiyo Hiraga

## AGENCY PUBLICATION FORM

Project Name:	Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements
Project Short Name:	Kapa'akea Flood Mitigation Improvements
HRS §343-5 Trigger(s):	Use of State Lands and State Funds
Island(s):	Moloka'i
Judicial District(s):	Moloka'i
TMK(s):	(2)5-4-007:009 (por.), (2)5-4-007:010 (por.), (2)5-4-007:011 (por.), (2)5-4-007:024 (por.), (2)5-4-007:025 (por.)
Permit(s)/Approval(s):	National Pollutant Discharge Elimination System (NPDES) Permit, as applicable; Community Noise Permit, as applicable; Building and Grading Permits, as applicable; Special Flood Hazard Development Permit, as applicable
Proposing/Determining Agency:	State of Hawai'i, Department of Hawaiian Home Lands
Contact Name, Email, Telephone, Address	Nancy McPherson Email: Nancy.M.McPherson@hawaii.gov Phone: (808)620-9519 91-5420 Kapolei Parkway Kapolei, Hawai'i 96707
Accepting Authority:	(for EIS submittals only) Not Applicable
Contact Name, Email, Telephone, Address	
Consultant:	Munekiyo Hiraga
Contact Name, Email, Telephone, Address	Gwendolyn Rivera Email: planning@munekiyohiraga.com Phone: (808) 244-2015 305 High Street, Suite 104 Wailuku, Hawai'i 96793

**Status (select one)** DEA-AFNSI**Submittal Requirements**

Submit 1) the proposing agency notice of determination/transmittal letter on agency letterhead, 2) this completed OEQC publication form as a Word file, 3) a hard copy of the DEA, and 4) a searchable PDF of the DEA; a 30-day comment period follows from the date of publication in the Notice.

 FEA-FONSI

Submit 1) the proposing agency notice of determination/transmittal letter on agency letterhead, 2) this completed OEQC publication form as a Word file, 3) a hard copy of the FEA, and 4) a searchable PDF of the FEA; no comment period follows from publication in the Notice.

 FEA-EISPN

Submit 1) the proposing agency notice of determination/transmittal letter on agency letterhead, 2) this completed OEQC publication form as a Word file, 3) a hard copy of the FEA, and 4) a searchable PDF of the FEA; a 30-day comment period follows from the date of publication in the Notice.

 Act 172-12 EISPN  
("Direct to EIS")

Submit 1) the proposing agency notice of determination letter on agency letterhead and 2) this completed OEQC publication form as a Word file; no EA is required and a 30-day comment period follows from the date of publication in the Notice.

 DEIS

Submit 1) a transmittal letter to the OEQC and to the accepting authority, 2) this completed OEQC publication form as a Word file, 3) a hard copy of the DEIS, 4) a searchable PDF of the DEIS, and 5) a searchable PDF of the distribution list; a 45-day comment period follows from the date of publication in the Notice.

- FEIS Submit 1) a transmittal letter to the OEQC and to the accepting authority, 2) this completed OEQC publication form as a Word file, 3) a hard copy of the FEIS, 4) a searchable PDF of the FEIS, and 5) a searchable PDF of the distribution list; no comment period follows from publication in the Notice.
- FEIS Acceptance Determination The accepting authority simultaneously transmits to both the OEQC and the proposing agency a letter of its determination of acceptance or nonacceptance (pursuant to Section 11-200-23, HAR) of the FEIS; no comment period ensues upon publication in the Notice.
- FEIS Statutory Acceptance Timely statutory acceptance of the FEIS under Section 343-5(c), HRS, is not applicable to agency actions.
- Supplemental EIS Determination The accepting authority simultaneously transmits its notice to both the proposing agency and the OEQC that it has reviewed (pursuant to Section 11-200-27, HAR) the previously accepted FEIS and determines that a supplemental EIS is or is not required; no EA is required and no comment period ensues upon publication in the Notice.
- Withdrawal Identify the specific document(s) to withdraw and explain in the project summary section.
- Other Contact the OEQC if your action is not one of the above items.

**Project Summary**

Provide a description of the proposed action and purpose and need in 200 words or less.

The State of Hawai'i, Department of Hawaiian Home Lands (DHHL) proposes a flood mitigation project within Kapa'akea Ahupua'a in Kaunakakai, Moloka'i to protect five (5) DHHL Homestead lots which are subject to flooding during periods of heavy rainfall. The proposed project involves the removal of an existing chain link fence and concrete masonry unit (CMU) wall. A new 4-foot high CMU wall and swale are proposed for installation as a flood barrier along the north- and west-facing boundaries of the five (5) DHHL Homestead lots. The proposed CMU wall is approximately 700 feet in total length, including a roughly north-south portion and roughly east-west portion, and will terminate approximately 60 feet mauka of the shoreline. The project area includes a shoreline-fronting lot, and is located within the County of Maui's Special Management Area (SMA). However, as the project will be undertaken directly by DHHL on lands owned by DHHL, the County of Maui, Department of Planning concurred with DHHL that a SMA Permit is not required.

# **Final Environmental Assessment**

## **PROPOSED DEPARTMENT OF HAWAIIAN HOME LANDS KAPA‘AKEA FLOOD MITIGATION IMPROVEMENTS MOLOKA‘I, HAWAI‘I**

Prepared for:

State of Hawai‘i

Department of Hawaiian Home Lands

December 2016

Copyright © 2016,  
by Munekiyo Hiraga

# **Final Environmental Assessment**

## **PROPOSED DEPARTMENT OF HAWAIIAN HOME LANDS KAPA‘AKEA FLOOD MITIGATION IMPROVEMENTS MOLOKA‘I, HAWAI‘I**

Prepared for:

State of Hawai‘i

Department of Hawaiian Home Lands

December 2016

Copyright © 2016,  
by Munekiyo Hiraga



**MUNEKIYO HIRAGA**



# CONTENTS

	<u>Page</u>
LIST OF ACRONYMS.....	iv
Executive Summary.....	v
I. PROJECT OVERVIEW.....	1
A. PROJECT LOCATION, EXISTING USE AND OWNERSHIP.....	1
B. PROJECT NEED.....	1
C. PROPOSED ACTION.....	4
D. LAND USE ENTITLEMENTS AND REGULATORY APPROVALS.....	7
E. PROJECT FUNDING AND SCHEDULING.....	7
II. DESCRIPTION OF THE EXISTING ENVIRONMENT, POTENTIAL IMPACTS AND PROPOSED MITIGATION MEASURES.....	8
A. PHYSICAL SETTING.....	8
1. Surrounding Land Uses.....	8
2. Climate, Topography and Soils.....	9
3. Flood and Tsunami Hazards.....	14
4. Sea Level Rise.....	18
5. Flora and Fauna.....	19
6. Marine Biological Resources.....	21
7. Historical and Archaeological Resources.....	22
8. Cultural Assessment.....	26
9. Air and Noise Quality.....	31
10. Streams and Wetlands.....	32
11. Water Quality.....	34
12. Scenic and Open Space Resources.....	35
13. Traditional Beach and Mountain Access.....	35
B. SOCIO-ECONOMIC ENVIRONMENT.....	36
1. Population and Economy.....	36
C. PUBLIC SERVICES.....	37
1. Police and Fire Protection.....	37
2. Medical Facilities.....	37
3. Solid Waste.....	38
4. Recreational Resources.....	38
5. Educational Facilities.....	39
D. INFRASTRUCTURE.....	40
1. Roadways.....	40
2. Water System.....	41
3. Wastewater System.....	41
4. Drainage.....	42
5. Electrical, Telephone, and Cable Television.....	44
E. CUMULATIVE AND SECONDARY IMPACTS.....	45
III. RELATIONSHIP TO LAND USE PLANS, POLICIES, AND CONTROLS.....	47
A. STATE LAND USE DISTRICTS.....	47
B. CHAPTER 226, HRS, HAWAI'I STATE PLAN.....	47
C. GENERAL PLAN OF THE COUNTY OF MAUI.....	49
D. MOLOKA'I COMMUNITY PLAN.....	52

E.	ZONING.....	54
F.	SPECIAL MANAGEMENT AREA .....	54
G.	HAWAI'I COASTAL ZONE MANAGEMENT PROGRAM - OBJECTIVES AND ENFORCEABLE POLICIES.....	54
	1. Recreational Resources .....	55
	2. Historic Resources.....	56
	3. Scenic and Open Space Resources.....	57
	4. Coastal Ecosystems .....	57
	5. Economic Uses .....	58
	6. Coastal Hazards .....	59
	7. Managing Development .....	60
	8. Public Participation .....	61
	9. Beach Protection.....	61
	10. Marine Resources .....	62
IV.	SUMMARY OF ADVERSE ENVIRONMENTAL EFFECTS WHICH CANNOT BE AVOIDED.....	64
V.	ALTERNATIVES TO THE PROPOSED ACTION .....	65
A.	PREFERRED ALTERNATIVE .....	65
B.	DEFERRED OR NO ACTION ALTERNATIVE .....	65
C.	DESIGN ALTERNATIVES .....	65
	1. Sandbag Alternative .....	65
	2. Drainage Ditch Alternative.....	66
	3. Earthen Berm Alternative .....	66
VI.	IRREVERSIBLE AND IRRETRIEVABLE COMMITMENT OF RESOURCES .....	67
VII.	SIGNIFICANCE CRITERIA ASSESSMENT .....	68
VIII.	LIST OF PERMITS AND APPROVALS .....	73
IX.	PARTIES CONSULTED DURING THE PREPARATION OF THE DRAFT ENVIRONMENTAL ASSESSMENT; LETTERS RECEIVED AND RESPONSES TO SUBSTANTIVE COMMENTS.....	74
X.	PARTIES CONSULTED DURING THE PREPARATION OF THE FINAL ENVIRONMENTAL ASSESSMENT; LETTERS RECEIVED DURING THE 30-DAY PUBLIC COMMENT PERIOD; AND RESPONSES TO SUBSTANTIVE COMMENTS .....	185
XI.	REFERENCES.....	326

K:\DATA\MA\10DHL KAPAAKEA EA 1900\APPLICATIONS\FINAL EA\FINAL EA.REPORT.DOCX



# LIST OF FIGURES

	<u>Page</u>
<b>Figure 1.</b> Regional Location Map.....	2
<b>Figure 2.</b> Project Location Map.....	3
<b>Figure 3.</b> Site and Grading Plan (Parcels 9, 10, 11 and 24).....	5
<b>Figure 4.</b> Site and Grading Plan (Parcel 25).....	6
<b>Figure 5.</b> Soil Association Map.....	10
<b>Figure 6.</b> Soils Classification Map.....	12
<b>Figure 7.</b> Agricultural Lands of Importance to the State of Hawai'i.....	13
<b>Figure 8.</b> Flood Insurance Rate Map.....	15
<b>Figure 9.</b> Tsunami Evacuation Map.....	17
<b>Figure 10.</b> Previous Archaeological Survey Sites.....	25
<b>Figure 11.</b> Mauka Property Owners.....	43
<b>Figure 12.</b> State Land Use District Map.....	48
<b>Figure 13.</b> Moloka'i Community Plan.....	53

# LIST OF APPENDICES

<b>Appendix A.</b>	Engineering Report
<b>Appendix B.</b>	Project Plans
<b>Appendix C.</b>	Communication from Planning Department that County has No Jurisdiction in SMA
<b>Appendix D.</b>	Real Property Tax Certification of Field Book Land Sheet (Parcel 9)
<b>Appendix E.</b>	Flora and Fauna Survey
<b>Appendix F.</b>	Archaeological Assessment Report
<b>Appendix F-1.</b>	State Historic Preservation Division Approval Letter for Archaeological Assessment Report
<b>Appendix G.</b>	Cultural Impact Assessment Report
<b>Appendix H.</b>	Wetland Study
<b>Appendix H-1.</b>	Revised Wetland Study

# LIST OF ACRONYMS

AFNSI	Anticipated Finding of No Significant Impact
ALISH	Agricultural Lands of Importance to the State of Hawaii
ASL	Above Sea Level
BMPs	Best Management Practices
cfs	Cubic feet per second
CIA	Cultural Impact Assessment
CMU	Concrete Masonry Unit
cy	Cubic yards
DHHL	Department of Hawaiian Home Lands
DLNR	Department of Land and Natural Resources
DOH	Department of Health
EA	Environmental Assessment
FEMA	Federal Emergency Management Agency
FIRM	Flood Insurance Rate Map
FONSI	Finding of No Significant Impact
HCZMP	Hawai'i Coastal Zone Management Program
HAR	Hawai'i Administrative Rules
HRS	Hawai'i Revised Statutes
KMW	Kealia Silt Loam
LCA	Land Commission Awards
LSB	Land Study Bureau
MECO	Maui Electric Company, Ltd
MmA	Mala Silty Clay
MPC	Molokai Planning Commission
NOAA	National Oceanic and Atmospheric Administration
NPDES	National Pollutant Discharge Elimination System
Oceanic	Oceanic Time Warner Cable
OEQC	Office of Environmental Quality Control
SCS	Scientific Consulting Services, Inc.
SHPD	State Historic Preservation Division
SLUC	State Land Use Commission
SMA	Special Management Area
TMK	Tax Map Key
USACE	U.S. Army Corps of Engineers
USGS	U.S. Geological Survey

## **Executive Summary**

<b>Project Name:</b>	Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements
<b>Type of Document:</b>	Final Environmental Assessment
<b>Legal Authority:</b>	Chapter 343, Hawai'i Revised Statutes
<b>Agency Determination:</b>	Finding of No Significant Impact (FONSI)
<b>Applicable Environmental Assessment review "Trigger":</b>	Use of State Lands and Funds
<b>Location:</b>	Island of Moloka'i South of Kamehameha V Highway Kaunakakai, Moloka'i, Hawai'i Kapa'akea Ahupua'a Tax Map Key (TMK) (2)5-4-007:009 TMK (2)5-4-007:010 TMK (2)5-4-007:011 TMK (2)5-4-007:024 and TMK (2)5-4-007:025
<b>Proposing and Determining Agency:</b>	State of Hawai'i Department of Hawaiian Home Lands Hale Kalaniana'ole 91-5420 Kapolei Parkway Kapolei, Hawai'i 96707 Contact: Nancy McPherson, Planner Phone No.: (808)620-9519
<b>Consultant:</b>	Munekiyo Hiraga 305 High Street, Suite 104 Wailuku, Hawai'i 96793 Contact: Gwendolyn Rivera Phone: (808) 244-2015

**Project Summary:**

The State of Hawai'i, Department of Hawaiian Home Lands (DHHL) proposes to plan, design, and construct the Kapa'akea Flood Mitigation Improvement project in Kaunakakai, Moloka'i. The proposed project involves the removal and demolition of the existing chainlink fence and stacked rubble wall. The new approximately 4-foot high Concrete Masonry Unit (CMU) wall is proposed for installation within the west and north boundaries of five (5) DHHL Homestead lots identified as TMK (2)5-4-007:009 (Parcel 9); (2)5-4-007:010 (Parcel 10); (2)5-4-007:011 (Parcel 11); (2)5-4-007:024 (Parcel 24); and (2)5-4-007:025 (Parcel 25). A swale will also be installed on both sides of the new CMU wall. The proposed CMU wall is estimated to traverse a length of approximately 700 linear feet total and will terminate at a location approximately 60 feet mauka of the shoreline. The improvements are proposed as flood barriers to protect DHHL Homestead lots during periods of heavy rainfall events.

The proposed project will be funded by State of Hawai'i, DHHL and will involve work within DHHL homestead lands. The use of State lands and funds are triggers for the preparation of an Environmental Assessment (EA) pursuant to Chapter 343, Hawai'i Revised Statutes (HRS), and Title 11, Chapter 200, Hawai'i Administrative Rules (HAR). The proposing and determining agency for the EA will be the State of Hawai'i DHHL.

Parcels 9, 10, 11, 24, and 25 are located within the County of Maui's Special Management Area (SMA). As the project will be undertaken directly by DHHL, the County of Maui does not have jurisdiction and, as such, the project does not require a SMA Use Permit or other SMA approval.

Parcel 9 is a shoreline fronting parcel, and based on certified Real Property Tax records, was established on April 27, 1950, which is prior to the enactment of the Shoreline Setback Rules of the Moloka'i Planning Commission. It is noted that based on the determination of no jurisdiction by the Planning Department, the Shoreline Rules are not applicable to the project.

# PROJECT OVERVIEW



# I. PROJECT OVERVIEW

## A. PROJECT LOCATION, EXISTING USE AND OWNERSHIP


The proposed project site is located in Kaunakakai and within Kapa'akea Ahupua'a on the south-central coast of the island of Moloka'i, south of Maunaloa Highway and Kamehameha V Highway. See **Figure 1**. Kaunakakai is the largest town on the island of Moloka'i and serves as the center of population, commerce, and government. The town contains a variety of small shops and restaurants. Maui County offices, the State public library, and Moloka'i District Court are all located in Kaunakakai. Single-family residences surround the commercial core of Kaunakakai town, with the island's main harbor (Kaunakakai Harbor) and ferry terminal located on the edge of the town. Kamehameha V Highway is the main arterial roadway that accesses the town and connects the various industrial, commercial, public use, and residential areas along the coastline.

Approximately a mile eastward of Kaunakakai and beyond the Maui Community College are the Department of Hawaiian Home Lands (DHHL) Kapa'akea Residential Homestead lots. For purposes of the proposed project, there are five (5) DHHL Homestead lots located in the vicinity of Kapa'akea Loop Road, makai of Kamehameha V Highway. Each lot is occupied by lessees (resident beneficiaries) of Hawaiian Home Lands. The lots are identified as Tax Map Keys (TMK) (2)5-4-007:009 (Parcel 9); (2)5-4-007:010 (Parcel 10); (2)5-4-007:011 (Parcel 11); (2)5-4-007:024 (Parcel 24); and (2)5-4-007:025 (Parcel 25); collectively totaling approximately 2.5 acres hereafter referred to as "project site". See **Figure 2**. Adjacent to the subject lots is the Kōheo wetland area, which is located on property owned by Goodfellow Brothers. To protect these five (5) DHHL Homestead lots from flooding during storm events, mitigation improvements are proposed.

The project site is located in the State "Urban" district and is designated for "SF, Single Family" use by the Moloka'i Community Plan. The County Zoning designation is "Interim". The subject parcels are owned by the State of Hawai'i, Department of Hawaiian Home Lands (DHHL), therefore, the Hawaiian Homes Commission has jurisdiction over land use. The DHHL Moloka'i Island Plan designates the parcels as "R, Residential", subject to residential homestead leases.

## B. PROJECT NEED

The DHHL 2005 Moloka'i Island Plan discusses that residents of the Homestead lots experience severe flooding events on an annual basis due to their location in the coastal area. See **Appendix "A"**, Engineering Report. The proposed project is intended to address and mitigate the stormwater flow impacts in this area as recognized in the plan.




Source: DeLorme Topo Quads

Figure 1 Proposed Department of Hawaiian Home Lands  
Kapa'akea Flood Mitigation Improvements  
Regional Location Map

NOT TO SCALE





Source: County of Maui, 2011

**Figure 2 Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements Project Location Map**





In 1976, the U.S. Army Corps of Engineers assessed the installation of a diversion ditch north of the Kamehameha V Highway and improvements to the drainage channel under the Kamehameha V Highway leading into the Kapa'akea Makai DHHL neighborhood, however, funding has not been allocated for these improvements. The Final Environmental Statement (1976) for that drainage project states that the most significant flood occurred during October 31<sup>st</sup> through early November in 1961, when the DHHL Homestead lots were inundated by approximately two (2) feet of water, which deposited approximately one (1) foot of mud on the lots. During the height of that storm, Kamehameha V Highway was under three (3) feet of water. The source of flooding is Kamiloloa Gulch and the subject lots are near the mouth of Kamiloloa Stream. Refer to **Appendix "A"**, Engineering Report.


To protect the existing residences located on the subject lots, DHHL proposes flood mitigation measures. See **Appendix "B"**, Project Plans. The proposed improvements would meet the need to protect the DHHL Homestead lots from flooding conditions during storm events.

### **C. PROPOSED ACTION**

DHHL proposes to design and construct the Kapa'akea Flood Mitigation Improvements project in Kaunakakai. The proposed project involves the removal and demolition of the existing chainlink fence and stacked rubble wall. A new, approximately 4-foot high CMU wall with swale (on both sides) is proposed for installation within the west and north boundaries of five (5) DHHL Homestead lots identified as Parcel 9, Parcel 10, Parcel 11, Parcel 24, and Parcel 25. See **Figure 3** (Parcels 9, 10, 11, and 24) and **Figure 4** (Parcel 25). Refer to **Appendix "B"**, Project Plans. The proposed improvements will encompass an area of 0.17 acre along the edge of the DHHL Homestead lots. The proposed CMU wall consists of an approximately 520-foot western segment and a 180-foot segment on the north, facing Kamehameha V Highway. The CMU wall is estimated to traverse a total length of approximately 700 linear feet and will terminate at a location approximately 60 feet mauka of the shoreline. Refer to **Appendix "B"**. The proposed project will divert the runoff from Kamehameha V Highway to the existing Kōheo wetland to the west and serve as a barrier to prevent stormwater flow from the wetland onto the subject lots during storm events.

The project storm drain system will be designed to comply with the latest County of Maui Rules for the Design of Storm Drainage Facilities in the County of Maui.

KEY	
-----	Property Line
-----	Limits of Construction and Disturbed Area
—6—	Finished Grade Contour
-----	Shoreline




Source: Mitsunaga & Associates, Inc.

Figure 3 Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements Site and Grading Plan (Parcels 9, 10, 11 and 24)

NOT TO SCALE



KEY	
---	Property Line
- - - - -	Limits of Construction and Disturbed Area
— 2 —	Finished Grade Contour



Source: Mitsunaga & Associates, Inc.

Figure 4 Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements Site and Grading Plan (Parcel 25) NOT TO SCALE



#### **D. LAND USE ENTITLEMENTS AND REGULATORY APPROVALS**

The proposed project will be funded by the State of Hawai'i, DHHL and will involve work within the DHHL homestead lands. The use of State funds and State lands are triggers for the preparation of an Environmental Assessment (EA) pursuant to Chapter 343, Hawai'i Revised Statutes (HRS), and Title 11, Chapter 200, Hawai'i Administrative Rules (HAR).

The EA will provide an analysis of potential environmental impacts associated with the flood mitigation improvements. The proposing and determining agency for the EA will be the State of Hawai'i, DHHL.

Parcels 9, 10, 11, 24, and 25 are located within the County of Maui's Special Management Area (SMA). As the project will be undertaken directly by DHHL on DHHL owned parcels, the County of Maui, Department of Planning determined that the five (5) DHHL Homestead lots are not within the County of Maui's Special Management Area (SMA) jurisdiction. As such, a SMA permit or approval is not required by the Department of Planning. See **Appendix "C"**, Communication from the Department of Planning.

Parcel 9 is a shoreline fronting parcel, and based on certified Real Property Tax records, was established on April 27, 1950, which is prior to the enactment of the Shoreline Setback Rules of the Moloka'i Planning Commission. See **Appendix "D"**. It is noted that based on the determination of no jurisdiction by the Planning Department, that the Shoreline Rules are not applicable for the proposed project. DHHL analyzed the proposed action and voluntarily applied the average lot depth method to the homestead parcel which abuts the shoreline. The minimum shoreline setback from the surveyed shoreline is approximately 60 feet, therefore, the project meets the purpose and intent of the Moloka'i Shoreline Rules and Chapter 205-A, particularly for the goals and objectives under Coastal Ecosystems, Coastal Hazards and Managing Development.

#### **E. PROJECT FUNDING AND SCHEDULING**

Construction costs for the proposed project is estimated at approximately \$308,920.00. Construction would take approximately four (4) months to complete. DHHL anticipates initiating construction of the project, after securing all necessary permits.

**DESCRIPTION OF THE EXISTING  
ENVIRONMENT, POTENTIAL  
IMPACTS AND PROPOSED  
MITIGATION MEASURES**



## II. DESCRIPTION OF THE EXISTING ENVIRONMENT, POTENTIAL IMPACTS AND PROPOSED MITIGATION MEASURES

### A. PHYSICAL SETTING

#### 1. Surrounding Land Uses

##### a. Existing Conditions

Kaunakakai is the largest town on the island of Moloka'i and serves as the center of population, commerce, and government. The main street of the town is centered on Ala Malama Avenue and contains a variety of small shops and restaurants. Maui County offices, the public library, and district court are all located in Kaunakakai. Single-family residences surround the commercial core of the town. Kaunakakai Harbor, the island's main harbor, and Kaunakakai Ferry Terminal are located at the edge of the town.

The proposed project is located on portions of five (5) DHHL Homestead lots Parcel 9, Parcel 10, Parcel 11, Parcel 24, and Parcel 25. Refer to **Figure 2**. The Homestead lots with residential homes are located approximately one (1) mile east of Kaunakakai Town and makai of Kamehameha V Highway. The lots are accessed via Kapa'akea Loop Road and are currently occupied by Hawaiian Homestead beneficiaries. Parcels 9, 10, and 11 contain homes that were constructed in the early 1950s. Parcel 24 contains a home built in the early 1960s, and Parcel 25 has a home built in the early 1990s.

The subject lots are part of the Hawaiian Homestead development in the area, with Parcel 9 abutting the shoreline. The subject lots are bordered to the north by Kamehameha V Highway, the main arterial roadway through Kaunakakai and adjacent to a vacant, wetland area to the west.

The project site is located in the State "Urban" district and is designated for "SF, Single Family" use by the Moloka'i Community Plan. The County zoning designation is "Interim". The DHHL Moloka'i Island Plan land use designation is "R, Residential", and the lots are subject to the terms and conditions of residential homestead leases.

**b. Potential Impacts and Proposed Mitigation Measures**

The proposed flood mitigation project will be limited to work within the north and west borders of the five (5) Homestead lots, and involves the removal of the existing chainlink fence and stacked rubble wall, and installation of a new CMU wall and swale and includes the implementation of Best Management Practices (BMPs) during construction. The project will provide necessary improvements that will mitigate existing stormwater runoff conditions that have contributed to flooding in the area during heavy rains. As such, the proposed improvements are not anticipated to adversely impact surrounding land uses.

**2. Climate, Topography and Soils**

**a. Existing Conditions**

Hawai'i's tropical location results in uniform weather conditions throughout the year. Climatic conditions on Moloka'i are characterized by mild and consistent year round temperatures, moderate humidity and steady northeasterly tradewinds. Variations in Moloka'i's weather are attributed to regional topographic and climatic conditions.


The proposed drainage system improvements will be located in Kaunakakai, on the southern slopes of the island of Moloka'i. The topography along the drainage corridor of the project is low and flat. Average annual rainfall in 2013 was approximately 15.10 inches in Kaunakakai. At the upper reaches of the watershed, there is greater rainfall, which averaged approximately 18.96 inches in 2013 at Moloka'i Airport. The months of October through March are typically the wetter periods of the year, with April through September being typically the drier months. Mean temperatures in the area range from 69.8 degrees Fahrenheit in March to 78.1 degrees Fahrenheit in September (Maui County Data Book, 2014).

Wind conditions are predominantly characterized by northeasterly tradewinds. However, as these winds round the eastern tip of the island and veer west at the southern coast, they blow in an easterly direction.

Underlying the proposed project site are soils belonging to the Jaucas-Mala-Pulehu Association. See **Figure 5**. The Jaucas-Mala-Pulehu Association is characterized by deep, nearly level and gently sloping, excessively drained and well-drained soils that have coarse-textured to fine-textured underlying material. It consists of soils that formed in alluvium

# LEGEND

- |   |                                   |   |                                                 |
|---|-----------------------------------|---|-------------------------------------------------|
| ① | Jaucas-Mala-Pulehu Association    | ④ | Very stony land-Rock land Association           |
| ② | Molokai-Lahaina Association       | ⑤ | Rough broken land-Oli Association               |
| ③ | Kahanui-Kalae-Kanepuu Association | ⑥ | Rough mountainous land-Amalu-Olokui Association |



Source: U.S. Department of Agriculture, Soil Conservation Service

Figure 5 Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements Soil Association Map NOT TO SCALE



Prepared for: State of Hawai'i, Department of Hawaiian Home Lands






and coral sand and vary widely in texture and drainage. The elevation ranges from sea level to 250 feet.

The specific soil types underlying the project site belong to the Kealia Silt Loam (KMW) series and Mala (MmA) series. See **Figure 6**.

Kealia Silt Loam soil is poorly drained and has a high salt content. The soil has a brackish water table which is nearer the surface along the shoreline. Permeability is moderately rapid and runoff is slow to very slow. The slope ranges from 0 to 1 percent. This soil is used for wildlife habitat and pasture, but has low grazing value. It is not used for crops due to poor drainage and high salt content. Small areas are used for urban development. The Mala series consists of well-drained soil associated with drainageways and alluvial fans. Permeability is moderate, runoff is slow, and erosion hazard is slight. Slopes range from 0 to 3 percent. This soil is used for pasture, certain crops and orchards, and wildlife habitat (U.S. Department of Agriculture Soil Conservation Service, 1972).

The State Department of Agriculture has established three (3) categories of Agricultural Lands of Importance to the State of Hawai'i (ALISH). The ALISH system classifies lands into "Prime", "Unique", and "Other Important Agricultural Land". The remaining lands are "Unclassified". Utilizing modern farming methods, "Prime" agricultural lands have the soil quality, growing season, and moisture supply needed to produce sustained crop yields economically, while "Unique" agricultural lands possess a combination of soil quality, location, growing season, and moisture supply currently used to produce sustained high yields of a specific crop. "Other Important Agricultural Land" includes those which have not been rated as "Prime" or "Unique". The proposed flood mitigation improvements are located on lands that are not classified within the ALISH rating system. See **Figure 7**. It is noted that the University of Hawai'i, Land Study Bureau classified the lands in the project area as "E49", the lowest productivity rating for agricultural use (University of Hawai'i, 1967).

It is noted that climate change is topic of discussion with global implications. Research into the causes and effects as well as mitigation measures for climate change are ongoing on many levels of governmental, institutional and private research. One (1) of the potential impacts of climate change



Source: United States Dept. of Agriculture, Soil Conservation Service; 1972

**Figure 6** Proposed Department of Hawaiian Home Lands  
 Kapa'akea Flood Mitigation Improvements  
 Soils Classification Map


NOT TO SCALE



Prepared for: State of Hawai'i, Department of Hawaiian Home Lands



MA1DHHL Kapaakea EA 1900\Applications\Figures\Soil.FEA



Source: State of Hawai'i, Department of Agriculture

**Figure 7** Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements Agricultural Lands of Importance to the State of Hawai'i



includes sea level rise. Sea level rise relative to the proposed project is discussed later in this chapter.

DHHL has been participating in the Interagency Climate Adaptation Committee process and is in the process of implementing measures to increase community resilience and climate change adaptability in homestead communities that are vulnerable to the effects of sea level rise.

**b. Potential Impacts and Proposed Mitigation Measures**

The proposed action is not anticipated to adversely impact existing climatic conditions in the region. Construction of the proposed improvements involve grading. The graded area is approximately 0.20-acre, with excavation of 100 cubic yards (cy) and embankment of 10 cy. The disturbed area is estimated at 0.33-acre. Refer to **Appendix "B"**, Sheet C-4 of Project Plans. The project design incorporates the existing hydrology and natural filtering process of the adjacent wetlands to mitigate significant adverse impacts. Further minimizing impact is a project design that confines the footprint to 0.17 acre. As such, significant adverse impact to existing soil conditions is not anticipated.


The proposed mitigation project is intended to protect Homestead lots during storm events and address flooding on these properties.

The project site is located adjacent to the ocean, however, given the proposed scope of the project and its purpose to provide flood mitigation for existing residents, it is not anticipated to have an impact relative to climate change. As previously noted, climate change is of global importance. DHHL supports the study of impacts of climate change and particularly for the DHHL Kapa'akea Homestead, the potential for sea level rise in the future.

**3. Flood and Tsunami Hazards**

**a. Existing Conditions**

According to the Flood Insurance Rate Maps (FIRMs) developed by the Federal Emergency Management Agency (FEMA), Parcel 25, (FIRM Panel Map 1500030193F), is located in Flood Zone AE. A small corner of Parcel 24 (FIRM Panel No. 1500030193F) is located in Zone VE with a majority of the parcel in Zone AE. Portion of Parcels 10 and 11 (FIRM Panel Map 1500030193F) are located in Zone AE and Zone VE. Parcel 9 (FIRM Panel Map 1500030189F) is located in Zone VE. See **Figure 8**. Flood Zone AE



Source: FEMA, (November 4, 2015) Map #1500030193F/1500030189F

**Figure 8** Proposed Department of Hawaiian Home Lands  
 Kapa'akea Flood Mitigation Improvements  
 Flood Insurance Rate Map



Prepared for: State of Hawai'i, Department of Hawaiian Home Lands



is in the portions of the project area represents a special flood hazard area that is subject to flooding by the 1-percent annual chance flood with a base flood elevation of 10 feet. Flood Zone VE represents coastal areas with a base flood elevation of 12 feet and a one (1) percent or greater chance of flooding and additional hazard associated with storm waves. A County of Maui Flood Development Permit will be obtained, as may be applicable to the project.


The DHHL Homestead parcels are identified on the tsunami evacuation maps developed by the State Civil Defense Agency. See **Figure 9**. It is noted that the proposed project involves the installation of a new CMU wall and swale, and removal of the existing chainlink fence and stacked rubble wall, which are non-habitable elements on the parcels.

As previously discussed in Chapter I of this Final EA, residents of the DHHL Homestead lots experience severe flooding events on an annual basis due to the location of these lots within the coastal area. The onsite flow is attributed to the stormwater that falls on each lot in addition to the offsite stormwater that overflows from Kamiloloa Stream. Refer to **Appendix "A"**, Engineering Report.

In 1976, the U.S. Army Corps of Engineers (USACE) assessed the installation of a diversion ditch north of the Kamehameha V Highway and improvements to the drainage channel under the highway leading in the Kapa'akea Makai DHHL neighborhood, however, funding has not been allocated for these improvements. The Final Environmental Statement (1976) for the USACE drainage project states that the most significant flood occurred during October 31st through early November in 1961 when the DHHL Homestead lots were inundated by approximately two (2) feet of water, which deposited approximately one (1) foot of mud on the lots. During the height of that storm, Kamehameha V Highway was under three (3) feet of water. Refer to **Appendix "A"**, Engineering Report.

As previously noted, Parcel 9 is a shoreline fronting parcel, and based on certified Real Property tax records, was established on April 27, 1950, which is prior to the enactment of the Moloka'i Planning Commission Shoreline Setback Rules. Refer to **Appendix "D"**. As the project involves DHHL property, the Shoreline Setback Rules were determined not applicable to the project. The proposed CMU wall replacement and swale are approximately 60 feet away from the surveyed shoreline.

The proposed non-habitable improvements are located within the tsunami evacuation zone. The tsunami evacuation zone in the vicinity of the project



**Figure 9 Proposed Department of Hawaiian Home Lands  
Kapa'akea Flood Mitigation Improvements  
Tsunami Evacuation Map**

NOT TO SCALE



Prepared for: State of Hawai'i, Department of Hawaiian Home Lands



site generally extends from the coast to the makai side of Maunaloa Highway and Kamehameha V Highway. Refer to **Figure 9**.

**b. Potential Impacts and Proposed Mitigation Measures**

The proposed mitigation improvements will be located within areas designated Flood Zone AE (base flood elevation of 10 feet), an area subject to 1-percent annual chance flood, and Flood Zone VE (base flood elevation of 12 feet), for coastal areas with a one (1) percent or greater chance of flooding. As the project area is within a special flood hazard area, a Flood Development Permit application will be submitted to the Department of Planning, as may be applicable. It is noted that the proposed improvements will help to address flooding conditions in the project area, and protect the DHHL Homestead lots during storm events.

The proposed project is located within the tsunami evacuation area. However, the proposed project is limited to replacement of the existing chainlink fence and stacked rubble wall with the installation of new CMU walls that will provide improved drainage and flood protection for the DHHL Homestead lots. As such, adverse impacts related to tsunami hazards are not anticipated.

The proposed project is a mitigation measure to provide improvements to meet the needs of and address the flooding conditions in this residential area. As previously discussed, the CMU wall will divert the flow from Kamehameha V Highway to the existing wetland and will prevent runoff from the wetland onto the DHHL Homestead lots. Refer to **Appendix "A"**, Engineering Report.

**4. Sea Level Rise**

**a. Existing Conditions**

Due to Hawai'i's location in the Pacific, it is often faced with risks due to extreme weather events. Changing climatic patterns caused by global warming result in impacts including rising sea levels, storm surge, increased flood potential, and beach erosion for oceanfront and shoreline parcels. To evaluate potential risks due to sea level rise, several resources that are available for planning for sea level rise in Hawai'i were consulted. These include the University of Hawai'i School of Ocean and Earth Science and Technology's forecast for baseline planning, which recommends planning benchmarks of one (1) foot sea level rise by mid-century, and six (6) feet sea level rise by the end of the century, and the National Oceanic and Atmospheric Administration's (NOAA) online mapping tool, which has



the capability of mapping forecasted sea level rise up to six (6) feet in inundation (UH SOEST, 2008).

b. **Potential Impacts and Mitigation Measures**

Due to its coastal location, the proposed project area, along with the majority of lands makai of Kamehameha V Highway in the vicinity of Kaunakakai, would be expected to become vulnerable to inundation with a sea level rise between two (2) and four (4) feet above current levels (NOAA, 2016). This is noted as a regional planning issue beyond the scope of the proposed action, which does not represent any new uses or habitable structures but is intended to protect existing homes.

5. **Flora and Fauna**

a. **Existing Conditions**

The terrain is nearly level on this coastal plain, vegetation is mostly domestic landscape type, including mowed lawns, shade trees, low hedges and a few scattered ornamentals and fruit trees.

The proposed project involves replacing the existing chainlink fence and stacked rubble wall on the subject DHHL Homestead Lots with a new CMU wall.

In January 2016, Robert Hobdy conducted a survey for the project. See **Appendix “E”**. A total of 25 plant species were recorded during the survey and none were species endemic to Hawai'i: Three (3) species were indigenous to Hawai'i milo (*Thespesia populnea*), kīpūkai (*Heliotropium curassavicum*) and 'ekaha or birds nest fern (*Asplenium nidus*). The milo and 'ekaha have been purposely planted and are being cultivated as ornamentals, and only the common kīpūkai was found growing naturally.

Three (3) non-native mammal species were observed during the course of the survey: These were all domesticated animals including dogs (*Canis familiaris*), cats (*Felis catus*), and a pig (*Sus scropha*). Other mammals one might expect to encounter on the property include the mongoose (*Herpestes auropunctatus*), rats (*Rattus rattus*), and mice (*Mus domesticus*).

A special effort was made to look for the native Hawaiian hoary bat by conducting an evening survey of the area. No evidence of such activity was observed though visibility was excellent. In addition, no bats were detected using the Batbox IIID device, an ultrasonic bat detector.

There were moderate amounts of birdlife observed in the project area during four (4) site visits. Eleven (11) species were recorded including ten (10) non-native species and one (1) migratory winter visitor. Taxonomy and nomenclature follow the American Ornithologists' Union (2014). Common species were zebra dove (*Geopelia striata*), chicken (*Gallus gallus*), common myna (*Acridotheres tristis*), spotted dove (*Streptopelia chinensis*), and pigeon (*Columba livia*). Uncommon were the house sparrow (*Passer domesticus*), cattle egret (*Bubulcus ibis*), and gray francolin (*Francolinus pondicerianus*). Rare species included the African silverbill (*Lonchurus cantans*), Pacific golden-plover or kolea (*Pluvialis fulva*) and northern cardinal (*Cardinalis cardinalis*). A few other non-native birds may occasionally occur in the project area, but this habitat is not suitable for Hawaii's native forest birds which presently occur only in higher elevation native forests.

The adjacent Kōheo Wetland consistently supports a number of waterbirds and shorebirds, including the indigenous 'auku'u or black-crowned night-heron (*Nycticorax nycticorax hoactli*) and the endemic and Endangered Ae'o or Hawaiian stilt (*Himantopus mexicanus knudseni*) and the 'alae ke'oke'o or Hawaiian coot (*Fulica alai*). Migratory species include the 'ūlili or wandering tattler (*Tringa incana*), long-billed dowitcher (*Limnodromus scolopaceus*), 'akekeke or ruddy turnstone (*Arenaria interpres*), hunakai or sanderling (*Calidris alba*), kioea or bristle-thighed curlew (*Numenius tahitiensis*), and the semipalmated plover (*Charadrius semipalmatus*). These waterbirds and shorebirds are nearly obligates to these habitats and rarely venture into upland habitats. None were observed in the project area.

Ten (10) species of non-native insects were recorded, including two (2) species of common occurrence, the western pygmy blue butterfly (*Brephidium exile*) and the monarch butterfly (*Danaus plexippus*). Uncommon were the southern house mosquito (*Culex quiquefasciatus*), the pill bug (*Porcellio laevis*), and the long tail blue butterfly (*Lampides boeticus*). No native insects or important host plants of native insects were found during the survey.

The fauna survey of the project area did not encounter a single native mammal, bird or insect species, and no special habitat for any native animal species was found.

**b. Potential Impacts and Proposed Mitigation Measures**

The survey found that the project area was previously disturbed, and adverse effects to rare, threatened, or endangered animals or plants are not anticipated from the proposed flood mitigation improvements.

No Federal or State listed threatened or endangered species of wildlife were recorded by the survey, nor were any found that are candidates for such status. Refer to **Exhibit “E”**, Flora and Fauna Survey.

The adjacent Kōheo wetland is under a cooperative agreement with a Moloka‘i entity that is pursuing a number of habitat enhancements and other protective measures for endangered waterbirds. The wetland has sufficient buffer that allows the birds to coexist with surrounding human activities in relative peace.

Construction activities are expected to be limited to daylight hours. However, should construction flood lights be required for night activities, these lights will be shielded and directed downward to minimize potential impacts to seabirds that may be confused by bright lights. Upon completion, the flood mitigation improvements constructed along the western edge (on a non-wetland alignment) would not have significant adverse impact on the botanical resources in the area.

The construction of a cement wall within 150 feet of the wetland, however, will produce a heightened level of disturbance for a time. The survey report recommended that work activities be monitored to minimize unnecessary levels of equipment and human noise so as not to unduly disturb the birds. Refer to **Appendix “E”**, Flora and Fauna Survey.

**6. Marine Biological Resources**

**a. Existing Conditions**

The nearest point of the proposed project is located approximately 60 feet away from the shore. The lots within the project range in elevation from three (3) feet to five (5) feet above sea level (asl), and the terrain is nearly level on this coastal plain. Refer to **Appendix “E”**, Flora and Fauna Survey.

**b. Potential Impacts and Proposed Mitigation Measures**

The proposed project is not anticipated to have significant impacts on the nearshore area since the proposed project is located approximately 60 feet

away from the shore. The proposed CMU wall and swale will be installed along the west and north borders of the subject DHHL Homestead lots, to protect these parcels from flooding during storm events. The proposed project will direct surface runoff generated from storm events towards the adjacent wetland area and ocean as a mitigation measure to protect the DHHL Homestead lots from flooding.

During storm events, runoff from the areas upland of the project site occurs as sheet flow in a southerly direction towards the ocean. The proposed flood mitigation project, which is intended to direct runoff away from the DHHL Homestead lots, is not expected to have a significant adverse impact on the existing marine resources. During construction, Best Management Practices (BMPs) will be implemented. BMPs include instituting erosion control measures as recommended by the County of Maui "Rules for the Design of Storm Water Treatment Best Management Practices", August 2012; and "Rules Relating to Soil Erosion Standards and Guidelines", April 1999; minimizing the amount of land exposed at any time; exposed areas that are not at final grade and expected to be exposed more than 30 days shall be placed with a vegetative cover or be mulched; and removing temporary erosion controls after permanent erosion controls are in place and established. BMPs include proper control of fugitive dust from entering State waters; use of berms, sandbags, filter fences and catchments; and removing and disposing of accumulated silt on a routine basis. Refer to **Appendix "A"**, Engineering Report and **Appendix "B"**, Project Plans.

No grading or ground disturbance beyond the removal of the existing chainlink fence and stacked rubble wall, and the installation of the new CMU wall are associated with the proposed work. Based on the varying topography of the project area, the CMU installation will be approximately two (2) to four (4) feet below grade, requiring excavation along the northern boundaries of each homestead lot. The proposed action will not impact any environmentally sensitive features or create long-term adverse effects to the marine environment. Refer to **Appendix "E"**, Flora and Fauna Survey.

## 7. Historical and Archaeological Resources

### a. Existing Conditions

In October 2015, Garcia and Associates prepared an Archaeological Assessment Report which found that previous archaeological work was conducted within the project area and was limited in surrounding areas. A search of the Hawai'i State Historic Preservation Division (SHPD) library

indicated that only three (3) projects have been conducted in Kapa'akea Ahupua'a, and most of the previous work conducted within the neighboring Kaunakakai Ahupua'a was focused on Kaunakakai Town center located approximately one (1) mile to the west. See **Appendix "F"**, Archaeological Assessment Report.

In 1909, John F. G. Stokes conducted an island wide survey of Moloka'i to document the remains of *heiau* on the island. While this early survey is limited by its focus on relatively large structures, a number of large habitation complexes and fish ponds were also recorded (Summers 1971). The following site for Kapa'akea were noted:

**Site 50-60-03-132:** Kapa'akea Pond was a *pu'uone*, or an inland pond connected to the ocean by a ditch or stream. The pond is described having an area of 5.45 acres which extended from the sea shore to the Government Road. The pond was filled in by the time Stokes made his observation.

James M. Dunn, a former surveyor of the State of Hawai'i made the following observation of Kapa'akea Pond in 1957 (Summers 1971):

*The pond has been neglected for a long period of time and can hardly be called such any more. It has been almost totally filled by silt washed down from the highlands mauka of the road and is covered with dense growth of mangrove with some kiawe. The undergrowth is a thick mat of akulikuli. The old springs which fed this pond are either clogged or dried up and no longer available (Summers 1971:88).*

Kapa'akea Pond is located .40-mile southeast of the current study area within an undeveloped and overgrown tract of land along the coast situated between two (2) residential areas.

In 1977, the Archaeological Research Center Hawaii, Inc., conducted a reconnaissance survey for the Kapa'akea Flood Control Project on the lower slopes of Pu'u Maninikolo (Davis 1977). The survey produced a single archaeological complex designated as Site 50-60-03-1600. The site consisted of seven (7) features including a large platform, a small terrace enclosure, rock mounds, large walled enclosures, and a trail. Basalt flakes and surface midden were also observed. The site was interpreted as historic, consisting of rock mounds and a platform, interpreted as a possible historic cemetery. Later that year, the Bishop Museum was commissioned to re-evaluate Site 50-60-03-1600 and conduct subsurface testing. This work produced two (2) additional features which include an enclosure and

a cairn. While subsurface excavation produced no dateable material, a historic human burial was identified during excavations of the large platform. The site was interpreted as a historic cemetery with pre-Contact components. The 50-60-03-1600 archaeological complex is located 0.15-mile east of the current project area. See **Figure 10**.


An archaeological assessment was conducted 0.06-mile northwest of the current project area for the addition of the Verizon Wireless H12 Kaunakakai Cell site (Dye and Jordane 2006). No cultural properties were identified during the assessment. Refer to **Figure 10**.

In 2006, an archeological assessment was conducted of a 5-acre parcel for the Kaunakakai Fire Station (McGerty and Spear 2006). The project area was once a part of Moloka'i Ranch and is situated along the boundary of Kaunakakai and Kapa'akea Ahupua'a approximately 0.24-mile north of the current project area. No cultural properties were identified during the assessment. Refer to **Figure 10**.

In 2011, Scientific Consulting Services, Inc., (SCS) conducted archaeological monitoring for the construction of two (2) drainages in Kapa'akea Ahupua'a (Perzinski and Dega 2011). The drainages crossed beneath Kamehameha V Highway and through the Kapa'akea Homesteads. This project was located approximately 0.11-mile southwest of the current project area and monitoring results produced no findings. Refer to **Figure 10**.

According to Garcia and Associates, U. S. Geological Survey (USGS) aerial photographs of Moloka'i's southern shoreline indicate, the Kapa'akea Residential Homestead lots were constructed sometime between 1950 and 1964. In the 1950 aerial photograph, the homestead location is clearly undeveloped, overgrown with vegetation, and the western area of the homestead site appears to be tidal wetlands. By 1964, a USGS aerial photograph shows that construction of some houses in the Kapa'akea Residential Homestead was completed with a number of structures built around Kapa'akea Loop. Refer to **Appendix "F"**, Archaeological Assessment Report.

Three (3) consultations were conducted by Garcia and Associates with persons knowledgeable about the history of the project area and presence of cultural resources. These consisted of interviews and site tours with Ms. Arleone Dibben-Young, Mr. Dean Spencer, and Mr. Boom. Ms. Dibben-Young is a biologist who manages the wetland adjacent to the project corridor. Mr. Spencer was born and raised in the Kapa'akea Homesteads,



Source: Garcia and Associates

Figure 10 Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements Previous Archaeological Survey Sites

NOT TO SCALE



and Mr. Boom is a long-time resident of the homesteads. The three (3) interviewees were not aware of any cultural resources in or near the project area. Refer to **Appendix “F”**, Archaeological Assessment Report.

**b. Potential Impacts and Proposed Mitigation Measures**

Surface surveys and subsurface testing were conducted at the project. Except for a modern remnant wall, no surface features were encountered. A total of 13 test trenches were excavated within the grading and construction footprint of the proposed project. No evidence of traditional Hawaiian or early historic cultural deposits were found. Based on the field work and assessment by Garcia and Associates, it was determined that the proposed project will result in “no historic properties affected” and no further archaeological work is recommended. Refer to **Appendix “F”**, Archaeological Assessment Report.

The SHPD approved the Archaeological Assessment Report via letter dated October 6, 2015 and noted “*No further archaeological work is recommended for this project area.*” See **Appendix “F-1”**.

In a letter dated August 26, 2016, SHPD confirmed the determination of “no historic properties affected” and stated that the permitting process may proceed. See **Chapter X**.

In the event any remains are encountered during construction, activities will be halted in the immediate area of the find and SHPD will be contacted to determine appropriate mitigation measures.

**8. Cultural Assessment**

**a. Existing Conditions**

**(1) Historical Overview**

The Cultural Impact Assessment (CIA) prepared for the project by Garcia and Associates, noted that paleoenvironmental studies of Moloka‘i suggest that human colonization of the island occurred between AD 800 and 1200. The first evidence of temporary occupation along Moloka‘i’s leeward coast was collected in a sandy midden in the area of the current Mālama Cultural Park located northwest of the project area. See **Appendix “G”**. The CIA noted that during Moloka‘i’s Late Expansion Period (AD 1400-1650), there is strong archaeological evidence for the increased use of



subsistence practices, increase in population and early evidence of ritual practices (McCoy 2007).

The Proto-Historic Period (AD 1650-1795) brought internal wars for control of Moloka'i between the Ko'olau and Kona chiefs. The source of conflict may have arisen due to the significant economic advantage that Moloka'i's rich fishing area on the southeast coast provided (Athens 1985:6). Control over the island shifted over time, but ultimately Chief Kahekili of Maui secured power over the lands from forces on O'ahu (Kamakau 1961:133).

The CIA report noted that the Kapa'akea ahupua'a did not figure prominently in the traditional Hawaiian literature. The small ahupua'a appeared to be in the shadow of the Kaunakakai ahupua'a to the west. The report notes that the Kaunakakai ahupua'a has many references in historic and cultural references. Refer to **Appendix "G"**.

## **(2) Post-Contact Period**

In November 1778, sailors from Captain Cook's expedition were the first Europeans to sight Moloka'i island. Other contact with Europeans continued, however, in 1790 the war for the unification of all the Hawaiian islands by Kamehameha I was in progress. During this time, Kapa'akea was the site of Chief Kalanimoku's camp. Refer to **Appendix "G"**.

During the Great Mahele in the mid-19<sup>th</sup> century, as noted in the CIA report, no kuleanas were awarded in the Kapa'akea ahupua'a. The lands remained unassigned until 1890, when all unassigned lands were declared royal domain by the Crown Land Commissioners through legislation (Indices 1929:23). In 1855, the entire Kapa'akea ahupua'a was conveyed to Lot Kapu'aiwa (Kamehameha V). Refer to **Appendix "G"**. Eventually, the Kapa'akea ahupua'a was acquired by a group of Honolulu investors who formed Moloka'i Ranch and purchased 70,000 acres of Kamehameha V's former landholdings. The investors who established Moloka'i Ranch formed the American Sugar Company (ASCO) a year after purchasing the lands. ASCO attempted to commercialize sugar cane on Moloka'i and maps from the company note that cane fields included lands within the Kapa'akea ahupua'a. The sugar industry was short lived on Moloka'i due to the lack of

sufficient supply of fresh water needed for the cane cultivation. Refer to **Appendix “G”**.

**(3) Kapa’akea Homestead**

In 1920, the U.S. government passed the Hawaiian Homes Commission Act which provided a means for Native Hawaiians who were at least half Hawaiian or 50 percent blood quantum to acquire land on which to build homes and farm. The Hawaiian Homes Commission Act specifically designated public lands to the Hawaiian Homes Commission which excluded: (1) all lands within any forest reserve; (2) all cultivated sugar lands; and (3) all public lands held under certificate of occupation, right of purchase lease, or special homestead agreement. Moloka’i served as the staging ground for the program with 2,000 acres available specifically in Kapa’akea Ahupua’a.

The lands provided to the Hawaiian Homes Commission for homesteading proved to be the least desirable lands for development. However, Prince Kuhio indicated he was satisfied with the lands chosen for the Hawaiians at Commission hearings. In a letter written by A. Horner, addressed to Senator Poindexter, the Kapa’akea lands provided to the Hawaiian Homes Commission for homesteading were described as worthless for agriculture (Spitz 1964:8). In 1924, F.G Krauss, the Chairman of the Classification Commission, also described the homesteading lands of Kapa’akea, Kamiloloa 1 and 2, and Makakupaia 1 as:

*Second class pasture land. “...one of the poorest areas of land that we have inspected. It is very dry, rough, and rocky.” Couldn’t carry over 100 cattle, perhaps only part of the year. Estimated cost of making domestic water available, \$10,000 (Spitz 1964:13).*

Refer to **Appendix “F”**, Archaeological Assessment Report.

**(4) Local History and Resident Interviews**

In April 2016, Garcia & Associates prepared a Cultural Impact Assessment (CIA) for the proposed project. Refer to **Appendix “G”**. As part of this CIA, consultation was sought from the *kūpuna* of the Kapa’akea community, or those who possess the longest living history of the area. Cultural interviewees were selected primarily through the assistance of the Kapa’akea Homestead

Association and the Ho'olehua Hawaiian Civic Club. Three (3) cultural interviewees, Doreen Gaspar, Georgette Kaneakua, and Leilani Wallace, were asked about historical land use and cultural practices relating to the project area. Mrs. Gaspar is the President of the Kapa'akea Homestead Association. A driving tour of the area and a site visit to the proposed project location were also conducted. Information gathered during the course of these consultations is organized by topic as follows.

(i) **Marine Resources: Gathering and Fishing**

Fishing and gathering of marine resources is among the top concerns of Kapa'akea Hawaiian Homestead's native Hawaiian residents. Kapa'akea Ahupua'a has approximately one (1) kilometer of coastline which originally supported salt flats and a fishpond. Nearshore waters provide excellent gathering and fishing grounds extending out approximately one (1) mile from the shoreline. Georgette Kaneakua practices traditional marine gathering and reef gleaning, collecting mollusks and many varieties of limu from the waters fronting Kapa'akea Homestead. Ms. Kaneakua said that marine gathering is an important and common cultural practice shared by many members of the community. In addition, fishing via hook and line, net, and spear are all regular practices in nearby waters. Many DHHL Homestead residents launch shallow-draft boats directly along the waterfront.

(ii) **Fresh Water Springs**

Kapa'akea once contained a freshwater spring just mauka of the shoreline, along the perimeter of Kapa'akea Fishpond. The cultural interviewees were aware of the existence of a spring in the past, but it appears to have been destroyed when Kapa'akea Fishpond was filled in.

(iii) **Religious-Spiritual Activities**

Consultants were not aware of any traditional religious spiritual sites, such as heiau or iwi *kūpuna*, in or around the project area, and suggested that iwi *kūpuna* would more likely be located mauka. Leilani Wallace did express concern for the maintenance of mauka-makai cultural pathways, which she believes run alongside the former river

courses, which are currently drainage ditches running through the DHHL Homestead area. She related an anecdote about a neighbor who had blocked one (1) of the waterways with a large pōhaku, and a spike in sickness and ill health in the community followed. When the stone was removed, the situation returned to normal. Mrs. Wallace felt that such considerations should be kept in mind when designing projects that may affect cultural pathways.

(iv) **Salt Gathering**

Although salt deposits are present in the area to the west of the proposed project area, salt gathering was not identified by cultural interviewees as a current cultural activity. They did not express any concern about this resource with regards to the proposed flood control project.

(v) **Places of Traditional Importance**

Interviews with the cultural consultants did not identify any places of traditional importance in or around the project area. The entire project area is located entirely on land reclaimed during the 20<sup>th</sup> Century. Kapa'akea was an area previously associated with ruling ali'i, and the former small bay (now filled) was noted as a place to beach their canoes. This historical association is significant to those who live in the area, but is not a resource that will be impacted by the proposed project.

b. **Potential Impacts and Proposed Mitigation Measures**

As part of the CIA, three (3) individuals from the Moloka'i community and familiar with the area were interviewed to assess potential impacts the project may have on cultural resources and practices. Refer to **Appendix "G"**. The CIA concluded that the project would have no significant impact on traditional Hawaiian cultural practices or resources. Cultural interviewees indicated that marine resource collection would not be affected by the project. The proposed flood mitigation wall follows the western boundary of the neighborhood, perpendicular to the shoreline, creates no access impediment to the local waters, and is not expected to impact the nearshore marine resources. There is no active use of a freshwater spring that is located a significant distance from the proposed project, as such, there would be no impact. No cultural practices or spiritual sites such as heiau were identified that would be adversely impacted by

the proposed project. Mauka/makai pathways in the area are located east of the proposed project area and would not be affected. Salt gathering, though not identified as a significant cultural activity, is not anticipated to be affected adversely by the proposed project. While this area does have notable historical associations as a canoe landing place, the landscape has been extensively altered and the former small bay and canoe landing no longer exist. No traditional places of importance are expected to be impacted by the proposed work.

9. **Air and Noise Quality**

a. **Existing Conditions**

There are no major stationary sources of air pollution in the Kapa'akea area. With the small-town scale of residential uses in Kapa'akea and prevailing trade wind conditions, air quality is generally good in this area of Moloka'i. The primary source of emissions in the vicinity may be attributed to motor vehicles traveling in the area. However, these mobile sources have no adverse influence on air quality.

There are no significant noise generators in the vicinity of the project area. Noise generated in this locale may be attributed to traffic along Maunaloa Highway, Kamehameha V Highway, and other local roadways.

b. **Potential Impacts and Proposed Mitigation Measures**

Airborne particulates, including dust, may be generated during site preparation and construction activities. However, BMPs for dust control measures, such as a dust fence, regular watering and sprinkling, will be implemented as needed to minimize wind-blown emissions. Refer to **Appendix "A"** and **Appendix "B"**.

As with air quality, ambient noise conditions will be temporarily impacted by construction activities. Heavy construction equipment, such as front end loaders, dump trucks, and trailers will be the dominant source of noise during site construction. In this context, BMPs such as regular maintenance of equipment, inspection of mufflers on equipment and scheduling of construction activity will be applied during construction to minimize adverse noise impacts. The contractor will coordinate with the State Department of Health to ensure that noise permits are obtained, as appropriate.

With the implementation of these BMPs, the proposed project is not expected to adversely impact local and regional air quality and ambient noise quality.

Upon completion, the proposed flood mitigation improvements will not impact local or regional air quality or ambient noise quality.

## 10. **Streams and Wetlands**

### a. **Existing Conditions**

Kōheo Wetland, which is adjacent to the five (5) DHHL Homestead lots, is located in a low spot on the coastal plain at the boundary between Kaunakakai and Kapa'akea. It is fed by ground water, local rainfall and receives runoff from a small ephemeral unnamed gully above the highway. It only flows during heavy rainfall events. When this gully reaches the coastal plain it disappears and any runoff spreads out as sheet flow. At the Kamehameha V Highway, the water accumulates as temporary ponding due to inadequate drainage features until it over flows down slope into the wetland. See **Appendix "H"**, Wetland Study.

The Kapa'akea Homesteads were established along the coastal plain, with the first lots being awarded in 1950. The lots adjacent to the wetland were lower in elevation and were prone to periodic temporary flooding during high rainfall events. Fill material was brought in and spread on these lots to build up the surface elevations one (1) to two (2) feet to minimize flood damages. This resulted in a clear, rather straight boundary line that slopes down into the wetland from the DHHL lots. The proposed construction of a concrete wall is intended to eliminate this threat. Refer to **Appendix "H"**.

The entire Kōheo Wetland was delineated in a 2005 study that was submitted to the U.S. Army Corps of Engineers. The 2005 study found the eastern boundary of the wetland to roughly approximate the lower toe of the slope below the DHHL boundary. This study, however, has exceeded its 5-year sunset date and a portion of the eastern boundary is reassessed for any potential recent changes relative to the project boundary. Refer to **Appendix "H"**, Wetland Study, and **Appendix "H-1"**, Revised Wetland Study.

### b. **Potential Impacts and Proposed Mitigation Measures**

Robert Hobdy prepared a report summarizing the findings of a wetland determination process in accordance with the Corps of Engineers Wetlands Delineation Manual (1987) and the Regional Supplement to the Corps of

Engineers Wetland Delineation Manual: Hawaii and Pacific Islands Regional (2012). Refer to **Appendix “H”**, Wetland Study.

Six (6) sampling points were established slightly outside the west boundary of the project area in a line running from below the Kamehameha V Highway down toward the shoreline. Each of these were analyzed for wetland characteristics as described above. Sampling points 1 through 5 were found to lie just outside the margin of the wetland, while sampling point 6 was just within the margin of the wetland. From this information, a proposed wetland boundary was determined. This wetland boundary line lies entirely outside of the DHHL Kapa’akea Flood Mitigation Project boundary by distances ranging from 20 feet at the top to 8 feet near the shoreline.

The proposed project area, delineated by five (5) DHHL Homestead lots totaling 2.5 acres in area, lies on a coastal plain between two (2) gullies that drain into the Pacific Ocean. To the west is a small unnamed ephemeral gully that drains about 50 acres of land on the slopes of Pu’u Maninikolo and terminates at the Kōheo Wetland adjacent to the shoreline. To the east is a larger unnamed ephemeral gulch that drains about 250 acres above the Kapa’akea Cemetery and runs through the DHHL Kapa’akea Homesteads to the ocean.

An 11-acre area between the two (2) adjacent drainages lies on nearly level land on the coastal plain and includes five (5) acres of undeveloped grass land and kiawe (*Prosopis pallida*) forest above Kamehameha V Highway and six (6) acres of the residential Kapa’akea Homesteads community below the highway to the shoreline. This 11-acre area has no drainage channels and no wetlands. The 2.5-acre project area lies wholly within this 11-acre area. Robert Hobdy’s study found the boundary of Kōheo Wetland lies entirely outside the western side of the project area. The unnamed drainage gully to the east has no wetlands associated with it.

The report concluded that the entire 2.5-acre DHHL Kapa’akea Flood Mitigation project is determined to be an upland site with no aquatic resources that would qualify it as a Waters of the U.S. Refer to **Appendix “H”**, Wetland Study. The Army Corps of Engineers provided initial comments on the proposed project and subsequently submitted follow up comments in August 2016. Refer to **Chapter X** of this document. The Army Corps requested revision and update to the Wetland Study to include additional study points, updated data sheets and considerations for data collected on the additional study points. As a result, an updated Wetland Study was prepared to address the August 2016 comments from the Army

Corps. See **Appendix “H-1”**. A response letter and the updated report were submitted on October 13, 2016 to the Army Corps for review and approval. Refer to **Chapter X**. Based on the data presented in the updated Wetland Study Report, the Army Corps issued a determination that a Department of the Army permit is not required pursuant to Section 404 of the Clean Water Act and Section 10 of the Rivers and Harbors Act.

The project plans will include water pollution prevention measures, temporary and permanent erosion control measures, and BMPs, such as installing silt fencing, watering of exposed areas, and installation of berms and absorption materials areas for construction vehicles to prevent pollutants from discharging into State waters, to mitigate potential adverse impacts to downstream and nearby properties. Refer to **Appendix “B”**. As such, the proposed project is not anticipated to significantly adversely impact any of the region's riparian resources, wetlands, or streams.

## 11. Water Quality

### a. Existing Conditions

The five (5) Homestead lots are located eastward of a vacant wetland area and one (1) of the lots, Parcel 9, is a shoreline parcel. Currently, during storm events, these subject lots are exposed to flooding conditions from both onsite runoff and offsite runoff from the nearby Kamiloloa Stream. Also, during these storm events, the neighboring wetland is influenced by the wet weather event and exposes the Homestead lots to flooding. The proposed mitigation project is intended to protect the subject properties from flood conditions during storm events.

### b. Potential Impacts and Proposed Mitigation Measures

Project design relies on the existing topography for the new swale and the natural swale and the natural filtering process of the existing wetlands for stormwater flow. The low impact development design minimizes significant adverse impact to the coastal environment as the wetland functions to remove and settle sediments carried by stormwater flow.

The proposed project involves the implementation of an Erosion Control Plan and BMPs during construction to mitigate construction related impacts. BMP measures include control of fugitive dust from entering water bodies, wash-out of concrete trucks offsite to avoid discharge into water bodies, construction of berms, sandbags, filter fences, catchments as needed to contain/filter stormwater runoff. If during construction, State water quality standards are exceeded, all construction activities that are



identified as contributing to adverse impacts to water quality will be immediately halted. The causes shall be established, and if related to construction activity, remedial action will be taken to address the problem prior to commencing work. Refer to **Appendix "A"**, Engineering Report. The State Department of Health, Clean Water Branch provided preliminary comments on the project. DHHL will continue to consult with the Clean Water Branch on permitting as the project proceeds. The project footprint is combined to approximately 0.17 acre and with the implementation of erosion control and BMP measures the proposed action is not anticipated to significantly adversely affect water quality in the short term and long term.

## **12. Scenic and Open Space Resources**

### **a. Existing Conditions**

The project site is located eastward of Kaunakakai Town, south of Maunaloa Highway and Kamehameha V Highway. The project area is relatively flat and gradually slopes to the south towards the ocean. A wetland area borders the project area to the west.

### **b. Potential Impacts and Proposed Mitigation Measures**

The proposed project involves the removal of existing chainlink fence and stacked rubble wall, and replacement with a new CMU wall approximately four (4) feet high and swale. The major portion of the proposed wall will be oriented in a mauka-makai direction along the west boundary of the five (5) Homestead lots. The smaller northern segment facing Kamehameha V Highway will be installed in front of existing residential structures. As such, the proposed project will not have a substantial, adverse impact to existing views, nor will it adversely impact open space resources in the region.

## **13. Traditional Beach and Mountain Access**

### **a. Existing Conditions**

The project area is located between the coastline and Kamehameha V Highway. There is an existing beach access through the Hawaiian Homestead subdivision in the vicinity of the project area.

There are no traditional mountain access trails in the vicinity of the project site.

**b. Potential Impacts and Proposed Mitigation Measures**

The proposed project is limited to flood mitigation improvements intended to protect five (5) Homestead lots during storm events. Existing beach access provided in the vicinity of the project area will not be impacted. As there are no mountain access trails in the vicinity of the project, no adverse impacts to traditional beach or mountain access is anticipated as a result of the proposed project.

**B. SOCIO-ECONOMIC ENVIRONMENT**

**1. Population and Economy**

**a. Existing Conditions**

The resident population of the island of Moloka'i (excluding Kalawao), as determined by the 2010 Census, was 7,255. In the year 2000, the resident population was 7,257, representing no increase in population during the ten year period (U.S. Census 2010). Moloka'i island population is projected to increase to 7,772 in 2020 and 8,395 in 2030 (Maui Planning Department, 2006).

On Moloka'i, there is still a large number of unemployed workers, compared to the rest of Maui County. In October 2016, the unemployment rate (not seasonally adjusted) was 3.3 percent for Maui County and 10.0 percent for Moloka'i. The unemployment rate decreased 0.2 percent for Maui County, and increased 0.1 percent for Moloka'i, respectively, since October 2015 when it was 3.5 percent for Maui County and 9.9 percent on the island of Moloka'i (State of Hawai'i, Department of Labor and Industrial Relations, November 2016).

**b. Potential Impacts and Proposed Mitigation Measures**

In the short term, the proposed project will generate positive economic impacts on a limited basis given the scope of the project associated with construction-related spending and employment. From a long term perspective, the project is intended to benefit and protect the five (5) DHHL Homestead lots from flooding during storm events. Adverse economic impacts are not anticipated with project implementation. There are also no long term impacts on population parameters associated with the project.

## C. PUBLIC SERVICES

### 1. Police and Fire Protection

#### a. Existing Conditions

Police services on Moloka'i are provided by the Maui County Police Department. The Moloka'i station is located in the Mitchell Pauole Center in Kaunakakai.

Fire prevention, protection and suppression services are provided by the Maui County Department of Fire and Public Safety. The Fire Department maintains stations in Kaunakakai and Ho'olehua, with a substation in Pūko'o.

#### b. Potential Impacts and Proposed Mitigation Measures

The proposed improvements are not anticipated to adversely impact existing police and fire protection services. The project site is located on the edge of Kaunakakai Town and is currently within the service area of police and fire protection.

### 2. Medical Facilities

#### a. Existing Conditions

Moloka'i General Hospital, which is operated by the Queen's Health Systems, is the only major medical facility on the island. Licensed for 15 beds, the hospital located in Kaunakakai provides acute, emergency, and obstetrics care services (Maui County Data Book, 2014). The hospital also houses the Women's Health Center, which offers family planning services and prenatal care to local residents.

Other medical facilities include the Moloka'i Family Health Center in Kaunakakai.

#### b. Potential Impacts and Proposed Mitigation Measures

The proposed action is limited to flood mitigation system improvements to protect five (5) Homestead lots and is not anticipated to have adverse impacts on existing medical facilities or services on Moloka'i.

**3. Solid Waste**

**a. Existing Conditions**

Except for remote areas, single family solid waste collection service is provided by the County of Maui once weekly.

Solid waste is collected by County refuse collection crews and disposed at the County's Moloka'i – Nā'iwa landfill. Commercial waste from private collection companies is also disposed of at the landfill. The landfill includes a recycling center and metals facilities for residents and businesses.

**b. Potential Impacts and Proposed Mitigation Measures**

The proposed improvements are not anticipated to adversely impact existing solid waste services on Moloka'i. Solid waste from construction work will be disposed at an approved solid waste facility. Upon completion, the proposed project will not generate additional solid waste. Per comments from the County Department of Environmental Management, the contractor will be required to coordinate with them on construction waste and potential recycling options. Further, per comments from State Department of Health (DOH), Office of Solid Waste Management, any solid waste generated by the project will be disposed of at an approved DOH facility.

**4. Recreational Resources**

**a. Existing Conditions**

The island of Moloka'i offers a wide range of recreational opportunities. Possible outdoor activities include bicycling, boating, canoeing, camping, diving, fishing, golfing, hiking, horseback riding, hunting, surfing, swimming, tennis, and windsurfing.

The Moloka'i Yacht Club and Malama Cultural Park, a 3.3-acre park with open fields, an amphitheater, and restroom facilities, are located westward of the project site approximately one (1) mile away. Other recreational facilities within Kaunakakai include the Mitchell Pauole Community Center, Cook Memorial Pool, Duke Maliau Regional Park, Kakahaia Park, Kaunakakai Ball Park, Kilohana Community Center, One Ali'i Park, and Pu'u Hauole Park.

**b. Potential Impacts and Proposed Mitigation Measures**

In the long term, the proposed improvements are not anticipated to adversely impact the existing recreational facilities located in the region nor increase the demand for recreation resources as it is limited to infrastructural improvements. Construction work is limited to the five (5) DHHL Homestead lots.

**5. Educational Facilities**

**a. Existing Conditions**

There are five (5) public schools on Moloka'i. Four (4) are public elementary schools, Kaunakakai, Kilohana, Kualapu'u, and Maunaloa, providing elementary school education for children from Kindergarten through Grade 6. There is one (1) secondary school, Moloka'i High and Intermediate School, located in Ho'olehua. School capacity and enrollment over recent years are summarized in **Table 1**.

**Table 1.** Enrollment for Molokai Schools

School	Enrollment 2014-2015 School Year	Enrollment 2015-2016 School Year
Kaunakakai Elementary School (Grades K-6)	274	272
Kilohana Elementary School (Grades K-6)	65	71
Maunaloa Elementary School (Grades K-6)	55	55
Kualapu'u Elementary School (Charter School – Grades K-6)	306	286
Moloka'i Intermediate School (Grades 7-8)	197	156
Moloka'i High School (Grades 9-12)	353	291
State of Hawai'i, Department of Education, 2016.		

Private schools include Moloka'i Christian Academy (Grades Kindergarten-12) and Moloka'i Mission School (Grades 1-8).

Moloka'i Education Center, a satellite facility of University of Hawai'i - Maui College, offers post-secondary, vocational and technical University of Hawai'i credit courses, and is located at the intersection of Alanui Ka Imi Ike and Kamehameha V Highway.

b. **Potential Impacts and Proposed Mitigation Measures**

The proposed project is not a population generator. As such, it is not anticipated to adversely impact existing education facilities or services on Moloka'i.

D. **INFRASTRUCTURE**

1. **Roadways**

a. **Existing Conditions**

The State of Hawai'i's Maunaloa Highway links Kaunakakai Town with the western portion of the island. Maunaloa Highway becomes Kamehameha V Highway at Kaunakakai Place and extends toward and along the shoreline, providing access to eastern portions of Moloka'i. Kaunakakai Place, a State owned roadway, runs from its intersection with Maunaloa Highway and Kamehameha V Highway south to the coast and along a causeway to the Kaunakakai Harbor and Ferry Terminal. Beyond Kaunakakai Town to the east is two (2) lane State-owned Kamehameha V Highway. Kapa'akea Loop Road intersects with Kamehameha V Highway and is a two (2) lane DHHL roadway that provides access into the Hawaiian Homestead subdivision which contains the five (5) subject properties.

b. **Potential Impacts and Proposed Mitigation Measures**

The proposed project will involve the removal of the existing chainlink fence and stacked rubble wall that are located on the west and north borders of the five (5) DHHL Homestead lots and installing a new CMU wall and swale. The proposed CMU wall will provide a barrier between the five (5) DHHL Homestead lots and the wetland area to the west. Access to the five (5) DHHL Homestead lots is via Kapa'akea Loop Road, off of Kamehameha V Highway. During the construction period, traffic on these roadways will not be significantly affected by construction vehicles and equipment. To mitigate adverse impacts from construction activities, a traffic control plan will be developed as part of the construction plan design details for the project to ensure that access for residences and businesses is maintained and to provide for smooth traffic flow.

Upon completion, the project will not adversely impact traffic conditions in the vicinity. The project plans include a drainage swale which is designed to allow stormwater to flow to the Kōheo wetland area rather than Kamehameha V Highway. The proposed project will improve flooding

conditions and significant adverse impacts to the five (5) DHHL Homestead lots during periods of heavy rain.

**2. Water System**

**a. Existing Conditions**

The County of Maui operates the Central Sector, Northeast Sector, Southeast Sector, and West Sector water systems on the island of Moloka'i. Moloka'i Ranch also operates water systems serving households in West Moloka'i. The project site is located within the southeast water system service area (Department of Water Supply, 1990).

**b. Potential Impacts and Proposed Mitigation Measures**

The proposed project is limited to flood mitigation improvements and will not require potable water service. As such, adverse impacts to the County's and Moloka'i Ranch's water supply and water systems are not anticipated as a result of the proposed project. Waterlines in the vicinity of the project area will not be impacted from the project. BMPs will be incorporated during construction to protect groundwater resources in the area.

**3. Wastewater System**

**a. Existing Conditions**

Most regions of Moloka'i are not served by a wastewater treatment system. Residents situated beyond the Kaunakakai service area utilize either cesspools or septic systems. Within Kaunakakai, the County operates a single wastewater treatment plant located west of the project site. Moloka'i Ranch also operates a wastewater treatment system serving households in West Moloka'i.

**b. Potential Impacts and Proposed Mitigation Measures**

The proposed project is limited to flood mitigation improvements and will not generate wastewater. As such, adverse impacts to the County's and Moloka'i Ranch's wastewater system are not anticipated as a result of the proposed project. Existing sewerlines within Kamehameha V Highway and Kapa'akea Loop Road will be avoided during the construction of the proposed drainage improvements.

#### 4. Drainage

##### a. Existing Conditions

There is no municipal drainage system near the project site.

The DHHL Moloka'i Island Plan discusses that residents of the five (5) DHHL Homestead lots experience severe flooding events on an annual basis due to their location in the coastal area. Refer to **Appendix "A"**, Engineering Report. In 1976, the U.S. Army Corps of Engineers assessed the installation of a diversion ditch north of the Kamehameha V Highway and improvements to the drainage channel under the highway leading in the Kapa'akea Makai DHHL neighborhood, however, funding has not been allocated for these improvements. The Final Environmental Statement (1976) for that drainage project states that the most significant flood occurred during October 31st through early November in 1961 when the DHHL Homestead lots were inundated by approximately two (2) feet of water, which deposited approximately one (1) foot of mud on the lots. During the height of that storm, Kamehameha V Highway was under three (3) feet of water. To protect the existing residences located on the subject lots, DHHL proposes flood mitigation measures. Refer to **Appendix "A"**, Engineering Report. The proposed improvements would meet the needs and protect the five (5) lots from flooding conditions during storm events.


##### b. Potential Impacts and Proposed Mitigation Measures

The Engineering Report noted that Kamiloloa Stream will receive a peak stormwater runoff of 2,525 cubic feet per second (cfs) for a 10-year storm. Based on the project area of 2.5 acres and the total area of 21.6 acres near the stream, a runoff of approximately 303 cfs will enter the project site. The proposed project will divert this flow to the Kōheo wetland area, west of the project area and ocean via the new swale.

The existing onsite flow is attributed from water that falls on each of the five (5) DHHL Homestead lots during rain events, in addition to the offsite stormwater that overflows from Kamiloloa Stream. The property north of Kamehameha V Highway are owned by DHHL, Moloka'i Properties, and the County of Maui. Kamiloloa Stream bisects the DHHL property and is diverted around the County of Maui property. See **Figure 11**. Refer to **Appendix "A"**.

The project is near the mouth of Kamiloloa Stream and next to the Kōheo wetland and Pacific Ocean. The surface water received at the stream mouth spills over and through the parcels to the ocean. The lowest points





Source: Mitsunaga & Associates, Inc.

Figure 11 Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements Mauka Property Owners

NOT TO SCALE



are the ocean-front lands and the adjacent Kōheo Wetlands. The proposed onsite runoff will be the same as the pre-development onsite runoff. To mitigate from the offsite runoff during storm events, a CMU wall with swale is proposed along the property line. The project design is intended to prevent flooding of the existing five (5) DHHL Homestead lots while allowing the flow from the project site to Kōheo Wetlands. Refer to **Appendix “A”**. Based on the concept of low impact development, the project design includes a new swale that incorporates the existing topography and natural filtering process of the existing nearby wetlands and minimize environmental impacts (State of Hawai‘i, 2006). To minimize environmental impact, the project is confined to a footprint (approximately 0.17 acre) on the project site which contains an existing chainlink fence and stacked rubble wall that will be replaced with the proposed new CMU wall and swale. Project design is based on the County of Maui, Department of Public Works “Rules for the Design of Storm Drainage Facilities in the County of Maui”, November 1995.

As previously discussed, the project includes erosion control measures and BMPs during construction as mitigative measures to avoid significant adverse impacts to the environment and nearby properties (State of Hawai‘i, 2013).

It is noted that the U.S. Army Corps of Engineers in 1976 proposed a 1,800 foot long channel with diversion levees mauka of the highway and improving the drainage channel under Kamehameha V Highway heading into the DHHL Homestead Kapa‘akea Makai neighborhood, however, funding has not been allocated for this improvements. Refer to **Appendix “A”**.

The proposed improvements are not anticipated to have significant adverse impacts to drainage, as it is intended to provide a protective measure from the flooding of the subject lots during heavy rainfall. Refer to **Appendix “A”**.

## 5. **Electrical, Telephone, and Cable Television**

### a. **Existing Conditions**

Electrical and telephone services in Kaunakakai are provided by Maui Electric Company, Ltd. (MECO) and Hawaiian Telcom. Cable television is provided by Oceanic Time Warner Cable (Oceanic).

**b. Potential Impacts and Proposed Mitigation Measures**

The proposed project will not require electrical, telephone, or cable television services. There are no underground MECO electrical facilities and cable television in the project alignment.

**E. CUMULATIVE AND SECONDARY IMPACTS**

Pursuant to Section 11-200-2 of the Hawaii Administrative Rules, Chapter 200, entitled Environmental Impact Statement Rules, a cumulative impact means:

*The impact on the environment which results from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions regardless of what agency or person undertakes such other actions. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time*

The flood mitigation improvements are being proposed to protect DHHL Homestead lots from flooding during storm events while avoiding significant adverse impacts to the environment.

The proposed project is located adjacent to the urban area of Kaunakakai Town and would service five (5) existing developed DHHL Homestead lots, as it will alleviate flooding conditions associated with heavy rainfall. The proposed project is not part of a larger action and any cumulative impact of the flood mitigation project in this context is anticipated to be positive. The proposed new CMU wall and swale will divert the runoff from Kamehameha V Highway to the existing Kōheo wetland located west of the DHHL Homestead lots and serve as a barrier to prevent stormwater flow from the wetland onto the subject lots during storms. The proposed onsite runoff will be the same as the pre-development onsite runoff and the project improvements are confined to 0.17 acre. Adverse cumulative impacts are, therefore, not anticipated as a result of the proposed improvements which are intended to protect five (5) DHHL Homestead lots from flooding during heavy rainfall.

Secondary impacts are those which have the potential to occur later in time or farther in distance, but are still reasonably foreseeable. They can be viewed as actions of others that are taken because of the presence of a project. Secondary impacts from highway projects, for example, can occur because they can induce development by removing one of the impediments to growth.

With the proposed mitigation measures in place during construction, the project is not anticipated to have a significant adverse impact on the physical environment and is not a population generator. The project site is located within an existing developed area of DHHL Homestead lands in the region. The proposed project will improve the handling of stormwater flows in this area, protect the subject DHHL Homestead lots from flooding and

mitigate significant adverse impacts to the environment. Furthermore, existing public service parameters will not be affected by project implementation. In summary, the proposed action is not anticipated to result in significant adverse secondary impacts.

**RELATIONSHIP TO LAND  
USE PLANS, POLICIES,  
AND CONTROLS**



### **III. RELATIONSHIP TO LAND USE PLANS, POLICIES, AND CONTROLS**

#### **A. STATE LAND USE DISTRICTS**

According to Chapter 205, Hawai'i Revised Statutes (HRS), the State Land Use Commission (SLUC) establishes four (4) major land use districts in which lands in the State are placed. These districts are "Urban", "Rural", "Agricultural", and "Conservation".

The proposed flood mitigation improvements on Parcels 9, 10, 11, 24, and 25 are located within the State "Urban" district. The proposed improvements on the subject properties are permitted uses in the "Urban" district pursuant to Chapter 205, HRS. See **Figure 12**.


#### **B. CHAPTER 226, HRS, HAWAI'I STATE PLAN**

Chapter 226, HRS, also known as the Hawai'i State Plan, is a long-range comprehensive plan which serves as a guide for the future long-range development of the State by identifying goals, objective, policies, and priorities, as well as implementation mechanisms. The proposed project is in accordance with the following goal of the State of Hawai'i.

- A desired physical environment, characterized by beauty, cleanliness, quiet, stable natural systems, and uniqueness, that enhances the mental and physical well-being of the people.


#### **OBJECTIVES AND POLICIES OF THE HAWAI'I STATE PLAN**

The following is a discussion of the proposed project's conformance with the objectives, policies, and priority guidelines of the Hawai'i State Plan:



Source: State Land Use Commission, 2012

**Figure 12 Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements State Land Use District Map**



The proposed project does not conflict with any of the objectives, policies, or priority guidelines of the Hawai'i State Plan. The objectives, policies, and priority guidelines not listed below are not applicable to the project.

Objectives, Policies, and Priority Guidelines of the Hawai'i State Plan	Discussion
226-13 (b)(5), HRS: Reduce the threat to life and property from erosion, flooding, tsunamis, hurricanes, earthquakes, volcanic eruptions, and other natural or man-induced hazards and disasters.	The existing DHHL Homestead lots adjacent to the project corridor experience severe flooding events on an annual basis. The proposed project is intended to address and mitigate the stormwater flow impacts in this area and reduce the threat to life and property from these flooding events.
226-14 (b)(1), HRS: Accommodate the needs of Hawaii's people through coordination of facility systems and capital improvement priorities in consonance with state and county plans.  226-14 (b)(3), HRS: Ensure that required facility systems can be supported within resource capacities and at reasonable cost to the user.	The 2005 Moloka'i DHHL Island Plan discusses the need for stormwater mitigation for residents in the vicinity of the proposed project. The proposed activity addresses the need recognized in this plan.
226-26 (a)(1), HRS: Assurance of public safety and adequate protection of life and property for all people.	See 226-13(b)(5), HRS
226-27 (a)(1), HRS: Efficient, effective, and responsive government services at all levels in the State.	See 226-14(B)(1) and (3)

**C. GENERAL PLAN OF THE COUNTY OF MAUI**

As stated by the Maui County Charter, the purpose of the general plan is to:

*... indicate desired population and physical development patterns for each island and region within the county; shall address the unique problems and needs of each island and region; shall explain opportunities and the social, economic, and environmental consequences related to potential developments; and shall set forth the desired sequence, patterns and characteristics of future developments. The general plan shall identify objectives to be achieved, and priorities, policies, and implementing actions to be pursued with respect to population density; land use maps, land use regulations, transportation systems, public and community facility locations, water and sewage systems, visitor destinations, urban design, and other matters related to development.*

Chapter 2.80B of the Maui County Code, relating to the General Plan and Community Plans, implements the foregoing Charter provision through enabling legislation which calls for a Countywide Policy Plan and a Maui Island Plan. The Countywide Policy Plan was



adopted as Ordinance No. 3732 on March 24, 2010. The Maui Island Plan was adopted as Ordinance No. 4004 on December 28, 2012 and does not apply to Moloka'i island.

Regarding the Countywide Policy Plan, which includes Moloka'i, Section 2.80B.030 of the Maui County Code states:

*The countywide policy plan shall provide broad policies and objectives which portray the desired direction of the County's future. The countywide policy plan shall include:*

1. *A vision for the County;*
2. *A statement of core themes or principles for the County; and*
3. *A list of countywide objectives and policies for population, land use, the environment, the economy, and housing.*

Core principles set forth in the Countywide Policy Plan are listed as follows:

1. *Excellence in the stewardship of the natural environment and cultural resources;*
2. *Compassion for and understanding of others;*
3. *Respect for diversity;*
4. *Engagement and empowerment of Maui County residents;*
5. *Honor for all cultural traditions and histories;*
6. *Consideration of the contributions of past generations as well as the needs of future generations;*
7. *Commitment to self-sufficiency;*
8. *Wisdom and balance in decision making;*
9. *Thoughtful, island appropriate innovation; and*
10. *Nurturance of the health and well-being of our families and our communities.*

In relation to these core themes, the Countywide Policy Plan has set goals, objectives, policies, and implementing actions that are identified as follows:

1. *Natural environment*
2. *Local cultures and traditions*
3. *Education*

4. *Social and healthcare services*
5. *Housing opportunities for residents*
6. *Local economy*
7. *Parks and public facilities*
8. *Transportation options*
9. *Physical infrastructure*
10. *Sustainable land use and growth management*
11. *Good governance*

With respect to the proposed flood mitigation project, the following goals, objectives, and policies will be expressed through the project's compliance with the Countywide Policy Plan.

### **IMPROVE PHYSICAL INFRASTRUCTURE**

#### **Goal:**

*Maui County's physical infrastructure will be maintained in optimum condition and will provide for and effectively serve the needs of the County through clean and sustainable technologies.*

#### **Objective:**

*Improve the planning and management of infrastructure systems.*

#### **Policies:**

*Provide a reliable and sufficient level of funding to enhance and maintain infrastructure systems.*

*Ensure that basic infrastructure needs can be met during a disaster.*

The proposed project improves the existing drainage in the area with infrastructure that addresses flooding resulting from stormwater flows and protects the five (5) Department of Hawaiian Home Lands (DHHL) Homestead lots during wet weather events.

In summary, the proposed project is consistent with the themes and principles of the Countywide Policy Plan as noted above.

## **D. MOLOKA'I COMMUNITY PLAN**

Within Maui County, there are nine (9) community plan regions. From a General Plan implementation standpoint, each region is governed by a Community Plan which sets forth desired land use patterns, as well as goals, objectives, policies, and implementing actions for a number of functional areas, including infrastructure-related parameters.

The subject properties area located within the Moloka'i Community Plan region within "SF, Single Family" land use designation. Areas surrounding the project area are designated as "SF, Single Family", "MF, Multi Family", and "OS, Open Space". See **Figure 13**. The ten-year update of the Moloka'i Community Plan was initiated in 2010 by the Maui Planning Department and is currently in process.

The proposed project is consistent with the following goals, policies, and objectives of the 2001 Moloka'i Community Plan:

### **ENVIRONMENT**

#### **Goal:**

*Preserve, protect and manage Molokai's exceptional natural land and water resources to ensure that future generations may continue to enjoy and protect the island environment.*

#### **Objectives and Policies:**

- *Protect and manage coastal water quality through best management land treatment practices.*
- *Encourage the development of environmentally sensitive drainage master plans which consider development opportunities and constraints in flood prone areas, stream channels and gulches.*


### **DEPARTMENT OF HAWAIIAN HOME LANDS**

#### **Goal:**

*The timely implementation of programs and settlement of Native Hawaiians on Department of Hawaiian Home Lands.*

#### **Objective and Policy:**

- *Encourage the development of cooperative planning programs between the County and the Department of Hawaiian Home Lands to ensure that infrastructure and public service needs adequately address the needs of the entire Molokai community.*



Source: County of Maui, Molokai Community Plan

**Figure 13** Proposed Department of Hawaiian Home Lands  
 Kapa'akea Flood Mitigation Improvements  
 Moloka'i Community Plan



Prepared for: State of Hawai'i, Department of Hawaiian Home Lands



## **E. ZONING**

According to Maui County Zoning, the proposed project site falls under the “Interim” District. The “Interim” Zoning Ordinance provides temporary regulations over areas pending the formal adoption of a comprehensive zoning ordinance and map which are deemed as necessary in order:

1. *To encourage the most appropriate use of land;*
2. *To conserve and stabilize the value of property;*
3. *To prevent certain uses that will be detrimental to existing uses; and*
4. *To promote the health, safety, and general welfare of the respective districts.*

Within the “Interim” zoning district, the construction of new or the expansion of existing parks, playgrounds, community centers, or public/quasi-public facilities that are owned or operated by private or governmental agencies is permitted. The proposed project is a public/quasi-public improvement owned by the State of Hawai‘i, DHHL and is a permitted use in the “Interim” district. Although the improvements are permitted in the “Interim” zoning district, the DHHL is exempt from County zoning laws, as the Hawaiian Homes Commission has sole jurisdiction over land use on Hawaiian Home Lands.

## **F. SPECIAL MANAGEMENT AREA**

The project site is located within the County of Maui’s Special Management Area (SMA). Chapter 205A, HRS, and the SMA Rules and Regulations of the Moloka‘i Planning Commission provide criteria and objectives, policies, and guidelines for establishing development within coastal areas.

Parcels 9, 10, 11, 24, and 25 are located within the County of Maui’s SMA. As the project will be undertaken directly by DHHL on DHHL owned property, the County of Maui does not have jurisdiction and, as such, the project does not require an SMA Use Permit or other SMA approval. As previously noted, DHHL voluntarily analyzed the proposed action and found that it met the purpose and intent of the Moloka‘i Shoreline Rules, however, said rules are also not applicable for the project. Refer to **Appendix “C”**, Communication from Department of Planning.

## **G. HAWAI‘I COASTAL ZONE MANAGEMENT PROGRAM - OBJECTIVES AND ENFORCEABLE POLICIES**

The Hawai‘i Coastal Zone Management Program (HCZMP), as formalized in Chapter 205A, HRS, establishes objectives and policies for the preservation, protection, and restoration of natural resources of Hawai‘i’s coastal zone.

Although the proposed project is located within the County of Maui's Special Management Area (SMA), the project site is not subject to the SMA requirements, as the County of Maui determined it does not have jurisdiction over land owned by the State of Hawai'i DHHL. Nevertheless, this section addresses the project's relation within coastal zone management considerations, set forth in Chapter 205A, HRS.

## **1. Recreational Resources**

### **Objective:**

*Provide coastal recreational opportunities accessible to the public.*

### **Policies:**

- a. *Improve coordination and funding of coastal recreational planning and management; and*
- b. *Provide adequate, accessible, and diverse recreational opportunities in the coastal zone management area by:*
  - i. *Protecting coastal resources uniquely suited for recreational activities that cannot be provided in other areas;*
  - ii. *Requiring replacement of coastal resources having significant recreational value including, but not limited to, surfing sites, fishponds, and sandy beaches, when such resources will be unavoidable damaged by development; or requiring reasonable monetary compensation to the State for recreation when replacement is not feasible or desirable;*
  - iii. *Providing and managing adequate public access, consistent with conservation of natural resources, to and along shorelines with recreational value;*
  - iv. *Providing an adequate supply of shoreline parks and other recreational facilities suitable for public recreation;*
  - v. *Ensuring public recreational uses of county, state, and federally owned or controlled shoreline lands and waters having recreational value consistent with public safety standards and conservation of natural resources;*
  - vi. *Adopting water quality standards and regulating point and nonpoint sources of pollution to protect, and where feasible, restore the recreational value of coastal waters;*
  - vii. *Developing new shoreline recreational opportunities, where appropriate, such as artificial lagoons, artificial beaches,*

*and artificial reefs for surfing and fishing; and*

- viii. Encouraging reasonable dedication of shoreline areas with recreational value for public use as part of discretionary approvals or permits by the land use commission, board of land and natural resources, and county authorities; and crediting such dedication against the requirements of Section 46-6.*

**Response:** Limited construction-related impacts are anticipated. Appropriate Best Management Practices (BMPs) will be implemented to mitigate construction related impacts. An Erosion Control Plan and BMPs are included in the project plans. Refer to **Appendix “B”**, Project Plans. The project incorporates the natural topography and the natural filtering process of the adjacent wetland. The proposed project is not expected to result in significant adverse impacts to existing coastal recreational resources.

## **2. Historic Resources**

### **Objective:**

*Protect, preserve and, where desirable, restore those natural and manmade historic and prehistoric resources in the coastal zone management area that are significant in Hawaiian and American history and culture.*

### **Policies:**

- a. Identify and analyze significant archaeological resources;*
- b. Maximize information retention through preservation of remains and artifacts or salvage operations; and*
- c. Support state goals for protection, restoration, interpretation, and display of historic resources.*

**Response:** The subject properties were previously developed as DHHL Homestead lots for beneficiaries who currently occupy the existing residential homes. As previously discussed in Chapter II of this document, the Archaeological Assessment Report prepared by Garcia and Associates determined the project will result in “no historic properties” affected and recommended no further archaeological work. The State Historic Preservation Division (SHPD) concurred with the assessment and recommendation, and during the review of the Draft EA, SHPD confirmed their comment. Refer to **Appendix “F-1”** and **Chapter X**. As such, the proposed project is not expected to result in significant adverse impacts to historic resources. Should any inadvertent cultural historic resources be

discovered during ground altering activities, all work will stop in the project area and SHPD will be contacted.

### 3. **Scenic and Open Space Resources**

#### **Objective:**

*Protect, preserve and, where desirable, restore or improve the quality of coastal scenic and open space resources.*

#### **Policies:**

- a. *Identify valued scenic resources in the coastal zone management area;*
- b. *Ensure that new developments are compatible with their visual environment by designing and locating such developments to minimize the alteration of natural landforms and existing public views to and along the shoreline;*
- c. *Preserve, maintain, and where desirable, improve and restore shoreline open space and scenic resources; and*
- d. *Encourage those developments that are not coastal dependent to locate in inland areas.*

**Response:** The proposed project involves the replacement of the existing chainlink fence and stacked rubble wall with a new CMU wall and swale, approximately four (4) feet high and installed within the west and north boundaries of the project site. The main segment of the wall will run in a mauka-makai direction. The smaller section facing Kamehameha V Highway will be installed in front of existing residential structures. As such, the project is not expected to result in any significant adverse impacts to the quality of coastal scenic and open space resources.

### 4. **Coastal Ecosystems**

#### **Objective:**

*Protect valuable coastal ecosystems, including reefs, from disruption and minimize adverse impacts on all coastal ecosystems.*

#### **Policies:**

- a. *Exercise an overall conservation ethic, and practice stewardship in the protection, use, and development of marine and coastal resources;*
- b. *Improve the technical basis for natural resource management;*



- c. *Preserve valuable coastal ecosystems, including reefs, of significant biological or economic importance;*
- d. *Minimize disruption or degradation of coastal water ecosystems by effective regulation of stream diversions, channelization, and similar land and water uses, recognizing competing water needs; and*
- e. *Promote water quantity and quality planning and management practices that reflect the tolerance of fresh water and marine ecosystems and maintain and enhance water quality through the development and implementation of point and nonpoint source water pollution control measures.*

**Response:** Appropriate BMPs will be implemented to mitigate construction-related impacts. An Erosion Control Plan and BMPs are included in the project plans. Refer to **Appendix "B"**, Project Plans. As previously noted, the project incorporates the natural topography as well as the natural filtration of the adjacent wetland as a flood mitigation measure. The proposed project is intended to protect the subject DHHL Homestead lots from flooding during heavy rains and is not expected to result in significant adverse impacts to coastal ecosystems.

## 5. **Economic Uses**

### **Objective:**

*Provide public or private facilities and improvements important to the State's economy in suitable locations.*

### **Policies:**

- a. *Concentrate coastal dependent development in appropriate areas;*
- b. *Ensure that coastal dependent development such as harbors and ports, and coastal related development such as visitor industry facilities and energy generating facilities, are located, designed, and constructed to minimize adverse social, visual, and environmental impacts in the coastal zone management area; and*
- c. *Direct the location and expansion of coastal dependent developments to areas presently designated and used for such developments and permit reasonable long-term growth at such areas, and permit coastal dependent development outside of presently designated areas when:*
  - i. *Use of presently designated locations is not feasible;*
  - ii. *Adverse environmental effects are minimized; and*
  - iii. *The development is important to the State's economy.*

**Response:** The proposed project will have short-term positive economic impact with the generation of construction-related employment and services. There are no significant adverse economic impacts anticipated with the proposed project.

## 6. **Coastal Hazards**

### **Objective:**

*Reduce hazard to life and property from tsunami, storm waves, stream flooding, erosion, subsidence, and pollution.*

### **Policies:**

- a. *Develop and communicate adequate information about storm wave, tsunami, flood, erosion, subsidence, and point and nonpoint source pollution hazards;*
- b. *Control development in areas subject to storm wave, tsunami, flood, erosion, hurricane, wind, subsidence, and point and nonpoint source pollution hazards;*
- c. *Ensure that developments comply with requirements of the Federal Flood Insurance Program; and*
- d. *Prevent coastal flooding from inland projects.*

**Response:** According to the Flood Insurance Rate Maps (FIRMs) developed by the Federal Emergency Management Agency (FEMA), Parcel 25, (FIRM Panel Map 1500030193F) is located in Flood Zone AE. A small corner of Parcel 24 (FIRM Panel No. 1500030193F) is located in Zone VE with a majority of the parcel in Zone AE. Portion of Parcels 10 and 11, (FIRM Panel Map 1500030193F) are located in Zone AE and Zone VE. Parcel 9 (FIRM Panel Map 1500030189F) is located in Zone VE. Refer to **Figure 8**. Flood Zone AE (Shaded) in the portions of the project area represents a special flood hazard area that is subject to flooding by the 1-percent annual chance flood with a base flood elevation of 10 feet. Flood Zone VE represent coastal areas with a one (1) percent or greater chance of flooding with a base flood elevation of 12 feet and additional hazard associated with storm waves. A County of Maui Flood Development Permit will be obtained, as may be applicable to the project.

The parcels are identified on the tsunami evacuation maps developed by the State Civil Defense Agency.

The proposed improvements will mitigate home and property damages in the Hawaiian Homesteads area caused by flooding in the adjacent wetland during heavy rains. The project is limited to the demolition of previously constructed

chainlink fence and stacked rubble wall, as well as the construction of a CMU wall and swale and does not involve the development of habitable structures or facilities within the area.

As previously noted, Parcel 9 is a shoreline fronting parcel, and based on certified Real Property tax records, was established on April 27, 1950, which is prior to the enactment of the Moloka'i Planning Commission Shoreline Setback Rules. Refer to **Appendix "D"**. As the project involves DHHL property, similar to the SMA rules, the Shoreline Setback Rules are not applicable to the project. The proposed CMU wall replacement and swale are approximately 60 feet away from the surveyed shoreline.

## 7. **Managing Development**

### **Objective:**

*Improve the development review process, communication, and public participation in the management of coastal resources and hazards.*

### **Policies:**

- a. *Use, implement, and enforce existing law effectively to the maximum extent possible in managing present and future coastal zone development;*
- b. *Facilitate timely processing of applications for development permits and resolve overlapping or conflicting permit requirements; and*
- c. *Communicate the potential short and long-term impacts of proposed significant coastal developments early in their life cycle and in terms understandable to the public to facilitate public participation in the planning and review process.*

**Response:** The proposed project underwent agency and public review during the Chapter 343, HRS Environmental Assessment (EA) review process. All aspects of the proposed project will follow accordingly to applicable Federal, State, and County standards. Early consultation with agencies and interested parties was conducted for the formulation of the Draft EA. Additionally, the Draft EA was distributed for public and agency review.

Copies of early consultation letters received and responses to those letters are provided in Chapter IX of this document. Comments received on the Draft EA and responses to substantive comments are included in **Chapter X**.

## 8. **Public Participation**

### **Objective:**

*Stimulate public awareness, education, and participation in coastal management.*

### **Policies:**

- a. *Promote public involvement in coastal zone management processes;*
- b. *Disseminate information on coastal management issues by means of educational materials, published reports, staff contact, and public workshops for person and organizations concerned with coastal issues, developments, and government activities; and*
- c. *Organize workshops, policy dialogues, and site-specific mediations to respond to coastal issues and conflicts.*

**Response:** As previously mentioned, the Draft EA facilitated review for the public to be aware and participate in the review process for the proposed project. The notice of availability of the Draft EA was published in the August 8, 2016 OEQC's Environmental Notice. The proposed project is being processed accordingly with the objectives of public awareness, education, and participation. The Draft EA was also reviewed at a Hawaiian Homes Commission meeting which was open to the public. Similarly, a preliminary Final EA will be reviewed at a Hawaiian Homes Commission meeting.

## 9. **Beach Protection**

### **Objective:**

*Protect beaches for public use and recreation.*

### **Policies:**

- a. *Locate new structures inland from the shoreline setback to conserve open space, minimize interference with natural shoreline processes, and minimize loss of improvements due to erosion;*
- b. *Prohibit construction of private erosion-protection structures seaward of the shoreline, except when they result in improved aesthetic and engineering solutions to erosion at the sites and do not interfere with existing recreational and waterline activities; and*
- c. *Minimize the construction of public erosion-protection structures seaward of the shoreline.*
- d. *Prohibit private owners from creating a public nuisance by inducing*

*or cultivating the private property owner's vegetation in a beach transit corridor; and*

- e. *Prohibit private property owners from creating a public nuisance by allowing the private property owner's unmaintained vegetation to interfere or encroach upon a beach transit corridor.*

**Response:** The proposed project will be located within the north and west boundaries of the previously developed DHHL Homestead lots approximately 60 feet from shore. As such, the project is not anticipated to result in significant adverse impacts to beaches for public use and recreation.

## 10. **Marine Resources**

### **Objective:**

*Promote the protection, use, and development of marine and coastal resources to assure their sustainability.*

### **Policies:**

- a. *Ensure that the use and development of marine and coastal resources are ecologically and environmentally sound and economically beneficial;*
- b. *Coordinate the management of marine and coastal resources and activities to improve effectiveness and efficiency;*
- c. *Assert and articulate the interests of the State as a partner with federal agencies in the sound management of ocean resources within the United States exclusive economic zone;*
- d. *Promote research, study, and understanding of ocean processes, marine life, and other ocean resources to acquire and inventory information necessary to understand how ocean development activities relate to and impact upon ocean and coastal resources; and*
- e. *Encourage research and development of new, innovative technologies for exploring, using, or protecting marine and coastal resources.*

**Response:** The proposed project is confined to the north and west boundaries of the five (5) DHHL Homestead lots. As previously discussed, the project plan includes the implementation of an Erosion Control Plan and BMPs. Refer to **Appendix "A"**, Engineering Report, and **Appendix "B"**, Project Plans. As such, the proposed project is not expected to result in significant impacts to the protection, use and development of marine and coastal resources.

In addition to the foregoing objectives and policies, HRS Section 205A-30.5, Prohibitions, provides that:

- (a) *No Special Management Area Use Permit or Special Management Area Minor Permit shall be granted for structures that allow artificial light from floodlights, uplights, or spotlights used for decorative or aesthetic purposes when the light:*
  - (1) *Directly illuminates the shoreline and ocean waters; or*
  - (2) *Is directed to travel across property boundaries toward the shoreline and ocean waters.*
  
- (b) *Subsection (a) shall not apply to Special Management Area use permits for structures with:*
  - (2) *Artificial lighting provided by a government agency or its authorized users for government operations, security, public safety, or navigational needs; provided that a government agency or its authorized users shall make reasonable efforts to properly position or shield lights to minimize adverse impacts.*

**Response:** Construction activities are expected to be limited to daylight hours. However, should construction flood lights be required for night activities, these lights will be shielded and directed downward to minimize potential impacts to seabirds that may be confused by bright lights. Should large flood/work lights be used, they will be placed on poles high enough to allow the lights to be pointed directly downward at the ground. Once installed, the proposed improvements will not require any artificial lighting.

**SUMMARY OF ADVERSE  
ENVIRONMENTAL EFFECTS  
WHICH CANNOT BE AVOIDED**

**IV**

## **IV. SUMMARY OF ADVERSE ENVIRONMENTAL EFFECTS WHICH CANNOT BE AVOIDED**

Project construction will result in a certain amount of unavoidable construction-related impacts. These include noise generated impacts and air quality impacts associated with the operation of construction equipment. Air quality will also be temporarily impacted by dust generated from site work. The construction-related impacts will be temporary and mitigated through implementation of appropriate Best Management Practices (BMPs).

During storm events the proposed project involves the installation of a new CMU wall and swale. This design will divert flow from Kamehameha V Highway to the existing wetland and will prevent water flow from the wetland to the subject parcels and avoid flooding of the homes on these parcels during heavy rainfall. Construction activities will include implementation of BMPs and erosion control measures, such as use of controlling fugitive dust and construction equipment washout from entering State waters, minimizing amount of land exposed, sodding slopes and exposed areas, use silt filter sock and silt fence, and protect the contractor's equipment storage areas with use of earth berms and/or absorption materials of silt fence and socks, to minimize water quality effects from sedimentation.

The proposed action will involve a commitment of fuel, labor, funding, and material resources. However, the commitment of resources necessary to implement the proposed project will be justified, given the eventual benefits to be realized through the completion of mitigation improvements that have a positive impact as the project is intended to protect the subject DHHL Homestead lots from flooding during rainfall events.

In the long term, construction of the proposed project is not anticipated to create any significant, adverse effects on the environment.



**ALTERNATIVES TO  
THE PROPOSED  
ACTION**



## V. ALTERNATIVES TO THE PROPOSED ACTION

### A. PREFERRED ALTERNATIVE

The proposed project involves the removal of the existing chainlink fence and stacked rubble wall within the north and west edges of the five (5) Department of Hawaiian Home Lands (DHHL) Homestead lots and replacement with the construction of 700 linear feet of concrete masonry unit (CMU) wall, with swale along the property line. The CMU wall will divert the flow from Kamehameha V Highway to the north of the subject lots, to the existing wetland area located to the west of the lots. As previously discussed, the DHHL Homestead lots surface elevations are higher today than originally, as a result of fill work that was previously done to address flooding. This resulted in slopes downward into Kōheo wetlands. The proposed project is intended to eliminate the significant adverse impacts from flooding by removing the chainlink fence and stacked rubble wall, and replacing it with a solid concrete wall. The proposed CMU wall and swale will prevent water flow from the wetland onto the five (5) DHHL Homestead lots and divert runoff from the subject lots to the wetland area during wet weather events. The proposed CMU wall has a footprint of 0.17 acre within the boundary of each of the five (5) DHHL Homestead lots.

### B. DEFERRED OR NO ACTION ALTERNATIVE

The “deferred” or “no action” alternative would mean the replacement of the existing chainlink fence and stacked rubble wall with a new CMU wall and swale would not occur and the five (5) DHHL Homestead lots would continue to be subject to flooding during storm events. As such, the “deferred” or “no action” alternative was not considered.

### C. DESIGN ALTERNATIVES

In addition to the preferred and deferred or no action alternatives, additional design alternatives were studied to address the flood mitigation needed for the existing DHHL Homestead lots. Additionally, in their review of the Draft EA, the Office of Environmental Quality Control provided comments which suggested the use of an earthen berm as an alternative to the proposed improvements. DHHL and its technical consultants studied the additional alternative to determine feasibility in addressing the flood mitigation. A summary of the alternatives studies are provided below.

#### 1. Sandbag Alternative

This alternative would involve constructing a sandbag berm along the property line between the DHHL Homestead lots and the adjacent wetland.

In review of the alternative, the project's civil engineer determined that the sandbags would not create an impermeable layer between the adjacent wetland and the DHHL Homestead lots. As such, the floodwaters from the wetlands would still migrate into the DHHL lots and cause flooding. Additionally, it was noted that this alternative would require maintenance and replacement of the sandbags periodically by DHHL and/or DHHL lessees which would involve additional cost incurred over the lifespan of the project. This alternative was not selected due to the long-term maintenance needs as well as potential cost factor for replacement of sandbags over time.

**2. Drainage Ditch Alternative**

This alternative would involve the installation of a drainage ditch (lined or earthen) between the DHHL Homestead lots and the adjacent wetland. However, in review of this alternative, it was determined that it would not alleviate the floodwaters from the wetland from migrating into the Homestead lots unless floodwalls were also constructed due to varying elevations of the properties (DHHL Homestead lots and adjacent wetland). The preferred alternative is a hybrid of this alternative as it incorporates this concept with the construction of a swale adjacent to the proposed flood wall. As such, this alternative was not selected as a preferred alternative to address the flood mitigation for the DHHL Homestead lots.

**3. Earthen Berm Alternative**

This alternative would include the installation of an earthen berm along the property line of the DHHL Homestead lots and the adjacent wetland. In review of this alternative, it was determined that in order to provide the flood mitigation protection, the berm would encroach into the DHHL Homestead lots by approximately six (6) ft. to nine (9) ft. Additionally, maintenance along the embankment would also be required to be done by the lessees to ensure the structural integrity of the berm and continue protection by the berm. The adjacent wetland provides a low impact method that mitigates adverse impacts from the floodwaters that are generated mauka of the Kamehameha V Highway to the environment and the ocean. Based on the need to encroach on the existing lessees' properties and the long-term maintenance needs for the berm and long-term costs, this alternative was not selected as a preferred alternative for the project.

**IRREVERSIBLE AND  
IRRETRIEVABLE  
COMMITMENT OF  
RESOURCES**

**VI**

## VI. IRREVERSIBLE AND IRRETRIEVABLE COMMITMENT OF RESOURCES

The proposed action is anticipated to result in the irreversible and irretrievable commitment of certain natural and fiscal resources, including land, fuel, labor, funding, and material resources. Funding of the project is being provided from the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) Capital Improvement Program.

The proposed project involves the removal and demolition of the existing chainlink fence and stacked rubble wall. A new approximately 4-foot high CMU fence wall with swale is proposed for installation around the boundary of five (5) DHHL Homestead lots identified as Parcel 9, Parcel 10, Parcel 11, Parcel 24, and Parcel 25. Refer to **Figure 2**. The proposed CMU wall has a footprint of 0.17 acre and will run along the west and north project site borders. The western segment of the CMU wall is estimated to traverse a length of 520 linear feet, terminating at a location approximately 60 feet mauka of the shoreline. The northern segment will run approximately 180 ft. facing Kamehameha V Highway. The total length of the wall is estimated to be 700 linear feet. The proposed project will divert the runoff from Kamehameha V Highway to the existing adjacent wetland to the west. The proposed wall will serve as a barrier to prevent stormwater flow from the wetland onto the subject lots during storm events. The proposed project is considered appropriate as it implements stormwater mitigation infrastructure to protect the five (5) DHHL Homestead lots which experience periodic flooding during rain events.

The proposed flood mitigation project is designed to comply with the latest County of Maui Rules for the Design of Storm Drainage Facilities in the County of Maui.

**SIGNIFICANCE  
CRITERIA  
ASSESSMENT**

**VII**

## VII. SIGNIFICANCE CRITERIA ASSESSMENT

The “Significance Criteria”, Section 12, of the Administrative Rules, Title 11, Chapter 200, “Environmental Impact Statement Rules”, were reviewed and analyzed to determine whether the proposed project will have significant adverse impacts to the environment. The following analysis is provided:

1. **Involves an irrevocable commitment to loss or destruction of any natural or cultural resource**

The Archaeological Assessment Report completed by Garcia and Associates in October 2015, concluded that the proposed project will result in “no historic properties” affected and no further archaeological work is recommended. This report was reviewed and accepted by State Historic Preservation Division (SHPD). Refer to **Appendix “F-1”**. As previously noted, SHPD confirmed in comments on the Draft EA that “no historic” properties will be affected. Refer to **Chapter X**.

In the event any human skeletal remains are found during ground altering activities, work will be stopped and the remains will be handled in consultation with SHPD in conformance with Section 6E-43,b, Hawai'i Revised Statutes (HRS).

Garcia and Associates also carried out a Cultural Impact Assessment (CIA) for the proposed project in April 2016. Interviews with residents familiar with cultural history and practices were conducted. Based on the CIA, it is anticipated the proposed project will not adversely impact cultural resources or practices. Refer to **Appendix “G”**.

2. **Curtails the range of beneficial uses of the environment**

The proposed project and the commitment of limited land resources are not anticipated to curtail the range of beneficial uses of the environment. The proposed flood mitigation improvements are designed to protect the five (5) Department of Hawaiian Home Lands (DHHL) Homestead lots from flooding during moderate to extreme rainfall events. With proposed mitigation measures, such as implementation of erosion control measures and Best Management Practices (BMPs) during construction, the proposed project is not expected to result in adverse effects on beneficial uses of the environment.

3. **Conflicts with the State's long-term environmental policies or goals and guidelines as expressed in Chapter 344, HRS, and any revisions thereof and amendments thereto, court decisions, or executive orders**

The State's Environmental Policy and Guidelines are set forth in Chapter 344, Hawai'i Revised Statutes (HRS). The proposed action does not contravene provisions of Chapter 344, HRS, court decisions, or executive orders.

4. **Substantially affects the economic welfare, social welfare, and cultural practices of the community or State**

The proposed action would provide a direct, short-term economic benefit to the community during the construction phase. The construction of the proposed flood mitigation infrastructure will serve and safeguard the subject DHHL Homestead lots by protecting these properties from flooding conditions during rainfall events.

As previously noted, based on the CIA, there are no anticipated adverse impacts to cultural resources or properties. Refer to **Appendix "G"**.

5. **Substantially affects public health**

No adverse impacts to public health are anticipated to result from the proposed action, which is a flood mitigation project.

6. **Involves substantial secondary impacts, such as population changes or effects on public facilities**

The project site is located within existing developed areas of Kapa'akea Makai Homestead properties and involves the replacement of the existing chainlink fence and stacked rubble wall with a new CMU wall and swale. Existing service limits will not be affected by project implementation. There are no anticipated adverse effects upon public services, such as police, fire, medical, educational, or waste collection services.

7. **Involves a substantial degradation of environmental quality**

During project implementation, appropriate measures, such as an Erosion Control Plan and BMP measures, will be implemented to mitigate potential short-term environmental impacts. Refer to **Appendix "B"**, Project Plans.

The proposed project is a BMP measure that is intended to avoid flooding of the subject DHHL Homestead Lots. To mitigate flooding of the lots, the proposed CMU wall and swale will divert the flow from Kamehameha V Highway to the existing wetland and will prevent the water flow from the wetland to the project site.



8. **Is individually limited but cumulatively has considerable effect upon the environment or involves a commitment for larger actions**

The proposed action involves the replacement of an existing chainlink fence and stacked rubble wall with a new CMU wall and swale. As such, the project is not anticipated to result in significant adverse cumulative impacts and does not involve a commitment for larger actions. It is anticipated that implementation of the project would result in positive benefits to the beneficiaries of the five (5) DHHL Homestead lots by mitigating flooding conditions during heavy rainfall.

9. **Substantially affects rare, threatened or endangered species or its habitat**

There are no rare, threatened, or endangered species of fauna, flora, or their habitat on the project site, which is occupied by DHHL beneficiaries on previously developed lots. Refer to **Appendix “E”**, Flora and Fauna Survey. Therefore, significant adverse impacts to these environmental features are not anticipated from the project.

The adjacent Kōheo wetland known as a habitat for two (2) endangered waterbirds, the ae’o and ‘alae ke’oke’o is under a cooperative agreement with a Moloka’i entity that is pursuing habitat enhancements and protective bird measures. Robert Hobdy’s survey found the wetland has sufficient buffer that allows these birds to co-exist with surrounding human activities without significant adverse impact. Refer to **Appendix “E”**.

10. **Detrimentially affects air or water quality or ambient noise levels**

During the construction of the proposed improvements, there may be short-term impacts to air and noise quality. Appropriate BMPs will be implemented to minimize these short-term impacts which will not extend into the long term. As may apply, appropriate permits will be obtained such as a National Pollutant Discharge Elimination System (NPDES) Permit and Community Noise permit, to ensure appropriate mitigation measures are implemented during construction. Appropriate BMPs will be used during project construction to minimize short term impacts to water quality.

11. **Affects or is likely to suffer damage by being located in an environmentally sensitive area such as a floodplain, tsunami zone, beach, erosion prone area, geological hazardous land, estuary, fresh water or coastal waters**

The project area is an upland site and as per Robert Hobdy’s survey report there are no aquatic resources that would characterize the area as a wetland. The wetland boundary line lies outside the project area to the west by distances ranging from 20 feet (below the highway) to 8 feet near the shoreline. As previously noted, DHHL received follow up comments from the Army Corps on the Wetland Study,

which requested additional information and analysis for data points from the adjacent wetland. The additional review work was prepared and submitted to them for review and approval in October 2016. The DHHL will continue to coordinate with the Army Corps regarding the wetland review. Refer to **Exhibit “H”**, Wetland Study and **Exhibit “H-1”**.

According to the Flood Insurance Rate Maps (FIRMs) developed by the Federal Emergency Management Agency (FEMA), Parcel 25, (FIRM Panel Map 1500030193F) is located in Flood Zone AE (base flood elevation of 10 feet). A small corner of Parcel 24 (FIRM Panel No. 1500030193F) is located in Zone VE (base flood elevation of 12 feet) with a majority of the parcel in Zone AE. Portion of Parcels 10 and 11, (FIRM Panel Map 1500030193F) are located in Zone AE and Zone VE. Parcel 9 (FIRM Panel Map 1500030189F) is located in Zone VE. Refer to **Figure 8**. Flood Zone AE (Shaded) in the portions of the project area represents a special flood hazard area that is subject to flooding by the 1-percent annual chance flood. Flood Zone VE represent coastal areas with a one (1) percent or greater chance of flooding and additional hazard associated with storm waves. A County of Maui Flood Development Permit will be obtained, as may be applicable to the project.

The parcels are identified on the tsunami evacuation maps developed by the State Civil Defense Agency. Refer to **Figure 9**. It is noted that the proposed project involves the removal of an existing chainlink fence and stacked rubble wall, and installation of a new CMU wall and swale, non-habitable element on the parcels.

As previously noted, Parcel 9 is a shoreline fronting parcel, and based on certified Real Property tax records, was established on April 27, 1950, which is prior to the enactment of the Moloka'i Planning Commission Shoreline Setback Rules. As previously noted, the proposed project involves DHHL property and similar to the SMA rules, the Shoreline Setback Rules are not applicable to the project due to jurisdiction. The proposed CMU wall and swale will be approximately 60 feet away from the surveyed shoreline.

As such, this project is not anticipated to result in an adverse effect on environmentally sensitive areas.

**12. Substantially affects scenic vistas and viewplanes identified in County or State plans or studies**

The proposed action is limited to replacement of a chainlink fence and stacked rubble wall with a CMU wall and swale, which are low in profile (approximately four (4) feet in height). The CMU wall will be built around existing residential structures and will run primarily in a mauka-makai direction along the subject DHHL

Homestead lots. As such, the proposed project is not anticipated to result in substantive, adverse impacts to identified scenic vistas or viewplanes.

**13. Requires substantial energy consumption**

The proposed action will involve the short-term commitment of fuel for equipment, vehicles, and machinery during construction activities. Upon completion of construction, the project will not involve energy consumption.

In summary, the proposed project is intended to protect the five (5) DHHL Homestead lots from flooding during rainfall events. The improvements are limited to the existing subject lots and are not anticipated to have a significant adverse impact on the environment.

Based on the foregoing findings, the DHHL determined that the proposed action will result in a Finding of No Significant Impact (FONSI), subject to the approval by the Hawaiian Homes Commission.

**LIST OF PERMITS  
AND APPROVALS**

**VIII**

## VIII. LIST OF PERMITS AND APPROVALS

The following permits and approvals will be required prior to the implementation of the project.

### State of Hawai'i

1. National Pollutant Discharge Elimination System (NPDES) Permit (construction, as applicable)
2. Community Noise Permit, as applicable

### County of Maui

1. Construction Permits (i.e. Grubbing/Grading, and Building Permits, as applicable)
2. Special Flood Hazard and Development Permit, as applicable

**PARTIES CONSULTED DURING  
THE PREPARATION OF THE  
DRAFT ENVIRONMENTAL  
ASSESSMENT; LETTERS  
RECEIVED AND RESPONSES TO  
SUBSTANTIVE COMMENTS**

**IX**

# IX. PARTIES CONSULTED DURING THE PREPARATION OF THE DRAFT ENVIRONMENTAL ASSESSMENT; LETTERS RECEIVED AND RESPONSES TO SUBSTANTIVE COMMENTS

The following agencies were consulted during preparation of the Draft Environmental Assessment (EA). Agency comments and responses to substantive comments are included herein.

## FEDERAL AGENCIES

1. Lt. Furyisa Miller  
**U.S. Coast Guard**  
Fourteenth Coast Guard District  
300 Ala Moana Boulevard,  
Room 9-204  
Honolulu, Hawai'i 96850-4982
2. Larry Yamamoto, State  
Conservationist  
Natural Resources Conservation  
Service  
**U.S. Department of Agriculture**  
P.O. Box 50004  
Honolulu, Hawai'i 96850-0001
3. Ranae Ganske-Cerizo, Soil  
Conservationist  
Natural Resources Conservation  
Service  
**U.S. Department of Agriculture**  
77 Hookele Street, Suite 202  
Kahului, Hawai'i 96732
4. Wally Jennings  
Natural Resources Conservation  
Service  
**U.S. Department of Agriculture**  
P. O. Box 396  
Hoolehua, Hawai'i 96729
5. Shelly Lynch, Chief, Regulatory  
Branch  
**U.S. Department of the Army**  
U.S. Army Engineer District, Honolulu  
Regulatory Branch, Building 230  
Fort Shafter, Hawai'i 96858-5440
6. Kristi Young, Acting Field Supervisor  
**U. S. Fish and Wildlife Service**  
300 Ala Moana Blvd., Rm. 3-122  
Box 50088  
Honolulu, Hawai'i 96850
7. Kay Zukeran  
**NOAA Inouye Regional Center  
NMFS/PIRO**  
1845 Wasp Boulevard, Building 176  
Honolulu, Hawai'i 96818

## STATE AGENCIES

8. Douglas G. Murdock, Comptroller  
**Department of Accounting and  
General Services**  
1151 Punchbowl Street, #426  
Honolulu, Hawai'i 96813
9. Scott Enright, Chair  
**Department of Agriculture**  
1428 South King Street  
Honolulu, Hawai'i 96814-2512
10. Wesley Machida, Director  
**Department of Budget and Finance**  
P.O. Box 150  
Honolulu, Hawai'i 96810
11. Kathryn Matayoshi, Superintendent  
State of Hawai'i  
**Department of Education**  
P.O. Box 2360  
Honolulu, Hawai'i 96804
12. Heidi Meeker  
Office of Business Services  
**Department of Education**  
c/o Kalani High School  
4680 Kalaniana'ole Highway, #T-B1A  
Honolulu, Hawai'i 96821

13. Virginia "Ginny" Pressler, MD, MBA,  
FACS, Director  
State of Hawai'i  
**Department of Health**  
919 Ala Moana Blvd., Room 300  
Honolulu, Hawai'i 96814
14. Alec Wong, P.E., Chief  
Clean Water Branch  
State of Hawai'i  
**Department of Health**  
919 Ala Moana Blvd., Room 300  
Honolulu, Hawai'i 96814
15. Patti Kitkowski  
State of Hawai'i  
**Department of Health**  
Maui Sanitation Branch  
54 South High Street, Room 300  
Wailuku, Hawai'i 96793
16. Laura McIntyre, AICP  
Environmental Planning Office  
**Department of Health**  
919 Ala Moana Blvd., Suite 312  
Honolulu, Hawai'i 96814
17. Lene Ichinotsubo  
State of Hawai'i  
**Department of Health**  
919 Ala Moana Blvd., Room 212  
Honolulu, Hawai'i 96814
18. Suzanne Case, Chairperson  
State of Hawai'i  
**Department of Land and Natural  
Resources**  
P. O. Box 621  
Honolulu, Hawai'i 96809
19. Alan Downer, Administrator  
State of Hawai'i  
Department of Land and Natural  
Resources  
**State Historic Preservation Division**  
601 Kamokila Blvd., Room 555  
Kapolei, Hawai'i 96707
20. Morgan Davis  
State of Hawai'i  
Department of Land and Natural  
Resources  
**State Historic Preservation Division**  
130 Mahalani Street  
Wailuku, Hawai'i 96793

21. Ford Fuchigami, Director  
State of Hawai'i  
**Department of Transportation**  
869 Punchbowl Street  
Honolulu, Hawai'i 96813
22. Brigadier General Arthur "Joe" Logan,  
Adjutant General  
**Hawai'i State Civil Defense**  
3949 Diamond Head Road  
Honolulu, Hawai'i 96813-4495
23. Scott Glenn, Director  
**Office of Environmental Quality  
Control**  
235 S. Beretania Street, Suite 702  
Honolulu, Hawai'i 96813
24. Dr. Kamana`opono Crabbe, Chief  
Executive Officer  
**Office of Hawaiian Affairs**  
560 N. Nimitz Highway, Suite 200  
Honolulu, Hawai'i 96817
25. Leo R. Asuncion, Jr., AICP, Acting  
Director  
State of Hawai'i  
**Office of Planning**  
P. O. Box 2359  
Honolulu, Hawai'i 96804

#### **COUNTY AGENCIES**

26. Anna Foust  
**Maui Civil Defense Agency**  
200 South High Street  
Wailuku, Hawai'i 96793
27. Stewart Stant, Director  
County of Maui  
**Department of Environmental  
Management**  
2050 Main Street, Suite 2B  
Wailuku, Hawai'i 96793
28. Jeffrey A. Murray, Chief  
County of Maui  
**Department of Fire and Public  
Safety**  
200 Dairy Road  
Kahului, Hawai'i 96732



- 29. Carol Reimann, Director  
County of Maui  
**Department of Housing and Human Concerns**  
One Main Plaza  
2200 Main Street, Suite 546  
Wailuku, Hawai'i 96793
  
- 30. Ka'ala Buenconsejo, Director  
County of Maui  
**Department of Parks and Recreation**  
700 Halia Nakoa Street, Unit 2F  
Wailuku, Hawai'i 96793
  
- 31. William Spence, Director  
County of Maui  
**Department of Planning**  
2200 Main Street, Suite 315  
Wailuku, Hawai'i 96793
  
- 32. Tivoli Faamu, Chief  
County of Maui  
**Police Department**  
55 Mahalani Street  
Wailuku, Hawai'i 96793
  
- 33. David Goode, Director  
County of Maui  
**Department of Public Works**  
200 South High Street  
Wailuku, Hawai'i 96793
  
- 34. Don Medeiros, Director  
County of Maui  
**Department of Transportation**  
200 South High Street  
Wailuku, Hawai'i 96793
  
- 35. David Taylor, Director  
County of Maui  
**Department of Water Supply**  
200 South High Street  
Wailuku, Hawai'i 96793
  
- 36. Honorable Stacy Crivello  
**Maui County Council**  
200 South High Street  
Wailuku, Hawai'i 96793

**UTILITIES**

- 37. Michael Grider, Interim Manager,  
Engineering  
**Maui Electric Company, Ltd.**  
P.O. Box 398  
Kahului, Hawai'i 96733
  
- 38. **Hawaiian Telcom**  
60 South Church Street  
Wailuku, Hawai'i 96793

**COMMUNITY ORGANIZATIONS**

- 39. Ekolu Lindsey  
**Maui Cultural Lands, Inc.**  
P. O. Box #122  
Lahaina, Hawai'i 96767

MAY 18 2016

---

**Subject:** FW: Kapa'akea Flood Mitigation Project - Corps Comments  
**Attachments:** POH-2016-00112\_EA\_Consultation\_Request\_06MAY2016.pdf

-----Original Message-----

From: Damico, Katy R POH [mailto:Katy.R.Damico@usace.army.mil]  
Sent: Monday, May 16, 2016 1:48 PM  
To: Gwendolyn Rivera  
Cc: Chen, Edward; John Nakagawa  
Subject: FW: Kapa'akea Flood Mitigation Project - Corps Comments

My apologies, I had a typo in your email address.

-----Original Message-----

From: Damico, Katy R POH  
Sent: Tuesday, May 17, 2016 9:43 AM  
To: 'Gwendolyn@munekiyohirage.com' <Gwendolyn@munekiyohirage.com>  
Cc: 'Chen, Edward' <edward.chen@doh.hawaii.gov>; John Nakagawa <JNakagaw@dbedt.hawaii.gov>  
Subject: Kapa'akea Flood Mitigation Project - Corps Comments

Ms. Rivera,

I have reviewed the attached letter requesting early consultation on the proposed Kapa'akea Flood Mitigation Project.

This letter did not provide the level of information I would need to make a permit decision. However, based upon the information provided, this project is located immediately adjacent to a jurisdictional wetland (Koheo Wetland and Ka Lai o Ke Kioea Bird Sanctuary located at TMK (2) 5-3-007:039, Kaunakakai, Island of Molokai, Hawaii) and a Department of the Army (DA) permit may be required for the construction of the proposed wall, depending upon the exact location of the wall construction and staging areas, and temporary and permanent impacts.

The Corps operates under the following authorities: Section 404 of the Clean Water Act (Section 404) and Section 10 of the Rivers and Harbors Act of 1899 (Section 10). Section 404 requires authorization prior to the discharge and/or placement of dredged or fill material into waters of the U.S., including adjacent wetlands. Section 10 requires authorization prior to conducting work in, over, under, and affecting navigable waters.

Based on your submittal, the proposed project may require placing a structure and/or fill within the Kohoe Wetland area. Therefore, in accordance with Section 10 and/or Section 404 you must obtain a DA permit from this office prior to commencing your proposed work.

The proposed work may qualify for authorization under a Nationwide Permit. Please fill out the DA permit application at <http://www.poh.usace.army.mil/Missions/Regulatory.aspx> (Click large Red button in upper left corner "Click to fill out a Corps Permit") and submit to this office via email at: CEPOH-RO@usace.army.mil .

Section 401(a)(1) of the Clean Water Act requires that you obtain a Water Quality Certification or waiver from the State of Hawaii, Department of Health, Clean Water Branch. For additional information, please contact the Clean Water Branch at (808) 586-4309 or [cleanwaterbranch@doh.hawaii.gov](mailto:cleanwaterbranch@doh.hawaii.gov). A final DA permit will not be issued until this office has received a copy of the approved 401 WQC or waiver.

77

Before authorizing work under our statutory authorities, the Corps must ensure a project complies with applicable Federal laws and regulations, such as the Endangered Species Act (ESA), Magnuson-Stevens Fishery Conservation and Management Act, Section 401 of the Clean Water Act, Coastal Zone Management Act, and the National Historic Preservation Act. In most instances, the Corps will coordinate directly with the appropriate agencies, but we may require additional information from you to complete the coordination and consultation. However, if you have already started or completed any coordinations with under these applicable laws and regulations, please include that information in your permit application.

I am currently located in the Honolulu District Guam Regulatory Field Office, so if you would like to have a Corps project manager meet you on-site or have a face-to-face meeting to discuss this project in more detail, please contact the main Honolulu District Office at 808-835-4303 or via email at CEPOH-RO@usace.army.mil .

Please contact me if you have any questions.

Respectfully,  
Katy

Katy R. Damico  
US Army Corps of Engineers  
Honolulu District, Regulatory Office  
Guam Field Office  
Apra Harbor Naval Complex  
PSC 455 Box 188  
FPO, AP 96540-1088 Guam

Office: (671) 339-2108  
IP Phone: (808) 835-4160  
Cell: (808) 283-0549  
Email: [katy.r.damico@usace.army.mil](mailto:katy.r.damico@usace.army.mil)  
District Email: [CEPOH-RO@usace.army.mil](mailto:CEPOH-RO@usace.army.mil)

For more information regarding the Regulatory Program at the Honolulu District, please visit our website at <http://www.poh.usace.army.mil/Missions/Regulatory.aspx>.

For general inquiries, please contact the Honolulu District Regulatory Office at 808-835-4303 or via email at [CEPOH-RO@usace.army.mil](mailto:CEPOH-RO@usace.army.mil)

You are encouraged to provide comments on your experience with the Honolulu District Regulatory Office by accessing our web-based customer survey form at [http://corpsmapu.usace.army.mil/cm\\_apex/f?p=136:4:0](http://corpsmapu.usace.army.mil/cm_apex/f?p=136:4:0).



July 22, 2016

Email: [katy.r.damico@usace.army.mil](mailto:katy.r.damico@usace.army.mil)

Katy Damico  
Department of the Army  
Honolulu District, Army Corps of Engineers  
Guam Field Office  
Apra Harbor Naval Complex  
PSC 455 Box 188  
FPO, AP 96540-1088 Guam

SUBJECT: Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i (Reference: POH-2016-00112)

---

Dear Ms. Damico:

Thank you for your emailed comments dated May 16, 2016, responding to our request for early consultation in preparation of a Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation Project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following responses in the order of the comments in your email.

**Comment No.1**

*This letter did not provide the level of information I would need to make a permit decision. However, based upon the information provided, this project is located immediately adjacent to a jurisdictional wetland (Koheo Wetland and Ka Lai o Ke Kioea Bird Sanctuary located at TMK (2) 5-3-007:039, Kaunakakai, Island of Molokai, Hawaii) and a Department of the Army (DA) permit may be required for the construction of the proposed wall, depending upon the exact location of the wall construction and staging areas, and temporary and permanent impacts.*

*The Corps operates under the following authorities: Section 404 of the Clean Water Act (Section 404) and Section 10 of the Rivers and Harbors Act of 1899 (Section 10). Section 404 requires authorization prior to the discharge and/or placement of dredged or fill material into waters of the U.S., including adjacent wetlands. Section*

*10 requires authorization prior to conducting work in, over, under, and affecting navigable waters.*

**Response:** Kōheo Wetland is adjacent to the five (5) DHHL Homestead lots (Tax Map Key's (2)5-4-007:009, 010, 011, 024, and 025), which the proposed project is intended to protect from flooding during storm events. According to a Wetland Study that was prepared for the subject project, the neighboring wetland area is in a low spot on the coastal plain at the boundary between Kaunakakai and Kapa'akea. It is fed by ground water, local rainfall and receives runoff from a small ephemeral unnamed gully above the highway. It only flows during heavy rain events. When the gully reaches the coastal plain it disappears and any runoff spreads out as a sheet flow. At the Kamehameha V Highway, the water accumulates as temporary ponding due to inadequate drainage features until it overflows down slope into the wetland.

The Wetland Study further noted that the Kapa'akea Homesteads were established along the coastal plain with the first lots being awarded to DHHL beneficiaries in 1950. The lots adjacent to the wetland are lower in elevation and were prone to temporary flooding during high rainfall events. Fill material was brought in and spread on these lots to build up the surface elevations one (1) to two (2) feet to minimize impacts to the property from flooding. This resulted in a clear, fairly straight boundary line that slopes down in the wetland from the DHHL lots. The proposed project is intended to mitigate this threat from flooding.

The entire Kōheo Wetland was delineated in a 2005 study that was submitted to the U.S. Army Corps of Engineers. The 2005 study found the eastern boundary of the wetland to roughly approximate the lower toe of the slope below the DHHL boundary. This study had a 5-year sunset date, and that date has passed. As such for this project, a portion of the eastern boundary was reassessed for any potential recent changes regarding the project boundary. Robert Hobdy prepared a report summarizing the findings of a wetland determination process in accordance with the Corps of Engineers Wetlands Delineation Manual (1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual; Hawaii and Pacific Island Regional (2012). See **Attachment "1"** (Wetland Study).

Based on samplings as explained in the study, Mr. Hobdy's determined that the wetland boundary line lies entirely outside of the DHHL Kapa'akea Flood Mitigation Project boundary by distances ranging from 20 feet at the

top (north end) to 8 feet near the shoreline (south end). Mr. Hobdy's report also found that the entire 2.5-acre project area is an upland site with no aquatic resources that would qualify it as a Waters of the U.S. Refer to **Attachment "1"** and see **Attachment "2"** (Project Boundary and Wetland Boundary Map).

Based on the Wetland Study for the project, it is respectfully requested that your office confirm requirements for a Department of Army Permit as the project site and related activities will be outside the wetland area. There will be no construction staging or activities associated with the project in the Kōheo wetland. Additionally, the project includes water pollution prevention measures, temporary and permanent erosion control measures, and Best Management Practices (BMPs), such as installing silt fencing, berms, sandbags and catchments; watering of exposed areas, and installation of absorption materials areas for construction vehicles to prevent pollutants from discharging into State waters, to mitigate potential adverse impacts to downstream and nearby properties. See **Attachment "3"** (Project Plans).

### **Comment No. 2**

*Based on your submittal, the proposed project may require placing a structure and/or fill within the Kohoe Wetland area. Therefore, in accordance with Section 10 and/or Section 404 you must obtain a DA permit from this office prior to commencing your proposed work.*

*The proposed work may qualify for authorization under a Nationwide Permit. Please fill out the DA permit application at <http://www.poh.usace.army.mil/Missions/Regulatory.aspx> (Click large Red button in upper left corner "Click to fill out a Corps Permit") and submit to this office via email at: [CEPOH-RO@usace.army.mil](mailto:CEPOH-RO@usace.army.mil).*

**Response:** As discussed in our comment above, it is respectfully requested that your office determine whether there are requirements for a Department of Army Permit based on the Wetland Study conducted by Mr. Hobdy. The project and related construction activities will occur outside the wetland area.

### **Comment No. 3**

*Section 401(a)(1) of the Clean Water Act requires that you obtain a Water Quality Certification or waiver from the State of Hawaii, Department of Health, Clean Water Branch. For additional information, please contact the Clean Water Branch at (808) 586-4309 or [cleanwaterbranch@doh.hawaii.gov](mailto:cleanwaterbranch@doh.hawaii.gov). A final DA permit will not be issued*

*until this office has received a copy of the approved 401 WQC or waiver.*

**Response:** Should a Department of Army Permit be required by your office for this project, the project will comply with Section 401(a)(1) of the Clean Water Act and the State of Hawai'i, Department of Health, Clean Water Branch will be contacted for information.

**Comment No. 4**

*Before authorizing work under our statutory authorities, the Corps must ensure a project complies with applicable Federal laws and regulations, such as the Endangered Species Act (ESA), Magnuson-Stevens Fishery Conservation and Management Act, Section 401 of the Clean Water Act, Coastal Zone Management Act, and the National Historic Preservation Act. In most instances, the Corps will coordinate directly with the appropriate agencies, but we may require additional information from you to complete the coordination and consultation. However, if you have already started or completed any coordinations with under these applicable laws and regulations, please include that information in your permit application.*

**Response:** It is acknowledged that projects under the jurisdiction of the U.S. Army Corps of Engineer must comply with applicable federal laws and regulations noted in your email, and the project design team will coordinate and consult with appropriate agencies as requested by your office. Any coordination effort will be included in the Department of Army Permit application, as may be required.

Katy Damico  
July 22, 2016  
Page 5

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your emailed comments and our response will be included in the Draft EA. A copy of the Draft EA will be sent to the Army Corps office for review and comment. Should you have any questions or require further information regarding the proposed action, please contact me at (808)244-2015.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp  
Attachments

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands (w/attachments)  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands (w/attachments)  
Chad McDonald, Mitsunaga and Associates, Inc. (w/attachments)  
Chris Ball, Mitsunaga and Associates, Inc. (w/attachments)

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\EC\EC Response Letters\Army.res.doc



# **ATTACHMENT 1.**

## **Wetland Study**

Wetland Study

Department of Hawaiian Home Lands

Kapa'akea Flood Mitigation Project

Kapa'akea, Moloka'i

by

Robert W. Hobdy  
Environmental Consultant  
Koakomo, Maui  
January 2016

Prepared for:  
State of Hawaii  
Department of Hawaiian Home Lands

## INTRODUCTION

The Department of Hawaiian Home Lands (DHHL) Kapa'akea Flood Mitigation Project is located 0.75 miles to the east of Kaunakakai Town below Kamehameha V Highway. The project area includes five DHHL lots (TMK's (2) 5-4-07:9, 10, 11, 24, 25) that total approximately 2.5 acres and stretch from the Highway down to the shoreline (see Figures 1 and 2). Bordering the project area to the west is the Kōheo Wetland. This flood mitigation project calls for the construction of a concrete retaining wall between the DHHL lots and the Kōheo Wetland to protect the lots from potential flooding. This wetland study was initiated to determine and delineate the wetland boundary relative to the western edge of the DHHL lots.

## BACKGROUND HISTORY

Kōheo Wetland is located in a low spot on the coastal plain at the boundary between Kaunakakai and Kapa'akea. It is fed by ground water, local rainfall and receives runoff from a small ephemeral unnamed gully above the highway. It only flows during heavy rainfall events. When this gully reaches the coastal plain it disappears and any runoff spreads out as sheet flow. At the highway the water accumulates as temporary ponding due to inadequate drainage features until it over flows down slope into the wetland.

The Kapa'akea Homesteads were established along the coastal plain, with the first lots being awarded in 1950. The lots adjacent to the wetland were lower in elevation and were prone to periodic temporary flooding during high rainfall events. Fill material was brought in and spread on these lots to build up the surface elevations one to two feet to minimize flood damages. This resulted in a clear, rather straight boundary line that slopes down into the wetland from the DHHL lots (Figures 4 & 5). The proposed construction of a concrete wall is intended to eliminate this threat.

The entire Kōheo Wetland was delineated in a 2005 study that was submitted to the U.S. Army Corps of Engineers. The 2005 study found the eastern boundary of the wetland to roughly approximate the lower toe of the slope below the DHHL boundary. This study, however, has exceeded its 5-year sunset date and a portion of the eastern boundary is here reassessed to accommodate any potential recent changes relative to the project boundary.

## SURVEY OBJECTIVES

This report summarizes the findings of a wetland determination process in accordance with the Corps of Engineers Wetlands Delineation Manual (1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Hawaii and Pacific Islands Regional (2012). Work consisted of following set procedures, conducting tests and making observations in order to determine the presence or absence of indicators of hydrophytic vegetation, hydric soils and wetland hydrology with the goal of making a definitive determination as to whether a wetland exists on the property and to delineate the boundaries of any such wetland. This wetland boundary will then be shown relative to the DHHL Homestead boundary and the proposed alignment of the concrete flood mitigation wall.

## SURVEY METHODS

Procedures required the assessment and characterization of vegetation, the excavation of soil pits for the analysis of soil types, and the documentation of indicators of wetland hydrology following U.S. Corps of Engineers Guidelines.

Equipment and tools used included:

- 3 inch diameter hand auger
- Sharpshooter shovel
- Wooden stakes
- Hammer
- Hand Level
- Tape measure
- Camera
- Munsell soil color charts
- Machete
- Corps of Engineers Wetlands Delineation Manual (U.S.A.C.E. 1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Hawaii and Pacific Islands Region (2012).
- National List of Plants that Occur in Wetlands: Hawaii (Region H) 2004
- Plastic flagging
- Spray marking paint

### Preliminary Data Gathering and Synthesis

The following sources of information were utilized in the preparation of this report:

- USGS topographic maps and other maps: 1900, 1924, 1952, 1983
- High elevation aerial photography: 1975, 2012
- SCS (NRCS) Soil Survey, 1972.
- Local individuals and experts with special knowledge of the history, conditions and environmental functioning of the subject area and surroundings.

These sources are referenced in this report or included in the appendix as appropriate. Six sampling points were selected outside the project area along the lower slope below the western boundary of the DHHL lots where it appeared to be close to being a wetland. At each site a soil pit was dug and wetland analysis performed. This study just addresses the eastern edge of the Kōheo Wetland where it is close to the project area.

## RESULTS

Six sampling points were established a little outside the west boundary of the project area in a line running from below the highway down toward the shoreline (see Figure 2). Each of these were analyzed for wetland characteristics as described above. Sampling points 1 through 5 were found to lie just outside the margin of the wetland, while sampling point 6 was just within the margin of the wetland. From this information a proposed wetland boundary was determined and is delineated as shown in Figure 2. This wetland boundary line lies entirely outside of the DHHL Kapa'akea Flood Mitigation Project boundary by distances ranging from 20 feet at the top to 8 feet near the shoreline. The Wetland Determination Data Forms and analyses are presented below.

### WATERS OF THE U.S. ANALYSIS

The DHHL Kapa'akea Flood Mitigation Project lies on approximately 2.5 acres of coastal plain between two gullies that drain into the Pacific Ocean (see Figure 3). To the west is a small unnamed ephemeral gully that drains about 50 acres of land on the slopes of Pu'u Maninikolo and terminates at the Kōheo Wetland adjacent to the shoreline. To the east is a larger unnamed ephemeral gulch that drains about 250 acres above the Kapa'akea Cemetery and runs through the DHHL Kapa'akea Homesteads to the ocean.

An eleven acre area between the two adjacent drainages lies on nearly level land on the coastal plain and includes five acres of undeveloped grass land and kiawe (*Prosopis pallida*) forest above Kamehameha V Highway and six acres of the residential Kapa'akea Homesteads community below the highway to the shoreline. This eleven acre area has no drainage channels and no wetlands. The 2.5 acre project area lies wholly within this eleven acre area. The companion wetland study found the boundary of Kōheo Wetland to lie entirely outside the western side of the project area as is the drainage that feeds it. The unnamed drainage to the east has no wetlands associated with it. Because this project area clearly has no aquatic resources within it or directly abutting its boundary, there is nothing to assess and the use of an Approved Jurisdictional Determination Form is deemed to be unnecessary.

The entire 2.5 acre DHHL Kapa'akea Flood Mitigation project is determined to be an upland site with no aquatic resources that would qualify it as a Waters of the U.S.




Figure 1. DHHL Kapa'akea Flood Mitigation Project (1952 USGS Kaunakakai Quadrant Map)



Figure 2.

- DHHL Kapa'akea Flood Mitigation Project boundary
- Proposed concrete wall along west and north boundaries of project area.
- - - - - > Runoff flow pattern of unnamed drainage along west boundary of project area.
- ③ — ④ — ⑤ Numbered sampling points and proposed wetland boundary



Figure 3

- DHHL Kapa'akea Flood Mitigation Project Area
- Ephemeral stream storm water flow from adjacent unnamed gullies
- Watershed boundaries of adjacent unnamed gullies





Figure 4. View northeast across the project boundary into the DHHL Lots, showing their developed residential character.



Figure 5. View north along project boundary. The proposed wetland boundary is indicated by red stakes which are located near the toe of the slope below the elevated DHHL lots.

**WETLAND DETERMINATION DATA FORM - Hawaii and Pacific Islands Region**

Project Site: DHHL Kapaehaona Flood Mitigation Project, Kapaehaona Sampling Date: 1-08-16 Time: 0800  
 Applicant/Owner: Department of Hawaiian Home Lands State/Terr/Com: Hawaii Island: Mo'orea Sampling Point: 1  
 Investigator(s): Robert Hobdy TRM/Parcel: 15-4-07-9-10, 11, 24, 25  
 Landform (hillside, coastal plain, etc.): Coastal Plain Local relief (concave, convex, none): Concave  
 Lat: 21° 05' 05.69" N Long: 157° 00' 45.00" W Datum: 3 ft. Slope (%): 0-1%  
 Soil Map Unit Name: Kealia Silt Loam NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation No Soil No or Hydrology No significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation No Soil No or Hydrology No naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>    </u> No <u>X</u> Hydric Soil Present? Yes <u>    </u> No <u>X</u> Wetland Hydrology Present? Yes <u>    </u> No <u>X</u>	Is the Sampled Area within a Wetland? Yes <u>    </u> No <u>X</u>
Remarks: <u>This sampling point experiences short-term overflow runoff from Kapaehaona &amp; Highway following heavy rainfall events which continues laterally down into Kapaehaona Wetland - while not a wetland, it lies close to the wetland boundary.</u>	

**VEGETATION - Use scientific names of plants.**

Tree Stratum (Plot size: 30 ft radius)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. <u>Prosopis pallida</u>	<u>60</u>	<u>Yes</u>	<u>FACU</u>	Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)
2. <u>    </u>				Total Number of Dominant Species Across All Strata: <u>4</u> (B)
3. <u>    </u>				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>25%</u> (B)
4. <u>    </u>				Prevalence Index worksheet: Total % Cover of: <u>    </u> Multiply by: OBL species <u>0</u> x 1 = <u>0</u> FACW species <u>0</u> x 2 = <u>0</u> FAC species <u>4</u> x 3 = <u>12</u> FACU species <u>66</u> x 4 = <u>264</u> UPL species <u>0</u> x 5 = <u>0</u> Column Totals: <u>70</u> (A) <u>276</u> (B)  Prevalence Index = B/A = <u>3.94</u>
5. <u>    </u>	<u>60</u> - Total Cover			
Shrub Stratum (Plot size: 30 ft radius)				
1. <u>Pluchea indica</u>	<u>4</u>	<u>Yes</u>	<u>FAC</u>	
2. <u>    </u>				
3. <u>    </u>				
4. <u>    </u>				
5. <u>    </u>				
Herb Stratum (Plot size: 30 ft radius)				
1. <u>Cynodon dactylon</u>	<u>5</u>	<u>Yes</u>	<u>FACU</u>	
2. <u>Chenopodium murale</u>	<u>1</u>	<u>Yes</u>	<u>FACU</u>	
3. <u>    </u>				
4. <u>    </u>				
5. <u>    </u>				
6. <u>    </u>				
7. <u>    </u>				
8. <u>    </u>				
Woody Vine Stratum (Plot size: <u>    </u> )				
1. <u>    </u>				
2. <u>    </u>				
	<u>0</u> - Total Cover			

Remarks: This sampling point lies near the edge of a broad drainage channel that flows from Kapaehaona & Highway into Kapaehaona Wetland. The vegetation was largely Facultative upland in character.

**SOIL**

Sampling Point: 1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Testers	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-18	2.5YR 3/4	100	-	-	-	-	silt loam	dark reddish brown moist
18-24	2.5YR 4/1	100	-	-	-	-	clay loam	dark reddish gray saturated

<sup>1</sup>Type: C-Concentration, D-Depletion, RM-Reduced Matrix, MS-Masked Sand Grains. <sup>2</sup>Location: PL-Pore Lining, M-Matrix.

Hydric Soil Indicators:		Indicators for Problematic Hydric Soils <sup>3</sup> :	
<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)	
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)	
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)	
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)	
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)	
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)		
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)		
<input type="checkbox"/> Sandy Gleyed Matrix (S4)			

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):  
 Type: None  
 Depth (inches): \_\_\_\_\_  
 Hydric Soil Present? Yes \_\_\_\_\_ No

Remarks:  
 The soil at this site does not have any positive indicators of a hydric soil.

**HYDROLOGY**

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

Primary Indicators (minimum of one required; check all that apply)		Secondary Indicators (minimum of two required)	
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)	
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B5)	
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B16)	
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)	
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)	
<input type="checkbox"/> Drill Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)	
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)	
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)	
<input type="checkbox"/> Water-Stained Leaves (B8)			

Field Observations:  
 Surface Water Present? Yes \_\_\_\_\_ No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No \_\_\_\_\_ Depth (inches): 22 in.  
 Saturation Present? Yes  No \_\_\_\_\_ Depth (inches): 18 in  
 (includes capillary fringe)  
 Wetland Hydrology Present? Yes \_\_\_\_\_ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 This site floods for short periods following heavy rainfall events but groundwater levels retreat to depths that prevent the development of positive indicators of wetland hydrology.



Sampling Point 1A. Upper edge of wetland. Inflow from the Kamehameha V Highway is aligned with the telephone pole. The elevated DHHL project boundary is along the fenceline on the right



Sampling Point 1B. Dark reddish-brown silt loam over dark reddish gray clay loam.  
Soil saturated at 18 inches, water table at 22 inches.

**WETLAND DETERMINATION DATA FORM - Hawai'i and Pacific Islands Region**

Project/Site: DHHL Kealahou Flood Mitigation Project, Kealahou Sampling Date: 1-08-16 Time: 0830  
 Applicant/Owner: Department of Hawaiian Home Lands State/Territory/County: Hawai'i Island, Molokai Sampling Point: 2  
 Investigator(s): Robert Haddy TMK/Parcel: (2)5-4-07-9, 10, 11  
 Landform (Hillslope, coastal plain, etc.): Coastal Plain Local relief (concave, convex, none): CONCAVE  
 Lat. 21°05'04.92" N Long. 157°00'45.25" W Datum: 3 ft Slope (%): 0-1%  
 Soil Map Unit Name: Kealia Silt Loam NWI classification: PEM13  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation Yes, Soil No, or Hydrology No, significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation No, Soil No, or Hydrology No, naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u> Hydric Soil Present? Yes <u>    </u> No <u>X</u> Wetland Hydrology Present? Yes <u>    </u> No <u>X</u>	Is the Sampled Area within a Wetland? Yes <u>    </u> No <u>X</u>
Remarks: <u>The boundary of the DHHL lot stands about 2 ft higher than this sampling point which is near the base of the slope between them.</u>	

**VEGETATION - Use scientific names of plants.**

Tree Stratum (Plot size: <u>30ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. <u>Prosopis pallida</u>	<u>40</u>	<u>Yes</u>	<u>FACU</u>	Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A)
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Total Number of Dominant Species Across All Strata: <u>5</u> (B)
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>60%</u> (AB)
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
<u>40</u> - Total Cover				
Shrub/Small Tree Stratum (Plot size: <u>30ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. <u>Pluchea indica</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>	Total % Cover of: <u>    </u> Multiply by:
2. <u>Pterocarpus carolinensis</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>	OBL species <u>0</u> x 1 = <u>0</u>
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	FACW species <u>0</u> x 2 = <u>0</u>
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	FAC species <u>31</u> x 3 = <u>93</u>
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	FACU species <u>56</u> x 4 = <u>224</u>
<u>25</u> - Total Cover				UPL species <u>0</u> x 5 = <u>0</u>
				Column Totals: <u>97</u> (A) <u>317</u> (B)
				Prevalence Index = B/A = <u>3.64</u>
Herb Stratum (Plot size: <u>30ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. <u>Cynodon dactylon</u>	<u>15</u>	<u>Yes</u>	<u>FACU</u>	<u>NO</u> - Rapid Test for hydrophytic vegetation
2. <u>Mimosa pudica</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>	<u>Yes</u> 2 - Dominance Test is >80%
3. <u>Chloris barbata</u>	<u>1</u>	<u>No</u>	<u>FACU</u>	<u>Yes</u> 3 - Prevalence Index is >3.0'
4. <u>Heliotropium curassavicum</u>	<u>1</u>	<u>No</u>	<u>FAC</u>	<u>Yes</u> 5 Problematic Hydrophytic Vegetation* (Explain in Remarks or in the delineation report)
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
6. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
7. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
8. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
<u>22</u> - Total Cover				*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: <u>    </u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Yes <u>X</u> No <u>    </u>
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
<u>0</u> - Total Cover				
Remarks: <u>Much of the vegetation around this sampling point had been mowed and is maintained mostly free of vegetation as part of a cooperative wetland enhancement project for a variety of waterbirds and shorebirds. While sparse, the vegetation is still representative of what naturally grows here.</u>				

SOIL

Sampling Point: 2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-18	2.5YR3/4	100	—	—	—	—	silt loam	dark reddish brown UNS 7.0YR 3/4

Type: C-Concretion, D-Depletion, RM-Reduced Matrix, MS-Mashed Sand Grains. <sup>2</sup>Location: PL-Pore Lining, M-Matrix

Hydric Soil Indicators:

<input type="checkbox"/> Mottled (A1)	<input type="checkbox"/> Sandy Redox (S6)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):  
 Type: none  
 Depth (inches): \_\_\_\_\_  
 Hydric Soil Present? Yes \_\_\_\_\_ No X

Remarks:  
 The soil at this site does not have any positive indicators of a hydric soil. This sampling point lies along a slope running down from the adjacent DHH L Lot. The wetland boundary appears to be at the toe of this slope which is 14 feet from the DHH L Lot.

HYDROLOGY

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

Primary Indicators (minimum of one required; check all that apply)		Secondary Indicators (minimum of two required)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B6)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C6)
<input type="checkbox"/> Orbit Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquifers (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B8)		

Field Observations:

Surface Water Present?	Yes _____ No <u>X</u>	Depth (inches): _____	Wetland Hydrology Present? Yes _____ No <u>X</u>
Water Table Present?	Yes _____ No <u>X</u>	Depth (inches): _____	
Saturation Present?	Yes _____ No <u>X</u>	Depth (inches): _____	

(Includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 While close to the wetland boundary, this sampling point does not have any positive signs of wetland hydrology.



Sampling Point 2A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 2B. Dark reddish-brown silt. Loam to 18 inches depth.  
Did not reach saturation or water table depths.

**WETLAND DETERMINATION DATA FORM - Hawaii and Pacific Islands Region**

Project/Site: DHHL Kapa'oa Flood Mitigation Project Cap Kapa'oa Sampling Date: 1-08-16 Time: 08:50  
 Applicant/Owner: Department of Hawaiian Home Lands State/Terr/Com: Hawaii Island: Molokai Sampling Point: 3  
 Investigator(s): Robert Hobdy TMNP Parcel: (2)5-4-07: 9, 10, 11, 24, 25  
 Landform (hillslope, coastal plain, etc.): Coastal Plain Local relief (concave, convex, none): Concave  
 Lat: 21° 05' 04.29" N Long: 157° 00' 45.58" W Datum: 3 ft. Slope (%): 0-5%  
 Soil Map Unit Name: Kealia Silt loam NWI classification: PEM13

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation Yes, Soil NO or Hydrology NO significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation NO, Soil NO or Hydrology NO naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u> Hydric Soil Present? Yes <u>    </u> No <u>X</u> Wetland Hydrology Present? Yes <u>    </u> No <u>X</u>	Is the Sampled Area within a Wetland? Yes <u>    </u> No <u>X</u>
Remarks: <u>The boundary of the DHHL lot stands about 2 ft higher than the sampling point which is near the base of the slope between them.</u>	

**VEGETATION - Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet
1. _____	_____	_____	_____	Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A)
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata: <u>4</u> (B)
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>75%</u> (A/B)
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
<u>0</u> - Total Cover				
Sapling/Shrub Stratum (Plot size: 10ft radius)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. <u>Pluchea indica</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>	Total % Cover of: <u>7</u> x 1 = <u>7</u>
2. <u>Prosopis pallida</u>	<u>3</u>	<u>Yes</u>	<u>FACU</u>	OBL species <u>0</u> x 2 = <u>0</u>
3. _____	_____	_____	_____	FAC species <u>8</u> x 3 = <u>24</u>
4. _____	_____	_____	_____	FACU species <u>3</u> x 4 = <u>12</u>
5. _____	_____	_____	_____	UPL species <u>0</u> x 5 = <u>0</u>
<u>8</u> - Total Cover				Column Totals: <u>18</u> (A) <u>43</u> (B)
<u>10</u> - Total Cover				Prevalence Index - <u>8/A</u> - <u>2.39</u>
Herb Stratum (Plot size: 10ft radius)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. <u>Batis maritima</u>	<u>7</u>	<u>Yes</u>	<u>OBL</u>	<u>NO</u> 1 - Rapid Test for Hydrophytic Vegetation
2. <u>Heliotropium curassavicum</u>	<u>3</u>	<u>Yes</u>	<u>FAC</u>	<u>Yes</u> 2 - Dominance Test is >40%
3. _____	_____	_____	_____	<u>Yes</u> 3 - Prevalence Index is <1.0'
4. _____	_____	_____	_____	<u>Yes</u> 4 - Problematic Hydrophytic Vegetation* (Explain in Remarks or in the delineation report)
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
<u>10</u> - Total Cover				*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. _____	_____	_____	_____	Yes <u>X</u> No <u>    </u>
2. _____	_____	_____	_____	
<u>0</u> - Total Cover				
Remarks: <u>much of the vegetation around this sampling point had been mowed and is maintained mostly free of vegetation as part of a cooperative wetland enhancement project for a variety of waterbirds and shorebirds. While sparse, the vegetation is still representative of what naturally grows here.</u>				



Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type	Loc <sup>2</sup>		
0-17	2.5YR 3/4	100	-	-	-	-	Silt loam silty clay	dark reddish brown with stratified red
17-20	2.5YR 3/3	100	-	-	-	-	loam	dark red, saturated

<sup>1</sup>Type: C-Concentration, D-Dispersion, RM-Reduced Matrix, MS-Masked Sand Grains.      <sup>2</sup>Location: PL-Pore Lining, M-Matrix.

Hydric Soil Indicators:

<input type="checkbox"/> Mosaic (A1)	<input type="checkbox"/> Sandy Redox (B5)	<input type="checkbox"/> Stratified Layers (A8)
<input type="checkbox"/> Mosaic Epipedon (A2)	<input type="checkbox"/> Dark Surface (B7)	<input type="checkbox"/> Sandy Mucky Mineral (B1)
<input type="checkbox"/> Black Mosaic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (B4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):  
 Type: TYPE  
 Depth (inches): \_\_\_\_\_  
 Hydric Soil Present? Yes \_\_\_\_\_ No

Remarks: The soil at this sampling point does not have any positive indicators of a hydric soil. This sampling point lies along a slope running down from the adjacent DHTL lot. The wetland boundary appears to be at the toe of this slope which is 18 feet from the DHTL lot.

**HYDROLOGY**

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

<b>Primary Indicators (minimum of one required; check all that apply)</b>	<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Mounds (B17)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CMRIL and American Samoa)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Water-Stained Leaves (B9)	
	<input type="checkbox"/> Surface Soil Cracks (B6)
	<input type="checkbox"/> Sparingly Vegetated Concave Surface (B8)
	<input type="checkbox"/> Drainage Patterns (B10)
	<input type="checkbox"/> Dry-Season Water Table (C2)
	<input type="checkbox"/> Salt Deposits (C5)
	<input type="checkbox"/> Stunted or Stressed Plants (D1)
	<input type="checkbox"/> Geomorphic Position (D2)
	<input type="checkbox"/> Shallow Aquitard (D3)
	<input type="checkbox"/> FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No <input checked="" type="checkbox"/>	Depth (inches): _____	Wetland Hydrology Present? Yes _____ No <input checked="" type="checkbox"/>
Water Table Present? Yes <input checked="" type="checkbox"/> No _____	Depth (inches): <u>20 in.</u>	
Saturation Present? Yes <input checked="" type="checkbox"/> No _____	Depth (inches): <u>17 in.</u>	

(includes capillary fringe)

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: While close to the wetland boundary, this sampling point does not have any positive indicators of wetland hydrology.



Sampling Point 3A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 3B. Dark reddish-brown silt loam over dusky red silty clay loam. Saturation at 17 inches. Water table at 20 inches.

**WETLAND DETERMINATION DATA FORM - Hawai'i and Pacific Islands Region**

Project/Site: DHHL Vegetation Band Mitigation Project, Kapa'oa Sampling Date: 1-08-16 Time: 0915  
 Applicant/Owner: Department of Hawaiian Home Land / Teri Comah Hawaii Island: Mau Sampling Point: 4  
 Investigator(s): Robert Hobdy TMUP Parcel: 25-4-07:910, 11, 24, 25  
 Landform (hillslope, coastal plain, etc.): Coastal plain Local relief (concave, convex, none): Concave  
 Lat: 21° 05' 03.41" N Long: 157° 00' 45.97" W Datum: 3G Slope (%): 0-1%  
 Soil Map Unit Name: Kealia Silt Loam NWI classification: PEM13

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (if no, explain in Remarks.)  
 Are Vegetation Yes Soil No or Hydrology NO significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation NO Soil NO or Hydrology NO naturally problematic? (if needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u> Hydric Soil Present? Yes <u>    </u> No <u>    </u> Wetland Hydrology Present? Yes <u>    </u> No <u>    </u>	In the Sampled Area within a Wetland? Yes <u>    </u> No <u>    </u>
Remarks: <u>The boundary of the DHHL lot stands about 3 ft above the sampling point which is near the base of the slope between them.</u>	

**VEGETATION - Use scientific names of plants.**

Tree Stratum (Plot size: <u>    </u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:																												
1. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A)																												
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Total Number of Dominant Species Across All Strata: <u>3</u> (B)																												
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>67%</u> (AB)																												
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Prevalence Index worksheet:																												
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>		<table style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">Total % Cover of:</td> <td colspan="2">Multiply by:</td> </tr> <tr> <td>OBL species</td> <td><u>40</u></td> <td>x 1 =</td> <td><u>40</u></td> </tr> <tr> <td>FACW species</td> <td><u>0</u></td> <td>x 2 =</td> <td><u>0</u></td> </tr> <tr> <td>FAC species</td> <td><u>25</u></td> <td>x 3 =</td> <td><u>75</u></td> </tr> <tr> <td>FACU species</td> <td><u>10</u></td> <td>x 4 =</td> <td><u>40</u></td> </tr> <tr> <td>UPL species</td> <td><u>0</u></td> <td>x 5 =</td> <td><u>0</u></td> </tr> <tr> <td>Column Totals:</td> <td><u>75</u> (A)</td> <td></td> <td><u>155</u> (B)</td> </tr> </table>	Total % Cover of:		Multiply by:		OBL species	<u>40</u>	x 1 =	<u>40</u>	FACW species	<u>0</u>	x 2 =	<u>0</u>	FAC species	<u>25</u>	x 3 =	<u>75</u>	FACU species	<u>10</u>	x 4 =	<u>40</u>	UPL species	<u>0</u>	x 5 =	<u>0</u>	Column Totals:	<u>75</u> (A)	
Total % Cover of:		Multiply by:																														
OBL species	<u>40</u>	x 1 =	<u>40</u>																													
FACW species	<u>0</u>	x 2 =	<u>0</u>																													
FAC species	<u>25</u>	x 3 =	<u>75</u>																													
FACU species	<u>10</u>	x 4 =	<u>40</u>																													
UPL species	<u>0</u>	x 5 =	<u>0</u>																													
Column Totals:	<u>75</u> (A)		<u>155</u> (B)																													
Sapling/Shrub Stratum (Plot size: <u>10ft radius</u> )				Prevalence Index = <u>B/A = 2.06</u>																												
1. <u>Pluchea indica</u>	<u>25</u>	<u>Yes</u>	<u>FAC</u>																													
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Hydrophytic Vegetation Indicators:																												
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>		<u>NO</u> - Rapid Test for Hydrophytic Vegetation <u>Yes</u> 2 - Dominance Test is >30% <u>Yes</u> 3 - Prevalence Index is >3.0 <sup>1</sup> <u>Yes</u> 4 - 'Problematic Hydrophytic Vegetation' (Explain in Remarks or in the delineation report)																											
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																												
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>																													
Herb Stratum (Plot size: <u>10ft radius</u> )				Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>																												
1. <u>Batis maritima</u>	<u>40</u>	<u>Yes</u>	<u>OBL</u>																													
2. <u>Cyperus dactyloides</u>	<u>10</u>	<u>Yes</u>	<u>FACU</u>																													
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>																													
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>																													
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>																													
6. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>																													
7. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>																													
8. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>																													
Woody Vine Stratum (Plot size: <u>    </u> )																																
1. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>																													
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>																													
<u>50</u> - Total Cover																																
Remarks: <u>much of the vegetation around this sampling point had been mowed and is maintained mostly free of vegetation as part of a cooperative wetland enhancement project for a variety of waterbirds and shorebirds. White spurs, the vegetation is still representative of what naturally grows here.</u>																																

**SOIL**

Sampling Point: 4

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-19	2.5YR 3/4	100	-	-	-	-	Silt loam	dark reddish-brown unstratified
19-23	2.5YR 3/4	100	-	-	-	-	silty clay loam	dusky red, saturated

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Mashed Sand Grains

<sup>2</sup>Location: PL=Pipe Lining, M=Matrix

Hydric Soil Indicators:

<input type="checkbox"/> Mottled (A1)	<input type="checkbox"/> Sandy Redox (S6)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Mottled Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Mottled (A3)	<input type="checkbox"/> Leamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F8)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F6)	
<input type="checkbox"/> Sandy Gleyed Matrix (B4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none

Depth (Inches): \_\_\_\_\_

Hydric Soil Present? Yes \_\_\_\_\_ No

Remarks: The soil at this sampling point does not have any positive indicators of a hydric soil. This sampling point lies along a slope running down from the adjacent DHHL lot. The wetland boundary appears to be at the toe of this slope which is 18 feet from the DHHL lot.

**HYDROLOGY**

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C6)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C8)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fielder Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Irregularities Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D4)
<input type="checkbox"/> Water-Stained Leaves (B9)		

Field Observations:

Surface Water Present? Yes \_\_\_\_\_ No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No \_\_\_\_\_ Depth (inches): 23 in.

Saturation Present? Yes  No \_\_\_\_\_ Depth (inches): 19 in.

(Includes capillary fringe)

Wetland Hydrology Present? Yes \_\_\_\_\_ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: While close to the wetland boundary, this sampling point does not have any positive indicators of wetland hydrology.



Sampling Point 4A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 4B. Dark reddish-brown silt loam over dusky red silty clay loam.  
Saturation at 19 inches. Water table at 23 inches.

**WETLAND DETERMINATION DATA FORM - Hawaii and Pacific Islands Region**

Project/Site: DHHL Kapa'akea Flood Mitigation Project, Kapa'akea Sampling Date: 1-08-16 Time: 0945  
 Applicant/Owner: Department of Hawaiian Home Lands State/Terr/Com: Hawaii Island: Molokai Sampling Point: 5  
 Investigator(s): Robert Hobby TMN/Parcel: 03-4-07-3, 10, 11  
 Landform (hillslope, coastal plain, etc.): coastal plain Local relief (concave, convex, none): concave  
 Lat: 21° 05' 02.55" N Long: 157° 00' 46.40" W Datum: 3-ft. Slope (%): 0-1%  
 Soil Map Unit Name: Kealia Silt Loam NWI classification: PEM13

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation Yes Soil ND or Hydrology ND significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation ND Soil ND or Hydrology ND naturally problematic? (if needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>    </u> No <u>X</u>	Hydric Soil Present? Yes <u>    </u> No <u>X</u>	Is the Sampled Area within a Wetland? Yes <u>    </u> No <u>X</u>
Wetland Hydrology Present? Yes <u>    </u> No <u>X</u>		
Remarks: <u>The boundary of the DHHL lot stands about 2 ft. higher than the sampling point which is near the base of the slope between them.</u>		

**VEGETATION - Use scientific names of plants.**

Tree Stratum (Plot size: <u>    </u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A)
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Total Number of Dominant Species Across All Strata: <u>1</u> (B)
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0%</u> (A/B)
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
<u>0</u> - Total Cover				
Sapling/Small Stratum (Plot size: <u>    </u> )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Total % Cover of: <u>    </u> Multiplied by:
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	OBL species <u>    </u> x 1 = <u>    </u>
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	FACW species <u>    </u> x 2 = <u>    </u>
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	FAC species <u>2</u> x 3 = <u>6</u>
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	FACU species <u>20</u> x 4 = <u>80</u>
<u>0</u> - Total Cover				UPL species <u>    </u> x 5 = <u>    </u>
				Column Totals: <u>22</u> (A) <u>86</u> (B)
				Prevalence Index = BA - 3.91
Herb Stratum (Plot size: <u>10ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. <u>Cyperus dactyloides</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>	ND1 - Rapid Test for Hydrophytic Vegetation
2. <u>Heliotropium curassavicum</u>	<u>2</u>	<u>No</u>	<u>FAC</u>	ND2 - Dominance Test is >50%
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	ND3 - Prevalence Index is <3.0'
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	<u>Yes</u> Problematic Hydrophytic Vegetation? (Explain in Remarks or in the delineation report)
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
6. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
7. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
8. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
<u>22</u> - Total Cover				
Woody Vine Stratum (Plot size: <u>    </u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	Yes <u>    </u> No <u>X</u>
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
<u>0</u> - Total Cover				

Remarks: Much of the vegetation around this sampling point had been mowed and is maintained mostly free of vegetation as part of a cooperative wetland enhancement project for a variety of waterbirds and shorebirds. While sparse, the vegetation is still representative of what naturally grows here.

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (inches)	%	Color (inches)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-14	2.5YR 3/4	100	-	-	-	-	silt loam	dark reddish-brown mottled
14-24	2.5YR 4/1	100	-	-	-	-	clay loam	dark reddish-brown mottled

<sup>1</sup>Type: C-Concentration, D-Depletion, RM-Reduced Matrix, MS-Mottled Sand Grains. <sup>2</sup>Location: PL-Pore Lining, M-Matrix.

Hydric Soil Indicators:

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (B5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (B7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Mistic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F5)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depletions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):  
 Type: none  
 Depth (inches): \_\_\_\_\_  
 Hydric Soil Present? Yes \_\_\_\_\_ No X

Remarks: The soil at this sampling point does not have any positive indicators of a hydric soil. This sampling point lies along a slope running down from the adjacent DTHL lot. The wetland boundary appears to be at the toe of the slope which is 14 feet from from the DTHL lot.

HYDROLOGY

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Triple Mists (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C8)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D6)
<input type="checkbox"/> Water-Stained Leaves (B9)		

Field Observations:  
 Surface Water Present? Yes \_\_\_\_\_ No X Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes X No \_\_\_\_\_ Depth (inches): 20 in.  
 Saturation Present? Yes X No \_\_\_\_\_ Depth (inches): 17 in.  
 (Includes capillary fringe)  
 Wetland Hydrology Present? Yes \_\_\_\_\_ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: While close to the wetland boundary, this sampling point does not have any positive indicators of wetland hydrology.



Sampling Point 5A. Located near the bottom of the slope below the DHHL Lot boundary.



Sampling Point 5B. Dark reddish-brown silt loam over dark reddish-gray clay loam. Saturation at 17 inches. Water table at 20 inches.



**WETLAND DETERMINATION DATA FORM - Hawaii and Pacific Islands Region**

Project/Site: DHHL Kapa'akea Flood Mitigation Project, Kapa'akea Sampling Date: 1-08-16 Time: 1:50  
 Applicant/Owner: Department of Hawaiian Home Lands, State of Hawaii Island: Molokai Sampling Point: 6  
 Investigator(s): Robert Hobdy TMR/Parcel: 133-4-872-910, 11  
 Landform (hillside, coastal plain, etc.): Coastal plain Local relief (concave, convex, none): Concave  
 Lat: 21° 05' 01.50" N Long: 157° 00' 46.94" W Datum: 2 1/2 ft. Slope (%): 0-1%  
 Soil Map Unit Name: Kealia Silt Loam MWR classification: PEM13  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation Yes, Soil Yes or Hydrology NO significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation NO, Soil NO or Hydrology NO naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u> Hydric Soil Present? Yes <u>X</u> No <u>    </u> Wetland Hydrology Present? Yes <u>X</u> No <u>    </u>	Is the Sampled Area within a Wetland? Yes <u>X</u> No <u>    </u>
Remarks: <u>This sampling point was in the wetland boundary that appears to lie only 8 feet outside the DHHL lot boundary.</u>	

**VEGETATION - Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. <u>Prosopeis pallida</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>	Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)
2. <u>    </u>				Total Number of Dominant Species Across All Strata: <u>2</u> (B)
3. <u>    </u>				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50%</u> (AB)
4. <u>    </u>				
5. <u>    </u>				
<u>20</u> - Total Cover				
Sapling/Shrub Stratum (Plot size: <u>    </u> )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. <u>    </u>				Total % Cover of: <u>    </u> Multiplied by:
2. <u>    </u>				OBL species <u>35</u> x 1 = <u>35</u>
3. <u>    </u>				FACW species <u>0</u> x 2 = <u>0</u>
4. <u>    </u>				FAC species <u>1</u> x 3 = <u>3</u>
5. <u>    </u>				FACU species <u>20</u> x 4 = <u>80</u>
				UPL species <u>0</u> x 5 = <u>0</u>
<u>0</u> - Total Cover				Column Totals: <u>56</u> (A) <u>118</u> (B)
<u>36</u> - Total Cover				Prevalence Index = BA - 2.11
Herb Stratum (Plot size: <u>30 ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. <u>Batis maritima</u>	<u>35</u>	<u>Yes</u>	<u>OBL</u>	<u>NO</u> 1 - Rapid Test for Hydrophytic Vegetation
2. <u>Halimolobos curassavicum</u>	<u>1</u>	<u>NO</u>	<u>FAC</u>	<u>NO</u> 2 - Dominance Test is >50%
3. <u>    </u>				<u>Yes</u> 3 - Prevalence Index is >3.0!
4. <u>    </u>				<u>Yes</u> 5 - Problematic Hydrophytic Vegetation! (Explain in Remarks or in the delineation report)
5. <u>    </u>				
6. <u>    </u>				
7. <u>    </u>				
8. <u>    </u>				
<u>0</u> - Total Cover				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: <u>    </u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. <u>    </u>				Yes <u>X</u> No <u>    </u>
2. <u>    </u>				
<u>0</u> - Total Cover				

Remarks: The vegetation in this sampling point had been largely removed during clearing work done during the wetland enhancement project and has not fully grown back with desirable species. While the vegetation is marginally hydrophytic I have tipped into a positive rating because of the circumstances

**SOIL**

Sampling Point 6

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type	Loc		
0-A	2.5YR 5/3	100	-	-	-	-	silt loam	Redox horizon unstratified
A-20	2.5YR 5/3	100	-	-	-	-	silty sand	Weak red sand saturated water table at 12 in.

<sup>1</sup>Type: C-Concentration, D-Depletion, RH-Reduced Matrix, MB-Mashed Sand Grains      <sup>2</sup>Location: PL-Pore Lining, M-Matrix

Hydric Soil Indicators:			Indicators for Problematic Hydric Soils <sup>3</sup> :		
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Sandy Redox (S8)	<input type="checkbox"/> Stratified Layers (A5)	<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)	<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F8)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F7)	
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)		<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Thick Dark Surface (A12)			<input type="checkbox"/> Thick Dark Surface (A12)		
<input type="checkbox"/> Sandy Gleyed Matrix (S4)			<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):  
 Type: None  
 Depth (inches): \_\_\_\_\_  
 Hydric Soil Present? Yes  No

Remarks:  
 The soil at this sampling point lies at a low point immediately above a low coastal dune. The soil had been disturbed by equipment during habitat enhancement work and did not have typical hydric character.

**HYDROLOGY**

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

Primary Indicators (minimum of one required; check all that apply)		Secondary Indicators (minimum of two required)	
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Ferns (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tiller Mats (B17)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input checked="" type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Water Mats (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Shallow Aquifer (D3)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)		
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)		
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)		
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)		
<input type="checkbox"/> Water-Stained Leaves (B9)			

Field Observations:  
 Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): 12 in.  
 Saturation Present? Yes  No  Depth (inches): 8 in.  
 (Includes capillary fringe)  
 Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 This sampling point had salt deposits and shallow saturation and water table - it had wetland hydrology.



Sampling Point 6A. Located at the bottom of the slope below the DHHL lot boundary within the margin of the wetland.



Sampling Point 6B. Reddish-brown silt loam over weak red, saturated silty sand. Saturation at 8 inches. Water table at 12 inches.

## **ATTACHMENT 2.**

### **Kapa‘akea Flood Mitigation Project Boundary and Wetland Boundary Map (By Robert Hobdy)**



Figure 2.


- DHHL Kapa'akea Flood Mitigation Project boundary
- Proposed concrete wall along west and north boundaries of project area.
- - - - - > Runoff flow pattern of unnamed drainage along west boundary of project area.
- ③ — ④ — ⑤ — Numbered sampling points and proposed wetland boundary

**ATTACHMENT 3.**  
**Project Plans**

# KAPAAKEA FLOOD MITIGATION IMPROVEMENTS

FOR THE  
DEPARTMENT OF HAWAIIAN HOME LANDS


KAUNAKAKAI, MOLOKAI 96748  
TAX MAP KEY: (2) 5-4-007: 009, 010, 011, 024 & 025  
JOB NO.: PS-14-LDD-008



APPROVED:



CHAIRMAN, HAWAIIAN HOMES COMMISSION  
DEPARTMENT OF HAWAIIAN HOME LANDS  
STATE OF HAWAII

DATE


REGION NO.	SYMBOL	DESCRIPTION	SHEET OF	DATE
 <p>DEPARTMENT OF HAWAIIAN HOME LANDS STATE OF HAWAII</p> <p>KAPAAKEA FLOOD MITIGATION IMPROVEMENTS KAUNAKAKAI, MOLOKAI</p> <p>TITLE SHEET</p> <p>This work was prepared by me or under my supervision.</p> <p><i>Chad M. McDonald</i> 4/30/2016</p> <p>MITSUNAGA &amp; ASSOCIATES, INC. EXP. DATE</p> <p>NOTE: Contractor to check and verify dimensions at job before proceeding with work.</p> <p>SCALE: AS INDICATED</p> <p>FILE _____ DRAWER _____ FOLDER _____</p>				
<p>MITSUNAGA &amp; ASSOCIATES, INC.</p> <p>DESIGNED BY: SD</p> <p>CHECKED BY: SD</p> <p>DRAWN BY: DT</p> <p>APPROVED BY: CM</p>			<p>JOB NO. PS1001-13</p>	<p>DRAWING NO. T-1</p> <p>SHEET 1 OF 8 SPTS</p>
<p>DECEMBER 2015</p>				<p>DATE</p>








**EXISTING CONDITIONS**  
SCALE: 1" = 20'



	<p>This work was prepared by me or under my supervision</p> <p><i>Chad M. McDonald</i></p> <p>REGISTERED PROFESSIONAL ENGINEER STATE OF HAWAII LICENSE NO. 9394-C</p>
<p>DEPARTMENT OF HAWAIIAN HOME LANDS STATE OF HAWAII</p>	
<p>KAPA KEA FLOOD MITIGATION IMPROVEMENTS KAUNAKAKAI, MOLOKAI</p>	
<p>EXISTING CONDITIONS</p>	
<p>MITSUNAGA &amp; ASSOCIATES, INC.</p> <p>CHECKED BY: SD DRAWN BY: CA SCALE: AS INDICATED</p>	<p>JOB NO. P1001-13 DATE: DECEMBER 2015 SHEET 3 OF 3</p>



**LEGEND**

	PROPERTY LINE
	LIMITS OF CONSTRUCTION & DISTURBED AREA
	COMPOST FILTER SOCK, SEE DETAIL THIS SHEET
	DEMOLISH & REMOVE EXIST. TREE
	FLOW ARROW
	DEMOLISH & REMOVE EXIST. LAVA ROCK WALL
	DEMOLISH & REMOVE EXIST. FENCE
	SHORELINE

- DEMOLITION NOTES**
- TREES TO BE DEMOLISHED & REMOVED WITHIN TMK: (2) 5-3-007: 039 SHALL BE COORDINATED WITH THE PROPERTY CARETAKER AT 808-553-5992.
  - ALL TREES WITHIN TMK: (2) 5-3-007: 039 SHALL BE CUT AT THE BASE AND TREATED WITH GARLON 4 HERBICIDE OR APPROVED EQUAL.
  - CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL WOODY DEBRIS AND RUBBISH OFF-SITE.



- EROSION CONTROL NOTES**
- TEMPORARY EROSION CONTROL NOTES:
- FOLLOW SEQUENCE OF OPERATION AS RECOMMENDED ON PAGES 23 AND 24 OF THE "RULES RELATING TO SOIL EROSION STANDARDS AND GUIDELINES", APRIL 1999, OF THE DEPARTMENT OF PLANNING AND PERMITTING, MAUI COUNTY.
  - THE CONTRACTOR SHALL MINIMIZE THE AMOUNT OF LAND TO BE EXPOSED AT ANY TIME.
  - EXPOSED AREAS THAT ARE NOT AT FINAL GRADE AND ARE EXPECTED TO BE EXPOSED FOR MORE THAN 30 DAYS SHALL BE PLACED WITH A VEGETATIVE COVER OR BE MULCHED (AT A RATE OF 45 CUBIC FEET PER 1,000 SQUARE FEET) IN ORDER TO PREVENT EROSION AND SILT RUNOFF.
  - TEMPORARY EROSION CONTROLS SHALL NOT BE REMOVED BEFORE PERMANENT EROSION CONTROLS ARE IN PLACE AND ESTABLISHED.

- PERMANENT EROSION CONTROL MEASURES:
- ALL SLOPES AND EXPOSED AREAS SHALL BE SODDED OR PLANTED AS SOON AS FINAL GRADES HAVE BEEN ESTABLISHED.
  - 2:1 SLOPES SHALL BE TREATED WITH GEOFABRIC OR TREATED WITH SOIL CONDITIONER TO AID IN THE ESTABLISHMENT OF TURF/ PLANTING.


- BMP NOTES:**
- TEMPORARY EROSION CONTROL MEASURES:
- PRIOR TO CLEARING LAND FOR GRADING, TEMPORARY EROSION CONTROL MEASURES, SUCH AS COMPOST FILTER SOCK SHALL BE INSTALLED.
  - OPENING AND CLEARING OF LAND FOR GRADING SHALL BE PERFORMED INCREMENTALLY TO MINIMIZE EROSION POTENTIAL.
  - AREAS NOT WITHIN THE LIMITS OF CONSTRUCTION & DISTURBED AREA SHALL REMAIN VEGETATED DURING GRADING OPERATIONS.
  - SILT WHICH HAS ACCUMULATED ON COMPOST FILTER SOCK SHALL BE REMOVED AND DISPOSED OF ON A BI-WEEKLY BASIS.
  - WHEN CLEARED OR GRUBBED AREAS ARE NOT TO BE GRADED OR DISTURBED FOR 30 DAYS OR MORE, SEED, PLANT OR HYDROSEED TEMPORARY VEGETATION.
  - THE CONTRACTOR'S EQUIPMENT STORAGE AREAS SHALL BE PROTECTED THROUGH THE USE OF EARTH BERMS AND/OR ABSORPTION MATERIALS TO PREVENT POLLUTANTS FROM DISCHARGING INTO STATE WATERS. THE CONTRACTOR SHALL INSPECT AND MAINTAIN STORAGE AREAS.
- SEQUENCE FOR SEDIMENT CONTROL:
- INSTALL COMPOST FILTER SOCK.
  - GROUND COVER, SUCH AS GRASSING, MULCHING OR NETTING TO BE INSTALLED IMMEDIATELY AFTER FINAL GRADES ARE ESTABLISHED.

**DEMOLITION & EROSION CONTROL PLAN**  
SCALE: 1" = 20'

- NOTE:**
- COMPOST SHALL NOT CONTAIN BIOSOLIDS AND SHOULD BE CONSISTENT WITH EPA GUIDELINES. COMPOST FILTER SOCK SHALL BE 12" MIN. IN DIAMETER.
  - NO REBAR OR OTHER METAL RODS ARE TO BE USED AS ANCHORS.
  - ANCHORS SHALL HAVE A 4' MAX SPACING.



**01 COMPOST FILTER SOCK**  
NOT TO SCALE




REVISION NO.	DATE	DESCRIPTION	SHEET NO.	TOTAL SHEETS

DEPARTMENT OF HAWAIIAN HOME LANDS  
STATE OF HAWAII  
KAPAAKEA FLOOD MITIGATION IMPROVEMENTS  
KAUNAKAKAI, MOLOKAI

**DEMOLITION & EROSION CONTROL PLAN**


DESIGNED BY: SD	CHECKED BY: SD	JOB NO.:	DRWG NO.:
DATE: DT	APPROVED BY: CM	PO1001-13	C-3
SCALE: AS INDICATED	DATE: DECEMBER 2015	SHEET 4	OF 6 SHEETS

ENGINEER: *Chad M. McDonald*  
LICENSING BOARD: 4332015  
MITSUNAGA & ASSOCIATES, INC. EXP. DATE




**LEGEND**

- PROPERTY LINE
- - - LIMITS OF CONSTRUCTION & DISTURBED AREA
- 6 — FINISHED GRADE CONTOUR
- - - SHORELINE




**SITE & GRADING PLAN & PROFILE 1**  
SCALE: 1" = 20'



**CMU WALL BACK PROFILE**

SCALE: 1"=20' HORIZ.  
1"=5' VERT.




**CMU WALL FRONT PROFILE**

SCALE: 1"=20' HORIZ.  
1"=5' VERT.

**EARTHWORK QUANTITIES:**  
(FOR GRADING PERMIT PURPOSES ONLY)

GRADED AREA	0.20 ACRES
EXCAVATION	100 CY
EMBANKMENT	10 CY
DISTURBED AREA	0.33 ACRES

**GRAPHIC SCALE:**



REVISION NO.	SYMBOL	DESCRIPTION	SHEET OF	DATE

CHAD M. MCDONALD  
LICENSED PROFESSIONAL ENGINEER  
No. 8793-C  
HAWAII, U.S.A.

This work was prepared by me or under my supervision.

*Chad M. McDonald*

MITSUNAGA & ASSOCIATES, INC. EXP. DATE

NOTE: Contractor to check and verify dimensions of all items preceding this work.


DEPARTMENT OF HAWAIIAN HOME LANDS  
STATE OF HAWAII

KAPA'AEKA FLOOD MITIGATION IMPROVEMENTS  
KAUNAKAKAI, MOLOKAI

**SITE & GRADING PLAN & PROFILE 1**




This work was prepared by me or under my supervision.

DESIGNED BY: SD	CHECKED BY: SD	JOB NO. P61001-13	DRAWING NO. C-4
DRAWN BY: DT	APPROVED BY: CM	DATE	SHEET 5 OF 8 SHEETS
SCALE: AS INDICATED	DECEMBER 2015		



**LEGEND**

---	PROPERTY LINE
----	LIMITS OF CONSTRUCTION & DISTURBED AREA
—	FINISHED GRADE CONTOUR



REVISION NO.	DATE	DESCRIPTION	SHEET	DATE

DEPARTMENT OF HAWAIIAN HOME LANDS  
STATE OF HAWAII

KAPAAKEA FLOOD MITIGATION IMPROVEMENTS  
KAUNAKAKAI, MOLOKAI



















**SITE & GRADING PLAN & PROFILE 2**

MITSUNAGA & ASSOCIATES, INC.      JOB NO.      DRAWING NO.  
DESIGNED BY: SD      CHECKED BY: SD      P61001-13      C-5  
DRAWN BY: DT      APPROVED BY: CM      DATE      SHEET  
SCALE: AS INDICATED      DECEMBER 2015      OF 8 SHEETS

**Chris M. McDovill**  
LICENSED PROFESSIONAL ENGINEER  
No. 8793-C  
HAWAII, U.S.A.

This work was prepared by me or under my supervision


NOTE: Contractor to check and verify elevations at all points preceding this work.




REVISION NO.	DATE	DESCRIPTION	SHEET NO.	TOTAL SHEETS


		DEPARTMENT OF HAWAIIAN HOME LANDS STATE OF HAWAII	
		KAPAAKEA FLOOD MITIGATION IMPROVEMENTS KAUNAKAKAI, MOLOKAI	
This work was prepared by me or under my supervision 		SECTIONS	
		MITSUNAGA & ASSOCIATES, INC.	JOB NO. P61001-13
DESIGNED BY: SD	CHECKED BY: SD	DATE: DECEMBER 2015	SHEET 7 OF 8 SHEETS
DRAWN BY: DT	APPROVED BY: CM	SCALE: AS INDICATED	




**1 CMU WALL**  
C-7 SCALE: 1" = 1'-0"




**2 STEP FOOTING DETAIL**  
C-7 SCALE: 3/4" = 1'-0"




**3 TYPICAL SWALE DETAIL**  
C-7 SCALE: 1" = 1'-0"  
LOCATIONS VARY, SEE C-4 & C-5



**4 TYPICAL SWALE DETAIL**  
C-7 SCALE: 1" = 1'-0"  
LOCATIONS VARY, SEE C-4 & C-5



**5 SECTION "A-A"**  
C-7 SCALE: 1" = 1'-0"



REVISION NO.	SYMBOL	DESCRIPTION	SHEET NO.	DATE

		DEPARTMENT OF HAWAIIAN HOME LANDS STATE OF HAWAII	
		KAPA'AEKA FLOOD MITIGATION IMPROVEMENTS KAUNAKAKAI, MOLOKAI	
This work was prepared by me or under my supervision. 		DETAILS	
		MITSUNAGA & ASSOCIATES, INC.	JOB NO. P61001-13
DESIGNED BY: SD	CHECKED BY: SD	DATE: DECEMBER 2015	DRAWING NO. C-7
DRAWN BY: DT	APPROVED BY: CM	SCALE: AS INDICATED	SHEET 8 OF 8 SHEETS

MAY 18 2016

---

**Subject:** FW: Kapaakea Flood Mitigation Project

**From:** Stuart Goldberg - NOAA Affiliate [<mailto:stuart.goldberg@noaa.gov>]  
**Sent:** Monday, May 16, 2016 11:10 AM  
**To:** Gwendolyn Rivera  
**Subject:** Kapaakea Flood Mitigation Project

Hi Gwendolyn,

I am a contractor for NOAA Fisheries in the Habitat Conservation Division responsible for Essential Fish Habitat (EFH) consultations pursuant to the Magnuson Stevens Fisheries Act. I talked to you briefly the other day about some questions on this project, and am just following up.

EFH consists of the entire water column and substrate in the ocean adjacent to the proposed project, and includes habitat for the following management unit species: coral reef ecosystem, pelagics, bottomfish and crustaceans. In general, our concern for this type of project would likely be that there may be adverse effects on EFH due to sedimentation and increased turbidity due to project activities or if the project directly diverts runoff of sediments into the ocean regularly. I have the following questions and comments about the proposed project:

1. It appears from the letter that the wall is just running North/South and will not be in contact with the ocean (e.g. ~100ft away). Can you verify that? Is there an East/West barrier, too?
2. From Google Earth the neighboring property is exposed and barren. Can any "soft" or revegetative approaches be considered to help reduce runoff of sediments and flooding of this and the adjacent property? This approach would also reduce the general runoff of sediments into the ocean in an area where reefs are stressed due to sediment and turbidity increases.
3. Please take proper considerations to ensure/minimize any potential long-term effects that a new wall structure may have on directly diverting storm waters directly into the ocean.
4. Please ensure that precautions are taken to minimize erosion of sediments into runoff and stormwater drains that lead to ocean (e.g. employ berms, silt fences and other mechanisms) during project activities.
5. Please ensure that measures are taken to eliminate pollution from any pouring of cement/concrete and use of paints and chemicals are developed and enacted.

Thanks so much for the opportunity to provide early comments and ask questions. Please continue to keep us notified of project updates and opportunities to continue in ongoing discussions.

Best,  
Stu

--  
Stuart Goldberg, PhD  
Natural Scientist IV  
Contractor - Ocean Associates, Inc.

Habitat Conservation Division  
NOAA Fisheries, Pacific Islands Regional Office  
Inouye Regional Center  
1845 Wasp Blvd.  
Honolulu, HI 96818  
[808-725-5093](tel:808-725-5093)



July 22, 2016

Stuart Goldberg, PhD, Natural Scientist IV  
Contractor - Ocean Associates, Inc.  
Habitat Conservation Division  
NOAA Fisheries, Pacific Islands Regional Office  
1845 Wasp Boulevard  
Honolulu, Hawai'i 96818

SUBJECT: Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i

Dear Dr. Goldberg:

Thank you for your email of May 16, 2016, responding to our request for early consultation in preparation of a Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation Project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following information in response to the comments in your message.

**Comment No.1**

*It appears from the letter that the wall is just running North/South and will not be in contact with the ocean (e.g. ~100ft away). Can you verify that? Is there an East/West barrier, too?*

**Response:** The proposed wall will not contact the ocean. According to current plans, the wall will start at a point approximately 60 feet from the shoreline and proceed roughly north along the boundary of the DHHL Homestead lots. There will also be a portion of the wall approximately 180 feet in length on the northern boundary of the DHHL Homestead lots, fronting Kamehameha V Highway. This portion will run in an east to west direction.



**Comment No. 2**

*From Google Earth the neighboring property is exposed and barren. Can any “soft” or revegetative approaches be considered to help reduce runoff of sediments and flooding of this and the adjacent property? This approach would also reduce the general runoff of sediments into the ocean in an area where reefs are stressed due to sediment and turbidity increases.*

**Response:** Per the project’s civil engineering consultant, plans call for any disturbed areas within the project site to be grassed to reduce erosion and sediment runoff. The property adjacent to the project area to the west is the Kōheo wetland area, which is owned by Goodfellow Bros., Inc. and not under DHHL jurisdiction. This property is not part of the project area for the proposed Kapa’akea flood mitigation project. For concerns regarding plantings within the Kōheo wetland, we would suggest you contact Goodfellow Bros. Inc. or the non-profit group Nēnē O Moloka’i, whose efforts include vegetative restoration of the Kōheo wetland.

**Comment No. 3**

*Please take proper considerations to ensure/minimize any potential long-term effects that a new wall structure may have on directly diverting storm waters directly into the ocean.*

**Response:** The EA will address and include mitigation measures to reduce impacts to the marine environment, where applicable. The purpose of the project is to mitigate flooding of the DHHL Homestead lots from the adjacent wetlands. The project design incorporates the natural hydrology of the wetland system as a beneficial use that supports the ecosystem, and also functions as a filter system for sediment-laden stormwater flows to mitigate adverse impacts to marine resources.

**Comment No. 4**

*Please ensure that precautions are taken to minimize erosion of sediments into runoff and stormwater drains that lead to ocean (e.g. employ berms, silt fences and other mechanisms) during project activities.*

**Response:** The proposed project includes the implementation of temporary erosion control measures and Best Management Practices (BMPs) during construction, such as installation of silt fencing, berms, sandbags, and

Stuart Goldberg, PhD, Natural Scientist IV  
July 22, 2016  
Page 3

catchments, watering of exposed areas, and installation of absorption material areas for construction vehicles to mitigate construction-related erosion and sediment runoff.

**Comment No. 5**

*Please ensure that measures are taken to eliminate pollution from any pouring of cement/concrete and use of paints and chemicals are developed and enacted.*

**Response:** Proper measures to avoid pollution during construction will be implemented as part of the BMP plan. The contractor will be required to follow said BMP plan.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your email comments and this response will be included in the Draft EA. A copy of the Draft EA will be sent to the NOAA office for review and comment. In the meantime, if there are any questions or if additional information is required, please contact me at (808) 244-2015.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga & Associates, Inc.  
Chris Ball, Mitsunaga & Associates, Inc.  
Robert Hobby

K:\DATA\MAINDHHL Kapaakea EA 1900\Applications\EC\EC Response Letters\NOAA.res.doc

DAVID Y. IGE  
GOVERNOR



MAY 13 2016

DOUGLAS MURDOCK  
COMPTROLLER

AUDREY HIDANO  
Deputy Comptroller

STATE OF HAWAII  
DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES

P.O. BOX 119, HONOLULU, HAWAII 96810-0119

(P)1127.6

MAY 11 2016

Ms. Gwendolyn Rivera, Senior Associates  
Munekiyo Hiraga  
305 High Street, Suite 104  
Wailuku, Hawaii 96793


Dear Ms. Rivera:

Subject: Early Consultation Request for Kapaakea Flood Mitigation Project  
Kaunakakai, Molokai  
TMK: (2) 5-4-007: 009 (por), 010 (por), 011 (por), 024 (por), 025 (por)

Thank you for the opportunity to comment on the subject project. We have no comments to offer at this time as the proposed project does not impact any of the Department of Accounting and General Services' projects or existing facilities.

If you have any questions, you may call Ms. Dora Choy of the Public Works Division at 586-0488.

Sincerely,

  
FR DOUGLAS MURDOCK  
Comptroller

c: Mr. Wade Shimabukuro, District Engineer, MDO

MAY 19 2016

DAVID Y. IGE  
GOVERNOR



WESLEY K. MACHIDA  
DIRECTOR

RODERICK K. BECKER  
DEPUTY DIRECTOR

**STATE OF HAWAII  
DEPARTMENT OF BUDGET AND FINANCE**

P.O. BOX 150  
HONOLULU, HAWAII 96810-0150

EMPLOYEES' RETIREMENT SYSTEM  
HAWAII EMPLOYER-UNION HEALTH BENEFITS TRUST FUND  
OFFICE OF THE PUBLIC DEFENDER

ADMINISTRATIVE AND RESEARCH OFFICE  
BUDGET, PROGRAM PLANNING AND  
MANAGEMENT DIVISION  
FINANCIAL ADMINISTRATION DIVISION  
OFFICE OF FEDERAL AWARDS MANAGEMENT (OFAM)

May 17, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

This is in response to your letter dated May 3, 2016, requesting comments for the environmental assessment related to the proposed construction of a concrete masonry unit wall to improve flooding conditions in the Kapa'akea area of Moloka'i, for the State of Hawaii, Department of Hawaiian Home Lands.

We have no comments at this time.


Sincerely,

A handwritten signature in cursive script, appearing to read "Wesley K. Machida".

WESLEY K. MACHIDA  
Director of Finance

MAY 16 2016

DAVID Y. IGE  
GOVERNOR OF HAWAII



VIRGINIA PRESSLER, M.D.  
DIRECTOR OF HEALTH

STATE OF HAWAII  
DEPARTMENT OF HEALTH  
P. O. BOX 3378  
HONOLULU, HI 96801-3378

In reply, please refer to:  
EMD/CWB

05019PCTM.16

May 12, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

**SUBJECT: Comments on the Early Consultation Request for  
Kapaakea Flood Mitigation Project  
Kaunakakai, Island of Molokai, Hawaii**

The Department of Health (DOH), Clean Water Branch (CWB), acknowledges receipt of your letter, dated May 3, 2016. The DOH-CWB has reviewed the subject document and offers these comments. Please note that our review is based solely on the information provided in the subject document and its compliance with the Hawaii Administrative Rules (HAR), Chapters 11-54 and 11-55. You may be responsible for fulfilling additional requirements related to our program. We recommend that you also read our standard comments on our website at:

<http://health.hawaii.gov/epo/files/2013/05/Clean-Water-Branch-Std-Comments.pdf>

1. Any project and its potential impacts to State waters must meet the following criteria:
  - a. Antidegradation policy (HAR, Section 11-54-1.1), which requires that the existing uses and the level of water quality necessary to protect the existing uses of the receiving State water be maintained and protected.
  - b. Designated uses (HAR, Section 11-54-3), as determined by the classification of the receiving State waters.
  - c. Water quality criteria (HAR, Sections 11-54-4 through 11-54-8).
2. You may be required to obtain National Pollutant Discharge Elimination System (NPDES) permit coverage for discharges of wastewater, including storm water runoff, into State surface waters (HAR, Chapter 11-55).

For NPDES general permit coverage, a Notice of Intent (NOI) form must be submitted at least 30 calendar days before the commencement of the discharge. An application for a NPDES individual permit must be submitted at least 180 calendar days before the commencement of the discharge. To request NPDES permit coverage, you must submit the applicable form (“CWB Individual NPDES Form” or “CWB NOI Form”) through the e-Permitting Portal and the hard copy certification statement with the respective filing fee (\$1,000 for an individual NPDES permit or \$500 for a Notice of General Permit Coverage). Please open the e-Permitting Portal website located at: <https://eha-cloud.doh.hawaii.gov/epermit/>. You will be asked to do a one-time registration to obtain your login and password. After you register, click on the Application Finder tool and locate the appropriate form. Follow the instructions to complete and submit the form.

3. If your project involves work in, over, or under waters of the United States, it is highly recommended that you contact the Army Corp of Engineers, Regulatory Branch (Tel: 835-4303) regarding their permitting requirements.

Pursuant to Federal Water Pollution Control Act [commonly known as the “Clean Water Act” (CWA)], Paragraph 401(a)(1), a Section 401 Water Quality Certification (WQC) is required for “[a]ny applicant for Federal license or permit to conduct any activity including, but not limited to, the construction or operation of facilities, which may **result** in any discharge into the navigable waters...” (emphasis added). The term “discharge” is defined in CWA, Subsections 502(16), 502(12), and 502(6); Title 40 of the Code of Federal Regulations, Section 122.2; and Hawaii Administrative Rules (HAR), Chapter 11-54.


4. Please note that all discharges related to the project construction or operation activities, whether or not NPDES permit coverage and/or Section 401 WQC are required, must comply with the State’s Water Quality Standards. Noncompliance with water quality requirements contained in HAR, Chapter 11-54, and/or permitting requirements, specified in HAR, Chapter 11-55, may be subject to penalties of \$25,000 per day per violation.
5. It is the State’s position that all projects must reduce, reuse, and recycle to protect, restore, and sustain water quality and beneficial uses of State waters. Project planning should:
  - a. Treat storm water as a resource to be protected by integrating it into project planning and permitting. Storm water has long been recognized as a source of irrigation that will not deplete potable water resources. What is often overlooked is that storm water recharges ground water supplies and feeds streams and estuaries; to ensure that these water cycles are not disrupted, storm water cannot be relegated as a waste product of impervious surfaces. Any project planning must recognize storm water as an asset that sustains and protects

natural ecosystems and traditional beneficial uses of State waters, like community beautification, beach going, swimming, and fishing. The approaches necessary to do so, including low impact development methods or ecological bio-engineering of drainage ways must be identified in the planning stages to allow designers opportunity to include those approaches up front, prior to seeking zoning, construction, or building permits.

- b. Clearly articulate the State's position on water quality and the beneficial uses of State waters. The plan should include statements regarding the implementation of methods to conserve natural resources (e.g. minimizing potable water for irrigation, gray water re-use options, energy conservation through smart design) and improve water quality.
- c. Consider storm water Best Management Practice (BMP) approaches that minimize the use of potable water for irrigation through storm water storage and reuse, percolate storm water to recharge groundwater to revitalize natural hydrology, and treat storm water which is to be discharged.
- d. Consider the use of green building practices, such as pervious pavement and landscaping with native vegetation, to improve water quality by reducing excessive runoff and the need for excessive fertilization, respectively.
- e. Identify opportunities for retrofitting or bio-engineering existing storm water infrastructure to restore ecological function while maintaining, or even enhancing, hydraulic capacity. Particular consideration should be given to areas prone to flooding, or where the infrastructure is aged and will need to be rehabilitated.

If you have any questions, please visit our website at: <http://health.hawaii.gov/cwb/>, or contact the Engineering Section, CWB, at (808) 586-4309.

Sincerely,

  
ALEC WONG, P.E., CHIEF  
Clean Water Branch

CTM:bk

c: EPO [via e-mail only]

JUN 24 2016

DAVID Y. IGE  
GOVERNOR OF HAWAII



VIRGINIA PRESSLER, M.D.  
DIRECTOR OF HEALTH

STATE OF HAWAII  
DEPARTMENT OF HEALTH  
P. O. BOX 3378  
HONOLULU, HI 96801-3378

In reply, please refer to:  
File:

06044PGH.16

June 21, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Mukeyiyo Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

**SUBJECT: Comments on Early Consultation for Kapaakea Flood Mitigation Project, Kaunakakai, Molokai**

The Department of Health (DOH), Clean Water Branch (CWB), acknowledges receipt of your letter, dated May 3, 2016, requesting comments on your project. The DOH-CWB has reviewed the subject document and offers these comments. Please note that our review is based solely on the information provided in the subject document and its compliance with the Hawaii Administrative Rules (HAR), Chapters 11-54 and 11-55. You may be responsible for fulfilling additional requirements related to our program. We recommend that you also read our standard comments on our website at: <http://health.hawaii.gov/epo/files/2013/05/Clean-Water-Branch-Std-Comments.pdf>

1. Any project and its potential impacts to State waters must meet the following criteria:
  - a. Antidegradation policy (HAR, Section 11-54-1.1), which requires that the existing uses and the level of water quality necessary to protect the existing uses of the receiving State water be maintained and protected.
  - b. Designated uses (HAR, Section 11-54-3), as determined by the classification of the receiving State waters.
  - c. Water quality criteria (HAR, Sections 11-54-4 through 11-54-8).
2. You may be required to obtain National Pollutant Discharge Elimination System (NPDES) permit coverage for discharges of wastewater, including storm water runoff, into State surface waters (HAR, Chapter 11-55).



For NPDES general permit coverage, a Notice of Intent (NOI) form must be submitted at least 30 calendar days before the commencement of the discharge. An application for a NPDES individual permit must be submitted at least 180 calendar days before the commencement of the discharge. To request NPDES permit coverage, you must submit the applicable form ("CWB Individual NPDES Form" or "CWB NOI Form") through the e-Permitting Portal and the hard copy certification statement with the respective filing fee (\$1,000 for an individual NPDES permit or \$500 for a Notice of General Permit Coverage). Please open the e-Permitting Portal website located at: <https://eha-cloud.doh.hawaii.gov/epermit/>. You will be asked to do a one-time registration to obtain your login and password. After you register, click on the Application Finder tool and locate the appropriate form. Follow the instructions to complete and submit the form.

3. If your project involves work in, over, or under waters of the United States, it is highly recommended that you contact the Army Corp of Engineers, Regulatory Branch (Tel: 835-4303) regarding their permitting requirements.

Pursuant to Federal Water Pollution Control Act [commonly known as the "Clean Water Act" (CWA)], Paragraph 401(a)(1), a Section 401 Water Quality Certification (WQC) is required for "[a]ny applicant for Federal license or permit to conduct any activity including, but not limited to, the construction or operation of facilities, which may **result** in any discharge into the navigable waters..." (emphasis added). The term "discharge" is defined in CWA, Subsections 502(16), 502(12), and 502(6); Title 40 of the Code of Federal Regulations, Section 122.2; and Hawaii Administrative Rules (HAR), Chapter 11-54.

4. Please note that all discharges related to the project construction or operation activities, whether or not NPDES permit coverage and/or Section 401 WQC are required, must comply with the State's Water Quality Standards. Noncompliance with water quality requirements contained in HAR, Chapter 11-54, and/or permitting requirements, specified in HAR, Chapter 11-55, may be subject to penalties of \$25,000 per day per violation.
5. It is the State's position that all projects must reduce, reuse, and recycle to protect, restore, and sustain water quality and beneficial uses of State waters. Project planning should:
  - a. Treat storm water as a resource to be protected by integrating it into project planning and permitting. Storm water has long been recognized as a source of irrigation that will not deplete potable water resources. What is often overlooked is that storm water recharges ground water supplies and feeds streams and estuaries; to ensure that these water cycles are not disrupted, storm water cannot be relegated as a waste product of impervious surfaces. Any project planning must recognize storm water as an asset that sustains and protects

natural ecosystems and traditional beneficial uses of State waters, like community beautification, beach going, swimming, and fishing. The approaches necessary to do so, including low impact development methods or ecological bio-engineering of drainage ways must be identified in the planning stages to allow designers opportunity to include those approaches up front, prior to seeking zoning, construction, or building permits.

- b. Clearly articulate the State's position on water quality and the beneficial uses of State waters. The plan should include statements regarding the implementation of methods to conserve natural resources (e.g. minimizing potable water for irrigation, gray water re-use options, energy conservation through smart design) and improve water quality.
- c. Consider storm water Best Management Practice (BMP) approaches that minimize the use of potable water for irrigation through storm water storage and reuse, percolate storm water to recharge groundwater to revitalize natural hydrology, and treat storm water which is to be discharged.
- d. Consider the use of green building practices, such as pervious pavement and landscaping with native vegetation, to improve water quality by reducing excessive runoff and the need for excessive fertilization, respectively.
- e. Identify opportunities for retrofitting or bio-engineering existing storm water infrastructure to restore ecological function while maintaining, or even enhancing, hydraulic capacity. Particular consideration should be given to areas prone to flooding, or where the infrastructure is aged and will need to be rehabilitated.

If you have any questions, please visit our website at: <http://health.hawaii.gov/cwb/>, or contact the Engineering Section, CWB, at (808) 586-4309.

Sincerely,



ALEC WONG, P.E., CHIEF  
Clean Water Branch

GH:ak

c: DOH-EPO #16-174 [via e-mail [Noella.Narimatsu@doh.hawaii.gov](mailto:Noella.Narimatsu@doh.hawaii.gov) only]



July 22, 2016

Alec Wong, P.E., Chief  
State of Hawai'i  
Department of Health  
Clean Water Branch  
P. O. Box 3378  
Honolulu, Hawai'i 96801

**SUBJECT:** Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i (References EMD/CWB 05019PCTM.16 and 06044PGH.16)

Dear Mr. Wong:

Thank you for your comment letters dated May 12, 2016 and June 21, 2016, responding to our request for early consultation in preparation of a Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation Project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following responses in the order of your comments.

**Comment No.1**

*The Department of Health (DOH), Clean Water Branch (CWB), acknowledges receipt of your letter, dated May 3, 2016. The DOH-CWB has reviewed the subject document and offers these comments. Please note that our review is based solely on the information provided in the subject document and its compliance with the Hawaii Administrative Rules (HAR), Chapters 11-54 and 11-55. You may be responsible for fulfilling additional requirements related to our program. We recommend that you also read our standard comments on our website at: <http://health.hawaii.gov/epo/files/2013/05/Clean-Water-Branch-Std-Comments.pdf>*

**Response:** The standard comments noted on your website will be reviewed by the design team, as may be applicable for the proposed project.

**Comment No. 2**

*Any project and its potential impacts to State waters must meet the following criteria:*

- a. Antidegradation policy (HAR, Section 11-54-1.1), which requires that the existing uses and the level of water quality necessary to protect the existing uses of the receiving State water be maintained and protected.*
- b. Designated uses (HAR, Section 11-54-3), as determined by the classification of the receiving State waters.*
- c. Water quality criteria (HAR, Sections 11-54-4 through 11-54-8).*

**Response:** The proposed onsite runoff will be the same as the predevelopment onsite runoff as a result of the project. As discussed in the Draft EA, the project design includes a new swale and incorporates the existing topography and natural hydrology of the existing nearby Kōheo wetlands which discharges flow into the ocean. Use of the natural ecosystem in the project area is a low impact method that mitigates adverse impacts to the environment and ocean.

**Comment No. 3**

*You may be required to obtain National Pollutant Discharge Elimination System (NPDES) permit coverage for discharges of wastewater, including storm water runoff, into State surface waters (HAR, Chapter 11-55).*

*For NPDES general permit coverage, a Notice of Intent (NOI) form must be submitted at least 30 calendar days before the commencement of the discharge. An application for a NPDES individual permit must be submitted at least 180 calendar days before the commencement of the discharge. To request NPDES permit coverage, you must submit the applicable form ("CWB Individual NPDES Form" or "CWB NOI Form") through the e-Permitting Portal and the hard copy certification statement with the respective filing fee (\$1,000 for an individual NPDES permit or \$500 for a Notice of General Permit Coverage). Please open the e-Permitting Portal website located at: <https://eha-cloud.doh.hawaii.gov/epermit/>. You will be asked to do a one-time registration to obtain your login and password. After you register, click on the Application Finder tool and locate the appropriate form. Follow the instructions to complete and submit the form.*

**Response:** The design consultant will review the applicable NPDES permit coverage requirements as it relates to the project scope and requirements.

**Comment No. 4**

*If your project involves work in, over, or under waters of the United States, it is highly recommended that you contact the Army Corp of Engineers, Regulatory Branch (Tel: 835-4303) regarding their permitting requirements.*

*Pursuant to Federal Water Pollution Control Act [commonly known as the "Clean Water Act" (CWA)], Paragraph 401(a)(1), a Section 401 Water Quality Certification (WQC) is required for "[a]ny applicant for Federal license or permit to conduct any activity including, but not limited to, the construction or operation of facilities, which may **result** in any discharge into the navigable waters..." (emphasis added). The term "discharge" is defined in CWA, Subsections 502(16), 502(12), and 502(6); Title 40 of the Code of Federal Regulations, Section 122.2; and Hawaii Administrative Rules (HAR), Chapter 11-54.*

**Response:** The U.S. Army Corp of Engineers (USACE) provided comments to our request for early consultation in regards to the proposed project. Further information regarding the project is being submitted to the USACE for consultation regarding Department of Army permit requirements.

**Comment No. 5**

*Please note that all discharges related to the project construction or operation activities, whether or not NPDES permit coverage and/or Section 401 WQC are required, must comply with the State's Water Quality Standards. Noncompliance with water quality requirements contained in HAR, Chapter 11-54, and/or permitting requirements, specified in HAR, Chapter 11-55, may be subject to penalties of \$25,000 per day per violation.*

**Response:** It is acknowledged that all discharges related to the proposed project construction or operations are to comply with the State's Water Quality Standards, notwithstanding the requirement for a NPDES permit and/or Section 401 Water Quality Certification.

**Comment No. 6**

*It is the State's position that all projects must reduce, reuse, and recycle to protect, restore, and sustain water quality and beneficial uses of State waters. Project planning should:*

- a. *Treat storm water as a resource to be protected by integrating it into project planning and permitting. Storm water has long been recognized as a source of irrigation that will not deplete potable water resources. What is often overlooked is that storm water recharges ground water supplies and feeds streams and estuaries; to ensure that these water cycles are not disrupted, storm water cannot be relegated as a waste product of impervious surfaces. Any project planning must recognize storm water as an asset that sustains and protects natural ecosystems and traditional beneficial uses of State waters, like community beautification, beach going, swimming, and fishing. The approaches necessary to do so, including low impact development methods or ecological bio-engineering of drainage ways must be identified in the planning stages to allow designers opportunity to include those approaches up front, prior to seeking zoning, construction, or building permits.*

**Response:** As discussed in the Draft EA, the project design includes a new swale and incorporates the existing topography and natural hydrology of the existing nearby Kōheo wetlands. Use of the natural ecosystem in the project area is a low impact method that mitigates adverse impacts to the environment.

**Comment No. 7**

- b. *Clearly articulate the State's position on water quality and the beneficial uses of State waters. The plan should include statements regarding the implementation of methods to conserve natural resources (e.g. minimizing potable water for irrigation, gray water re-use options, energy conservation through smart design) and improve water quality.*

**Response:** As previously noted in our response, the project design incorporates the existing topography and wetland ecosystem. As a flood control measure, the plan mitigates adverse impact to the environment and protects the DHHL Homestead lots from flooding during heavy wet weather.

**Comment No. 8**

- c. *Consider storm water Best Management Practice (BMP) approaches that minimize the use of potable water for irrigation through storm water storage and reuse, percolate storm water to recharge groundwater to revitalize natural hydrology, and treat storm water which is to be discharged.*

**Response:** As discussed in the Draft EA, the project design incorporates the natural hydrology of the wetland system as a beneficial use that supports the ecosystem, and also functions as a filter system for land based pollutants and sediment-laden storm water flows to mitigate adverse impact to marine resources.

**Comment No. 9**

- d. *Consider the use of green building practices, such as pervious pavement and landscaping with native vegetation, to improve water quality by reducing excessive runoff and the need for excessive fertilization, respectively.*

**Response:** The proposed vertical CMU wall and swale project does not result in significant change to the existing pervious and hardened surfaces in the project area. The project includes Best Management Practices (BMPs) such as vegetating slopes and exposed areas as discussed in the Draft EA.

**Comment No. 10**

- e. *Identify opportunities for retrofitting or bio-engineering existing storm water infrastructure to restore ecological function while maintaining, or even enhancing, hydraulic capacity. Particular consideration should be given to areas prone to flooding, or where the infrastructure is aged and will need to be rehabilitated.*

**Response:** As discussed in the Draft EA, the project area is prone to flooding and the project design is intended to protect the DHHL Homestead lots during storm events by replacing the existing chainlink fence and stacked rubble wall with a solid CMU wall and swale. The ecosystem in the area is sustained, as the project design relies on the existing natural topography and hydrology of the adjacent Kōheo wetlands.

Alec Wong, P.E., Chief  
July 22, 2016  
Page 6

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. Copies of your comment letters and our response will be included in the Draft EA. A copy of the Draft EA will be sent to your office for review and comment. Should you have any questions or require further information regarding the proposed action, please contact me at (808)244-2015.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp


cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga & Associates, Inc.  
Chris Ball, Mitsunaga & Associates, Inc.

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\EC\EC Response Letters\DOH CWB.doc



MAY 16 2016

DAVID Y. IGE  
GOVERNOR OF HAWAII



VIRGINIA PRESSLER, M.D.  
DIRECTOR OF HEALTH

LORRIN W. PANG, M.D., M.P.H.  
DISTRICT HEALTH OFFICER

STATE OF HAWAII  
DEPARTMENT OF HEALTH  
MAUI DISTRICT HEALTH OFFICE  
54 HIGH STREET  
WAILUKU, HAWAII 96793-3378

May 13, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga  
305 High Street, Suite 104  
Wailuku, Hawai'i 96793

Dear Ms. Rivera:

**Subject: Early Consultation Request for Kapa'akea Flood Mitigation Project  
Kaunakakai, Molokai  
TMK: (2) 5-4-007:009 (por.); 5-4-007:010 (por.); 5-4-007:011 (por.);  
5-4-007:024 (por.); 5-4-007:025 (por.)**

Thank you for the opportunity to review this project. We have the following comments to offer:

1. National Pollutant Discharge Elimination System (NPDES) permit coverage may be required for this project. The Clean Water Branch should be contacted at 808 586-4309.
2. The noise created during the construction phase of the project may exceed the maximum allowable levels as set forth in Hawaii Administrative Rules, Chapter 11-46, "Community Noise Control." A noise permit may be required and should be obtained before the commencement of work. Please call the Indoor & Radiological Health Branch at 808 586-4700.

It is strongly recommended that the Standard Comments found at the Department's website: <http://health.hawaii.gov/epo/home/landuse-planning-review-program/> be reviewed and any comments specifically applicable to this project should be adhered to.

Ms. Gwendolyn Rivera  
May 13, 2016  
Page 2

Should you have any questions, please contact me at 808 984-8230 or email me at [patricia.kitkowski@doh.hawaii.gov](mailto:patricia.kitkowski@doh.hawaii.gov).

Sincerely,

A handwritten signature in black ink that reads "Patti Kitkowski". The signature is written in a cursive style with a large, prominent initial "P".

Patti Kitkowski  
District Environmental Health Program Chief

c EPO



July 22, 2016

Patti Kitkowski  
District Environmental Health  
Program Chief  
State of Hawai'i  
Department of Health  
Maui District Office  
54 High Street  
Wailuku, Hawai'i 96793

SUBJECT: Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i

---

Dear Ms. Kitkowski:

Thank you for your letter of May 13, 2016, responding to our request for early consultation in preparation of a Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation Project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following information in response to the comments in your letter.

**Comment No. 1**

*National Pollutant Discharge Elimination System (NPDES) permit coverage may be required for this project. The Clean Water Branch should be contacted at (808) 586-4309.*

**Response:** The civil engineering consultant will review the applicable NPDES permit coverage requirements as it relates to the project scope and requirements. Should an NPDES permit be required, the permit will be secured prior to the start of construction.

**Comment No. 2**

*The noise created during the construction phase of the project may exceed the maximum allowable levels as set forth in Hawai'i Administrative Rules, Chapter 11-46, "Community Noise Control". A noise permit may be required and should be*

Patti Kitkowski  
District Environmental Health  
Program Chief  
July 22, 2016  
Page 2

*obtained before the commencement of work. Please call the Indoor & Radiological Health Branch at (808) 586-4700.*

**Response:** The selected contractor will be required to comply with the pertinent Hawai'i Administrative Rules relating to allowable noise levels. Should a noise permit be required, said permit will be secured prior to the start of construction.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Draft EA. A copy of the Draft EA will be sent to your office for review and comment. In the meantime, if there are any questions or if additional information is required, please contact me at 244-2015.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates, Inc.  
Chris Ball, Mitsunaga and Associates, Inc.

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\EC\EC Response Letters\Army.res.doc



JUN 16 2016

VIRGINIA PRESSLER, M.D.  
DIRECTOR OF HEALTH

**STATE OF HAWAII**  
**DEPARTMENT OF HEALTH**  
P. O. BOX 3378  
HONOLULU, HI 96801-3378

In reply, please refer to:  
File:

EPO 16-174

June 3, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

**SUBJECT: Early Consultation (EC) for Kapaakea Flood Mitigation Project  
Kaunakakai, Molokai  
TMK: (2) 5-4- 007:009 (par.) (Parcel 9); (2) 5-4-007:010 (par.) (Parcel 1 O);  
(2) 5-4-007:011 (par.) (Parcel 11); (2) 5-4-007:024 (par.) (Parcel 24); and  
(2) 5-4-007:025 (par.) (Parcel 25)**

The Department of Health (DOH), Environmental Planning Office (EPO), acknowledges receipt of your EC to our office on May 5, 2016. Thank you for allowing us to review and comment on the proposed project. The EC was routed to the District Health Office on Maui and the Clean Water Branch. They will provide specific comments to you if necessary. EPO recommends that you review the standard comments and available strategies to support sustainable and healthy design provided at: <http://health.hawaii.gov/epo/landuse>. Projects are required to adhere to all applicable standard comments.

EPO suggests you review guidance maps and viewers available on the Environmental Planning GIS website: <http://health.hawaii.gov/epo/egis>.

EPO also encourages you to examine and utilize the Hawaii Environmental Health Portal. The portal provides links to our e-Permitting Portal, Environmental Health Warehouse, Groundwater Contamination Viewer, Hawaii Emergency Response Exchange, Hawaii State and Local Emission Inventory System, Water Pollution Control Viewer, Water Quality Data, Warnings, Advisories and Postings. The Portal is continually updated. Please visit it regularly at: <https://eha-cloud.doh.hawaii.gov>

We suggest you review the requirements for the National Pollutant Discharge Elimination System (NPDES) permit. We recommend contacting the Clean Water Branch at (808) 586-4309 or [cleanwaterbranch@doh.hawaii.gov](mailto:cleanwaterbranch@doh.hawaii.gov) after relevant information is reviewed at:

1. <http://health.hawaii.gov/cwb>
2. <http://health.hawaii.gov/cwb/site-map/clean-water-branch-home-page/standard-npdes-permit-conditions>
3. <http://health.hawaii.gov/cwb/site-map/clean-water-branch-home-page/forms>

Ms. Gwendolyn Rivera  
Page 2  
June 3, 2016

We request that you utilize all of this information on your proposed project to increase sustainable, innovative, inspirational, transparent and healthy design.

Mahalo nui loa,



Laura Leialoha Phillips McIntyre, AICP  
Program Manager, Environmental Planning Office

LM:nn

Attachments:

Attachment 1: EPO Draft Environmental Health Management Map - Molokai

Attachment 2: Clean Water Branch: Water Quality Standards Map - Molokai

Attachment 3: OEQC Viewer Map of Project Area - - <http://eha-web.doh.hawaii.gov/oeqc-viewer>

c: DOH: DHO Maui, CWB {via email only}



MOLOKA'I



DRAFT

Pacific Ocean






**Quality Standards Classifications**

**Inland Classifications**

-  Class 1 streams & waterbodies
-  Class 2 streams & waterbodies


**Marine Classifications**

-  A
  -  AA
- Bounded by 100-fathom contour

 3 Mile Boundary Line: Areas situated within this line but outside of the 100-fathom contour are subject to Hawaii State Oceanic Water Quality Standards.

Hawaii Department of Health


**Water Quality Standards Map**  
ISLANDS OF MOLOKA'I, LANA'I  
& KAHO'OLAWÉ



June 2014


This map is a geographic representation of Hawaii State Water Quality Standards as set forth in Hawaii Administrative Rules Chapter 11-54, but is intended for reference only, not to substitute for the governing language in the Water Quality Standards.

LANA'I



0 2.5 5 10 Kilometers

KAHO'OLAWÉ



0 2.5 5 10 Kilometers



kaunakakai moikoi 25 sites found

Results Filter

- Moikoi Properties Limited Continued Use of Mts (DEA-AFH 5) Environmental Assessment (Agency)
- Kalaupapa Dock Repair (DEA-AFH 5) Environmental Assessment (Agency)
- Kalaupapa Dock Repair (FEA-FON 5) Environmental Assessment (Applicant)
- Programmatic General Permit Agreement for Restoration of Frigates (FEA-FON 5) Environmental Assessment (Agency)
- Mokapu Rat Eradication (FEA-FON 5) Environmental Assessment (Agency)
- Field Release Rhodopya Biocontrol of Melon Aphid (DEA-AFH 5) Environmental Assessment (Agency)
- SANDWICH ISLES COMM SUB FIBER OPTIC CABLE (FEA-FON 5) Environmental Assessment (Applicant)
- Integrated Cultural Resources Man Plan (FEA-FON 5) Environmental Assessment (Applicant)
- SANDWICH ISLES COMM SUB FIBER OPTIC CABLE (FEA-FON 5) Environmental Assessment (Applicant)
- Field Release of Eurytoma Erythrina Gall Wasp BioControl (FEA-FON 5) Environmental Assessment (Agency)
- Field Release Popillia Biocontrol of Mistle (DEA-AFH 5) Environmental Assessment (Agency)
- Helio Caterpillar (FEA-FON 5) Environmental Assessment (Agency)
- Papahānaumokuākea Management Plan (FEA-FON 5) Environmental Assessment (Agency)
- Statewide Fish Aggregating Device Program (DEA-AFH 5) Environmental Assessment (Agency)
- Biocontrol Strawberry Guava (FEA-FON 5)





**MUNEKIYO HIRAGA**

Planning, Project Management, Sustainable Solutions.

Michael T. Munekiyo  
PRESIDENT

Karlynn K. Fukuda  
EXECUTIVE VICE PRESIDENT

Mark Alexander Roy  
VICE PRESIDENT

Tessa Munekiyo Ng  
VICE PRESIDENT

July 22, 2016

Laura Leialoha Phillips McIntyre, AICP, Program Manager  
Department of Health  
Environmental Planning Office  
State of Hawai'i  
P.O. Box 3378  
Honolulu, Hawai'i 96801-3378

**SUBJECT: Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i (EPO 16-174)**

---

Dear Ms. McIntyre:

Thank you for your letter dated June 3, 2016, responding to our request for early consultation in preparation for a Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation Project. As recommended, the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) will review the standard comments and other information provided in your letter. Also, on behalf of DHHL we will review the updated Water Quality Standards Maps for Moloka'i. We note that both the District Health Office on Maui and the Clean Water Branch have provided comments on the project through separate correspondence.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. We appreciate your input and a copy of your letter and this response will be included in the Draft EA. A copy of the Draft EA will be sent to your office for review and comment. In the meantime, if there are any questions or if additional information is needed, please contact me at (808) 244-2015.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates, Inc.  
Chris Ball, Mitsunaga and Associates, Inc.

MAY 23 2016

DAVID Y. IGE  
GOVERNOR OF HAWAII



SUZANNE D. CASE  
CHAIRPERSON  
BOARD OF LAND AND NATURAL RESOURCES  
COMMISSION ON WATER RESOURCE  
MANAGEMENT

STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

May 23, 2016

Munekiyo & Hiraga, Inc.  
Attention: Ms. Gwendolyn Rivera, Senior Associate  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

via email: [planning@mhplanning.com](mailto:planning@mhplanning.com)

Dear Ms. Rivera:

SUBJECT: Early Consultation Request for Kapa'akea Flood Mitigation Project

Thank you for the opportunity to review and comment on the subject matter. The Department of Land and Natural Resources' (DLNR) Land Division distributed or made available a copy of your report pertaining to the subject matter to DLNR Divisions for their review and comments.



At this time, enclosed are comments from the Engineering Division on the subject matter. Should you have any questions, please feel free to call Lydia Morikawa at 587-0410. Thank you.

Sincerely,

A handwritten signature in black ink, appearing to read "Russell Y. Tsuji".

Russell Y. Tsuji  
Land Administrator

cc: Central Files



16 MAY 11 AM 09:57 ENGINEERING

SUZANNE D. CASE  
CHAIRPERSON  
BOARD OF LAND AND NATURAL RESOURCES  
COMMISSION ON WATER RESOURCE  
MANAGEMENT

STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

May 9, 2016

MEMORANDUM

TO: FR

**DLNR Agencies:**

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Maui District
- Historic Preservation

DEPT. OF LAND &  
NATURAL RESOURCES  
STATE OF HAWAII

2016 MAY 19 AM 11:08

RECEIVED  
LAND DIVISION

FD

FROM: Russell Y. Tsuji, Land Administrator

SUBJECT: Early Consultation Request for Kapa'akea Flood Mitigation Project

LOCATION: Kaunakakai, Island of Molokai; TMK: (2) 5-4-007:009, 010, 011, 024 & 025 (portions)

APPLICANT: Department of Hawaiian Home Lands

Transmitted for your review and comment is information on the above-referenced project. We would appreciate your comments on this project. Please submit any comments by **May 20, 2016**.

If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Lydia Morikawa at 587-0410. Thank you.

Attachments

- We have no objections.
- We have no comments.
- Comments are attached.

Signed:

Print Name: Cary S. Chang, Chief Engineer

Date: 5/10/16

cc: Central Files

DEPARTMENT OF LAND AND NATURAL RESOURCES  
ENGINEERING DIVISION

To: Land Division

Ref: Early Consultation Request for Kapa'akea Flood Mitigation Project, Kaunakakai,  
Molokai

COMMENTS

The rules and regulations of the National Flood Insurance Program (NFIP), Title 44 of the Code of Federal Regulations (44CFR), are in effect when development falls within a designated Flood Hazard.

The owner or the project property and/or their representative is responsible to research the Flood Hazard Zone designation for the project. Flood Hazard Zone designations can be found using the Flood Insurance Rate Map (FIRM), which can be accessed through the Flood Hazard Assessment Tool (FHAT) (<http://gis.hawaiiinfip.org/FHAT>).

National Flood Insurance Program establishes the rules and regulations of the NFIP - Title 44 of the Code of Federal Regulations (44CFR). The NFIP Zone X is a designation where there is no perceived flood impact. Therefore, the NFIP does not regulate any development within a Zone X designation.

Be advised that 44CFR reflects the minimum standards as set forth by the NFIP. Local community flood ordinances may take precedence over the NFIP standards as local designations prove to be more restrictive. If there are questions regarding the local flood ordinances, please contact the applicable County NFIP Coordinators below:

- o Oahu: City and County of Honolulu, Department of Planning and Permitting (808) 768-8098.
- o Hawaii Island: County of Hawaii, Department of Public Works (808) 961-8327.
- o Maui/Molokai/Lanai County of Maui, Department of Planning (808) 270-7253.
- o Kauai: County of Kauai, Department of Public Works (808) 241-4846.

Signed:   
CARTY S. CHANG, CHIEF ENGINEER

Date: 5/18/14



July 22, 2016

Russell Y. Tsuji, Land Administrator  
State of Hawai'i  
Department of Land and Natural Resources  
Post Office Box 621  
Honolulu, Hawai'i 96809

**SUBJECT:** Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i

---

Dear Mr. Tsuji:

Thank you for your letter of May 23, 2016, which included responses from the Department of Land and Natural Resources (DLNR), Engineering Division to our request for early consultation in preparation of a Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation Project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following information in response to the comments in your message.

**Comment No.1**

*The rules and regulations of the National Flood Insurance Program (NFIP), Title 44 of the Code of Federal Regulations (44CFR), are in effect when development falls within a designated Flood Hazard.*

**Response:** It is noted that the rules and regulations of NFIP, Title 44 of CFR will apply, as the proposed project area falls within a designated Flood Hazard area.

**Comment No. 2**

*The owner or the project property and/or their representative is responsible to research the Flood Hazard Zone designation for the project. Flood Hazard Zone designations can be found using the Flood Insurance Rate Map (FIRM), which can be accessed through the Flood Hazard Assessment Tool (FHAT) (<http://gis.hawaiiinfip.org/FHAT>).*

**Response:** The Flood Hazard Zones in the proposed project area have been determined to be Zone AE, representing a special flood hazard area that is subject to flooding by the one (1) percent annual chance flood, and Zone VE, representing coastal areas with a flood elevation of 12 feet and a one (1) percent or greater chance of flooding and additional hazard associated with storm waves. The flood zone designation for the project is addressed in the Draft Environmental Assessment (EA). See **Exhibit “1”**, Flood Insurance Rate Map.

**Comment No. 3**

*National Flood Insurance Program establishes the rules and regulations of the NFIP – Title 44 of the Code of Federal Regulations (44CFR). The NFIP Zone X is a designation where there is no perceived flood impact. Therefore, the NFIP does not regulate any development within a Zone X designation.*

**Response:** As stated in response to Comment No. 1, it is acknowledged that the rules and regulations of NFIP, Title 44 of CFR will be in effect for this project.

**Comment No. 4**

*Local community flood ordinances may take precedence over the NFIP standards as local designations prove to be more restrictive. If there are any questions regarding the local flood ordinances, please contact the applicable County NFIP Coordinators below:*

- Oahu: City and County of Honolulu, Department of Planning and Permitting (808) 768-8098.
- Hawai'i Island: County of Hawai'i, Department of Public Works (808) 961-8327.
- Maui/Moloka'i/Lana'i: County of Maui, Department of Planning (808) 270-7253.
- Kauai: County of Kauai, Department of Public Works (808) 241-4846.

**Response:** It is acknowledged that local flood ordinances may apply. A County of Maui Flood Development Permit will be obtained, as may be applicable to the project. Consultation with the County of Maui, Department of Planning, is being undertaken as part of the Draft EA process.

Russell Y. Tsuji, Land Administrator  
July 22, 2016  
Page 3

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Draft EA. A copy of the Draft EA will be sent to your office for review and comment. In the meantime, if there are any questions or if additional information is required, please contact me at (808) 244-2015.

Very truly yours,




Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp  
Attachment


cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
(w/attachment)  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
(w/attachment)  
Chad McDonald, Mitsunaga and Associates, Inc. (w/attachment)  
Chris Ball, Mitsunaga and Associates, Inc. (w/attachment)

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\EC\EC Response Letters\DLNR.res.doc





# Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements Flood Insurance Rate Map



Prepared for: State of Hawai'i, Department of Hawaiian Home Lands



**EXHIBIT "1"**

MANDHHL Kapaakea EA 1900\Applications\Figures\FIRM.Exh

DAVID Y. IGE  
GOVERNOR



JUN 13 2016  
ARTHUR J. LOGAN  
MAJOR GENERAL  
ADJUTANT GENERAL

KENNETH S. HARA  
BRIGADIER GENERAL  
DEPUTY ADJUTANT GENERAL

STATE OF HAWAII  
**DEPARTMENT OF DEFENSE**  
OFFICE OF THE ADJUTANT GENERAL  
3949 DIAMOND HEAD ROAD  
HONOLULU, HAWAII 96816-4495

June 7, 2016

Munekiyo Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Attn.: Ms. Gwendolyn Rivera, Senior Associate

Subject: Early Consultation Request for Kapa'akea Flood Mitigation Project, Kaunakakai, Molokai; TMK: (2) 5-4-007: 009 (por.)(Parcel 9), (2) 5-4-007: 010 (por.)(Parcel 10), (2) 5-6-007: 011 (por.)(Parcel 11), (2) 5-4-007: 024 (por.)(Parcel 24), and (2) 5-4-007: 025 (por.)(Parcel 25)

Dear Ms. Rivera:

Thank you for the opportunity to comment on the above project, and please accept our apologies for this late response. The State of Hawaii Department of Defense has no comments to offer relative to the project.

Should you have any questions or concerns, please have your staff contact Mr. Lloyd Maki, Assistant Chief Engineering Officer at (808) 733-4250.


Sincerely,

A handwritten signature in black ink, appearing to read "A. Logan", written over a horizontal line.

ARTHUR J. LOGAN  
Major General  
Hawaii National Guard  
Adjutant General

c: Ms. Havinne Okamura, Hawaii Emergency Management Agency

MAY 19 2016



**OFFICE OF PLANNING  
STATE OF HAWAII**

DAVID Y. IGE  
GOVERNOR

LEO R. ASUNCION  
DIRECTOR  
OFFICE OF PLANNING

235 South Beretania Street, 6th Floor, Honolulu, Hawaii 96813  
Mailing Address: P.O. Box 2359, Honolulu, Hawaii 96804

Telephone: (808) 587-2846  
Fax: (808) 587-2824  
Web: <http://planning.hawaii.gov/>

Ref. No. P-15157

May 17, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

Subject: Early Consultation Request for Kapaakea Flood Mitigation Project,  
Kaunakakai, Molokai

Thank you for the opportunity to provide comments on this early consultation request for the Kapaakea flood mitigation project in Kaunakakai, Molokai. The pre-consultation review material was transmitted to our office via letter dated May 3, 2016.

It is our understanding that the Department of Hawaiian Home Lands (DHHL) is proposing flood mitigation measures for five parcels along the Kapaakea area of Kaunakakai. To protect residential homesteads, DHHL proposes to remove existing chain link fences, shrubbery, and previously established walls in the area, and intends to construct a new wall to control the periodic flooding due to runoff from heavy storm events.

The project calls for the construction of a new three-foot high concrete masonry unit (CMU) wall. The CMU wall and swale will transverse 800 feet along the five parcels and terminate 100 feet from the shoreline. This CMU structure will serve as a barrier to prevent stormwater flow from the nearby wetland to the homestead parcels. Additionally, it is expected that the CMU wall will divert runoff and prevent overflow along Kamehameha V Highway.

The Office of Planning (OP) has reviewed the transmitted material and has the following comments to offer:

1. Pursuant to the Hawaii Administrative Rules (HAR) § 11-200-10(4) – general description of the action's technical, economic, social, and environmental characteristics; this project must demonstrate that it is consistent with a number of State environmental, social policies, economic goals, and policies for land use. OP provides technical assistance to State and county agencies in administering the statewide planning system in Hawaii Revised Statutes (HRS) Chapter 226, the Hawaii State Plan. The Hawaii State Plan provides goals, objectives, policies, and priority

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga, Inc.  
May 17, 2016  
Page 2

guidelines for growth, development, and the allocation of resources throughout the State in areas of state interest including but not limited to the economy, agriculture, the visitor industry, federal expenditure, the physical environment, facility systems, socio-cultural advancement, climate change adaptation, and sustainability.

The Draft Environmental Assessment (Draft EA) should include an analysis that addresses whether the proposed project conforms to or is in conflict with the goals, objectives, policies, and priority guidelines listed in the Hawaii State Plan.

2. The coastal zone management (CZM) area is defined as “all lands of the State and the area extending seaward from the shoreline to the limit of the State’s police power and management authority, including the U.S. territorial sea” see HRS § 205A-1 (definition of "coastal zone management area").

HRS § 205A-5(b) requires all State and county agencies to enforce the CZM objectives and policies. The Draft EA should include an assessment as to how the proposed project conforms to the CZM objectives and its supporting policies set forth in HRS § 205A-2. The assessment on compliance with HRS § 205A-2 is an important component for satisfying the requirements of HRS Chapter 343. These objectives and policies include recreational resources, historic resources, scenic and open space resources, coastal ecosystems, economic uses, coastal hazards, managing development, public participation, beach protection, and marine resources.

3. We note that the project lies within the Special Management Area (SMA) delineated by the County of Maui. However, as the review material states, this project is exempt from SMA permit requirements due to the project area falling under the jurisdiction of DHHL.
4. Pursuant to HAR § 11-200-10(6) – identification and summary of impacts and alternatives considered; the intent of the CMU flood control wall is to lessen the flooding risks caused by heavy storms events throughout these five parcels. In order to ensure that the coastline and water resources within the south shore of Molokai remain protected, the Draft EA should examine the cumulative effects on water quality resulting from the construction and presence of this CMU structure, as well as its ability to reduce sediment loss and erosion concerns within the project area and the adjacent marine environment.

Kaunakakai is rural in nature, however it is an urbanized area with a network of

roadway storm drains and residential/commercial drainage infrastructure. During heavy storm events, the natural contours of the land and drainage infrastructure may transport upslope sediment, land-based pollutants, and toxicant-load contributions into nearby the nearshore environment of Molokai.

The Draft EA should examine potential benefits and/or negative impacts resulting from this project on coastal and marine resources. Issues that may be examined in the Draft EA include, but are not limited to, project site characteristics in relation to erosion controls on flood prone areas, undeveloped open spaces, and the absorption characteristics of the soil. Furthermore, it should differentiate between the existing permeable surfaces versus hardened surfaces in the area. These items, as well as the marine water quality classification, should be considered when developing mitigation measures to protect the coastal ecosystem.

Due to the limited information provided by the review material, it is unclear how the erection of this CMU structure will reduce flooding, aside from its presence as a physical barrier to flood waters. Rather than rely solely on this CMU barrier, we recommend that you consider further flood mitigation strategies. Proven storm runoff strategies that should be considered in the Draft EA include the reduction of impervious surfaces, diverting stormwater to vegetated areas or wetlands to take advantage of their natural filtration process, collecting runoff in bio-detention basins, or re-purposing this water for irrigation purposes.

OP has a number of resources available to assist in the development of projects which ensure sediment and stormwater control on land, thus protecting the nearshore environment. OP recommends consulting these guidance documents and stormwater evaluative tools when developing strategies to address polluted runoff. They offer useful techniques to keep land-based pollutants and sediment in place and prevent contaminating nearshore waters, while considering the practices best suited for this project. These three evaluative tools that should be used during the design process include:

- [Hawaii Watershed Guidance](http://files.hawaii.gov/dbedt/op/czm/initiative/nonpoint/HI_Watershed_Guidance_Final.pdf) provides direction on mitigation strategies in urban areas that will safeguard Hawaii's watersheds and implement watershed plans [http://files.hawaii.gov/dbedt/op/czm/initiative/nonpoint/HI Watershed Guidance Final.pdf](http://files.hawaii.gov/dbedt/op/czm/initiative/nonpoint/HI_Watershed_Guidance_Final.pdf)

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga, Inc.  
May 17, 2016  
Page 4

- Stormwater Impact Assessments can be used to identify and evaluate information on hydrology, stressors, sensitivity of aquatic and riparian resources, and management measures to control runoff, as well as consider secondary and cumulative impacts to the area  
[http://files.hawaii.gov/dbedt/op/czm/initiative/stomwater\\_imapct/final\\_storm\\_water\\_impact\\_assessments\\_guidance.pdf](http://files.hawaii.gov/dbedt/op/czm/initiative/stomwater_imapct/final_storm_water_impact_assessments_guidance.pdf)
- Low Impact Development (LID), A Practitioners Guide covers a range of structural best management practices (BMP's) for stormwater control management, roadway development, and urban layout that minimizes negative environmental impacts  
[http://files.hawaii.gov/dbedt/op/czm/initiative/lid/lid\\_guide\\_2006.pdf](http://files.hawaii.gov/dbedt/op/czm/initiative/lid/lid_guide_2006.pdf)

If you have any questions regarding this comment letter, please contact Josh Hekekoa of our office at (808) 587-2845.

Sincerely,



Leo R. Asuncion  
Director



July 22, 2016

Leo R. Asuncion, Director  
Office of Planning  
State of Hawaii  
235 South Beretania Street, 6th Floor  
Honolulu, Hawai'i 96813

SUBJECT: Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i (Ref. No. P-15157)

Dear Mr. Asuncion:

Thank you for your letter dated May 17, 2016 responding to our request for early consultation in preparation for a Draft Environmental Assessment (EA), for the proposed Kapa'akea Flood Mitigation Project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following responses in the order of the comments in your letter.

**Comment No. 1**

*The Office of Planning (OP) has reviewed the transmitted material and has the following comments to offer:*

*Pursuant to the Hawaii Administrative Rules (HAR) § 11-200-10(4) - general description of the action's technical, economic, social, and environmental characteristics; this project must demonstrate that it is consistent with a number of State environmental, social policies, economic goals, and policies for land use. OP provides technical assistance to State and county agencies in administering the statewide planning system in Hawaii Revised Statutes (HRS) Chapter 226, the Hawaii State Plan. The Hawaii State Plan provides goals, objectives, policies, and priority guidelines for growth, development, and the allocation of resources throughout the State in areas of state interest including but not limited to the economy, agriculture, the visitor industry, federal expenditure, the physical environment, facility systems, socio-cultural advancement, climate change adaptation, and sustainability.*

*The Draft Environmental Assessment (Draft EA) should include an analysis that addresses whether the proposed project conforms to or is in conflict with the goals, objectives, policies, and priority guidelines listed in the Hawaii State Plan.*

**Response:** The Draft EA includes a discussion that the proposed project conforms to the goals, objectives, policies and priority guidelines listed in the Hawai'i State Plan, Hawai'i Revised Statutes (HRS), Chapter 226 and pursuant to Hawai'i Administrative Rules, Section 11-200-10(4).

**Comment No. 2**

*The coastal zone management (CZM) area is defined as "all lands of the State and the area extending seaward from the shoreline to the limit of the State's police power and management authority, including the U.S. territorial sea" see HRS § 205A-1 (definition of "coastal zone management area").*

*HRS § 205A-5(b) requires all State and county agencies to enforce the CZM objectives and policies. The Draft EA should include an assessment as to how the proposed project conforms to the CZM objectives and its supporting policies set forth in HRS § 205A-2. The assessment on compliance with HRS § 205A-2 is an important component for satisfying the requirements of HRS Chapter 343. These objectives and policies include recreational resources, historic resources, scenic and open space resources, coastal ecosystems, economic uses, coastal hazards, managing development, public participation, beach protection, and marine resources.*

**Response:** The Draft EA includes an assessment of the project conformance to HRS, Chapter 205A pertaining to the CZM objectives and policies.

**Comment No. 3**

*We note that the project lies within the Special Management Area (SMA) delineated by the County of Maui. However, as the review material states, this project is exempt from SMA permit requirements due to the project area falling under the jurisdiction of DHHL.*

**Response:** As discussed in the Draft EA, the proposed project is not subject to the SMA permit requirements of the County of Maui as the project will be undertaken by DHHL on DHHL property.



**Comment No. 4**

*Pursuant to HAR § 11-200-10(6) - identification and summary of impacts and alternatives considered; the intent of the CMU flood control wall is to lessen the flooding risks caused by heavy storms events throughout these five parcels. In order to ensure that the coastline and water resources within the south shore of Molokai remain protected, the Draft EA should examine the cumulative effects on water quality resulting from the construction and presence of this CMU structure, as well as its ability to reduce sediment loss and erosion concerns within the project area and the adjacent marine environment.*

*Kaunakakai is rural in nature, however it is an urbanized area with a network of roadway storm drains and residential/commercial drainage infrastructure. During heavy storm events, the natural contours of the land and drainage infrastructure may transport upslope sediment, land-based pollutants, and toxicant-load contributions into nearby the nearshore environment of Molokai.*

*The Draft EA should examine potential benefits and/or negative impacts resulting from this project on coastal and marine resources. Issues that may be examined in the Draft EA include, but are not limited to, project site characteristics in relation to erosion controls on flood prone areas, undeveloped open spaces, and the absorption characteristics of the soil. Furthermore, it should differentiate between the existing permeable surfaces versus hardened surfaces in the area. These items, as well as the marine water quality classification, should be considered when developing mitigation measures to protect the coastal ecosystem.*

**Response:** The nearest point of the proposed project is located approximately 60 feet away from the shoreline, and the terrain characteristic is nearly level on the coastal plain. The entire project area is an upland site with no aquatic resources that would qualify it as a Waters of the U.S. according to a wetland report prepared by Robert Hobby for the project.

As discussed in the Draft EA the project includes Best Management Practices (BMPs) as the erosion control measures recommended by the County of Maui, "Rules Relating to Soil Erosion Standards and Guidelines" such as use of vegetative cover, proper control of fugitive dust; use of berms, sandbags, filter fences and catchments; and removing and disposing of accumulated silt on a routine basis. With project implementation, significant adverse impacts to the coastal and marine resources are not anticipated as project design directs flow to the wetlands prior to discharge into the ocean.

No grading or ground disturbance beyond the removal of the existing chainlink fence and stacked rubble wall and the installation of the new CMU wall and swale are associated with the proposed work. The limited work will not change the existing permeable and hardened surfaces in the project area.

**Comment No. 5**

*Due to the limited information provided by the review material, it is unclear how the erection of this CMU structure will reduce flooding, aside from its presence as a physical barrier to flood waters. Rather than rely solely on this CMU barrier, we recommend that you consider further flood mitigation strategies. Proven storm runoff strategies that should be considered in the Draft EA include the reduction of impervious surfaces, diverting stormwater to vegetated areas or wetlands to take advantage of their natural filtration process, collecting runoff in bio-detention basins, or re-purposing this water for irrigation purposes.*

**Response:** The five (5) DHHL Homestead lots adjacent to the Kōheo Wetland were originally lower in elevation, and as such were prone to periodic temporary flooding during high rainfall events. Previously, fill material was brought in and spread on these lots to build up the surface elevations one (1) to two (2) feet to minimize flood damages. This resulted in a straight boundary line that slopes down into the wetland from the DHHL Homestead lots so that during heavy wet weather events, stormwater flows through the wetlands taking advantage of the natural filtration process and directs the flow away from the DHHL Homestead lots.

Earthen berms were considered as a flood mitigation alternative, however, the grading required more area and maintenance that would affect DHHL homesteaders. As discussed in the Draft EA, the proposed project is preferred as a flood mitigation measure as it incorporates the natural topography and takes advantage of the natural filtering process of the adjacent Kōheo Wetland. As previously noted, the project will not change the existing impervious and pervious surfaces on the project site as it is limited to the construction of a CMU wall and earth swale.

The proposed project includes the implementation of an Erosion Control Plan and BMPs during construction to mitigate impacts to surrounding properties. The project's contractor will be required to comply with State water quality standards.

Further flood mitigation strategies and measures are currently under consideration by DHHL for future action.

**Comment No. 6**

*OP has a number of resources available to assist in the development of projects which ensure sediment and stormwater control on land, thus protecting the nearshore environment. OP recommends consulting these guidance documents and stormwater evaluative tools when developing strategies to address polluted runoff. They offer useful techniques to keep land-based pollutants and sediment in place and prevent contaminating nearshore waters, while considering the practices best suited for this project. These three evaluative tools that should be used during the design process include:*

- *Hawaii Watershed Guidance provides direction on mitigation strategies in urban areas that will safeguard Hawaii's watersheds and implement watershed plans [http://files.hawaii.gov/dbedt/op/czm/initiative/nonpoint/HI Watershed Guidance Final.pdf](http://files.hawaii.gov/dbedt/op/czm/initiative/nonpoint/HI_Watershed_Guidance_Final.pdf)*
- *Stormwater Impact Assessments can be used to identify and evaluate information on hydrology, stressors, sensitivity of aquatic and riparian resources, and management measures to control runoff, as well as consider secondary and cumulative impacts to the area [http://files.hawaii.gov/dbedt/op/czm/initiative/stormwater impact/final storm water impact assessments guidance.pdf](http://files.hawaii.gov/dbedt/op/czm/initiative/stormwater_impact/final_storm_water_impact_assessments_guidance.pdf)*
- *Low Impact Development (LID), A Practitioners Guide covers a range of structural best management practices (BMP's) for stormwater control management, roadway development, and urban layout that minimizes negative environmental impacts [http://files.hawaii.gov/dbedt/op/czm/initiative/lid/lidguide 2006.pdf](http://files.hawaii.gov/dbedt/op/czm/initiative/lid/lidguide_2006.pdf)*

**Response:** As discussed in the Draft EA, stormwater runoff will be diverted to the Kōheo wetland area, west of the DHHL Homestead lots via a new swale. The project design takes advantage of the natural topography and filtration process provided by the wetland. As such, the proposed project is not expected to have a significant adverse impact on the existing marine resources in the long term.

To minimize the impact of off-site flow during construction, the following methods are being implemented for the project such as minimizing the amount of land exposed at any time; exposed areas that are not at final

Leo R. Asuncion, Director  
July 22, 2016  
Page 6

grade and expected to be exposed more than 30 days shall be placed with a vegetative cover or be mulched; and removing temporary erosion controls after permanent erosion controls are in place and established. BMPs include proper control of fugitive dust from entering State waters; use of berms, filter fences and catchments; and removing and disposing of accumulated silt on a routine basis.

The Design Team will review the Hawaii Watershed Guidance, Stormwater Impact Assessments and Low Impact Development (LID), A Practitioners Guide for applicability and feasibility for project implementation.

Again, thank you for your participation in the Chapter 343, HRS review process. A copy of your comment letter and our response will be included in the Draft EA. A copy of the Draft EA will be sent to your office for review and comment. Should you have any questions or require further information regarding the proposed action, please contact me at (808) 244-2015.

Very truly yours,




Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates, Inc.  
Chris Ball, Mitsunaga and Associates, Inc.

K:\DATA\MA\IDHHL Kapaakea EA 1900\Applications\EC\EC Response Letters\OP.res.doc

ALAN M. ARAKAWA  
Mayor  
STEWART STANT  
Director  
MICHAEL M. MIYAMOTO  
Deputy Director



MAY 16 2016  
MICHAEL RATTE  
Solid Waste Division  
ERIC NAKAGAWA, P.E.  
Wastewater Reclamation Division

**COUNTY OF MAUI  
DEPARTMENT OF  
ENVIRONMENTAL MANAGEMENT**  
2050 MAIN STREET, SUITE 2B  
WAILUKU, MAUI, HAWAII 96793

May 11, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

**SUBJECT: KAPA'AKEA FLOOD MITIGATION PROJECT  
EARLY CONSULTATION REQUEST  
TMK (2) 5-4-007:009 (POR.), 010 (POR.), 011 (POR.)  
(2) 5-4-007:024 (POR.) & 025 (POR.), KAUNAKAKAI, MOLOKAI**

We reviewed the subject application and have the following comments:

1. Solid Waste Division comments:
  - a. The contractor must apply to the Molokai Landfill to dispose of construction waste and obtain a project number. Information is available at [www.mauicounty.gov](http://www.mauicounty.gov) or from the web with the inquiry, "Maui County C&D." Check with the Molokai Landfill metals facility for recycling the chain link fence and check with the Molokai Landfill greenwaste facility for recycling the shrubbery.
2. Wastewater Reclamation Division (WWRD) comments:
  - a. The County does not have a wastewater system in the area of the subject project.

If you have any questions regarding this letter, please contact Michael Miyamoto at 270-8230.

Sincerely,

MICHAEL M. MIYAMOTO  
Deputy Director of Environmental Management



July 22, 2016

Michael M. Miyamoto, Deputy Director  
County of Maui  
Department of Environmental Management  
2050 Main Street, Suite 2B  
Wailuku, Hawai'i 96793

SUBJECT: Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i

Dear Mr. Miyamoto:

Thank you for your letter of May 11, 2016, responding to our request for early consultation in preparation of a Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation Project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following information in response to the comments in your message.

**Solid Waste Division Comments:**

*The contractor must apply to the Molokai Landfill to dispose of construction waste and obtain a project number. Information is available at [www.mauicounty.gov](http://www.mauicounty.gov) or from the web with inquiry, "Maui County C&D". Check with the Molokai Landfill metals facility for recycling the chain link fence and check with the Molokai Landfill greenwaste facility for recycling the shrubbery.*

**Response:** The contract documents will include requirements for the contractor to apply to the Molokai Landfill to dispose of construction waste and obtain a project number. DHHL will check with the Moloka'i Landfill metals facility and greenwaste facility regarding recycling of the chain link fence and shrubbery, respectively, and will encourage the contractor to recycle these materials, as feasible.

Michael M. Miyamoto, Deputy Director  
July 22, 2016  
Page 2

**Wastewater Reclamation Division (WWRD) Comments:**

*The county does not have a wastewater system in the area of the subject property.*

**Response:** Thank you for your comment confirming that the County of Maui does not have a wastewater system in the area of the subject property.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Draft EA. A copy of the Draft EA will be sent to your office for review and comment. In the meantime, if there are any questions or if additional information is required, please contact me at 244-2015.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate


GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates, Inc.  
Chris Ball, Mitsunaga and Associates, Inc.

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\EC\EC Response Letters\DEM.res.doc

MAY 19 2016

ALAN M. ARAKAWA  
MAYOR



JEFFREY A. MURRAY  
FIRE CHIEF

ROBERT M. SHIMADA  
DEPUTY FIRE CHIEF

**COUNTY OF MAUI**  
DEPARTMENT OF FIRE AND PUBLIC SAFETY  
FIRE PREVENTION BUREAU

313 MANEA PLACE . WAILUKU, HAWAII 96793  
(808) 876-4690 . FAX (808) 244-1363

May 13, 2016

Munekiyo Hiraga  
Attn: Gwendolyn Rivera, Senior Associate  
305 High Street Suite 104  
Wailuku, HI 96793

**Re: Kapa'akea Flood Mitigation Project  
Kaunakakai, Molokai**

Dear Gwendolyn:

Thank you for the opportunity to comment on this subject. At this time, our office has no comment in regards to the proposed project.

If there are any questions or comments, please feel free to contact me at (808) 876-4693.

Sincerely,

A handwritten signature in cursive script that reads 'Paul Haake'.

Paul Haake  
Captain, Fire Prevention Bureau





DEPARTMENT OF  
**HOUSING AND HUMAN CONCERNS**  
HOUSING DIVISION  
COUNTY OF MAUI

MAY 13 2016

ALAN M. ARAKAWA  
Mayor  
CAROL K. REIMANN  
Director  
JAN SHISHIDO  
Deputy Director

35 LUNALILO STREET, SUITE 102 • WAILUKU, HAWAII 96793 • PHONE (808) 270-7351 • FAX (808) 270-6284

May 10, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

**Subject: Early Consultation Request for Kapa'akea Flood Mitigation Project, Kaunakakai, Molokai, Hawaii; TMKs (2) 5-4-007:009 (por.) (Parcel 9); (2) 5-4-007:010 (por.) (Parcel 10); (2) 5-4-007:011 (por.) (Parcel 11); (2) 5-4-007:024 (por.) (Parcel 24); (2) 5-4-007:025 (por.) (Parcel 25)**

The Department has reviewed the request for Early Consultation for the above subject project. Based on our review, we have determined that the subject project is not subject to Chapter 2.96, Maui County Code. At the present time, the Department has no additional comments to offer.

Please call Mr. Veranio Tongson Jr. of our Housing Division at (808) 270-1741 if you have any questions.

Sincerely,


BUDDY ALMEIDA  
Housing Administrator

cc: Director of Housing and Human Concerns



MAY 23 2016  
KA'ALA BUENCONSEJO  
Director

ALAN M. ARAKAWA  
Mayor



BRIANNE L. SAVAGE  
Deputy Director

**DEPARTMENT OF PARKS & RECREATION**  
700 Hali'a Nakoa Street, Unit 2, Wailuku, Hawaii 96793

(808) 270-7230  
FAX (808) 270-7934

May 17, 2016

Gwendolyn C. Rivera  
Munekiyo & Hiraga, Inc.  
305 High Street Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

**SUBJECT: EARLY CONSULTATION REQUEST FOR KAPA'AKEA FLOOD  
MITIGATION PROJECT, KAUNAKAKAI, MOLOKA'I**

Thank you for the opportunity to review and comment on the proposed improvements to the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation project. The Department has no comments to the proposed action, but would like to review the project as it develops. In accordance with the requirements of Chapter 343, Hawaii Revised Statutes (HRS) and Section 11-2-00-6, Hawaii Administrative Rules (HAR), please provide a copy of the Draft Environmental Assessment (EA).

Feel free to contact me or Robert Halvorson, Chief of Planning and Development, at 270-7931, should you have any questions.


Sincerely,

A handwritten signature in black ink, appearing to read "Ka'ala Buenconsejo", is written over a horizontal line.

KA'ALA BUENCONSEJO  
Director of Parks & Recreation

c: Robert Halvorson, Chief of Planning & Development

KB:RH:as



ALAN M. ARAKAWA  
MAYOR

OUR REFERENCE  
YOUR REFERENCE

**POLICE DEPARTMENT**  
COUNTY OF MAUI

55 MAHALANI STREET  
WAILUKU, HAWAII 96793  
(808) 244-6400  
FAX (808) 244-6411

JUN 06 2016



TIVOLI S. FAAUMU  
CHIEF OF POLICE

DEAN M. RICKARD  
DEPUTY CHIEF OF POLICE

June 1, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo and Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

**SUBJECT:** Early Consultation Request for Kapa'akea Flood Mitigation Project,  
Kaunakakai, Molokai

This is in response to your letter dated May 3, 2016, requesting comments on the above subject.

Please refer to the enclosed copy of the to/from submitted by Officer Sepulona Falealii of our Community Policing Program.

Thank you for giving us the opportunity to comment on this project.

Sincerely,

Assistant Victor K. Ramos  
for:  TIVOLI S. FAAUMU  
Chief of Police

Enclosure

*Victor Ramos*  
Victor Ramos  
Assistant Chief

TO: TIVOLI FAAUMU, POLICE CHIEF, MAUI COUNTY POLICE DEPARTMENT  
VIA: CHANNELS  
FROM: SEPULONA FALEALII, PO III, MAUI POLICE DEPARTMENT, D-V  
SUBJECT: EARLY CONSULTATION FOR KAPA'AKEA FLOOD MITIGATION PROJECT,  
KAUNAKAKAI, MOLOKA'I

*NO MAJOR ISSUES FORBIDDEN. OFC. FALEALII'S COMMENTS SHOULD BE ADDRESSED AS IS NORMAL FOR ANY CONSTRUCTION PROJECT.*

*CAPT. [Signature]*

**SYNOPSIS:**

On May 11, 2016 at about 1400 hours, I was assigned by Sergeant Erik LOSVAR to assess the above mentioned construction project.

Location: The Proposed Project will affect five (5) properties in Kapa'akea Hawaiian Home Lands on Molokai, Tax Map Keys (TMKs):  
Parcel 9 (2) 5-4-007:009 (por.);  
Parcel 10 (2) 5-4-007:010 (por.);  
Parcel 11 (2) 5-4-007:011 (por.);  
Parcel 24 (2) 5-4-007:024 (por.);  
Parcel 25 (2) 5-4-007:025 (por.).

(Refer to 3 pages of TMKs with Figure 1-3, attached)

Owner: State of Hawai'i, Department of Hawaiian Home Lands

**ASSESSMENT:**

On May 12, 2016 at about 0905 hours, I met with Edward H. AYAU, Molokai District Supervisor of DHHL at his office and related that this proposed project will not affect any County Roads or State Highway closure. Further added the proposed project involves the removal and demolition of the existing chain link fence and new concrete masonry wall and swale. A new 3-foot high CMU fence wall is proposed for installation along the northern boundaries of five (5) DHHL homestead lots (parcels) identified above.

Related the improvements will serve as a barrier to prevent stormwater flow from the adjacent wetland onto the above mentioned lots during a storm event, and divert runoff from Kamehameha V Highway to the existing wetland adjacent to the mentioned homestead parcels.

That the proposed project will begin its construction sometime in August 2016, no exact date given.

**TRAFFIC:**

The construction locations appear to be a good distance from the roadways used by residents in the area so I do not foresee any major issues, however, proper precautions should be taken to address the ingress and egress of any construction materials or equipment onto public roadways.

**POLLUTION:**

Noise and dust pollution are usually the two main complaints made by the public in construction related situations. Therefore, it would be in the construction company's best interest to take the appropriate steps to minimize said issues.

**CONTACT PERSON:**

Edward H. AYAU, District Supervisor of DHHL, may be contacted for further information (808) 646-9015.

**DISPOSITION:**

Should all issues regarding traffic control and noise/dust pollution be addressed, I do not foresee any reason why the construction cannot proceed as planned.

*Noted*  
*[Signature]*  
*05/12/16 @ 0932*

Submitted by:

*[Signature]*

Sepulona FALEALII E-12197  
Police Officer III, D-V  
05/13/2016 @ 0630 Hours.

For REVIEW  
*[Signature]*  
SGT. E. LOSVAR 15615



July 22, 2016

Tivoli S. Faaumu  
Chief of Police  
County of Maui  
Police Department  
55 Mahalani Street  
Wailuku, Hawai'i 96793

**SUBJECT:** Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i

Dear Chief Faaumu:

Thank you for your letter dated June 1, 2016, responding to our request for early consultation in preparation for a Draft Environmental Assessment (EA), for the proposed Kapa'akea Flood Mitigation Project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following responses in the order of the comments in your letter.

**Comment No. 1**

**ASSESSMENT:**

*On May 12, 2016 at about 0905 hours, I met with Edward H. AYAU, Molokai District Supervisor of DHHL at his office and related that this proposed project will not affect any County Roads or State Highway closure. Further added the proposed project involves the removal and demolition of the existing chain link fence and new concrete masonry wall and swale. A new 3-foot high CMU fence wall is proposed for installation along the northern boundaries of five (5) DHHL homestead lots (parcels) identified above.*

*Related the improvements will serve as a barrier to prevent stormwater flow from the adjacent wetland onto the above mentioned lots during a storm event, and divert runoff from Kamehameha V Highway to the existing wetland adjacent to the mentioned homestead parcels.*

*That the proposed project will begin its construction sometime in August 2016,*

*no exact date given.*

**Response:** We acknowledge your comment in regards to the meeting that Officer Sepulona Falealii of your Community Policing Program had with Edward H. Ayau, DHHL's Molokai District Supervisor and that the project will not affect any County Roads or State Highway closure.

**Comment No. 2**

**TRAFFIC:**

*The construction locations appear to be a good distance from the roadways used by residents in the area so I do not foresee any major issues, however, proper precautions should be taken to address the ingress and egress of any construction materials or equipment onto public roadways.*

**Response:** The contractor will be instructed by DHHL to take proper precautions to address the ingress and egress of construction materials and/or equipment onto public roadways, in the event of such occurrences.

**Comment No. 3**

**POLLUTION:**

*Noise and dust pollution are usually the two main complaints made by the public in construction related situations. Therefore, it would be in the construction company's best interest to take the appropriate steps to minimize said issues.*

**Response:** Construction will be limited to the hours of 8:00 a.m. to 4:00 p.m., Monday through Friday to mitigate adverse impacts from noise. Short-term impact noise will involve heavy vehicle and construction equipment. Construction duration is anticipated for approximately four (4) months. As may be required, a noise permit will be obtained from the State of Hawai'i, Department of Health prior to construction.

As discussed in the EA, Best Management Practices will be implemented during project construction to address dust, such as watering of exposed areas, and proper control of fugitive dust. The contractor will be required to follow said BMP plan.

Work on the project site is limited in scope as there will be no grading or

ground disturbance beyond the removal of the existing chainlink fence and stacked rubble wall and the installation of the new CMU wall and swale associated with the proposed work.

**Comment No. 4**

**CONTACT PERSON:**

*Edward H. AYAU, District Supervisor of DHHL, may be contacted for further information (808) 646-9015.*

**DISPOSITION:**

*Should all issues regarding traffic control and noise/dust pollution be addressed, I do not foresee any reason why the construction cannot proceed as planned.*

**Response:** As noted in our comment above, measures to mitigate noise and dust pollution will be included in a BMP plan for the project. A traffic control plan will be included with project implementation and will be coordinated with the Police Department.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your comment letter and our response will be include in the Draft EA. A copy of the Draft EA will be sent to your office for review and comment. Should you have any questions or require further information regarding the proposed action, please contact me at 244-2015.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates, Inc.  
Chris Ball, Mitsunaga and Associates, Inc.

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\EC\EC Response Letters\TOP.res.doc



ALAN M. ARAKAWA  
Mayor

DAVID C. GOODE  
Director

ROWENA M. DAGDAG-ANDAYA  
Deputy Director

Telephone: (808) 270-7845  
Fax: (808) 270-7955



COUNTY OF MAUI  
**DEPARTMENT OF PUBLIC WORKS**  
200 SOUTH HIGH STREET, ROOM NO. 434  
WAILUKU, MAUI, HAWAII 96793

JUN 06 2016  
GLEN A. UENO, P.E., P.L.S.  
Development Services Administration

CARY YAMASHITA, P.E.  
Engineering Division

LESLI L. OTANI, P.E., L.S.  
Highways Division

June 2, 2016

Ms. Gwendolyn Rivera, Senior Associate  
MUNEKIYO HIRAGA  
305 High Street, Suite 104  
Wailuku, Maui, Hawaii 96793


Dear Ms. Rivera:

**SUBJECT: EARLY CONSULTATION REQUEST FOR KAPA'AKEA FLOOD  
MITIGATION; TMK: 5-4-007 (POR.) 009, 010, 011, 024, 025**

We reviewed your early consultation request and have no comments at this time.

If you have any questions regarding this memorandum, please call Rowena Dagdag-Andaya at 270-7845.

Sincerely,

  
DAVID C. GOODE  
Director of Public Works

DCG:RMDA:da

xc: Engineering Division

S:\DSA\Engr\CZM\Draft Comments\54007009-011\_024\_025\_kapaakea\_fld\_mitgn\_ec.wpd

MAY 13 2016

ALAN M. ARAKAWA  
Mayor



DON MEDEIROS  
Director

MARC I. TAKAMORI  
Deputy Director  
(808) 270-7511

## DEPARTMENT OF TRANSPORTATION

COUNTY OF MAUI  
2145 Kaohu Street, Suite 102  
Wailuku, Hawaii, USA 96793

May 10, 2016

Ms. Gwendolyn Rivera  
Munekiyo & Hiraga  
305 High Street  
Suite 104  
Wailuku, Hawaii 96793

Subject: Proposed Kapa'akea Flood Mitigation Project, Moloka'i

Dear Ms. Rivera,

Thank you for the opportunity to comment on this project. We have no comments to make regarding this project at this time.

Please feel free to contact me if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Don Medeiros", is written over a light blue horizontal line.

Don Medeiros  
Director

JUN 02 2016

ALAN M. ARAKAWA  
Mayor



DAVID TAYLOR, P.E.  
Director

PAUL J. MEYER  
Deputy Director

**DEPARTMENT OF WATER SUPPLY  
COUNTY OF MAUI**

200 SOUTH HIGH STREET  
WAILUKU, MAUI, HAWAII 96793-2155  
www.mauewater.org

May 22, 2016

Munekiyō Hiraga, Inc.  
Ms. Gwendolyn C. Rivera, Senior Associate  
305 High St., Ste 104  
Wailuku, Hawaii 96793

Re: Kapa'akea Flood Mitigation Project Early Consultation Request  
TMKs: (2) 5-4-007:009 (por.); :010 (por.); :011 (por.); :024 (por.); and :025 (por.).

Dear Ms. Rivera:

Thank you for the opportunity to comment on the early consultation request for this project. The Department of Hawaiian Home Lands is proposing the construction of a concrete masonry unit wall in response to flooding conditions due to heavy rainfall. This proposal will not negatively impact the Department of Water Supply's (DWS) water system on Moloka'i.

**Pollution Prevention**

Best Management Practices (BMPs) protect groundwater resources and should be noted in the Draft Environmental Assessment (DEA) and implemented during construction. The mitigation measures below will alleviate adverse impacts on water quality during construction:

- Prevent cement products, oil, fuel and other toxic substances from leaching into the water.
- Properly and promptly dispose of all loosened and excavated soil and debris material from drainage structure work.
- Retain ground cover until the last possible date.
- Stabilize denuded areas by sodding or planting as soon as possible. Replanting should include soil amendments and temporary irrigation. Use high seeding rates to ensure rapid stand establishment.
- Avoid fertilizers and biocides, or apply only during periods of low rainfall to minimize chemical run-off.
- Keep run-off on site.

Should you have any questions, please contact Staff Planner Marti Buckner at 463-3104 or [marti.buckner@mauicounty.gov](mailto:marti.buckner@mauicounty.gov).

Sincerely,

Handwritten signature of Paul J. Meyer in cursive.  
David Taylor, P.E. Director  
mlb

cc: engineering division

*"By Water All Things Find Life"*

1

182



July 22, 2016

David Taylor, P.E., Director  
County of Maui  
Department of Water Supply  
200 South High Street  
Wailuku, Hawai'i 96793

SUBJECT: Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Moloka'i

Dear Mr. Taylor:

Thank you for your letter of May 22, 2016, responding to our request for early consultation in preparation of a Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation Project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following information in response to your comments.

### **Comments**

*Best Management Practices (BMPs) protect groundwater resources and should be noted in the Draft Environmental Assessment (DEA) and implemented during construction. The mitigation measures below will alleviate adverse impacts on water quality during construction:*

- *Prevent cement products, oil, fuel, and other toxic substances from leaching into the water.*
- *Properly and promptly dispose of all loosened and excavated soil and debris material from drainage structure work.*
- *Stabilize denuded areas by sodding or planting as soon as possible. Replanting should include soil amendments and temporary irrigation. Use high seeding rates to ensure rapid stand establishment.*
- *Avoid fertilizers and biocides, or apply only during period of low rainfall to minimize chemical run-off.*
- *Keep run-off on site.*

David Taylor, P.E., Director  
July 22, 2016  
Page 2

**Response:** BMPs are addressed in the Draft EA and will be implemented during construction of the proposed project. BMPs include such practices as installation of silt fencing and catchments, use of berms and sandbags, proper control of fugitive dust, removal and disposal of accumulated silt on a routine basis, as well as installation of absorption material areas for construction vehicles to mitigate construction-related pollutant discharge. Per the project's civil engineering consultant, plans call for any disturbed areas within the project site to be grassed to reduce erosion and sediment runoff. Plans also include minimizing the amount of land exposed at any time, and exposed areas that are not at final grade and expected to be exposed more than 30 days shall be placed with vegetative cover or mulched. No significant impacts to water quality are anticipated with project implementation.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Draft EA. A copy of the Draft EA will be sent to your office for review and comment. In the meantime, if there are any questions or if additional information is required, please contact me at 244-2015.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates, Inc.  
Chris Ball, Mitsunaga and Associates, Inc.

K:\DATA\MA\NDHHL Kapaakea EA 1900\Applications\EC\EC Response Letters\DWS.doc

**PARTIES CONSULTED DURING  
THE PREPARATION OF THE  
FINAL ENVIRONMENTAL  
ASSESSMENT; LETTERS  
RECEIVED DURING THE  
30-DAY PUBLIC COMMENT  
PERIOD; AND RESPONSES TO  
SUBSTANTIVE COMMENTS**



## X. PARTIES CONSULTED DURING THE PREPARATION OF THE FINAL ENVIRONMENTAL ASSESSMENT; LETTERS RECEIVED DURING THE 30-DAY PUBLIC COMMENT PERIOD; AND RESPONSES TO SUBSTANTIVE COMMENTS

The following agencies, organizations, and individuals were consulted during the 30-day comment period for the Draft Environmental Assessment (EA) that was filed and published in the Office of Environmental Quality Control's The Environmental Notice on August 8, 2016. The 30-day public comment period for the Draft EA ended on September 7, 2016. The following agencies, organizations, and individuals were provided with a copy of the Draft EA for review and comment. This chapter includes comments received during the 30-day public comment period, along with responses to substantive comments.

### FEDERAL AGENCIES

1. Lt. Furyisa Miller  
**U.S. Coast Guard**  
Fourteenth Coast Guard District  
300 Ala Moana Boulevard,  
Room 9-204  
Honolulu, Hawai'i 96850-4982
2. Larry Yamamoto, State Conservationist  
Natural Resources Conservation  
Service  
**U.S. Department of Agriculture**  
P.O. Box 50004  
Honolulu, Hawai'i 96850-0001
3. Ranae Ganske-Cerizo, Soil  
Conservationist  
Natural Resources Conservation  
Service  
**U.S. Department of Agriculture**  
77 Hookele Street, Suite 202  
Kahului, Hawai'i 96732
4. Wally Jennings  
Natural Resources Conservation Service  
**U.S. Department of Agriculture**  
P. O. Box 396  
Hoolehua, Hawai'i 96729
5. Tunis McElwain, Acting Chief, Regulatory  
Branch  
**U.S. Department of the Army**  
U.S. Army Engineer District, Honolulu  
Regulatory Branch, Building 230  
Fort Shafter, Hawai'i 96858-5440

6. Kristi Young, Acting Field Supervisor  
**U. S. Fish and Wildlife Service**  
300 Ala Moana Blvd., Rm. 3-122  
Box 50088  
Honolulu, Hawai'i 96850
7. Kay Zukeran  
**NOAA Inouye Regional Center  
NMFS/PIRO**  
1845 Wasp Boulevard, Building 176  
Honolulu, Hawai'i 96818

### STATE AGENCIES

8. Douglas G. Murdock, Comptroller  
**Department of Accounting and General  
Services**  
1151 Punchbowl Street, #426  
Honolulu, Hawai'i 96813
9. Scott Enright, Chair  
**Department of Agriculture**  
1428 South King Street  
Honolulu, Hawai'i 96814-2512
10. Wesley Machida, Director  
**Department of Budget and Finance**  
P.O. Box 150  
Honolulu, Hawai'i 96810
11. Kathryn Matayoshi, Superintendent  
State of Hawai'i  
**Department of Education**  
P.O. Box 2360  
Honolulu, Hawai'i 96804

12. Heidi Meeker  
Office of Business Services  
**Department of Education**  
c/o Kalani High School  
4680 Kalanianaʻole Highway, #T-B1A  
Honolulu, Hawai'i 96821
13. Virginia "Ginny" Pressler, MD, MBA, FACS,  
Director  
State of Hawai'i  
**Department of Health**  
919 Ala Moana Blvd., Room 300  
Honolulu, Hawai'i 96814
14. Alec Wong, P.E., Chief  
Clean Water Branch  
State of Hawai'i  
**Department of Health**  
919 Ala Moana Blvd., Room 300  
Honolulu, Hawai'i 96814
15. Patti Kitkowski  
State of Hawai'i  
**Department of Health**  
Maui Sanitation Branch  
54 South High Street, Room 300  
Wailuku, Hawai'i 96793
16. Laura McIntyre, AICP  
Environmental Planning Office  
**Department of Health**  
919 Ala Moana Blvd., Suite 312  
Honolulu, Hawai'i 96814
17. Lene Ichinotsubo  
State of Hawai'i  
**Department of Health**  
919 Ala Moana Blvd., Room 212  
Honolulu, Hawai'i 96814
18. Suzanne Case, Chairperson  
State of Hawai'i  
**Department of Land and Natural  
Resources**  
P. O. Box 621  
Honolulu, Hawai'i 96809
19. Alan Downer, Administrator  
State of Hawai'i  
Department of Land and Natural  
Resources  
**State Historic Preservation Division**  
601 Kamokila Blvd., Room 555  
Kapolei, Hawai'i 96707
20. Jenny Pickett  
State of Hawai'i  
Department of Land and Natural Resources  
**State Historic Preservation Division**  
130 Mahalani Street  
Wailuku, Hawai'i 96793
21. Ford Fuchigami, Director  
State of Hawai'i  
**Department of Transportation**  
869 Punchbowl Street  
Honolulu, Hawai'i 96813
22. Brigadier General Arthur "Joe" Logan,  
Adjutant General  
**Hawai'i State Civil Defense**  
3949 Diamond Head Road  
Honolulu, Hawai'i 96813-4495
23. Dr. Kamana`opono Crabbe, Chief Executive  
Officer  
**Office of Hawaiian Affairs**  
560 N. Nimitz Highway, Suite 200  
Honolulu, Hawai'i 96817
24. Leo R. Asuncion, Jr., AICP, Acting Director  
State of Hawai'i  
**Office of Planning**  
P. O. Box 2359  
Honolulu, Hawai'i 96804
- COUNTY AGENCIES**
25. Anna Foust  
**Maui Civil Defense Agency**  
200 South High Street  
Wailuku, Hawai'i 96793
26. Stewart Stant, Director  
County of Maui  
**Department of Environmental  
Management**  
2050 Main Street, Suite 2B  
Wailuku, Hawai'i 96793
27. Jeffrey A. Murray, Chief  
County of Maui  
**Department of Fire and Public Safety**  
200 Dairy Road  
Kahului, Hawai'i 96732
28. Carol Reimann, Director  
County of Maui  
**Department of Housing and Human  
Concerns**  
One Main Plaza  
2200 Main Street, Suite 546  
Wailuku, Hawai'i 96793
29. Ka'ala Buenconsejo, Director  
County of Maui  
**Department of Parks and Recreation**  
700 Halia Nakoa Street, Unit 2F  
Wailuku, Hawai'i 96793



- 30. William Spence, Director  
County of Maui  
**Department of Planning**  
2200 Main Street, Suite 315  
Wailuku, Hawai'i 96793
- 31. Tivoli Faaumu, Chief  
County of Maui  
**Police Department**  
55 Mahalani Street  
Wailuku, Hawai'i 96793
- 32. David Goode, Director  
County of Maui  
**Department of Public Works**  
200 South High Street  
Wailuku, Hawai'i 96793
- 33. Don Medeiros, Director  
County of Maui  
**Department of Transportation**  
200 South High Street  
Wailuku, Hawai'i 96793
- 34. David Taylor, Director  
County of Maui  
**Department of Water Supply**  
200 South High Street  
Wailuku, Hawai'i 96793
- 35. Honorable Stacy Crivello  
**Maui County Council**  
200 South High Street  
Wailuku, Hawai'i 96793

**UTILITIES**

- 36. Michael Grider, Interim Manager,  
Engineering  
**Maui Electric Company, Ltd.**  
P.O. Box 398  
Kahului, Hawai'i 96733
- 37. **Hawaiian Telcom**  
60 South Church Street  
Wailuku, Hawai'i 96793

**COMMUNITY ORGANIZATIONS**

- 38. Ekolu Lindsey  
**Maui Cultural Lands, Inc.**  
P. O. Box #122  
Lahaina, Hawai'i 96767



**DEPARTMENT OF THE ARMY**  
HONOLULU DISTRICT, U.S. ARMY CORPS OF ENGINEERS  
FORT SHAFTER, HAWAII 96858-5440

August 3, 2016

**SUBJECT:** Additional Information Request for Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Island of Moloka'i, Hawaii; DA File No. POH-2016-00112

Ms. Gwendolyn Leialoha Cheney Rivera  
Munekiyo Hiraga  
735 Bishop Street, Suite 321  
Honolulu, HI 96813

Dear Ms. Rivera:

The U.S. Army Corps of Engineers, Honolulu District (Corps) is in receipt of your request letter, dated July 22, 2016, for a Department of the Army (DA) permit authorization determination based upon the Wetland Study conducted by Mr. Robert W. Hobdy (dated January 2016) for the proposed Department of Hawaiian Home Lands (DHHL) Kapa'akea Flood Mitigation Project located in Kaunakakai on the Island of Moloka'i, Hawaii. Your project has been assigned DA file number POH-2016-00112. Please reference this number in all future correspondence with this office concerning your proposed activity.

I have reviewed your July 22, 2016 letter and the January 2016 Wetland Study. However, to complete a jurisdictional determination (JD) and a permit requirement determination, I require the following additional information:

1. The Wetland Study dated January 2016 needs to be revised and include the following information:
  - a) The study needs to include a representative data point or several data points located within the proposed construction corridor so that I can properly evaluate whether the project will be located within or outside of the delineated wetland boundary limits, as the current data points may not be accurately reflect the presence/absence of wetland indicators (see c to e below).
  - b) Please provide clean and legible copies of the datasheets, as the datasheets provided are faint and hard to read. You may use the fillable pdf. datasheet enclosed (Enclosure 1).
  - c) The existing data points #1-6 need to take into consideration the presence of problematic hydric soil indicators such as moderately to very strongly alkaline soils, recently developed wetlands, seasonally ponded wetlands, and red parent

material, which may change the results for the presence or absence of hydric soil at each location and the overall wetland determination. I've noted from the datasheets reviewed and available resources that the aforementioned problematic hydric soil conditions may be present at the site given the likely presence of high salt concentration in the soil due to the site's proximity to the ocean and evidence of accumulated salt visible in aerial imagery; past accounts of wetland restoration work; past aerial images that showing ponding; and the presence of red soils (i.e., 2.5 YR 3/4) that make redox features difficult to characterize. Procedures on how to deal with these problematic hydric soils can be found in Chapter 5 of the Supplement.

- d) The existing data points #1-6 need to also take into consideration (or provide justification) for the lack of hydrology indicators observed given the presence of hydrophytic vegetation, potential presence of hydric soil indicators, and the site's landscape position, which facilitates the collection and concentration of water. I've noted from the datasheets reviewed and available resources that the site is within a floodplain, is level or nearly level (< 3% slope), at the toe of the slope of adjacent neighboring lots, is at the fringe of Kōheo Wetland, and may be inundated from high tides/storm events due to its close proximity from the ocean. The remarks of the datasheets should contain sufficient detail to explain why wetland hydrology is absent given other indicators observed. Procedures on how to deal with the lack of wetland hydrology can also be found in Chapter 5 of the Supplement.
  - e) A comparative analysis of Google Earth aerial images from April 2011, March 2012, and January 2013 shows that the Kōheo Wetland was previously vegetated and have evidence of mechanical manipulation (i.e., cleared vegetation, visible machinery tracks, probable on-site grading). As such, I believe that the site is significantly disturbed with regards to the on-site vegetation, soils, and hydrology; that "normal circumstances" over majority of the area within the Kōheo Wetland may not be present; and that the submitted datasheets should be revised to include these notable the site conditions. Accordingly, I'd also advise review and implementation of procedures described in Chapter 5 of the Supplement to re-evaluate all of the data points for the presence/absence of wetland indicators. Please take these difficult situations into consideration and revise the datasheets, as deemed necessary, or provide justification as to why you think this area has not been disturbed and additional re-evaluation is not necessary.
2. A plan view drawing is required showing the proposed flood wall location, the proposed construction corridor, the existing property lines, and the delineated wetland boundary as indicated in the January 2016 Wetland Study and/or a revised wetland line per the requested information and resulting changes listed above. This

information will be used in conjunction with the revised wetland delineation information to evaluate the need for a DA permit.

This office will not continue to evaluate your project until we receive the information requested above. Providing a response to this letter in a timely manner will ensure efficient processing of your permit. Failure to respond within thirty (30) days of the date of this letter to provide the requested information or request an extension for additional time to gather the information shall result in your request being withdrawn. Upon receipt of the requested information, this office will continue evaluating your project.

Thank you for your cooperation with the Honolulu District Regulatory Program. Should you have any questions related to this determination, please contact me via telephone at (671) 339-2108 or via e-mail at [Katy.R.Damico@usace.army.mil](mailto:Katy.R.Damico@usace.army.mil) . You are encouraged to provide comments on your experience with the Honolulu District Regulatory Office by accessing our web-based customer survey form at [http://corpsmapu.usace.army.mil/cm\\_apex/f?p=136:4:0](http://corpsmapu.usace.army.mil/cm_apex/f?p=136:4:0) .

Sincerely,



Katy R. Damico  
Project Manager  
Guam Regulatory Field Office

Enclosure

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: \_\_\_\_\_ City: \_\_\_\_\_ Sampling Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Applicant/Owner: \_\_\_\_\_ State/Terr/Comlth.: \_\_\_\_\_ Island: \_\_\_\_\_ Sampling Point: \_\_\_\_\_  
 Investigator(s): \_\_\_\_\_ TMK/Parcel: \_\_\_\_\_  
 Landform (hillslope, coastal plain, etc.): \_\_\_\_\_ Local relief (concave, convex, none): \_\_\_\_\_  
 Lat: \_\_\_\_\_ Long: \_\_\_\_\_ Datum: \_\_\_\_\_ Slope (%): \_\_\_\_\_  
 Soil Map Unit Name: \_\_\_\_\_ NWI classification: \_\_\_\_\_  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input type="checkbox"/>
Remarks: _____ _____ _____	

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC: _____ (A)
2. _____				Total Number of Dominant Species Across All Strata: _____ (B)
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: _____ (A/B)
4. _____				
5. _____				
_____ = Total Cover				<b>Prevalence Index worksheet:</b>
Sapling/Shrub Stratum (Plot size: _____)				Total % Cover of: _____ Multiply by: _____
1. _____				OBL species _____ x 1 = _____
2. _____				FACW species _____ x 2 = _____
3. _____				FAC species _____ x 3 = _____
4. _____				FACU species _____ x 4 = _____
5. _____				UPL species _____ x 5 = _____
_____ = Total Cover				Column Totals: _____ (A) _____ (B)
Herb Stratum (Plot size: _____)				Prevalence Index = B/A = _____
1. _____				<b>Hydrophytic Vegetation Indicators:</b> <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input type="checkbox"/> 2 - Dominance Test is >50% <input type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup> <input type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)
2. _____				
3. _____				
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
_____ = Total Cover				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: _____)				Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input type="checkbox"/>
1. _____				
2. _____				
_____ = Total Cover				
Remarks: _____ _____ _____				

**SOIL**

Sampling Point: \_\_\_\_\_

**Profile Description: (Describe to the depth needed to document the Indicator or confirm the absence of Indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

<p><b>Hydric Soil Indicators:</b></p> <input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Muck Presence (A8) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Dark Surface (S7) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input type="checkbox"/> Redox Depressions (F8)	<p><b>Indicators for Problematic Hydric Soils<sup>3</sup>:</b></p> <input type="checkbox"/> Stratified Layers (A5) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Red Parent Material (F21) <input type="checkbox"/> Very Shallow Dark Surface (TF12) <input type="checkbox"/> Other (Explain in Remarks)
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

<p><b>Restrictive Layer (if observed):</b></p> Type: _____ Depth (inches): _____	Hydric Soil Present?    Yes <input type="checkbox"/> No <input type="checkbox"/>
-------------------------------------------------------------------------------------	----------------------------------------------------------------------------------

Remarks:

**HYDROLOGY**

**Wetland Hydrology Indicators:** (Explain observations in Remarks, if needed.)

<p><b>Primary Indicators (minimum of one required; check all that apply)</b></p> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Tilapia Nests (B17) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa) <input type="checkbox"/> Other (Explain in Remarks)	<p><b>Secondary Indicators (minimum of two required)</b></p> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Salt Deposits (C5) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5)
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p><b>Field Observations:</b></p> Surface Water Present?    Yes <input type="checkbox"/> No <input type="checkbox"/> Depth (inches): _____ Water Table Present?    Yes <input type="checkbox"/> No <input type="checkbox"/> Depth (inches): _____ Saturation Present?    Yes <input type="checkbox"/> No <input type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present?    Yes <input type="checkbox"/> No <input type="checkbox"/>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:



October 13, 2016

Katy R. Damico, Project Manager  
Department of the Army  
Honolulu District, Army Corps of Engineers  
Apra Harbor Naval Complex  
PSC 455 Box 188  
FPO, AP 96540-1088 Guam

**SUBJECT:** Additional Information regarding Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Island of Moloka'i, Hawai'i; DA File No. POH-2016-00112

Dear Ms. Damico:

We have reviewed your letter dated August 3, 2016, in which additional information on the above-referenced project was requested in order to complete a jurisdictional determination and a permit requirement determination. Since then, Mr. Robert Hobdy has collected additional data at the project site and prepared a revised Wetland Study. This report, dated August 2016, is enclosed for your review. See **Attachment "A"**.

On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following information in response to the comments in letter.

**Comment No. 1.a.**

*The study needs to include a representative data point or several data points located within the proposed construction corridor so that I can properly evaluate whether the project will be located within or outside of the delineated wetland boundary limits, as the current data points may not accurately reflect the presence/absence of wetland indicators (see c toe below).*

**Response:** Two (2) additional sampling points, 8 and 9, were established within the proposed construction corridor. The August 2016 Wetland Study found these points to lie well outside the boundary of the Kōheo wetland area adjacent to the project.

**Comment No. 1.b.**

*Please provide clean and legible copies of the datasheets, as the datasheets provided are faint and hard to read. You may use the fillable pdf. Datasheet enclosed (Enclosure 1).*

**Response:** Clean and legible data sheets have been provided in **Attachment "A"** for all sampling points.

**Comments No. 1.c.**

*The existing data points #1-6 need to take into consideration the presence of problematic hydric soil indicators such as moderately to very strongly alkaline soils, recently developed wetlands, seasonally ponded wetlands, and red parent material, which may change the results for the presence or absence of hydric soil at each location and the overall wetland determination. I've noted from the datasheets reviewed and available resources that the aforementioned problematic hydric soil conditions may be present at the site given the likely presence of high salt concentration in the soil due to the site's proximity to the ocean and evidence of accumulated salt visible in aerial imagery; past accounts of wetland restoration work; past aerial images that showing ponding; and the presence of red soils (i.e., 2.5 YR 3/4) that make redox features difficult to characterize. Procedures on how to deal with these problematic hydric soils can be found in Chapter 5 of the Supplement.*

**Comments No. 1.d.**

*The existing data points #1-6 need to also take into consideration (or provide justification) for the lack of hydrology indicators observed given the presence of hydrophytic vegetation, potential presence of hydric soil indicators, and the site's landscape position, which facilitates the collection and concentration of water. I've noted from the datasheets reviewed and available resources that the site is within a floodplain, is level or nearly level (< 3% slope), at the toe of the slope of adjacent neighboring lots, is at the fringe of Kōheo Wetland, and may be inundated from high tides/storm events due to its close proximity from the ocean. The remarks of the datasheets should contain sufficient detail to explain why wetland hydrology is absent given other indicators observed. Procedures on how to deal with the lack of wetland hydrology can also be found in Chapter 5 of the Supplement.*

**Response:** The soil in the project corridor is identified as Kealia Silt Loam, which is identified as a hydric soil. The August 2016 Wetland Study makes note that this naturally occurring substrate was covered at the project site with a 15- to 20-inch layer of fill material from an offsite source during the



1940s. In the nearby, lower-lying wetland, the brackish water table fluctuates with the tides and lies 12 to 40 inches below the surface. Within the project corridor, however, the water table is too deep to express wetland indicators. Refer to **Attachment "A"**.

**Comment No. 1.e.**

*A comparative analysis of Google Earth aerial images from April 2011, March 2012, and January 2013 shows that the Kōheo Wetland was previously vegetated and have evidence of mechanical manipulation (i.e., cleared vegetation, visible machinery tracks, probable on-site grading). As such, I believe that the site is significantly disturbed with regards to the on-site vegetation, soils, and hydrology; that "normal circumstances" over majority of the area within the Kōheo Wetland may not be present; and that the submitted datasheets should be revised to include these notable the site conditions. Accordingly, I'd also advise review and implementation of procedures described in Chapter 5 of the Supplement to re-evaluate all of the data points for the presence/absence of wetland indicators. Please take these difficult situations into consideration and revise the datasheets, as deemed necessary, or provide justification as to why you think this area has not been disturbed and additional re-evaluation is not necessary.*

**Response:** In 2013-2014, a restoration project was undertaken to remove invasive pickleweed vegetation from areas of the Kōheo wetland. The project received funding assistance from the U.S. Fish and Wildlife Service and a "no permit required" declaration from the Army Corps of Engineers (POH-2011-00182). Aerial photography of the site (included in **Attachment "A"**) confirms that the pickleweed has been removed and that approved minor surface alterations and fencing work have been completed. The datasheets have been revised to note these site conditions where applicable. Following the removal of the invasive vegetation, native vegetation is beginning to take hold and establish a habitat for native waterbirds.

**Comment No. 2.**

*A plan view drawing is required showing the proposed flood wall location, the proposed construction corridor, the existing property lines, and the delineated wetland boundary as indicated in the January 2016 Wetland Study and/or a revised wetland line per the requested information and resulting changes listed above. This information will be used in conjunction with the revised wetland delineation information to evaluate the need for a DA permit.*

Katy R. Damico, Project Manager  
October 13, 2016  
Page 4

**Response:** A plan view of the project showing the location of proposed flood mitigation improvements, wetland boundary, and sampling points has been included as Figure 12 of the August 2016 Wetland Study.

Thank you for your review of the proposed project with respect to Department of the Army Jurisdiction and permit requirements, and also for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final Environmental Assessment (EA).

Should you have any questions or require further information regarding the proposed action, please contact me at (808) 244-2015. We will await a response from you regarding a Jurisdictional Determination.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp  
Enclosure

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands (w/enclosure)  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands (w/enclosure)  
Chad McDonald, Mitsunaga and Associates (w/enclosure)  
Chris Ball, Mitsunaga and Associates (w/enclosure)  
Robert Hobdy (w/out enclosure)

K:\DATA\MA\HHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DoA.doc

Wetland Study  
for the  
Department of Hawaiian Home Lands  
Kapa'akea Flood Mitigation Project

by:  
Robert W. Hobdy  
Environmental Consultant  
August 2016

## INTRODUCTION

The Department of Hawaiian Home Lands (DHHL) Kapa'akea Flood Mitigation Project is located on the southern coast of Moloka'i a half mile to the east of Kaunakakai Town TMK's (2) 5-4-07:9,10,11,24,25 (Figures 1 & 2). The project calls for the construction of a concrete wall along the western boundary of the DHHL Kapa'akea Houselots and the adjacent Kōheo wetland as a flood mitigation measure (Figure 3). This wetland study assesses the eastern edge of the Kōheo wetland in order to delineate the wetland boundary and to evaluate its proximity to the proposed project alignment as part of the application process.

## SITE DESCRIPTION

The project corridor lies on the coastal plain below Kamehameha V Highway. Elevations range from sea level to eight feet at the Highway. The soil is identified as Kealia Silt Loam (Foote et al, 1972), a low-lying coastal soil with a high salt content and a brackish water table typically within 12 and 40 inches of the surface and which fluctuates with the tides. This soil is identified as a hydric soil in the Corps of Engineers Wetland Delineation Manual (USACE, 1987). Within the project corridor this naturally occurring substrate was covered with a 15 inch to 20 inch thick layer of fill material from an offsite source in 1949. Rainfall in this area averages 12 to 15 inches per year with the bulk falling during the winter months (Armstrong, 1983). Vegetation in the DHHL project area consists of grass lawns and dryland shrubs typical of rural home site landscapes.

## HISTORY OF PROJECT AREA

The Kaunakakai and Kapa'akea coastal plain is shown on an American Sugar Co. map dated in 1900 (Figure 4). The western edge of the Kapa'akea coastline shows an area of salt marsh that borders a small embayment across the Kaunakakai boundary. The ahupua'a lands of Kapa'akea are government lands that became Hawaiian Home lands in 1920.

In the 1940s DHHL decided to develop this coastline into house lots for their Hawaiian constituents and surveyed the land and prepared the house lots so they would be habitable. The portion of the house lots that lay on the saltmarsh was filled in with soil from offsite sources so that they would be elevated dry land and not susceptible to flooding.

The first house lots were awarded in 1950, and more were awarded over the next decade. The area is now completely filled in and forms a significant community.

## HISTORY OF KŌHEO WETLAND

The adjacent Kōheo Wetland TMK (2) 5-3-07:39, 11.27 acres (Figure 2) has had a dynamic history of change during the past century resulting from both natural processes and human activities. A map of the area dated 1900 shows a coastline here with a natural embayment with the ocean extending all the way up to the present Kamehameha V Highway and being bordered on the east side by a salt marsh (Figure 4.). By 1924, however, the pond had filled in with erosional deposition washed down from upslope agricultural fields and pasture lands (Figure 5). An aerial photograph in December, 1964 (Figure 6) shows a substantial pond in the central and western portion of the 11.27 acre parcel surrounded by low shrub land and with large trees in the southwest corner and along the highway on the north side.

In 1976 the U.S. Army Corps of Engineers issued a final Environment Impact Statement for a flood control project a Kōheo recommending construction of an 1,800 foot channel that would exit to the ocean through the eastern part of this property diverting runoff from two small gulches above the Kapa'akea Hawaiian Homesteads (USACE, 1976). This project was never implemented.

In May, 1977 the coastal wetlands of Moloka'i were surveyed and inventoried as part of a statewide effort funded by the Corps of Engineers (Elliott & Hall, 1977). Kōheo pond was found to have significant open water in the Makai half of the property inhabited by the indigenous aquatic sedge kaluhā (*Bolboschoenus maritimus* subsp. *paludosus*) and surrounded by a low pickleweed (*Batis maritima*) shrubland. The peripheral kiawe forests had been recently cleared by the property owner in preparation for sale. An aerial photograph taken in January, 1977 (Figure 7) documents this property devoid of most peripheral vegetation.

The present property owner entered into an Agreement of Sale to purchase the land in December 1977 and took title to the property in October 1984. Between early 1987 and early 1989 the new owner placed fill material on over five acres of the central and western part of the property until in April 1989 the Corps of Engineers stopped this process. An aerial photograph taken in December 1992 documents the extent of the fill (Figure 8.) During this period storm runoff was channeled through the east side of the property to the ocean through a drainage easement that had been established in anticipation of the construction of the Corps Flood Control Project. In 1998 the property owner removed the fill material in order to restore the area to its previous condition per the Corps' instructions (Moore, 2005). This violation was resolved and the case was closed in October, 1999 (USACE, 1999) (file no.870070015).

This has resulted in a present level of substrate that is perhaps a few inches lower than before in the central and western part of the property. Now water ponds on these parts of the property for longer periods of time at slightly greater depths than before. This has improved the quality of habitat for native and migratory waterbirds whose use of the area has increased both in diversity of species and in total numbers since the fill was removed.

Another process that has been occurring in the last few years on this property, and which appears to be accelerating, is shoreline erosion. Land along the shoreline that appeared to be slightly receding in a 2001 aerial photograph (Figure 9) was dramatically different by April 2005 when a shoreline survey showed how much had been lost (Figure 10). This 11.27 acre parcel of land had lost well over 100 feet of shoreline to the ocean along its southeast corner to the point that the actual land area was estimated to be only 9.6 acres in size.

In 2012 a Moloka'i resident biologist submitted an application to the Corps for a restoration project for Kōheo wetland that would involve the removal of the invasive pickleweed and the fencing of the wetland. This plan was accepted and approved with a declaration of "no permit required" in a letter dated June 8, 2012 (file no. POH-2011-00182). With funding assistance from the U.S. Fish and Wildlife Service this work was completed in 2012-13. In 2016 the pickleweed is largely gone with some approved minor surface alterations, and the fencing work has been completed. The cleared areas are beginning to revegetate with the indigenous 'akulikuli (*Sesuvium portulacastrum*) and kipukai (*Heliotropium curassavicum*), and native waterbirds are now feeding and raising their young in the habitat.

## DISCUSSION

Kōheo wetland lies in a low spot along the coastal plain that exposes the natural water table that lies at uniform levels beneath the surface along the entire coastline of central, leeward Moloka'i. The appearance of wetlands here is directly related to surface elevations. Almost all of these wetlands here are associated with the presence of Kealia Silt Loam soil which is classified as a hydric soil. The brackish water table fluctuates with the tides and lies between 12 inches and 40 inches below the surface with the shallower depths occurring closer to the ocean.

The Kōheo wetland lies in the lower parts of the depression in the central and western part of this parcel. The eastern side of this parcel that abuts the DHHL Kapa'akea house lots has a somewhat higher surface elevation and thus a more deeply buried hydrology that prevents it from expressing wetland indicators. The ground level on this eastern side then rises 15 inches to 20 inches higher over a 10 foot lateral distance to the DHHL Kapa'akea house lots boundary.

## WETLAND ASSESSMENT

The entire Kōheo wetland was delineated in a 2005 study that was submitted to the U.S. Army Corps of Engineers. The 2005 study found the eastern boundary of the wetland to roughly approximate the lower toe of the slope below the DHHL boundary. This study, however, has exceeded its 5 year sunset date and a portion of the eastern boundary is here reassessed to accommodate any potential recent changes relative to the DHHL project boundary.

## SURVEY OBJECTIVES

This report summarizes the findings of a wetland determination process in accordance with the Corps of Engineers Wetlands Delineation Manual (1987) and the Regional Supplement to the Corps of Engineers Wetlands Delineation Manual: Hawaii and Pacific Islands Region (2012). Work consisted of following set procedures, conducting tests and making observations in order to determine the presence or absence of indicators of hydrophytic vegetation, hydric soils and wetland hydrology with the goal of making a determination as to whether a wetland exists on the property and to delineate the boundaries of any such wetland. This wetland boundary will then be shown relative to the DHHL houselots boundary and the proposed alignment of the concrete flood mitigation wall.

## SURVEY METHODS

Procedures required the assessment and characterization of vegetation, the excavation of soil pits for the analysis of soil types, and the documentation of indicators of wetland hydrology following U.S. Corps of Engineers Guidelines.

### Equipment and tools used included:

- 3 inch diameter hand auger
- Sharpshooter shovel
- Wooden stakes
- Hammer
- Hand Level
- Stadia rod
- Tape measure
- Camera
- Munsell soil color charts
- Machete
- Corps of Engineers Wetlands Delineation Manual (U.S.A.C.E. 1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Hawaii and Pacific Islands Region (2012).
- National List of Plants that Occur in Wetlands: Hawaii (Region H) 2004
- Plastic flagging
- Spray marking paint

### Preliminary Data Gathering and Synthesis

The following sources of information were utilized in the preparation of this report:

- USGS topographic maps and other maps: 1900, 1924, 1952, 2005, 2013, 2014
- High elevation aerial photography: 1964, 1975, 1977, 1999, 2001, 2012, 2013
- SCS (NRCS) Soil Survey, 1972.
- Local individuals and experts with special knowledge of the history, conditions and environmental functioning of the subject area and surroundings.

These sources are referenced in this report or included in the appendix as appropriate. Seven sampling points were selected outside the project area along the lower slope below the western boundary of the DHHL lots where they appeared to be close to or within a wetland. Two additional sampling points were placed along the project corridor for the proposed wall. At each site a soil pit was dug and wetland analysis performed. This study just addresses the eastern edge of the Kōheo Wetland where it is close to the project area.

## RESULTS

Seven sampling points were established a little outside the west boundary of the project area in a line running from below the highway down toward the shoreline (see Figure 12). Each of these were analyzed for wetland characteristics as described above. Sampling points 1 through 5 were found to lie just outside the margin of the wetland, while sampling points 6 and 7 were within the margin of the wetland. An additional two sampling points (8 and 9) were established on the proposed DHHL Kapa'akea Flood Mitigation wall alignment. These two sampling points were found to lie well outside the wetland boundary (Figure 12). This wetland boundary lies entirely outside of the DHHL Kapa'akea Flood Mitigation project boundary by distances ranging from 20 feet at the top to 8 feet near the shoreline. The Wetland Determination Data Forms and analyses are presented below.



**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 8AM  
 Applicant/Owner: Dept of Hawaiian Home Lands State/Terr/Comth.: HI Island: MOLOKAI Sampling Point: 1  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 05.69" N Long: 157° 00' 45.00" W Datum: 5.0 FEET Slope (%): 0-1 %  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: THIS SAMPLING POINT EXPERIENCES SHORT TERM OVERFLOW RUNOFF FROM KAMEHAMEHA V HIGHWAY FOLLOWING HEAVY RAINFALL EVENTS WHICH CONTINUES WEST LATERALLY DOWN INTO KOHEO WETLAND. WHILE NOT A WETLAND THIS SAMPLING POINT LIES ABOUT 20 FEET FROM THE WETLAND BOUNDARY.	

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 Foot Radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. PROSOPIS PALLIDA	60	YES	FACU	Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)
2. _____				Total Number of Dominant Species Across All Strata: <u>4</u> (B)
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>25</u> (A/B)
4. _____				
5. _____				
	60	= Total Cover		
Sapling/Shrub Stratum (Plot size: <u>30 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. PLUCHEA INDICA	4	YES	FAC	Total % Cover of: <u>0</u> OBL species x 1 = <u>0</u>
2. _____				<u>0</u> FACW species x 2 = <u>0</u>
3. _____				<u>4</u> FAC species x 3 = <u>12</u>
4. _____				<u>66</u> FACU species x 4 = <u>264</u>
5. _____				<u>0</u> UPL species x 5 = <u>0</u>
	4	= Total Cover		
	70	(A) <u>276</u> (B)		
	Prevalence Index = B/A = <u>3.94</u>			
Herb Stratum (Plot size: <u>30 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. CYNODON DACTYLON	5	YES	FACU	<input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation
2. CHENOPODIUM MURALE	1	YES	FACU	<input type="checkbox"/> 2 - Dominance Test is >50%
3. _____				<input type="checkbox"/> 3 - Prevalence Index is ≤3.0'
4. _____				<input type="checkbox"/> Problematic Hydrophytic Vegetation* (Explain in Remarks or in the delineation report)
5. _____				*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
6. _____				
7. _____				
8. _____				
	6	= Total Cover		
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. _____				Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
2. _____				
	0	= Total Cover		
Remarks: THIS SAMPLING POINT LIES NEAR THE EDGE OF A BROAD DRAINAGE CHANNEL THAT FLOWS FROM KAMEHAMEHA V HIGHWAY INTO KOHEO WETLAND. THE VEGETATION WAS LARGELY FACULTATIVE UPLAND IN CHARACTER.				

**SOIL**

Sampling Point: 1

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 18	2.5 YR 3/4	100					SILT LOAM	DARK REDDISH BROWN UNSTRATIFIED
18 - 24	2.5 YR 4/1	100					CLAY LOAM	DARK REDDISH GRAY, MOIST

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**  
 Type: NONE  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:  
**THIS KEALIA SILT LOAM SOIL IS A HYDRIC SOIL BY DEFINITION, BUT THE WATER TABLE IS TOO DEEP FOR THE SOIL TO EXPRESS WETLAND INDICATORS.**

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

**Primary Indicators (minimum of one required; check all that apply)**

<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (Inches): 22

Saturation Present? Yes  No  Depth (Inches): 18

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
**THIS SITE FLOODS FOR SHORT PERIODS FOLLOWING HEAVY RAINFALL EVENTS BUT GROUND WATER LEVELS RETREAT TO DEPTHS THAT PREVENT THE DEVELOPMENT OF POSITIVE INDICATORS OF WETLAND HYDROLOGY.**



Sampling Point 1A. Upper edge of wetland. Inflow from the Kamehameha V Highway aligns with the telephone pole. The elevated DHHL project boundary is along the fenceline on the right.



Sampling Point 1B. Dark reddish-brown silt loam over dark reddish gray clay loam. Soil saturated at 18 inches, water table at 22 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 08:30AM  
 Applicant/Owner: Dept of Hawaiian Home Lands State/Terr/Comlth.: HI Island: MOLOKAI Sampling Point: 2  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 04.92" N Long: 157° 00' 45.21" W Datum: 4.8 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soil Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			

Remarks: THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 14 FEET WEST OF THE DHHL BOUNDARY.

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 Foot Radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A)  Total Number of Dominant Species Across All Strata: <u>5</u> (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: <u>60</u> (A/B)
1. PROSOPIS PALLIDA	40	YES	FACU	
2. _____				
3. _____				
4. _____				
40 = Total Cover				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: OBL species <u>0</u> x 1 = <u>0</u> FACW species <u>0</u> x 2 = <u>0</u> FAC species <u>31</u> x 3 = <u>93</u> FACU species <u>58</u> x 4 = <u>224</u> UPL species <u>0</u> x 5 = <u>0</u> Column Totals: <u>87</u> (A) <u>317</u> (B)  Prevalence Index = B/A = <u>3.64</u>
Sapling/Shrub Stratum (Plot size: <u>30 FOOT RADIUS</u> )				
1. PLUCHEA INDICA	20	YES	FAC	
2. PLUCHEA CAROLINENSIS	5	YES	FAC	
3. _____				
25 = Total Cover				
Herb Stratum (Plot size: <u>30 FOOT RADIUS</u> )				
1. CYNODON DACTYLON	15	YES	FACU	Hydrophytic Vegetation indicators: <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> 2 - Dominance Test is >50% <input type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup> <input checked="" type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)  <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.  Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
2. MEGATHYRSUS MAXIMUS	5	YES	FAC	
3. CHLORIS BARBATA	1	NO	FACU	
4. HELIOTROPIUM CURASSIVICUM	1	NO	FAC	
5. _____				
6. _____				
7. _____				
8. _____				
22 = Total Cover				
Woody Vine Stratum (Plot size: _____)				
1. _____				
2. _____				
0 = Total Cover				

Remarks: MOST OF THE VEGETATION HERE HAD BEEN REMOVED ELIMINATING THE FORMER DENSE PICKLEWEED GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.

Sampling Point: 2

**SOIL**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 18	2.5	YR	3 / 4	100			SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pure Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F8)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**  
 Type: NONE  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:  
 THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 14 FEET WEST OF THE DHHL BOUNDARY.

**HYDROLOGY**

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_


Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_

Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 WHILE CLOSE THE WETLAND BOUNDARY, THIS SAMPLING POINT DOES NOT HAVE ANY POSITIVE SIGNS OF WETLAND HYDROLOGY.



Sampling Point 2A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 2B. Dark reddish-brown silt. Loam to 18 inches depth. Did not reach saturation or water table depths.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 08:50AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comith.: HI Island: MOLOKAI Sampling Point: 3  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07-39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 04.29" N Long: 157° 00' 45.58" W Datum: 4.4 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: <b>THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 18 FEET WEST OF THE DHHL BOUNDARY.</b>	

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:	
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A)	
2. _____				Total Number of Dominant Species Across All Strata: <u>4</u> (B)	
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>75%</u> (A/B)	
4. _____					
5. _____					
	<u>0</u>	= Total Cover			
Sapling/Shrub Stratum (Plot size: <u>10 FOOT RADIUS</u> )				<b>Prevalence Index worksheet:</b>	
1. <u>PLUCHEA INDICA</u>	<u>5</u>	<u>YES</u>	<u>FAC</u>	Total % Cover of: _____ Multiply by: _____	
2. <u>PROSOPIS PALLIDA</u>	<u>3</u>	<u>YES</u>	<u>FACU</u>	OBL species <u>7</u> x 1 = <u>7</u>	
3. _____				FACW species <u>0</u> x 2 = <u>0</u>	
4. _____				FAC species <u>8</u> x 3 = <u>24</u>	
5. _____				FACU species <u>3</u> x 4 = <u>12</u>	
				UPL species <u>0</u> x 5 = <u>0</u>	
	<u>8</u>	= Total Cover			Column Totals: <u>18</u> (A) <u>43</u> (B)
Herb Stratum (Plot size: <u>10 FOOT RADIUS</u> )				Prevalence Index = B/A = <u>2.39</u>	
1. <u>BATIS MARITIMA</u>	<u>7</u>	<u>YES</u>	<u>OBL</u>	<b>Hydrophytic Vegetation indicators:</b> <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> 2 - Dominance Test is >50% <input checked="" type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup> <input checked="" type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)  <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
2. <u>HELIOTROPIMUM CURASSAVICUM</u>	<u>3</u>	<u>YES</u>	<u>FAC</u>		
3. _____					
4. _____					
5. _____					
6. _____					
7. _____					
8. _____					
	<u>10</u>	= Total Cover			
Woody/Vine Stratum (Plot size: _____)				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
1. _____					
2. _____					
	<u>0</u>	= Total Cover			
Remarks: <b>MOST OF THE VEGETATION HERE HAD BEEN REMOVED, ELIMINATING MOST OF THE FORMER DENSE PICKLEWEED GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.</b>					

**SOIL**

Sampling Point: 3

**Profile Description:** (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 17	2.5 YR 3/4	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
17 - 20	2.5 YR 3/3	100					SILTY CLAY LOAM	DUSKY RED, SATURATED

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_

Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

**Remarks:**

THIS KEALIA SILT LOAM SOIL IS A HYDRIC SOIL BY DEFINITION, BUT THE WATER TABLE IS TOO DEEP FOR THE SOIL TO EXPRESS WETLAND INDICATORS.

**HYDROLOGY**

**Wetland Hydrology Indicators:** (Explain observations in Remarks, if needed.)

Primary Indicators (minimum of one required; check all that apply)	Secondary Indicators (minimum of two required)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Aquatic Fauna (B13)	
<input type="checkbox"/> Tilapia Nests (B17)	
<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	
<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	
<input type="checkbox"/> Presence of Reduced Iron (C4)	
<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	
<input type="checkbox"/> Thin Muck Surface (C7)	
<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 20

Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): 17

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

**Remarks:**

WHILE CLOSE TO THE WETLAND BOUNDARY, THIS SAMPLING POINT DOES NOT HAVE ANY POSITIVE INDICATORS OF WETLAND HYDROLOGY.





Sampling Point 3A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 3B. Dark reddish-brown silt loam over dusky red silty clay loam. Saturation at 17 inches. Water table at 20 inches.

## WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION City: KAPAAKEA Sampling Date: 01/08/2016 Time: 09:15AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr./Comith.: HI Island: MOLOKAI Sampling Point: 4  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 03.41" NORTH Long: 157° 00' 45.97" WEST Datum: 4.1 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: <b>THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 14 FEET WEST OF THE DHHL BOUNDARY.</b>	

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A)
2. _____				Total Number of Dominant Species Across All Strata: <u>3</u> (B)
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>67</u> (A/B)
4. _____				
5. _____				
0 = Total Cover				
Sapling/Shrub Stratum (Plot size: <u>10 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. <u>PLUCHEA INDICA</u>	<u>25</u>	<u>YES</u>	<u>FAC</u>	Total % Cover of: <u>40</u> x 1 = <u>40</u>
2. _____				FACW species <u>0</u> x 2 = <u>0</u>
3. _____				FAC species <u>25</u> x 3 = <u>75</u>
4. _____				FACU species <u>10</u> x 4 = <u>40</u>
5. _____				UPL species <u>0</u> x 5 = <u>0</u>
25 = Total Cover				Column Totals: <u>75</u> (A) <u>155</u> (B)
				Prevalence Index = B/A = <u>2.06</u>
Herb Stratum (Plot size: <u>10 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. <u>BATIS MARITIMA</u>	<u>40</u>	<u>YES</u>	<u>OBL</u>	<input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation
2. <u>CYNODON DACTYLON</u>	<u>10</u>	<u>YES</u>	<u>FACU</u>	<input checked="" type="checkbox"/> 2 - Dominance Test is >50%
3. _____				<input checked="" type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup>
4. _____				<input checked="" type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)
5. _____				
6. _____				
7. _____				
8. _____				
50 = Total Cover				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. _____				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
2. _____				
0 = Total Cover				
Remarks: <b>MOST OF THE VEGETATION HERE HAD BEEN REMOVED, ELIMINATING THE FORMER DENSE PICKLEWEEK GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.</b>				

**SOIL**

Sampling Point: 4

**Profile Description:** (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 19	2.5 YR 3/4	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
19 - 23	2.5 YR 3/3	100					SILTY CLAY LOAM	DUSKY RED, SATURATED

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_

Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

**Remarks:**

THIS SAMPLING POINT EXPERIENCES SHORT TERM OVERFLOW RUNOFF FROM KAMEHAMEHA V HIGHWAY FOLLOWING HEAVY RAINFALL EVENTS WHICH CONTINUES WEST LATERALLY DOWN INTO KOHEO WETLAND. WHILE NOT A WETLAND THIS SAMPLING POINT LIES ABOUT 14 FEET FROM THE WETLAND BOUNDARY.

**HYDROLOGY**

**Wetland Hydrology Indicators:** (Explain observations in Remarks, if needed.)

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 23

Saturation Present? Yes  No  Depth (inches): 19

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

**Remarks:**

WHILE CLOSE TO THE WETLAND BOUNDARY THIS SAMPLING POINT DOES NOT HAVE ANY POSITIVE INDICATORS OF WETLAND HYDROLOGY.



Sampling Point 4A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 4B. Dark reddish-brown silt loam over dusky red silty clay loam. Saturation at 19 inches. Water table at 23 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 09:45AM

Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comith.: HI Island: MOLOKAI Sampling Point: 5

Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39

Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE

Lat: 21° 05' 02.55" NORTH Long: 157° 00' 46.40" WEST Datum: 3.8 FEET Slope (%): 0 - 1

Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)

Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No

Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland?
Hydric Soil Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Remarks: <b>THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 14 FEET WEST OF THE DHHL BOUNDARY.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. _____	_____	_____	_____	Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A)  Total Number of Dominant Species Across All Strata: <u>1</u> (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A/B)
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
<u>0</u> = Total Cover				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species <u>0</u> x 1 = <u>0</u> FACW species <u>0</u> x 2 = <u>0</u> FAC species <u>2</u> x 3 = <u>6</u> FACU species <u>20</u> x 4 = <u>80</u> UPL species <u>0</u> x 5 = <u>0</u> Column Totals: <u>22</u> (A) <u>86</u> (B)  Prevalence Index = B/A = <u>3.91</u>
Sapling/Shrub Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
<u>0</u> = Total Cover				
Herb Stratum (Plot size: <u>10 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators: <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input type="checkbox"/> 2 - Dominance Test is >50% <input type="checkbox"/> 3 - Prevalence Index is ≤3.0' <input checked="" type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)  <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.  Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
1. <u>CYNODON DACTYLON</u>	<u>20</u>	<u>YES</u>	<u>FACU</u>	
2. <u>HELIOTROPIMUM CURASSAVICUM</u>	<u>2</u>	<u>NO</u>	<u>FAC</u>	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
<u>22</u> = Total Cover				
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
<u>0</u> = Total Cover				

Remarks: **MOST OF THE VEGETATION HERE HAD BEEN REMOVED, ELIMINATING THE FORMER DENSE PICKLEWEED GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.**

SOIL

Sampling Point: 5

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 14	2.5 YR 3/4	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
14 - 24	2.5 YR 4/1	100					CLAY LOAM	DARK REDDISH GRAY

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

<b>Hydric Soil Indicators:</b> <input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Muck Presence (A8) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Gleyed Matrix (S4)		<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Dark Surface (S7) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input type="checkbox"/> Redox Depressions (F8)		<b>Indicators for Problematic Hydric Soils<sup>3</sup>:</b> <input type="checkbox"/> Stratified Layers (A5) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Red Parent Material (F21) <input type="checkbox"/> Very Shallow Dark Surface (TF12) <input type="checkbox"/> Other (Explain in Remarks)	
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:  
**THIS KEALIA SILT LOAM SOIL IS A HYDRIC SOIL BY DEFINITION, BUT THE WATER TABLE IS TOO DEEP FOR THE SOIL TO EXPRESS WETLAND INDICATORS.**

HYDROLOGY

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

<b>Primary Indicators (minimum of one required; check all that apply)</b>			<b>Secondary Indicators (minimum of two required)</b>		
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)			
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)			
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)			
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)			
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Silt Deposits (C5)			
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)			
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)			
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)			
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)			
<input type="checkbox"/> Water-Stained Leaves (B9)					

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 22

Saturation Present? Yes  No  Depth (inches): 18  
 (includes capillary fringe)

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
**WHILE CLOSE TO THE WETLAND BOUNDARY THE SAMPLING POINT DOES NOT HAVE ANY POSITIVE INDICATORS OF WETLAND HYDROLOGY.**



Sampling Point 5A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 5B. Dark reddish-brown silt loam over dark reddish-gray clay loam. Saturation at 17 inches. Water table at 20 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 11:50AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comith.: HI Island: MOLOKAI Sampling Point: 6  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 5' 01.50" NORTH Long: 157° 00' 46.94" WEST Datum: 4.0 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Remarks: <b>THIS SAMPLING POINT WAS WITHIN THE WETLAND BOUNDARY THAT APPEARS TO LIE ONLY 8 FEET OUTSIDE THE DHHL LOT BOUNDARY.</b>	

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 Feet Radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:														
1. PROSOPIS PALLIDA	20	YES	FACU	Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)														
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata: <u>2</u> (B)														
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50</u> (A/B)														
4. _____	_____	_____	_____	<b>Prevalence Index worksheet:</b> <table style="width:100%; border-collapse: collapse;"> <tr> <th style="width:50%;">Total % Cover of:</th> <th style="width:50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>35</u></td> <td>x 1 = <u>35</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>1</u></td> <td>x 3 = <u>3</u></td> </tr> <tr> <td>FACU species <u>20</u></td> <td>x 4 = <u>80</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>56</u> (A)</td> <td><u>118</u> (B)</td> </tr> </table> Prevalence Index = B/A = <u>2.11</u>	Total % Cover of:	Multiply by:	OBL species <u>35</u>	x 1 = <u>35</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>1</u>	x 3 = <u>3</u>	FACU species <u>20</u>	x 4 = <u>80</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>56</u> (A)	<u>118</u> (B)
Total % Cover of:	Multiply by:																	
OBL species <u>35</u>	x 1 = <u>35</u>																	
FACW species <u>0</u>	x 2 = <u>0</u>																	
FAC species <u>1</u>	x 3 = <u>3</u>																	
FACU species <u>20</u>	x 4 = <u>80</u>																	
UPL species <u>0</u>	x 5 = <u>0</u>																	
Column Totals: <u>56</u> (A)	<u>118</u> (B)																	
5. _____	_____	_____	_____															
<u>20</u> = Total Cover																		
Seedling/Shrub Stratum (Plot size: _____)																		
1. _____	_____	_____	_____															
2. _____	_____	_____	_____															
3. _____	_____	_____	_____															
4. _____	_____	_____	_____															
5. _____	_____	_____	_____															
<u>0</u> = Total Cover																		
Herb Stratum (Plot size: <u>30 FEET RADIUS</u> )																		
1. BATIS MARITIMA	35	YES	OBL															
2. HELIOTROPIMUM CURASSAVICUM	1	NO	FAC															
3. _____	_____	_____	_____															
4. _____	_____	_____	_____															
5. _____	_____	_____	_____															
6. _____	_____	_____	_____															
7. _____	_____	_____	_____															
8. _____	_____	_____	_____															
<u>36</u> = Total Cover																		
Woody Vine Stratum (Plot size: _____)																		
1. _____	_____	_____	_____															
2. _____	_____	_____	_____															
<u>0</u> = Total Cover																		

**Hydrophytic Vegetation Indicators:**

1 - Rapid Test for Hydrophytic Vegetation

2 - Dominance Test is >50%

3 - Prevalence Index is ≤3.0<sup>1</sup>

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain in Remarks or in the delineation report)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Hydrophytic Vegetation Present? Yes  No

Remarks: **MOST OF THE VEGETATION HERE HAD BEEN REMOVED, ELIMINATING MOST OF THE FORMER DENSE PICKLEWEED GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.**



**SOIL**

Sampling Point: 6

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Log <sup>2</sup>		
0 - 8	2.5 YR 5/3	100					SILT LOAM	REDDISH BROWN, UNSATURATED
8 - 20	2.5 YR 5/2	100					SILTY SAND	WEAK RED, SATURATED
								WATER TABLE AT 12 INCHES

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

<sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Muck Presence (A8)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Gleyed Matrix (S4)

- Sandy Redox (S5)
- Dark Surface (S7)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- Stratified Layers (A5)
- Sandy Mucky Mineral (S1)
- Red Parent Material (F21)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

**Remarks:**

THIS IS A HYDRIC SOIL BY DEFINITION. IT HAD A SHALLOW WATER TABLE AND A SLIGHT ORDER OF HYDROGEN SULFIDE.

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

**Primary Indicators (minimum of one required; check all that apply)**

- Surface Water (A1)
- High Water Table (A2)
- Saturation (A3)
- Water Marks (B1)
- Sediment Deposits (B2)
- Drift Deposits (B3)
- Algal Mat or Crust (B4)
- Iron Deposits (B5)
- Inundation Visible on Aerial Imagery (B7)
- Water-Stained Leaves (B9)

- Aquatic Fauna (B13)
- Tilapia Nests (B17)
- Hydrogen Sulfide Odor (C1)
- Oxidized Rhizospheres on Living Roots (C3)
- Presence of Reduced Iron (C4)
- Recent Iron Reduction in Tilled Soils (C6)
- Thin Muck Surface (C7)
- Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)
- Other (Explain in Remarks)

**Secondary Indicators (minimum of two required)**

- Surface Soil Cracks (B6)
- Sparsely Vegetated Concave Surface (B8)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Salt Deposits (C5)
- Stunted or Stressed Plants (D1)
- Geomorphic Position (D2)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): 12  
 Saturation Present? Yes  No  Depth (inches): 8  
 (Includes capillary fringe)

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

**Remarks:**

THIS SAMPLING POINT HAD SHALLOW SATURATION AND WATER TABLE LEVELS AND SURFACE SALT DEPOSITS. IT HAD WETLAND HYDROLOGY.



Sampling Point 6A. Located at the bottom of the slope below the DHHL lot boundary within the margin of the wetland.



Sampling Point 6B. Reddish-brown silt loam over weak red, saturated silty sand. Saturation at 8 inches. Water table at 12 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 08/19/2016 Time: 10:45AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comth.: HI Island: MOLOKAI Sampling Point: 7  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 03.59" NORTH Long: 157° 00' 45.98" WEST Datum: 4.1 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soil Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			

Remarks: THIS SAMPLING POINT LIES ON MOSTLY BARREN GROUND. IT WAS COVERED WITH A DENSE GROWTH OF PICKLEWEED PRIOR TO 2012 WHEN THE CORPS APPROVED A HABITAT RESTORATION PROJECT WITHIN A WATER OF THE U.S. WITH A STATEMENT OF NO PERMIT REQUIRED FOR EXCAVATION ACTIVITIES AND INVASIVE VEGETATION REMOVAL.

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:	
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC:	<u>1</u> (A)
2. _____				Total Number of Dominant Species Across All Strata:	<u>1</u> (B)
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC:	<u>100</u> (A/B)
4. _____					
5. _____					
	<u>0</u>			= Total Cover	
Sapling/Shrub Stratum (Plot size: <u>10 FOOT RADIUS</u> )				Prevalence Index worksheet:	
1. <u>BATIS MARITIMA</u>	<u>2</u>	<u>YES</u>	<u>OBL</u>	Total % Cover of:	Multiply by:
2. _____				OBL species <u>2</u>	x 1 = <u>2</u>
3. _____				FACW species <u>0</u>	x 2 = <u>0</u>
4. _____				FAC species <u>0</u>	x 3 = <u>0</u>
5. _____				FACU species <u>0</u>	x 4 = <u>0</u>
	<u>2</u>			UPL species <u>0</u>	x 5 = <u>0</u>
				Column Totals: <u>2</u> (A)	<u>2</u> (B)
				Prevalence Index = B/A = <u>1.0</u>	
Herb Stratum (Plot size: _____)				Hydrophytic Vegetation Indicators:	
1. _____				<input checked="" type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation	
2. _____				<input checked="" type="checkbox"/> 2 - Dominance Test is >50%	
3. _____				<input checked="" type="checkbox"/> 3 - Prevalence Index is ≥3.0 <sup>1</sup>	
4. _____				<input type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)	
5. _____				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
6. _____				Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
7. _____					
8. _____					
	<u>0</u>			= Total Cover	
Woody Vine Stratum (Plot size: _____)					
1. _____					
2. _____					
	<u>0</u>			= Total Cover	

Remarks: THIS SAMPLING POINT USED TO HAVE A DENSE STAND OF THE NON-NATIVE AND INVASIVE PICKLEWEED PRIOR TO 2012. THE PICKLEWEED WAS MOWED AND TREATED TO ELIMINATE IT SO THAT SHORTER, LESS DENSE INDIGENOUS COASTAL PLANTS THAT ARE MORE SUPPORTIVE TO ENDANGERED SHORE BIRDS COULD REPLACE IT. THE AREA CONTAINS ONLY SMALL REMNANTS OF THE OBLIGATE WETLAND PICKLEWEED AT PRESENT.

**SOIL**

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 12	5YR 3/3	100					SILT LOAM	DARK BROWN, MOIST
12 - 16	5YR 4/2	100					SILTY CLAY LOAM	DARK REDDISH GRAY, SATURATED
16 - 22	5YR 3/1	100					SILTY CLAY LOAM	VERY DARK GRAY, SATURATED
22 +								WATER TABLE

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input checked="" type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

**Remarks:**  
 KEALIA SILT LOAM IS A RECOGNIZED HYDRIC SOIL. THIS AREA USED TO BE A SALT MARSH. THE HIGH SALT CONTENT IN THE SOIL HOLDS ON TO MOISTURE AND KEEPS IT CLOSER TO THE SURFACE. THIS SAMPLING POINT LIES WITHIN THE WETLAND BOUNDARY.

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input checked="" type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 22

Saturation Present? Yes  No  Depth (inches): 12

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

**Remarks:**  
 THIS SAMPLING POINT HAS HIGH SATURATION AND WATER TABLE LEVELS. THUS HIGH SALT CONTENT IN THE SOIL HAS A HYDROPHYTIC EFFECT THAT HOLDS SOME MOISTURE ALL THE WAY TO THE SURFACE.



Sampling Point 7A. This plot lies 24 feet to the west of the DHHL boundary and about 5 feet within the wetland boundary.



Sampling Point 7B. This soil is saturated to within 12 inches of the surface and has a water table at 22 inches.

**WETLAND DETERMINATION DATA FORM - Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 08/19/2016 Time: 09:00AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr./Comlth.: HI Island: MOLOKAI Sampling Point: 8  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-4-07:25  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN (FILLED LAND) Local relief (concave, convex, none): CONVEX  
 Lat: 21° 05' 04.97" NORTH Long: 157° 00' 44.99" WEST Datum: 6.0 FEET Slope (%): 5  
 Soil Map Unit Name: KEALIA SILT LOAM (FILLED LAND) NWI classification: NONE  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Remarks: THIS SAMPLING POINT LIES ALONG THE DHHL PROJECT CORRIDOR. THE DHHL LAND WAS FILLED IN 1949 TO ELEVATE THE HOUSELOT PARCELS ABOVE THE FORMER SALT MARSH LEVEL. IT PRESENTLY STANDS 15 INCHES ABOVE ITS FORMER LEVEL AND THUS VARIES ITS HYDRIC SOIL QUALITIES BY THIS AMOUNT.			

**VEGETATION - Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 foot radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:																																
1. PROSOPIS PALLIDA	70	YES	FACU	Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A)																																
2. _____				Total Number of Dominant Species Across All Strata: <u>4</u> (B)																																
3. _____																																				
4. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>75</u> (A/B)																																
5. _____																																				
<u>70</u> = Total Cover				<b>Prevalence Index worksheet:</b> <table style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">Total % Cover of:</td> <td colspan="2" style="text-align: center;">Multiply by:</td> </tr> <tr> <td>OBL species</td> <td><u>25</u></td> <td>x 1 =</td> <td><u>25</u></td> </tr> <tr> <td>FACW species</td> <td><u>0</u></td> <td>x 2 =</td> <td><u>0</u></td> </tr> <tr> <td>FAC species</td> <td><u>56</u></td> <td>x 3 =</td> <td><u>168</u></td> </tr> <tr> <td>FACU species</td> <td><u>70</u></td> <td>x 4 =</td> <td><u>280</u></td> </tr> <tr> <td>UPL species</td> <td><u>0</u></td> <td>x 5 =</td> <td><u>0</u></td> </tr> <tr> <td>Column Totals:</td> <td><u>151</u></td> <td>(A)</td> <td><u>473</u> (B)</td> </tr> <tr> <td colspan="4" style="text-align: center;">Prevalence Index = B/A = <u>3.13</u></td> </tr> </table>	Total % Cover of:		Multiply by:		OBL species	<u>25</u>	x 1 =	<u>25</u>	FACW species	<u>0</u>	x 2 =	<u>0</u>	FAC species	<u>56</u>	x 3 =	<u>168</u>	FACU species	<u>70</u>	x 4 =	<u>280</u>	UPL species	<u>0</u>	x 5 =	<u>0</u>	Column Totals:	<u>151</u>	(A)	<u>473</u> (B)	Prevalence Index = B/A = <u>3.13</u>			
Total % Cover of:		Multiply by:																																		
OBL species	<u>25</u>	x 1 =	<u>25</u>																																	
FACW species	<u>0</u>	x 2 =	<u>0</u>																																	
FAC species	<u>56</u>	x 3 =	<u>168</u>																																	
FACU species	<u>70</u>	x 4 =	<u>280</u>																																	
UPL species	<u>0</u>	x 5 =	<u>0</u>																																	
Column Totals:	<u>151</u>	(A)	<u>473</u> (B)																																	
Prevalence Index = B/A = <u>3.13</u>																																				
<b>Sapling/Shrub Stratum (Plot size: 30 FOOT RADIUS)</b>																																				
1. PLUCHEA INDICA	56	YES	FAC																																	
2. BATIS MARITIMA	25	YES	OBL																																	
3. _____																																				
4. _____																																				
5. _____																																				
<u>80</u> = Total Cover																																				
<b>Herb Stratum (Plot size: 30 FOOT RADIUS)</b>																																				
1. HELIOTROPIUM CURASSAVICUM	1	YES	FAC																																	
2. _____																																				
3. _____																																				
4. _____																																				
5. _____																																				
6. _____																																				
7. _____																																				
8. _____																																				
<u>1</u> = Total Cover																																				
<b>Woody Vine Stratum (Plot size: _____)</b>																																				
1. _____																																				
2. _____																																				
<u>0</u> = Total Cover																																				
<b>Hydrophytic Vegetation Indicators:</b> <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> 2 - Dominance Test is >50% <input type="checkbox"/> 3 - Prevalence Index is ≤3.0' <input type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)																																				
<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																																				
Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																																				

Remarks: THE VEGETATION ON THE ADJACENT KOHEO WETLAND WAS A SOLID GROWTH OF PICKLEWEED BEFORE 2012. IT SPILLED OVER ONTO THE ELEVATED PARCEL ALONG THE PROPOSED DHHL KAPAAKEA FLOOD MITIGATION PROJECT CORRIDOR. THE VEGETATION RETAINS A MARGINAL HYDROPHYTIC CHARACTER.

**SOIL**

Sampling Point: 8

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 24	5YR 3/3	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
24 - 29	5YR 3/2	100					SILTY CLAY LOAM	DARK REDDISH BROWN
29 - 32	5YR 3/1	100					SILTY CLAY LOAM	VERY DARK GRAY, SATURATED
32 +								WATER TABLE

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

<sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Muck Presence (A8)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Gleyed Matrix (S4)

- Sandy Redox (S5)
- Dark Surface (S7)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- Stratified Layers (A5)
- Sandy Mucky Mineral (S1)
- Red Parent Material (F21)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

**Remarks:**

THIS FORMERLY HYDRIC SOIL HAS BEEN BURIED BENEATH 15 INCHES OF UPLAND FILL THAT CHANGES ITS CHARACTER TO A MORE UPLAND TYPE. NO HYDRIC SOIL INDICATORS ARE NOW FOUND ABOVE A DEPTH OF 29 INCHES.

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

**Primary Indicators (minimum of one required; check all that apply)**

- Surface Water (A1)
- High Water Table (A2)
- Saturation (A3)
- Water Marks (B1)
- Sediment Deposits (B2)
- Drift Deposits (B3)
- Algal Mat or Crust (B4)
- Iron Deposits (B5)
- Inundation Visible on Aerial Imagery (B7)
- Water-Stained Leaves (B9)

- Aquatic Fauna (B13)
- Tilepia Nests (B17)
- Hydrogen Sulfide Odor (C1)
- Oxidized Rhizospheres on Living Roots (C3)
- Presence of Reduced Iron (C4)
- Recent Iron Reduction in Tilled Soils (C6)
- Thin Muck Surface (C7)
- Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)
- Other (Explain in Remarks)

**Secondary Indicators (minimum of two required)**

- Surface Soil Cracks (B6)
- Sparsely Vegetated Concave Surface (B8)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Salt Deposits (C5)
- Stunted or Stressed Plants (D1)
- Geomorphic Position (D2)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): 32  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): 29

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

**Remarks:**

NO WETLAND HYDROLOGY INDICATORS OCCUR CLOSE ENOUGH TO THE SURFACE TO EXPRESS THE CHARACTER OF A WETLAND ENVIRONMENT.



Sampling Point 8A. This plot lies on the elevated DHHL project corridor. Vegetation consists of kiawe (*prosopis pallida*) FACU, Indian fleabane (*Pluchea indica*) FAC and pickleweed (*Batis maritima*) OBL.



Sampling Point 8B. Saturated soil lies at 29 inches below the surface and the water table is at a depth of 32 inches.



## WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 08/19/2016 Time: 10:00AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr./Complth.: HI Island: MOLOKAI Sampling Point: 9  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-4-07:11  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN (FILLED LAND) Local relief (concave, convex, none): LEVEL  
 Lat: 21° 05' 03.47" NORTH Long: 157° 00' 45.98" WEST Datum: 5 FEET 8 INCHES Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM (FILLED LAND) NWI classification: NONE  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

### SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soil Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Remarks: THIS SAMPLING POINT LIES ALONG THE DHHL PROJECT CORRIDOR. THIS AREA RECEIVED FILL MATERIAL IN 1949 THAT RAISED THIS LOT BY 20 INCHES ABOVE ITS FORMER LEVEL AND THUS BURIES ITS FORMER HYDRIC SOIL QUALITIES BY THIS AMOUNT.					

### VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:	
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC:	<u>1</u> (A)
2. _____				Total Number of Dominant Species Across All Strata:	<u>2</u> (B)
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC:	<u>50</u> (A/B)
4. _____					
5. _____					
	<u>0</u>	= Total Cover			
Sapling/Shrub Stratum (Plot size: <u>10 FOOT RADIUS</u> )				Prevalence Index worksheet:	
1. <u>PLUCHEA INDICA</u>	<u>75</u>	<u>YES</u>	<u>FAC</u>	Total % Cover of:	Multiply by:
2. <u>BATIS MARITIMA</u>	<u>15</u>	<u>NO</u>	<u>OBL</u>	OBL species <u>15</u>	<u>x 1 = 15</u>
3. <u>PLUCHEA CAROLINENSIS</u>	<u>3</u>	<u>NO</u>	<u>FAC</u>	FACW species <u>0</u>	<u>x 2 = 0</u>
4. _____				FAC species <u>78</u>	<u>x 3 = 234</u>
5. _____				FACU species <u>5</u>	<u>x 4 = 20</u>
	<u>93</u>	= Total Cover			
				UPL species <u>0</u>	<u>x 5 = 0</u>
				Column Totals: <u>98</u> (A)	<u>269</u> (B)
				Prevalence Index = B/A = <u>2.74</u>	
Herb Stratum (Plot size: <u>10 FOOT RADIUS</u> )				Hydrophytic Vegetation Indicators:	
1. <u>CYNODON DACTYLON</u>	<u>5</u>	<u>YES</u>	<u>FACU</u>	<input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation	
2. _____				<input type="checkbox"/> 2 - Dominance Test is >50%	
3. _____				<input checked="" type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup>	
4. _____				<input type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)	
5. _____					
6. _____					
7. _____					
8. _____					
	<u>5</u>	= Total Cover			
Woody Vine Stratum (Plot size: _____)				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
1. _____				Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
2. _____					
	<u>0</u>	= Total Cover			
Remarks: THE VEGETATION IS MARGINALLY HYDROPHYTIC BECAUSE OF THE SPILL OVER OF SOME PICKLEWEED FROM KOHEO POND PRIOR TO ITS REMOVAL FROM THAT AREA.					

**SOIL**

Sampling Point: 9

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 25	5YR 3/3	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
25 - 28	5YR 3/2	100					SILTY CLAY LOAM	DARK REDDISH BROWN
28 - 33	5YR 4/1	100					SILTY CLAY LOAM	DARK GRAY, MOIST
33 - 38	5YR 3/1	100					SILTY CLAY LOAM	VERY DARK GRAY, SATURATED
38 +								WATER TABLE

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

<sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

**Remarks:**  
 THIS FORMERLY HYDRIC SOIL HAS BEEN BURIED BENEATH 20 INCHES OF UPLAND FILL THAT CHANGES ITS CHARACTER TO A MORE UPLAND TYPE. NO HYDRIC SOIL INDICATORS ARE NOW FOUND ABOVE A DEPTH OF 33 INCHES.

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>	
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)	
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)	
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)	
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)	
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)	
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)	
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)	
<input type="checkbox"/> Water-Stained Leaves (B9)			

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 38

Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): 33

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

**Remarks:**  
 NO WETLAND HYDROLOGY INDICATORS OCCUR CLOSE ENOUGH TO THE SURFACE TO EXPRESS THE CHARACTER OF A WETLAND ENVIRONMENT.



Sampling Point 9A. This plot lies on the DHHL project corridor on an elevated houselot parcel.



Sampling Point 9B. The soil here is saturated at a depth of 33 inches and the water table is at a depth of 38 inches.

## WATERS OF THE U.S. ASSESSMENT

The DHHL Kapa'akea Flood Mitigation project lies along the western edge of five lots within the Kapa'akea House Lots Community. These five lots, totaling about 2.5 acres, were covered with fill material in 1949 and leveled to create an elevated terrace suitable for residential construction. These house lots abut a coastal depression that contains natural ponds where the water table meets the soil surface. Most of the land occupied by these house lots used to lie on the upper east margin of this depression that was shown as being a salt marsh on a 1900 map (Figure 4) that would today be characterized as a palustrine, emergent, persistent, seasonally flooded, tidal aquatic feature. For 66 years the DHHL house lots have rested on 15 inches to 20 inches of leveled upland fill and can no longer be called a wetland feature.

The leeward coast of central Moloka'i has a dry climate with long hot summers. Annual rainfall average about 15 inches, with most occurring during winter storms. Streams flowing off the leeward slopes are ephemeral and only run for a few days a year. Only the larger gulches have channels to the ocean. Channels in smaller gullies tend to disappear when they reach the coastal plain and their waters spread out as sheet-flow, most being absorbed into the ground.

The watershed areas that contribute surface waters to both the project area and the Kōheo wetland come from relatively small areas above Kamehameha V Highway (see Figure 17). One area is about 25 acres in size and a second is about 15 acres. Both source areas deliver runoff to the highway in the form of sheet-flow. The 25 acre area comes from pasture land and there is no culvert under the highway. Water tends to pond on the highway until it overflows into the northeast corner of Kōheo Wetland. The 15 acre area comes from a more developed parcel to the west of Alanui Kaimike Street. Sheet-flow is concentrated in a lateral drainage channel above the highway that delivers it to a culvert that passes under the highway and down into Kōheo pond.

None of the waters generated above the highway flow through the project area and no stream channels occur within it. There are no ponds or depressions within the project area. The western boundary of the DHHL house lots is near a wetland but does not directly abut it. The only runoff from the project area is in the form of sheet-flow from locally generated rainfall.

Because this project area clearly has no aquatic resources within it or directly abutting its boundary, there is nothing to assess and the use of an Approved Jurisdictional Determination Form is deemed unnecessary. The entire 2.5 acre DHHL Kapa'akea Flood Mitigation project is proposed to be an upland site with no aquatic resources that would qualify as a Waters of the U.S.




Figure 1. DHHL Kapa'akea Flood Mitigation Project (1952 USGS Kaunakakai Quadrant map) (arrow)



Figure 2.

**DHHL Kapa'akea Flood Mitigation Project boundary**  
**Proposed concrete wall along the west and north project boundaries**  
**Kōheo Wetland – Goodfellow Brothers, Inc.**




Figure 3. DHHL Kapa'akea Flood Mitigation Project site plan  
 Proposed concrete wall shown in yellow on north and west boundaries




Figure 4. Map of Kaunakakai and vicinity American Sugar Company 1900.






Figure 5. 1924 U.S.G.S. Map of Moloka'i showing Kōheo with shoreline seaward of the pond.





Figure 6. Kōheo wetland - December 28, 1964 showing well defined wetland.



Kōheo wetland  
January 7, 1977

Figure 7. 1977 aerial photograph of Kōheo wetland with vegetation removed.



Figure 8. 1992 Infrared aerial photograph showing Kōheo pond with fill material in place.



Figure 9. 2001 U.S.G.S. aerial photograph with fill material removed.




Figure 10. 2005 site plan of Kōheo wetland showing dramatic shoreline erosion.




Figure 11. 2013 shoreline survey of Kōheo pond showing continuing shoreline erosion.




Figure 12. DHHL Kapa'akea Flood Mitigation project.  
**Proposed concrete wall along west and north boundaries**  
**Sampling point locations.**  
**Proposed wetland boundary relative to DHHL project**

**DEMOLITION NOTES**

1. ALL AREAS TO BE DEMOLISHED SHALL BE IDENTIFIED WITH A RED 'X' ON THIS PLAN AND SHALL BE DEMOLISHED WITHIN 90 DAYS OF THE DATE OF THIS PLAN. ALL DEMOLITION SHALL BE COMPLETED WITHIN 90 DAYS OF THE DATE OF THIS PLAN.
2. ALL AREAS TO BE DEMOLISHED SHALL BE IDENTIFIED WITH A RED 'X' ON THIS PLAN AND SHALL BE DEMOLISHED WITHIN 90 DAYS OF THE DATE OF THIS PLAN.
3. ALL AREAS TO BE DEMOLISHED SHALL BE IDENTIFIED WITH A RED 'X' ON THIS PLAN AND SHALL BE DEMOLISHED WITHIN 90 DAYS OF THE DATE OF THIS PLAN.
4. ALL AREAS TO BE DEMOLISHED SHALL BE IDENTIFIED WITH A RED 'X' ON THIS PLAN AND SHALL BE DEMOLISHED WITHIN 90 DAYS OF THE DATE OF THIS PLAN.
5. ALL AREAS TO BE DEMOLISHED SHALL BE IDENTIFIED WITH A RED 'X' ON THIS PLAN AND SHALL BE DEMOLISHED WITHIN 90 DAYS OF THE DATE OF THIS PLAN.
6. ALL AREAS TO BE DEMOLISHED SHALL BE IDENTIFIED WITH A RED 'X' ON THIS PLAN AND SHALL BE DEMOLISHED WITHIN 90 DAYS OF THE DATE OF THIS PLAN.

**EROSION CONTROL NOTES**

1. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
2. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
3. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
4. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
5. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
6. EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.

**EMPA NOTES:**

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES.
5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES.

**PERMITS AND EROSION CONTROL MEASURES**

1. ALL EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
2. ALL EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
3. ALL EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
4. ALL EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
5. ALL EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.
6. ALL EROSION CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED AT ALL TIMES DURING CONSTRUCTION AND SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE PROJECT.





Figure 13. Kōheo wetland margin on right. Elevated DHHL boundary (fenceline) at left.



Figure 14. Kōheo wetland margin on right with an abundance of crystalized surface salt. Grounds slope up to the DHHL house lots on the left. Slope retains a remnant cover of *Batis maritima*.



Figure 15. View northeast across the project boundary into the DHHL Lots, showing their developed residential character.



Figure 16. View north along the project boundary. The proposed wetland boundary is indicated by red stakes which are located near the toe of the slope below the elevated DHHL houselots.




Figure 17 Ditch Kapoakea Flood Mitigation Project

- Kōkeo wetland
- watershed boundaries
- channelized storm flow waters
- unchannelized sheet-flow waters

## LITERATURE CITED

- Armstrong, R.W., 1983. Atlas of Hawaii, Second Edition.  
University of Hawaii Press, Honolulu.
- Elliott, Margaret E. & E.M. Hall, 1977. Wetlands and wetland vegetation in Hawaii.  
Report prepared for the United States Army Corps of Engineers.
- Foote, D.E., E.L. Hill, S. Nakamura, F. Stephens, 1972.  
Soil Survey of the Islands of Kauai, Oahu, Maui, Molokai, and Lanai,  
State of Hawaii. United States Department of Agriculture, Soil Conservation Service.  
Washington D.C.
- Moore, Dale, 2005. Goodfellow Bros., Inc. Moloka'i Projects manager. (personal communication)
- U.S. Army Corps of Engineers, 1976. Environmental Impact Statement for a Flood Control Project  
at Kapa'akea, Moloka'i, Hawaii.
- U.S. Army Corps of Engineers, Oct.1, 1999. Letter to Goodfellow Bros., Inc. (File number 870070015).
- U.S. Army Corps of Engineers, June 8, 2012. Letter to Nene O Molokai attn: Arleone Dibben-Young.  
(File number POH-2011-00182)



OCT 17 2016

DEPARTMENT OF THE ARMY  
HONOLULU DISTRICT, U.S. ARMY CORPS OF ENGINEERS  
FORT SHAFTER, HAWAII 96858-5440

October 17, 2016

SUBJECT: Approved Jurisdictional Determination and No Permit Required  
Determination for Department of Hawaiian Home Lands Kapa'akea Flood Mitigation  
Project, Island of Moloka'i, Hawaii; DA File No. POH-2016-00112

State of Hawaii - Department of Hawaiian Home Lands (DHHL)  
C/o Ms. Gwendolyn Leialoha Cheney Rivera  
Munekiyo Hiraga  
735 Bishop Street, Suite 321  
Honolulu, HI 96813

Dear Ms. Rivera:

The U.S. Army Corps of Engineers, Honolulu District, has completed its review of your request for a jurisdictional and permit determination for the proposed Kapa'akea Flood Mitigation Project, submitted on behalf of the State of Hawaii, Department of Hawaiian Home Lands (DHHL) by your office, Munekiyo Hiraga. Please reference Department of the Army (DA) file number POH-2016-00112 in any future correspondence relating to this permit.

This office has determined that there are no waterways, wetlands or other areas considered "waters of the United States" under Corps of Engineers jurisdiction at the proposed project site. Therefore, a Department of the Army permit under Section 404 of the Clean Water Act and/or Section 10 of the Rivers and Harbors Act is not required. The area reviewed by the Corps and addressed in this letter and accompanying documentation is shown in Enclosure 1. This determination covers only your project as described above and as shown in the provided wetland delineation report titled "Wetland Study for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project" provided for The Department of Hawaiian Home Lands (DHHL) by Mr. Robert W. Hobdy (Environmental Consultant) and dated August 2016.

This letter contains an approved JD that identifies the basis for not asserting jurisdiction (Enclosure 2). The approved JD is valid for a period of five (5) years unless new information warrants revision of the determination before the expiration date. If you object to this determination, you may request an Administrative Appeal under 33 CFR 331. We have enclosed a Notification of Appeal Process and Request for Appeal (NAP/RFA) form (Enclosure 3). If you request to appeal this determination you must submit a completed RFA form, according to instructions in the RFA, to the Corps' Pacific Ocean Division office at the following address:

Civil Works and Regulatory Program Manager  
U.S. Army Corps of Engineers  
Pacific Ocean Division, ATTN: CEPOD-PDC  
Building 525  
Fort Shafter, Hawaii 96858-5440

Thank you for your cooperation with the Honolulu District Regulatory Program. Should you have any questions related to this determination, please contact me via telephone at (671) 339-2108 or (808) 835-4160 or via e-mail at [Katy.R.Damico@usace.army.mil](mailto:Katy.R.Damico@usace.army.mil) . You are encouraged to provide comments on your experience with the Honolulu District Regulatory Office by accessing our web-based customer survey form at [http://corpsmapu.usace.army.mil/cm\\_apex/f?p=136:4:0](http://corpsmapu.usace.army.mil/cm_apex/f?p=136:4:0) .

Sincerely,



Katy R. Damico  
Project Manager  
Guam Regulatory Field Office

Enclosures




Figure 12. DHHL Kapa'akea Flood Mitigation project.  
**Proposed concrete wall along west and north boundaries**  
**Sampling point locations**  
**Proposed wetland boundary relative to DHHL project**

**APPROVED JURISDICTIONAL DETERMINATION FORM  
U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

**SECTION I: BACKGROUND INFORMATION**

**A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): October 17, 2016**

**B. DISTRICT OFFICE: Honolulu District (CEPOH-RO)**

**FILE NAME: Kapa'akea Flood Mitigation Project, Island of Moloka'i, Hawai'i**

**FILE NUMBER: POH-2016-00112**

**C. PROJECT LOCATION AND BACKGROUND INFORMATION:**

State: Hawaii County: Island of Moloka'i City: Kaunakakai  
Center coordinates of site (lat/long in degree decimal format): Lat. 21.08423 ° N, Long. -157.01252 ° W  
Universal Transverse Mercator: 4  
Name of nearest waterbody: Pacific Ocean  
Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Pacific Ocean  
Name of watershed or Hydrologic Unit Code (HUC): 20050000 (Molokai)

- Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
- Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form

**D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):**

- Office (Desk) Determination. Date: October 17, 2016
- Field Determination. Date(s): *Click here to enter a date., Click here to enter a date.*

**SECTION II: SUMMARY OF FINDINGS**

**A. RHA SECTION 10 DETERMINATION OF JURISDICTION.**

There are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required]

- Waters subject to the ebb and flow of the tide.
- Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.  
Explain: *Click here to enter text.*

**B. CWA SECTION 404 DETERMINATION OF JURISDICTION.**

There are no "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]

**1. Waters of the U.S.**

**a. Indicate presence of waters of U.S. in review area (check all that apply):<sup>1</sup>**

- TNWs, including territorial seas
- Wetlands adjacent to TNWs
- Relatively permanent waters<sup>2</sup> (RPWs) that flow directly or indirectly into TNWs
- Non-RPWs that flow directly or indirectly into TNWs
- Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
- Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
- Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
- Impoundments of jurisdictional waters
- Isolated (interstate or intrastate) waters, including isolated wetlands

**b. Identify (estimate) size of waters of the U.S. in the review area:**

Non-wetland waters: N/A. Wetlands: N/A.

**c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual**

Elevation of established OHWM (if known): N/A

**2. Non-regulated waters/wetlands (check if applicable):<sup>3</sup>**

- Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.  
Explain: N/A

<sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>3</sup> Supporting documentation is presented in Section III.F.



**SECTION III: CWA ANALYSIS**

**A. TNWs AND WETLANDS ADJACENT TO TNWs**

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. **TNW**  
Identify TNW: N/A  
Summarize rationale supporting determination: N/A
2. **Wetland adjacent to TNW**  
Summarize rationale supporting conclusion that wetland is "adjacent": N/A

**B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):**

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody<sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

**1. Characteristics of non-TNWs that flow directly or indirectly into TNW**

**(i) General Area Conditions:**

Watershed size: # *Choose an item.*  
Drainage area: # *Choose an item.*  
  
Average annual rainfall: # inches  
Average annual snowfall: # inches

**(ii) Physical Characteristics:**

**(a) Relationship with TNW:**

- Tributary flows directly into TNW.  
 Tributary flows through *Choose an item.* tributaries before entering TNW.

Project waters are *Choose an item.* river miles from TNW.  
Project waters are *Choose an item.* river miles from RPW.  
Project waters are *Choose an item.* aerial (straight) miles from TNW.  
Project waters are *Choose an item.* aerial (straight) miles from RPW.  
Project waters cross or serve as state boundaries. Explain: *Click here to enter text.*

Identify flow route to TNW<sup>5</sup>: *Click here to enter text.*  
Tributary stream order, if known: *Click here to enter text.*

**(b) General Tributary Characteristics (check all that apply):**

- Tributary is:  Natural  
 Artificial (man-made). Explain: *Click here to enter text.*  
 Manipulated (man-altered). Explain: *Click here to enter text.*

**Tributary properties with respect to top of bank (estimate):**

Average width: # feet  
Average depth: # feet

<sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.  
<sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

## Primary tributary substrate composition (check all that apply):

- Silts                       Sands                       Concrete
- Cobbles                       Gravel                       Muck
- Bedrock                       Vegetation. Type/% cover: *Click here to enter text.*
- Other. Explain: *Click here to enter text.*

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: *Click here to enter text.*Presence of run/riffle/pool complexes. Explain: *Click here to enter text.*Tributary geometry: *Choose an item.*

Tributary gradient (approximate average slope): #%

(c) **Flow:**Tributary provides for: *Choose an item.*Estimate average number of flow events in review area/year: *Choose an item.*Describe flow regime: *Click here to enter text.*Other information on duration and volume: *Click here to enter text.*Surface flow is: *Choose an item.* Characteristics: *Click here to enter text.*Subsurface flow: *Choose an item.* Explain findings: *Click here to enter text.* Dye (or other) test performed: *Click here to enter text.*

Tributary has (check all that apply):

- Bed and banks
- OHWM<sup>6</sup> (check all indicators that apply):
- |                                                                         |                                                                                           |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <input type="checkbox"/> clear, natural line impressed on the bank      | <input type="checkbox"/> the presence of litter and debris                                |
| <input type="checkbox"/> changes in the character of soil               | <input type="checkbox"/> destruction of terrestrial vegetation                            |
| <input type="checkbox"/> shelving                                       | <input type="checkbox"/> the presence of wrack line                                       |
| <input type="checkbox"/> vegetation matted down, bent, or absent        | <input type="checkbox"/> sediment sorting                                                 |
| <input type="checkbox"/> leaf litter disturbed or washed away           | <input type="checkbox"/> scour                                                            |
| <input type="checkbox"/> sediment deposition                            | <input type="checkbox"/> multiple observed or predicted flow events                       |
| <input type="checkbox"/> water staining                                 | <input type="checkbox"/> abrupt change in plant community <i>Click here to enter text</i> |
| <input type="checkbox"/> other (list): <i>Click here to enter text.</i> |                                                                                           |
- Discontinuous OHWM.<sup>7</sup> Explain: *Click here to enter text.*

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

- |                                                                         |                                                                        |
|-------------------------------------------------------------------------|------------------------------------------------------------------------|
| <input type="checkbox"/> High Tide Line indicated by:                   | <input type="checkbox"/> Mean High Water Mark indicated by:            |
| <input type="checkbox"/> oil or scum line along shore objects           | <input type="checkbox"/> survey to available datum;                    |
| <input type="checkbox"/> fine shell or debris deposits (foreshore)      | <input type="checkbox"/> physical markings;                            |
| <input type="checkbox"/> physical markings/characteristics              | <input type="checkbox"/> vegetation lines/changes in vegetation types. |
| <input type="checkbox"/> tidal gauges                                   |                                                                        |
| <input type="checkbox"/> other (list): <i>Click here to enter text.</i> |                                                                        |

(iii) **Chemical Characteristics:**

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).

Explain: *Click here to enter text.*Identify specific pollutants, if known: *Click here to enter text.*(iv) **Biological Characteristics. Channel supports (check all that apply):**

- Riparian corridor. Characteristics (type, average width): *Click here to enter text.*
- Wetland fringe. Characteristics: *Click here to enter text.*
- Habitat for:
- Federally Listed species. Explain findings: *Click here to enter text.*
- Fish/spawn areas. Explain findings: *Click here to enter text.*
- Other environmentally-sensitive species. Explain findings: *Click here to enter text.*
- Aquatic/wildlife diversity. Explain findings:

<sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

(a) General Wetland Characteristics:

Properties:

Wetland size: # acres

Wetland type. Explain: *Click here to enter text.*

Wetland quality. Explain: *Click here to enter text.*

Project wetlands cross or serve as state boundaries. Explain: *Click here to enter text.*

(b) General Flow Relationship with Non-TNW:

Flow is: *Choose an item.* Explain: *Click here to enter text.*

Surface flow is: *Choose an item.*

Characteristics: *Click here to enter text.*

Subsurface flow: *Choose an item.* Explain findings: *Click here to enter text.*

Dye (or other) test performed: *Click here to enter text.*

(c) Wetland Adjacency Determination with Non-TNW:

Directly abutting

Not directly abutting

Discrete wetland hydrologic connection. Explain: *Click here to enter text.*

Ecological connection. Explain: *Click here to enter text.*

Separated by berm/barrier. Explain: *Click here to enter text.*

(d) Proximity (Relationship) to TNW

Project wetlands are *Choose an item.* river miles from TNW.

Project waters are *Choose an item.* aerial (straight) miles from TNW.

Flow is from: *Choose an item.*

Estimate approximate location of wetland as within the *Choose an item.* floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: *Click here to enter text.*

Identify specific pollutants, if known: *Click here to enter text.*

(iii) Biological Characteristics. Wetland supports (check all that apply):

Riparian buffer. Characteristics (type, average width): *Click here to enter text.*

Vegetation type/percent cover. Explain: *Click here to enter text.*

Habitat for:

Federally Listed species. Explain findings: *Click here to enter text.*

Fish/spawn areas. Explain findings: *Click here to enter text.*

Other environmentally-sensitive species. Explain findings: *Click here to enter text.*

Aquatic/wildlife diversity. Explain findings: *Click here to enter text.*

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: *Choose an item.*

Approximately (#) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

<u>Directly abuts? (Y/N)</u>	<u>Size (in acres)</u>	<u>Directly abuts? (Y/N)</u>	<u>Size (in acres)</u>
Y/N	#	Y/N	#
Y/N	#	Y/N	#
Y/N	#	Y/N	#
Y/N	#	Y/N	#

Summarize overall biological, chemical and physical functions being performed: *Click here to enter text.*

### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

*Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:*

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: *Click here to enter text.*
2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: *Click here to enter text.*
3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: *Click here to enter text.*

### D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:

- TNWs: # linear feet # width (ft), Or, # acres.  
 Wetlands adjacent to TNWs: # acres.

2. **RPWs that flow directly or indirectly into TNWs.**

- Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: *Click here to enter text.*  
 Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: *Click here to enter text.*

Provide estimates for jurisdictional waters in the review area (check all that apply):

- Tributary waters: # linear feet # width (ft).  
 Other non-wetland waters: # acres.

Identify type(s) of waters: *Click here to enter text.*

3. **Non-RPWs<sup>8</sup> that flow directly or indirectly into TNWs.**

- Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):

- Tributary waters: # linear feet # width (ft).

- Other non-wetland waters: # acres.

Identify type(s) of waters: *Click here to enter text.*

4. **Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.**

- Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.

- Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: *Click here to enter text.*

- Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: *Click here to enter text.*

Provide acreage estimates for jurisdictional wetlands in the review area: # acres.

5. **Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.**

- Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: # acres.

6. **Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.**

- Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: # acres.

7. **Impoundments of jurisdictional waters.<sup>9</sup>**

As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.

- Demonstrate that impoundment was created from "waters of the U.S.," or
- Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
- Demonstrate that water is isolated with a nexus to commerce (see E below).

E. **ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):<sup>10</sup>**

- which are or could be used by interstate or foreign travelers for recreational or other purposes.
- from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
- which are or could be used for industrial purposes by industries in interstate commerce.
- Interstate isolated waters. Explain: *Click here to enter text.*
- Other factors. Explain: *Click here to enter text.*

**Identify water body and summarize rationale supporting determination:** *Click here to enter text.*

Provide estimates for jurisdictional waters in the review area (check all that apply):

- Tributary waters: # linear feet # width (ft).

- Other non-wetland waters: # acres.

Identify type(s) of waters: *Click here to enter text.*

- Wetlands: # acres.

F. **NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):**

- If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
- Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.

<sup>8</sup>See Footnote # 3.

<sup>9</sup>To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

<sup>10</sup>Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). ENCLOSURE 2

Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: *Click here to enter text.*

Other: (explain, if not covered above): *Click here to enter text.*

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):

Non-wetland waters (i.e., rivers, streams): # linear feet # width (ft).

Lakes/ponds: # acres.

Other non-wetland waters: # acres. List type of aquatic resource: *Click here to enter text.*

Wetlands: # acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):

Non-wetland waters (i.e., rivers, streams): # linear feet # width (ft).

Lakes/ponds: # acres.

Other non-wetland waters: # acres. List type of aquatic resource: *Click here to enter text.*

Wetlands: # acres.

#### **SECTION IV: DATA SOURCES.**

**A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):**

Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Wetland Study Report dated August 2016 (rec'd October 13, 2016)

Data sheets prepared/submitted by or on behalf of the applicant/consultant.

Office concurs with data sheets/delineation report: Wetland Study Report dated August 2016 (rec'd October 13, 2016)

Office does not concur with data sheets/delineation report.

Data sheets prepared by the Corps: *Click here to enter text.*

Corps navigable waters' study: *Click here to enter text.*

U.S. Geological Survey Hydrologic Atlas: *Click here to enter text.*

USGS NHD data: No NHD waters mapped in project review area.

USGS 8 and 12 digit HUC maps: HUC8: 2005000 (Molokai)

U.S. Geological Survey map(s). Cite scale & quad name: *Click here to enter text.*

USDA Natural Resources Conservation Service Soil Survey. Citation: *Click here to enter text.*

National wetlands inventory map(s). Cite name: Area mapped historically as PEM, but house sites filled in 1950s.

State/Local wetland inventory map(s): *Click here to enter text.*

FEMA/FIRM maps: *Click here to enter text.*

100-year Floodplain Elevation is: *Click here to enter text.* (National Geodetic Vertical Datum of 1929)

Photographs:  Aerial (Name & Date): Aerials provided in Wetland Study Report dated August 2016 (rec'd October 13, 2016).

or  Other (Name & Date): *Click here to enter text.*

Previous determination(s). File no. and date of response letter: *Click here to enter text.*

Applicable/supporting case law: *Click here to enter text.*

Applicable/supporting scientific literature: *Click here to enter text.*

Other information (please specify): *Click here to enter text.*

**B. ADDITIONAL COMMENTS TO SUPPORT JD:** The following information was provided via the wetland delineation report titled "Wetland Study for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project" provided for The Department of Hawaiian Home Lands (DHHL), Mr. Robert W. Hobdy (Environmental Consultant) and dated August 2016.

The Kapa'akea Flood Mitigation Project is located on the southern coast of Moloka'i a half mile to the east of Kaunakakai Town TMK's (2) 5-4-07:9,10,11,24,25. The project calls for the construction of a concrete wall along the western boundary of the DHHL Kapa'akea Houselots and the adjacent Kōheo wetland as a flood mitigation measure. This wetland study assesses the eastern edge of the Kōheo wetland in order to delineate the wetland boundary and to evaluate its proximity to the proposed project alignment as part of the application process. The project corridor lies on the coastal plain below Kamehameha V Highway. Elevations range from sea level to eight feet at the highway. The soil is identified as Kealia Silt Loam (Foote et al, 1972), a low-lying coastal soil with a high salt content and a brackish water table typically within 12 and 40 inches of the surface and which fluctuates with the tides. This soil is identified as a hydric soil in the Corps of Engineers Wetland Delineation Manual (USACE, 1987). Within the project corridor this naturally occurring substrate was covered with a 15 inch to 20 inch thick layer of fill material from an offsite source in 1949. Rainfall in this area averages 12 to 15 inches per year with the bulk falling during the winter months (Armstrong, 1983). Vegetation in the DHHL project area consists of grass lawns and dryland shrubs typical of rural home site landscapes.

Seven sampling points were established a little outside the west boundary of the project area in a line running from below the highway down toward the shoreline. Each of these were analyzed for wetland characteristics per the Regional Supplement. Sampling points 1 through 5 were found to lie just outside the margin of the wetland, while sampling points 6 and 7 were within the margin of the wetland. An additional two sampling points (8 and 9) were established on the proposed DHHL Kapa'akea Flood Mitigation wall alignment. These two sampling points were found to lie well outside the wetland boundary. This wetland boundary lies entirely outside of the DHHL Kapa'akea Flood Mitigation project boundary by distances ranging from 20 feet at the top to 8 feet near the shoreline. The wetland boundary, proposed flood wall location and data point locations are depicted on the attached AJD map (Enclosure 1). Since the proposed wall will be constructed in uplands, a Department of the Army permit will not be required.

*Katy R. Damico*

---

Katy R. Damico  
Project Manager

October 17, 2016

Date

**NOTIFICATION OF ADMINISTRATIVE APPEAL OPTIONS AND PROCESS AND  
REQUEST FOR APPEAL**

<b>Applicant: State of Hawaii Department of Hawaiian Home Lands (DHHL) / Mr. James Richardson</b>	<b>File Number: POH-2016-00112</b>	<b>Date: 17-OCT-2016</b>
Attached is:		See Section below
<input type="checkbox"/>	INITIAL PROFFERED PERMIT (Standard Permit or Letter of Permission)	A
<input type="checkbox"/>	PROFFERED PERMIT (Standard Permit or Letter of Permission)	B
<input type="checkbox"/>	PERMIT DENIAL	C
<input checked="" type="checkbox"/>	<b>APPROVED JURISDICTIONAL DETERMINATION</b>	<b>D</b>
<input type="checkbox"/>	PRELIMINARY JURISDICTIONAL DETERMINATION	E

SECTION I - The following identifies your rights and options regarding an administrative appeal of the above decision. Additional information may be found at [http://www.usace.army.mil/CECW/Pages/reg\\_materials.aspx](http://www.usace.army.mil/CECW/Pages/reg_materials.aspx) or Corps regulations at 33 CFR Part 331.

- A. INITIAL PROFFERED PERMIT: You may accept or object to the permit.
- ACCEPT: If you received a Standard Permit or a Letter of Permission (LOP), you may sign the permit document and return it to the district commander for final authorization. Your signature on the Standard Permit or acceptance of the LOP means that you accept the permit in its entirety, and waive all rights to appeal the permit, including its terms and conditions, and approved jurisdictional determinations associated with the permit.
  - OBJECT: If you object to the permit (Standard or LOP) because of certain terms and conditions therein, you may request that the permit be modified accordingly. You must complete Section II of this form and return the form to the district commander. Your objections must be received by the district commander within 60 days of the date of this notice, or you will forfeit your right to appeal the permit in the future. Upon receipt of your letter, the district commander will evaluate your objections and may: (a) modify the permit to address all of your concerns, (b) modify the permit to address some of your objections, or (c) not modify the permit having determined that the permit should be issued as previously written. After evaluating your objections, the district commander will send you a proffered permit for your reconsideration, as indicated in Section B below.
- B. PROFFERED PERMIT: You may accept or appeal the permit
- ACCEPT: If you received a Standard Permit or a Letter of Permission (LOP), you may sign the permit document and return it to the district commander for final authorization. Your signature on the Standard Permit or acceptance of the LOP means that you accept the permit in its entirety, and waive all rights to appeal the permit, including its terms and conditions, and approved jurisdictional determinations associated with the permit.
  - APPEAL: If you choose to decline the proffered permit (Standard or LOP) because of certain terms and conditions therein, you may appeal the declined permit under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the division commander. This form must be received by the division commander within 60 days of the date of this notice.
- C. PERMIT DENIAL: You may appeal the denial of a permit under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the division commander. This form must be received by the division commander within 60 days of the date of this notice.
- D. APPROVED JURISDICTIONAL DETERMINATION: You may accept or appeal the approved JD or provide new information.
- ACCEPT: You do not need to notify the Corps to accept an approved JD. Failure to notify the Corps within 60 days of the date of this notice, means that you accept the approved JD in its entirety, and waive all rights to appeal the approved JD.
  - APPEAL: If you disagree with the approved JD, you may appeal the approved JD under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the division commander. This form must be received by the division commander within 60 days of the date of this notice.



E. PRELIMINARY JURISDICTIONAL DETERMINATION: You do not need to respond to the Corps regarding the preliminary JD. The Preliminary JD is not appealable. If you wish, you may request an approved JD (which may be appealed), by contacting the Corps district for further instruction. Also you may provide new information for further consideration by the Corps to reevaluate the JD.

**SECTION II - REQUEST FOR APPEAL or OBJECTIONS TO AN INITIAL PROFFERED PERMIT**

REASONS FOR APPEAL OR OBJECTIONS: (Describe your reasons for appealing the decision or your objections to an initial proffered permit in clear concise statements. You may attach additional information to this form to clarify where your reasons or objections are addressed in the administrative record.)

ADDITIONAL INFORMATION: The appeal is limited to a review of the administrative record, the Corps memorandum for the record of the appeal conference or meeting, and any supplemental information that the review officer has determined is needed to clarify the administrative record. Neither the appellant nor the Corps may add new information or analyses to the record. However, you may provide additional information to clarify the location of information that is already in the administrative record.

**POINT OF CONTACT FOR QUESTIONS OR INFORMATION:**

If you have questions regarding this decision and/or the appeal process you may contact:

Honolulu District, U.S. Army Corps of Engineers  
Regulatory Office, CEPOH-RO  
Building 230  
Fort Shafter, Hawaii 96858-5440  
808-835-4303

If you only have questions regarding the appeal process you may also contact:

Dr. Linda Hihara-Endo  
Acting Regulatory Program Manager  
U.S. Army Corps of Engineers  
Building 525  
Fort Shafter, HI 96858-5440  
808-835-4621

RIGHT OF ENTRY: Your signature below grants the right of entry to Corps of Commanders personnel, and any government consultants, to conduct investigations of the project site during the course of the appeal process. You will be provided a 15-day notice of any site investigation, and will have the opportunity to participate in all site investigations.

\_\_\_\_\_  
Signature of appellant or agent.

Date:

Telephone number:

DAVID Y. IGE  
GOVERNOR



AUG 17 2016

DOUGLAS MURDOCK  
COMPTROLLER

AUDREY HIDANO  
Deputy Comptroller


STATE OF HAWAII  
DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES  
P.O. BOX 119, HONOLULU, HAWAII 96810-0119

(P)1245.6

AUG 15 2016

MEMORANDUM

TO: Ms. Nancy McPherson, Planner  
Department of Hawaiian Home Lands


FROM: Scott M. Ojiri   
Acting Public Works Administrator

SUBJECT: Draft Environmental Assessment for the  
Department of Hawaiian Home Lands  
Kapa'akea Flood Mitigation Project  
Kaunakakai, Molokai, Hawaii  
TMK: (2) 5-4-007: 009 (por), 010 (por), 011 (por), 024 (por), 025 (por)

Thank you for the opportunity to comment on the subject project. We have no comments to offer at this time as the proposed project does not impact any of the Department of Accounting and General Services' projects or existing facilities.

If you have any questions, your staff may call Ms. Dora Choy of the Planning Branch at 586-0488.

DC:mo

c:  Ms. Gwendolyn Rivera, Sr. Assoc., Munekiyo Hiraga  
Mr. Wade Shimabukuro, DAGS MDO

DAVID Y. IGE  
GOVERNOR



OCT 13 2016

WESLEY K. MACHIDA  
DIRECTOR

RODERICK K. BECKER  
DEPUTY DIRECTOR

**STATE OF HAWAII**  
**DEPARTMENT OF BUDGET AND FINANCE**

P.O. BOX 150  
HONOLULU, HAWAII 96810-0150

EMPLOYEES' RETIREMENT SYSTEM  
HAWAII EMPLOYER-UNION HEALTH BENEFITS TRUST FUND  
OFFICE OF THE PUBLIC DEFENDER

ADMINISTRATIVE AND RESEARCH OFFICE  
BUDGET, PROGRAM PLANNING AND  
MANAGEMENT DIVISION  
FINANCIAL ADMINISTRATION DIVISION  
OFFICE OF FEDERAL AWARDS MANAGEMENT (OFAM)

October 4, 2016

Ms. Gwendolyn Leialoha Cheney Rivera  
Senior Associate  
Munekiyo Hiraga  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

This is to acknowledge receipt of your letter dated August 4, 2016, soliciting comments on the Draft Environmental Assessment for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Molokai, Hawai'i.

We have no comments at this time.

Aloha,

WESLEY K. MACHIDA  
Director of Finance

DAVID Y. IGE  
GOVERNOR OF HAWAII



VIRGINIA PRESSLER, M.D.  
DIRECTOR OF HEALTH

STATE OF HAWAII  
DEPARTMENT OF HEALTH  
P. O. BOX 3378  
HONOLULU, HI 96801-3378

In reply, please refer to:  
EMD/CWB

08018PCTM.16

August 12, 2016

Ms. Nancy McPherson  
Planner  
Department of Hawaiian Home Lands  
91-5420 Kapolei Parkway  
Kapolei, Hawaii 96707

Dear Ms. McPherson:

**SUBJECT: Comments on the Draft Environmental Assessment (DEA) for the Department of Hawaiian Home Lands Kapaakea Flood Mitigation Project Kaunakakai, Island of Molokai, Hawaii**  
**TMKs: (2) 5-4-007:009 (por.), (2) 5-4-007:010 (por.), (2) 5-4-007:011 (por.), (2) 5-4-007:024 (por.), (2) 5-4-007:025 (por.)**

The Department of Health (DOH), Clean Water Branch (CWB), has reviewed the subject document and has no comments at this time. The DOH-CWB provided comments on the proposed DEA for this project (Letter No. 05019PCTM.16 and 06044PGH.16, dated May 12, 2016, and June 21, 2016 respectively).

Please note that our review is based solely on the information provided in the subject document and its compliance with Hawaii Administrative Rules (HAR), Chapters 11-54 and 11-55. You may be responsible for fulfilling additional requirements related to our program. We recommend that you also read our standard comments on our website at: [http://health.hawaii.gov/epo/files/2013/10/CWB\\_Oct22.pdf](http://health.hawaii.gov/epo/files/2013/10/CWB_Oct22.pdf).

If you have any questions, please visit our website at: <http://health.hawaii.gov/cwb>, or contact the Engineering Section, CWB, at (808) 586-4309.

Sincerely,

Handwritten signature of Alec Wong in cursive.

ALEC WONG, P.E., CHIEF  
Clean Water Branch

C: EPO [via e-mail only]  
Ms. Gwendolyn Leialoha Cheney Rivera, Munekiyo Hiraga  
[via e-mail [gwendolyn@munekiyohiraga.com](mailto:gwendolyn@munekiyohiraga.com) only]



## MUNEKIYO HIRAGA

Planning. Project Management. Sustainable Solutions.

Michael T. Munekiyo  
PRESIDENT

Karlynn K. Fukuda  
EXECUTIVE VICE PRESIDENT

Mark Alexander Roy  
VICE PRESIDENT

Tessa Munekiyo Ng  
VICE PRESIDENT

December 21, 2016

Alec Wong, P.E., Chief  
State of Hawai'i  
Department of Health  
Clean Water Branch  
P.O. Box 3378  
Honolulu, Hawai'i 96801

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.)); (EMD/CWB 08018 PCTM.16)

---

Dear Mr. Wong:

Thank you for your letter of August 12, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. It is noted that the Department of Health (DOH), Clean Water Branch (CWB) provided early consultation comments on the proposed Draft EA in letters dated May 12, 2016, and June 21, 2016, and has no additional comments on the Draft EA at this time.

We have reviewed the Clean Water Branch's standard comments on your website and a copy of your letter has been provided to the State Department of Hawaiian Home Lands and its civil engineering consultant for review and consideration. We acknowledge that the proposed project must meet the Water Quality Standards of the Hawai'i Administrative Rules (HAR) Chapters 11-54 and 11-55; and may be subject to fulfilling additional requirements related to the CWB program.

Alec Wong, P.E., Chief  
December 21, 2016  
Page 2

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DOH CWB.doc

DAVID Y. IGE  
GOVERNOR OF HAWAII



AUG 25 2016

VIRGINIA PRESSLER, M.D.  
DIRECTOR OF HEALTH

LORRIN W. PANG, M.D., M.P.H.  
DISTRICT HEALTH OFFICER

STATE OF HAWAII  
DEPARTMENT OF HEALTH  
MAUI DISTRICT HEALTH OFFICE  
54 HIGH STREET  
WAILUKU, HAWAII 96793-3378

August 23, 2016

Ms. Nancy McPherson, Planner  
Department of Hawaiian Home Lands  
State of Hawaii  
91-5420 Kapolei Parkway  
Kapolei, Hawai'i 96707

Dear Ms. McPherson:

**Subject: DRAFT ENVIRONMENTAL ASSESSMENT FOR KAPA'AKEA  
FLOOD MITIGATION PROJECT  
Kaunakakai, Molokai  
TMK: (2) 5-4-007:009 (por.); 5-4-007:010 (por.); 5-4-007:011 (por.);  
5-4-007:024 (por.); 5-4-007:025 (por.)**

Thank you for the opportunity to review this project. Please see our comments made on May 13, 2016, during the early consultation phase of this project (see attached letter). We have one additional comment to offer:

The US Army Corp of Engineers should be consulted about this project. A WQC 401 certification may be needed for this project.

It is strongly recommended that the Standard Comments found at the Department's website: <http://health.hawaii.gov/epo/home/landuse-planning-review-program/> be reviewed and any comments specifically applicable to this project should be adhered to.

Ms. Nancy McPherson  
August 23, 2016  
Page 2

Should you have any questions, please contact me at 808 984-8230 or email me at [patricia.kitkowski@doh.hawaii.gov](mailto:patricia.kitkowski@doh.hawaii.gov).

Sincerely,


A handwritten signature in cursive script that reads "Patti Kitkowski".

Patti Kitkowski  
District Environmental Health Program Chief

Attachment

- c EPO  
Gwendolyn Cheney Rivera





STATE OF HAWAII  
DEPARTMENT OF HEALTH  
MAUI DISTRICT HEALTH OFFICE  
54 HIGH STREET  
WAILUKU, HAWAII 96793-3378

May 13, 2016

5/13/16- Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga  
305 High Street, Suite 104  
Wailuku, Hawai'i 96793

Dear Ms. Rivera:

**Subject: Early Consultation Request for Kapa'akea Flood Mitigation Project  
Kaunakakai, Molokai  
TMK: (2) 5-4-007:009 (por.); 5-4-007:010 (por.); 5-4-007:011 (por.);  
5-4-007:024 (por.); 5-4-007:025 (por.)**

Thank you for the opportunity to review this project. We have the following comments to offer:

1. National Pollutant Discharge Elimination System (NPDES) permit coverage may be required for this project. The Clean Water Branch should be contacted at 808 586-4309.
2. The noise created during the construction phase of the project may exceed the maximum allowable levels as set forth in Hawaii Administrative Rules, Chapter 11-46, "Community Noise Control." A noise permit may be required and should be obtained before the commencement of work. Please call the Indoor & Radiological Health Branch at 808 586-4700.

It is strongly recommended that the Standard Comments found at the Department's website: <http://health.hawaii.gov/epo/home/landuse-planning-review-program/> be reviewed and any comments specifically applicable to this project should be adhered to.

Ms. Gwendolyn Rivera  
May 13, 2016  
Page 2

Should you have any questions, please contact me at 808 984-8230 or email me at [patricia.kitkowski@doh.hawaii.gov](mailto:patricia.kitkowski@doh.hawaii.gov).

Sincerely,



Patti Kitkowski  
District Environmental Health Program Chief

5/13/16-c EPO



**MUNEKIYO HIRAGA**

Planning. Project Management. Sustainable Solutions.

Michael T. Munekiyo  
PRESIDENT

Karlynn K. Fukuda  
EXECUTIVE VICE PRESIDENT

Mark Alexander Roy  
VICE PRESIDENT

Tessa Munekiyo Ng  
VICE PRESIDENT

December 21, 2016

Patti Kitkowski, District Environmental  
Health Program Chief  
State of Hawai'i  
**Department of Health**  
**Maui District Office**  
54 High Street  
Wailuku, Hawai'i 96793

**SUBJECT:** Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.))

---

Dear Ms. Kitkowski:

Thank you for your letter of August 23, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. The Standard Comments on the Department's website will be considered for the project, as applicable. We note that in addition to the comments provided during the early consultation phase of this project, the Department offered the comment that the U.S. Army Corps of Engineers (USACE) should be consulted and that a WQC 401 certification may be needed for the project. The Department of Hawaiian Home Lands (DHHL) and its consultants have consulted with USACE, and the project is currently being reviewed under Department of the Army (DA) file number POH-2016-00112. A DA permit and/or WQC 401 certification will be pursued as may be applicable per USACE's determination.

Patti Kitkowski, District Environmental  
Health Program Chief  
December 21, 2016  
Page 2

On behalf of DHHL, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DOH Maui.doc

AUG 19 2016

DAVID Y. IGE  
GOVERNOR OF HAWAII



VIRGINIA PRESSLER, M.D.  
DIRECTOR OF HEALTH

STATE OF HAWAII  
DEPARTMENT OF HEALTH  
P. O. BOX 3378  
HONOLULU, HI 96801-3378

In reply, please refer to:  
File:

EPO 16-279

August 16, 2016

Ms. Gwendolym Leialoha Cheney Rivera  
Senior Associate  
Munekiyo Hiraga  
305 High Street, Suite 104  
Wailuku, Hawaii 96793  
Email: [planning@munekiyohiraga.com](mailto:planning@munekiyohiraga.com)

Dear Ms. Rivera:

**SUBJECT: Draft Environmental Assessment (DEA) for Department of Hawaiian Home Lands Kapaakea Flood Mitigation Improvements**  
**TMK: (2)5-4-007:009 (por.), (2)5-4-007:010 (por.), (2)5-4-007:011 (por.), (2)504-007:024 (por.), (2)5-4-007:025 (por.)**

The Department of Health (DOH), Environmental Planning Office (EPO), acknowledges receipt of your DEA to our office via the OEQC link:  
[http://oeqc.doh.hawaii.gov/Shared%20Documents/EA and EIS Online Library/Molokai/2010s/2016-08-08-MO-5B-DEA-Kapaakea-Flood-Mitigation-Improvements.pdf](http://oeqc.doh.hawaii.gov/Shared%20Documents/EA%20and%20EIS%20Online%20Library/Molokai/2010s/2016-08-08-MO-5B-DEA-Kapaakea-Flood-Mitigation-Improvements.pdf)

We understand from the OEQC publication form project summary that *"The State of Hawaii, Department of Hawaiian Home Lands (DHHL) proposes a flood mitigation project in Kaunakakai, Molokai to protect five (5) DHHL Homestead lots which are subject to flooding during periods of heavy rainfall. The proposed project involves the removal of an existing chain link fence and concrete masonry until (CMU) wall. A new 4-foot high CMU wall is proposed for installation as a flood barrier along the north-and west-facing boundaries of the five (5) DHHL Homestead lots. The proposed CMU wall is approximately 700 feet in total length, including a roughly north-south portion and roughly east-west portion, and will terminate approximately 60 feet mauka of the shoreline. The project area includes a shoreline-fronting lot, and is located within the County of Maui's Special Management Area (SMA). However, as the project will be undertaken directly by DHHL on lands owned by DHHL, the County of Maui, Department of Planning determined that a SMA Permit is not required. Similarly, the Shoreline Setback Rules of the Molokai Planning Commission are not applicable to the project."*

In the development and implementation of all projects, EPO strongly recommends regular review of State and Federal environmental health land use guidance. State standard comments and available strategies to support sustainable and healthy design are provided at: <http://health.hawaii.gov/epo/landuse>. Projects are required to adhere to all applicable standard comments. EPO has recently updated the environmental Geographic Information System (GIS) website page. It now compiles various maps and viewers from our environmental health programs. The eGIS website page is continually updated so please visit it regularly at: <http://health.hawaii.gov/epo/egis>. EPO also encourages you to examine and utilize the Hawaii Environmental Health Portal at: <https://eha-cloud.doh.hawaii.gov>. This site provides links to our e-Permitting Portal, Environmental Health Warehouse, Groundwater Contamination Viewer, Hawaii Emergency Response Exchange, Hawaii State and Local Emission Inventory System, Water Pollution Control Viewer, Water Quality Data, Warnings, Advisories and Postings.

Ms. Gwendolym Leialoha Cheney Rivera  
Page 2  
August 16, 2016

We suggest you review the requirements of the Clean Water Branch (HAR, Section 11-54-1.1, -3, 4-8) and/or the National Pollutant Discharge Elimination System (NPDES) permit (HAR, Chapter 11-55) at: <http://health.hawaii.gov/cwb>. If you have any questions, please contact the Clean Water Branch, Engineering Section at (808) 586-4309 or [cleanwaterbranch@doh.hawaii.gov](mailto:cleanwaterbranch@doh.hawaii.gov). If your project involves waters of the U.S., it is highly recommended that you contact the Army Corps of Engineers, Regulatory Branch at: (808) 835-4303.

If noise created during the construction phase of the project may exceed the maximum allowable levels as set forth in Hawaii Administrative Rules, Chapter 11-46, "Community Noise Control". A noise permit may be required and should be obtained before the commencement of work. Please call the Indoor and Radiological Health Branch at (808) 586-4700 and review relevant information online at: <http://health.hawaii.gov/irhb/noise>.

You may also wish to review the draft Office of Environmental Quality Control (OEQC) viewer at: <http://eha-web.doh.hawaii.gov/oegc-viewer>. This viewer geographically shows where some previous Hawaii Environmental Policy Act (HEPA) {Hawaii Revised Statutes, Chapter 343} documents have been prepared.

In order to better protect public health and the environment, the U.S. Environmental Protection Agency (EPA) has developed a new environmental justice (EJ) mapping and screening tool called EJSCREEN. It is based on nationally consistent data and combines environmental and demographic indicators in maps and reports. EPO encourages you to explore, launch and utilize this powerful tool in planning your project. The EPA EJSCREEN tool is available at: <http://www.epa.gov/ejscreen>.

We request that you utilize all of this information on your proposed project to increase sustainable, innovative, inspirational, transparent and healthy design. Thank you for the opportunity to comment.

Mahalo nui loa,




Laura Leialoha Phillips McIntyre, AICP  
Program Manager, Environmental Planning Office

LM:nn


- Attachment 1: Environmental Health Management Web App Snipit of Project Area: <http://health.hawaii.gov/epo/egis>
- Attachment 2: Clean Water Branch: Water Quality Standards Map - Molokai
- Attachment 3: Wastewater Branch: Act 120 Cesspool Tax Credit Web App Snipit of Project Area
- Attachment 4: Wastewater Branch: Recycled Water Use Map of Project Area
- Attachment 5: OEQC Viewer Map of Project Area
- Attachment 6: U.S. EPA EJSCREEN Report for Project Area

c: Nancy McPherson, DHHL {via email: [Nancy.M.McPherson@hawaii.gov](mailto:Nancy.M.McPherson@hawaii.gov)}  
DOH: DHO Maui, CWB, IRHB {via email only}

Attachment 1: Environmental Health Management Web App Snipit of Project Area: <http://health.hawaii.gov/epo/egis>




Attachment 2: Clean Water Branch: Water Quality Standards Map - Molokai






Attachment 3: Wastewater Branch: Act 120 Cesspool Tax Credit Web App Snipit of Project Area



Attachment 4: Wastewater Branch: Recycled Water Use Map of Project Area



Attachment 5: OEQC Viewer Map of Project Area

OEQC Viewer
Hybrid

31 gites found

Results
Filter

- 📍 **KEKAHA RESIDENCE LOTS (FEA-FONSI)**  
 Environmental Assessment (Agency)
- 📍 **Kalaupapa Dock Repairs (DEA-AFNSI)**  
 Environmental Assessment (Agency)
- 📍 **Kalaupapa Dock Repair (FEA-FONSI)**  
 Environmental Assessment (Applicant)
- 📍 **Coral Reef Emergency Division (DEA-AFNSI)**  
 Environmental Assessment (Applicant)
- 📍 **Programmatic General Permit Agreement for Restoration of Fishponds (FEA-FONSI)**  
 Environmental Assessment (Agency)
- 📍 **Ahi Aquaculture Kohala (FEIS)**  
 Environmental Impact Statement (Applicant)
- 📍 **Ahi Aquaculture (DEIS)**  
 Environmental Impact Statement (Applicant)
- 📍 **ARTIFICIAL REEF INSTALLATION PUAMANA BEACH (FEIS)**  
 Environmental Impact Statement (Applicant)
- 📍 **Kona Blue Water Aquafarm (DEA-AFNSI)**  
 Environmental Assessment (Applicant)
- 📍 **Ahi Aquaculture (FEA-EISPN)**  
 Environmental Impact Statement (Applicant)
- 📍 **Kona Blue Water Aquafarm (FEA-S)**  
 Environmental Assessment (Applicant)

Attachment 6: U.S. EPA EJSCREEN Report for Project Area



**EJSCREEN Report (Version 2016)**




1 mile Ring Centered at 21.084575,-157.013708, HAWAII, EPA Region 9

Approximate Population: 1,772

Input Area (sq. miles): 3.14

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
<b>EJ Indexes</b>			
EJ Index for PM2.5	N/A	N/A	N/A
EJ Index for Ozone	N/A	N/A	N/A
EJ Index for NATA <sup>a</sup> Diesel PM	17	38	59
EJ Index for NATA <sup>a</sup> Air Toxics Cancer Risk	21	42	65
EJ Index for NATA <sup>a</sup> Respiratory Hazard Index	19	39	62
EJ Index for Traffic Proximity and Volume	13	38	59
EJ Index for Lead Paint Indicator	56	61	75
EJ Index for Superfund Proximity	35	44	65
EJ Index for RMP Proximity	18	38	61
EJ Index for Hazardous Waste Proximity	100	47	68
EJ Index for Water Discharger Proximity	14	37	59



This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

August 16, 2016

1/3

1 mile Ring Centered at 21.084575,-157.013708, HAWAII, EPA Region 9

Approximate Population: 1,772

Input Area (sq. miles): 3.14



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0
National Pollutant Discharge Elimination System (NPDES)	0



## EJSCREEN Report (Version 2016)



1 mile Ring Centered at 21.084575,-157.013708, HAWAII, EPA Region 9

Approximate Population: 1,772

Input Area (sq. miles): 3.14

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
<b>Environmental Indicators</b>							
Particulate Matter (PM 2.5 in $\mu\text{g}/\text{m}^3$ )	N/A	N/A	N/A	9.37	N/A	9.32	N/A
Ozone (ppb)	N/A	N/A	N/A	51	N/A	47.4	N/A
NATA <sup>*</sup> Diesel PM ( $\mu\text{g}/\text{m}^3$ )	0.0183	0.149	13	0.978	<50th	0.937	<50th
NATA <sup>*</sup> Cancer Risk (lifetime risk per million)	24	34	1	43	<50th	40	<50th
NATA <sup>*</sup> Respiratory Hazard Index	0.47	1	1	2	<50th	1.8	<50th
Traffic Proximity and Volume (daily traffic count/distance to road)	0	990	4	1100	2	590	2
Lead Paint Indicator (% Pre-1960 Housing)	0.26	0.16	73	0.24	61	0.3	56
Superfund Proximity (site count/km distance)	0	0.098	29	0.15	13	0.13	16
RMP Proximity (facility count/km distance)	0.027	0.19	5	0.57	2	0.43	2
Hazardous Waste Proximity (facility count/km distance)	0	0	100	0.11	19	0.072	26
Water Discharger Proximity (facility count/km distance)	0	0.34	6	0.2	3	0.31	1
<b>Demographic Indicators</b>							
Demographic Index	53%	52%	55	47%	60	36%	76
Minority Population	78%	77%	40	58%	68	37%	83
Low Income Population	28%	26%	60	36%	42	35%	44
Linguistically Isolated Population	3%	6%	53	9%	38	5%	65
Population With Less Than High School Education	10%	9%	66	17%	42	14%	50
Population Under 5 years of age	7%	6%	62	7%	56	6%	60
Population over 64 years of age	27%	15%	91	13%	93	14%	93

\* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: <https://www.epa.gov/national-air-toxics-assessment>.

For additional information, see: [www.epa.gov/environmentaljustice](http://www.epa.gov/environmentaljustice)

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

August 16, 2016

3/3

December 21, 2016

Laura Leialoha Phillips McIntyre,  
Program Manager  
**Environmental Planning Office**  
Department of Health  
State of Hawaii  
P.O. Box 3378  
Honolulu, Hawai'i 96801

**SUBJECT:** Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.)); (File: EPO 16-279)

Dear Ms. McIntyre:

Thank you for your letter of August 16, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. The Department of Hawaiian Home Lands (DHHL) appreciates your review of the document. As recommended, DHHL has reviewed the standard comments on the Environmental Planning Office website and will comply with applicable comments.

Additionally, DHHL and its consultants will review the recommended resources related to the requirements of the Department of Health, Clean Water Branch; National Pollutant Discharge Elimination System; U.S. Environmental Protection Agency; Office of Environmental Quality Control; and the Army Corps of Engineers, Regulatory Branch. Please note that the Department of Health, Clean Water Branch, as well as the Office of Environmental Quality Control and Army Corps of Engineers also received copies of the Draft EA for review and comment.

Laura Leialoha Phillips McIntyre  
December 21, 2016  
Page 2

On behalf of DHHL, thanks again for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DOH EPO.doc



DAVID Y. IGE  
GOVERNOR OF HAWAII



AUG 31 2016

VIRGINIA PRESSLER, M.D.  
DIRECTOR OF HEALTH

**STATE OF HAWAII**  
**DEPARTMENT OF HEALTH**  
P. O. BOX 3378  
HONOLULU, HI 96801-3378

In reply, please refer to:  
File:

August 25, 2016

S0874LO

Ms. Gwendolyn Leialoha Cheney Rivera  
Munekiyo Hiraga  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Cheney Rivera:

**SUBJECT:** Draft Environmental Assessment  
Department of Hawaiian Homelands Kapaakea Flood Mitigation Project,  
Kaunakakai, TMKs: 2-5-4-007:009, 2-5-4-007:010, 2-5-4-007:011,  
2-5-4-007:024, 2-5-4-007:025


Thank you for the opportunity to review and provide comment on the subject document.

The draft assessment was reviewed by the Office of Solid Waste Management (OSWM) of the Solid and Hazardous Waste Branch. The OSWM offers the following comments:

We note that the contractor will be required to coordinate with the County's Department of Environmental Management on the management of construction waste and potential recycling options. We further note that the developer shall ensure that all solid waste generated by the project is directed to a Department of Health-permitted solid waste disposal or recycling facility.

Please contact Mr. Lane Otsu of the Office of Solid Waste Management at (808) 586-4226 with any questions regarding these comments.

Sincerely,

  
STEVEN Y.K. CHANG, P.E., CHIEF  
Solid and Hazardous Waste Branch



December 21, 2016

Steven Y.K. Chang, Chief  
**Solid and Hazardous Waste Branch**  
State of Hawai'i  
Department of Health  
Post Office Box 3378  
Honolulu, Hawai'i 96801

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.)); (S0874LO)

Dear Mr. Chang:

Thank you for your letter of August 25, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following information in response to the comments in your letter.

**Comment No. 1**

*We note that the contractor will be required to coordinate with the County's Department of Environmental Management on the management of construction waste and potential recycling options.*

**Response:** DHHL confirms that the contractor selected for this project will be required to coordinate with the County of Maui, Department of Environmental Management, to manage and recycle construction waste, as may be applicable.

**Comment No. 2**

*We further note that the developer shall ensure that all solid waste generated by the project is directed to a Department of Health-permitted solid waste or recycling facility.*

Steven Y.K. Chang, Chief  
December 21, 2016  
Page 2

**Response:** DHHL confirms that the contractor will be required to dispose of all solid waste generated by the project to a Department of Health-permitted solid waste or recycling facility.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,





Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DOH S&HWB.doc

DAVID Y. IGE  
GOVERNOR OF HAWAII



SEP 08 2016  
SUZANNE D. CASE  
CHAIRPERSON  
BOARD OF LAND AND NATURAL RESOURCES  
COMMISSION ON WATER RESOURCE  
MANAGEMENT

STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

September 6, 2016

State of Hawaii  
Department of Hawaiian Home Lands, Planning Office  
Attention: Ms. Nancy McPherson, Planner  
91-5420 Kapolei Parkway  
Kapolei, Hawaii 96707

Munekiyo & Hiraga, Inc.  
Attention: Ms. Gwendolyn Leialoha Cheney Rivera, Senior Associate  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. McPherson and Ms. Rivera:

SUBJECT: Draft Environmental Assessment for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project

Thank you for the opportunity to review and comment on the subject matter. The Department of Land and Natural Resources' (DLNR) Land Division distributed or made available a copy of your report pertaining to the subject matter to DLNR Divisions for their review and comments.



At this time, enclosed are comments from the Engineering Division on the subject matter. Should you have any questions, please feel free to call Lydia Morikawa at 587-0410. Thank you.

Sincerely,

A handwritten signature in black ink, appearing to read "Russell Y. Tsuji".

Russell Y. Tsuji  
Land Administrator

Enclosure(s)  
cc: Central Files



STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES  
LAND DIVISION

POST OFFICE BOX 621  
HONOLULU, HAWAII 96809

August 11, 2016

MEMORANDUM

TO:  
FR:

**DLNR Agencies:**

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Maui District
- Historic Preservation

DEPT. OF LAND &  
NATURAL RESOURCES  
STATE OF HAWAII

2016 AUG 17 AM 11:17

RECEIVED  
LAND DIVISION

15 AUG 12 PM 02:55 ENGINEERING

FROM:  
SUBJECT:

Russell Y. Tsuji, Land Administrator  
Draft Environmental Assessment for the Department of Hawaiian Home  
Lands Kapa'akea Flood Mitigation Project

LOCATION:

Kaunakakai, Island of Molokai; TMK: (2) 5-4-007:009, 010, 011, 024 & 025  
(portions)

APPLICANT:

Department of Hawaiian Home Lands

Transmitted for your review and comment is information on the above-referenced project. We would appreciate your comments on this project. Please submit any comments by **September 2, 2016**.

If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Lydia Morikawa at 587-0410. Thank you.

Attachments

- We have no objections.
- We have no comments.
- Comments are attached.

Signed:

Print Name: Cary S. Chang, Chief Engineer

Date:

8/16/16

cc: Central Files

**DEPARTMENT OF LAND AND NATURAL RESOURCES  
ENGINEERING DIVISION**

**To: Land Division**

**Ref: Draft Environmental Assessment for the Department of Hawaiian Home Lands  
Kapa'akea Flood Mitigation Project, Kaunakakai, Molokai**

**COMMENTS**

The rules and regulations of the National Flood Insurance Program (NFIP), Title 44 of the Code of Federal Regulations (44CFR), are in effect when development falls within a designated Flood Hazard.

The owner or the project property and/or their representative is responsible to research the Flood Hazard Zone designation for the project. Flood Hazard Zone designations can be found using the Flood Insurance Rate Map (FIRM), which can be accessed through the Flood Hazard Assessment Tool (FHAT) (<http://gis.hawaiiinfip.org/FHAT>).

National Flood Insurance Program establishes the rules and regulations of the NFIP - Title 44 of the Code of Federal Regulations (44CFR). The NFIP Zone X is a designation where there is no perceived flood impact. Therefore, the NFIP does not regulate any development within a Zone X designation.

Be advised that 44CFR reflects the minimum standards as set forth by the NFIP. Local community flood ordinances may take precedence over the NFIP standards as local designations prove to be more restrictive. If there are questions regarding the local flood ordinances, please contact the applicable County NFIP Coordinators below:

- o Oahu: City and County of Honolulu, Department of Planning and Permitting (808) 768-8098.
- o Hawaii Island: County of Hawaii, Department of Public Works (808) 961-8327
- o Maui/Molokai/Lanai County of Maui, Department of Planning (808) 270-7253.
- o Kauai: County of Kauai, Department of Public Works (808) 241-4846.

**The applicant should include water demands and infrastructure required to meet project needs.** Please note that the projects within State lands requiring water service from their local Department/Board of Water Supply system will be required to pay a resource development charge, in addition to Water Facilities Charges for transmission and daily storage.

**The applicant is required to provide water demands and calculations to the Engineering Division so it can be included in the State Water Projects Plan Update projections.**

Signed:   
CARTY S. CHANG, CHIEF ENGINEER

Date: 8/16/16

December 21, 2016

Russell Y. Tsuji, Land Administrator  
State of Hawai'i  
**Department of Land and Natural Resources**  
Post Office Box 621  
Honolulu, Hawai'i 96809

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.))

Dear Mr. Tsuji:

Thank you for your letter of September 6, 2016, which included responses from the Department of Land and Natural Resources (DLNR), Engineering Division to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL) we offer the following information in response to the comments in your letter.

**Comment No. 1**

*The rules and regulations of the National Flood Insurance Program (NFIP), Title 44 of the Code of Federal Regulations (44CFR), are in effect when development falls within a designated Flood Hazard.*

**Response:** It is noted that the rules and regulations of NFIP, Title 44 of CFR will apply, as the proposed project area falls within a designated Flood Hazard area.

**Comment No. 2**

*The owner or the project property and/or their representative is responsible to research the Flood Hazard Zone designation for the project. Flood Hazard Zone designations can be found using the Flood Insurance Rate Map (FIRM), which can*

Maui: 305 High Street, Suite 104 • Wailuku, Hawaii 96793 • Tel: 808.244.2015 • Fax: 808.244.8729

Oahu: 735 Bishop Street, Suite 321 • Honolulu, Hawaii 96813 • Tel: 808.983.1233

[www.munekiyoHIRAGA.com](http://www.munekiyoHIRAGA.com)

be accessed through the Flood Hazard Assessment Tool (FHAT) (<http://gis.hawaiiinfip.org/FHAT>).

**Response:** The Flood Hazard Zones in the proposed project area have been determined to be Zone AE, representing a special flood hazard area that is subject to flooding by the 1-percent annual chance flood, and Zone VE, representing coastal areas with a flood elevation of 12 feet and a one (1) percent or greater chance of flooding and additional hazard associated with storm waves. The flood zone designation for the project is discussed in the Draft EA. See **Exhibit “1”**, Flood Insurance Rate Map.

**Comment No. 3**

*National Flood Insurance Program establishes the rules and regulations of the NFIP – Title 44 of the Code of Federal Regulations (44CFR). The NFIP Zone X is a designation where there is no perceived flood impact. Therefore, the NFIP does not regulate any development within a Zone X designation.*

**Response:** As stated in response to Comment No. 1, it is acknowledged that the rules and regulations of NFIP, Title 44 of CFR will be in effect for this project.

**Comment No. 4**

*Be advised that 44CFR reflects the minimum standards as set forth by the NFIP. Local community flood ordinances may take precedence over the NFIP standards as local designations prove to be more restrictive. If there are any questions regarding the local flood ordinances, please contact the applicable County NFIP Coordinators below:*

- *Oahu: City and County of Honolulu, Department of Planning and Permitting (808) 768-8098.*
- *Hawai'i Island: County of Hawai'i, Department of Public Works (808) 961-8327.*
- *Maui/Moloka'i/Lana'i: County of Maui, Department of Planning (808) 270-7253.*
- *Kauai: County of Kauai, Department of Public Works (808) 241-4846.*

**Response:** It is acknowledged that local flood ordinances may apply. A County of Maui Flood Development Permit will be obtained, as may be applicable to the project.



**Comment No. 5**

*The applicant should include water demands and infrastructure required to meet project needs. Please note that the projects within State lands requiring water service from their local Department/Board of Water Supply system will be required to pay a resource development charge, in addition to Water Facilities Charges for transmission and daily storage.*

**Response:** The project area is serviced by the County of Maui, Department of Water Supply's Southeast System on Moloka'i. However, the scope of this project is limited to a CMU wall and swale for the purposes of flood mitigation, and will not require water supply service.

**Comment No. 6**

*The applicant is required to provide water demands and calculations to the Engineering Division so it can be included in the State Water Projects Plan Update projections.*

**Response:** As noted in response to Comment No. 5, there is no water demand anticipated for the proposed project.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,




Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp  
Enclosure


cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands (w/enclosure)  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands (w/enclosure)  
Chad McDonald, Mitsunaga and Associates (w/enclosure)  
Chris Ball, Mitsunaga and Associates (w/enclosure)

K:\DATA\MA\IDHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DF&PS.doc



Source: FEMA, (November 4, 2015) Map #1500030193F/1500030189F

## Proposed Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Improvements Flood Insurance Rate Map




Prepared for: State of Hawai'i, Department of Hawaiian Home Lands



AUG 30 2016

DAVID Y. IGE  
GOVERNOR OF HAWAII



STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES

STATE HISTORIC PRESERVATION DIVISION  
KAKUHIHEWA BUILDING  
601 KAMOKILA BLVD, STE 555  
KAPOLEI, HAWAII 96707

SUZANNE D. CASE  
CHAIRPERSON  
BOARD OF LAND AND NATURAL RESOURCES  
COMMISSION ON WATER RESOURCE MANAGEMENT

KEKOA KALUHIWA  
FIRST DEPUTY

JEFFREY T. PEARSON  
DEPUTY DIRECTOR - WATER

AQUATIC RESOURCES  
BOATING AND OCEAN RECREATION  
BUREAU OF CONVEYANCES  
COMMISSION ON WATER RESOURCE MANAGEMENT  
CONSERVATION AND COASTAL LANDS  
CONSERVATION AND RESOURCES ENFORCEMENT  
ENGINEERING  
FORESTRY AND WILDLIFE  
HISTORIC PRESERVATION  
KAIHOOLAWE ISLAND RESERVE COMMISSION  
LAND  
STATE PARKS

August 26, 2016

Russell Y. Tsuji, Administrator  
Land Division  
P.O. Box 621  
Honolulu, HI 96809

IN REPLY REFER TO:  
Log No. 2016.01901  
Doc No. 1608GC13  
Archaeology

Jobie M.K. Masagatani, Chairman  
Hawaiian Homes Commission  
Department of Hawaiian Home Lands  
P.O. Box 1879  
Honolulu, Hawaii 96805

Dear Mr. Tsuji and Ms. Masagatani,

**SUBJECT: Chapter 6E-8 Historic Preservation Review -  
Draft Environmental Assessment (DEA) for the Department of Hawaiian Homes  
Lands (DHHL) for Kapa'akea Flood Mitigation Project  
Kapa'akea Ahupua'a, Kona District, Island of Molokai  
TMK: (2) 5-4-007: portions of 009, 010, 011, 024 and 025**

Thank you for the opportunity to review and comment on the *Draft Environmental Assessment for the Department of Hawaiian Homes Lands' Kapa'akea Flood Mitigation Project* (Munekiyo Hiraga, July 2016), which SHPD received on August 5, 2016. This DEA was prepared for a flood mitigation improvement project to protect from severe flooding during storm events five DHHL residential Homestead lots in Kaunakakai, Moloka'i. Collectively the five DHHL lots are approximately 2.5 acres. They are bounded by Kamehameha V Highway to the north; Kōheo wetland to the west; the Pacific Ocean to the south and Kapa'akea pond to the east. The DEA indicates that the proposed mitigation project will be funded by the State of Hawaii, DHHL. The project will divert runoff from Kamehameha V Highway to the existing Kōheo wetland to the west and serve as a barrier to prevent stormwater flow from the wetland onto the subject lots during storm events.

The DEA indicates that the proposed project will comprise an 0.17 acre portion of the 2.5 acres, and will include removal and demolition of the existing chainlink fence and stacked rubble wall, and grading. Construction and installation of a new 4-foot high CMU wall with swale within the north and west boundaries of the DHHL parcels. The western segment of the wall will extend approximately 520 ft., and the 180-ft. northern segment will extend along the DHHL boundaries fronting Kamehameha Highway.

A SHPD records review indicates that Garcia and Associates conducted an archaeological inventory survey (AIS) in support of the project. The AIS involved a 100% surface survey and subsurface testing (13 trenches). Due to negative findings, the results were reported as an archaeological assessment (AA). The AA report (Byerly and O'Day, September 2015) was accepted by SHPD on October 6, 2016 (Log No. 2015.03552, Doc No. 1510MD02).

Based on the information provided, SHPD's determination is no historic properties affected. The permitting process may proceed.

Mr. Tsuji and Ms. Masagatani  
August 26, 2016  
Page 2

Please contact me at (808) 692-8019 or at [Susan.A.Lebo@hawaii.gov](mailto:Susan.A.Lebo@hawaii.gov) for any questions or concerns regarding this letter.

Aloha,



Susan A. Lebo, PhD  
Archaeology Branch Chief

cc: Lydia Morikawa, DLNR ([Lydia.Morikawa@hawaii.gov](mailto:Lydia.Morikawa@hawaii.gov))  
Nancy McPherson, DHHL ([Nancy.McPherson@hawaii.gov](mailto:Nancy.McPherson@hawaii.gov))  
Chad McDonald, Mistunaga and Associates ([General@misdesign.com](mailto:General@misdesign.com))  
Gwendolyn Leialoha Cheney Rivera, Munekiyo Hirage ([Gwendolyn@munekiyohirage.com](mailto:Gwendolyn@munekiyohirage.com))



**MUNEKIYO HIRAGA**

Planning, Project Management, Sustainable Solutions

Michael T. Munekiyo  
PRESIDENT

Karlynn K. Fukuda  
EXECUTIVE VICE PRESIDENT

Mark Alexander Roy  
VICE PRESIDENT

Tessa Munekiyo Ng  
VICE PRESIDENT

December 21, 2016

Susan A. Lebo, Archaeology Branch Chief  
State of Hawai'i  
Department of Land and Natural Resources  
**State Historic Preservation Division**  
601 Kamokila Boulevard, Suite 555  
Kapolei, Hawai'i 96707

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.)) (Log No. 2016.01901; DOC No. 1608GC13 Archaeology)

Dear Ms. Lebo:

Thank you for your letter of August 26, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. The Department of Hawaiian Home Lands (DHHL) notes that the State Historic Preservation Division (SHPD) has determined, based upon the information provided in the Draft EA and through other consultation between DHHL and SHPD, that no historic properties are affected and that the permitting process may proceed.

Susan A. Lebo, Archaeology Branch Chief  
December 21, 2016  
Page 2

On behalf of DHHL, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes (HRS) review process and for your review of this project with respect to Historic Preservation, pursuant to Chapter 6E, HRS. A copy of your letter and this response will be included in the Final EA.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\SHPD.doc

DAVID Y. IGE  
GOVERNOR



STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
869 PUNCHBOWL STREET  
HONOLULU, HAWAII 96813-5097

AUG 01 2016

FORD N. FUCHIGAMI  
DIRECTOR

Deputy Directors  
JADE T. BUTAY  
ROSS M. HIGASHI  
EDWIN H. SNIFFEN  
DARRELL T. YOUNG

IN REPLY REFER TO:  
STP 8.1998

August 1, 2016

Ms. Gwendolyn Rivera  
Senior Associate  
Munekiyo Hiraga, Inc.  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

Dear Ms. Rivera:

Subject: Kapaakea Flood Mitigation Project  
Early Consultation Request  
Kaunakakai, Molokai, Hawaii  
TMK: (2) 5-4-007:009 (por.); 5-4-007:010 (por.); 5-4-007:011 (por.);  
5-4-007:024 (por.); and 5-4-007:025 (por.)

The subject project is not expected to significantly impact the State highway facility. However, we will defer further comments until we review the Draft Environmental Assessment.

If there are any questions, please contact Mr. Norren Kato of the DOT Statewide Transportation Planning Office at telephone number (808) 831-7976.

Sincerely,

A handwritten signature in black ink, appearing to read "Ford N. Fuchigami".

FORD N. FUCHIGAMI  
Director of Transportation



**MUNEKIYO HIRAGA**

Planning. Project Management. Sustainable Solutions.

Michael T. Munekiyo  
PRESIDENT

Karlynn K. Fukuda  
EXECUTIVE VICE PRESIDENT

Mark Alexander Roy  
VICE PRESIDENT

Tessa Munekiyo Ng  
VICE PRESIDENT

December 21, 2016

Ford N. Fuchigami, Director  
State of Hawai'i  
Department of Transportation  
869 Punchbowl Street  
Honolulu, Hawai'i 96813

SUBJECT: Early Consultation Letter Request for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.)) (STP 8.1998)

---

Dear Mr. Fuchigami:


Thank you for your letter of August 1, 2016, responding to our request for early consultation in preparation for Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation Project. A copy of the Draft EA was sent to your office on August 4, 2016, and the Draft EA was published in "The Environmental Notice" on August 8, 2016, by the State of Hawai'i, Department of Health, Office of Environmental Quality Control.



Ford N. Fuchigami, Director  
December 21, 2016  
Page 2

The Department of Hawaiian Home Lands (DHHL) notes that based on your early consultation review, the project is not expected to significantly impact the State highway facility. Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\SDOT.doc



OCT 24 2016

COPY 7

FORD N. FUCHIGAMI  
DIRECTOR

Deputy Directors  
JADE T. BUTAY  
ROSS M. HIGASHI  
EDWIN H. SNIFFEN  
DARRELL T. YOUNG

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
869 PUNCHBOWL STREET  
HONOLULU, HAWAII 96813-5097

IN REPLY REFER TO:  
DIR 1084  
HWY-PS 2.3382

October 14, 2016

TO: THE HONORABLE JOBIE M. K. MASAGATANI  
CHAIR  
DEPARTMENT OF HAWAIIAN HOME LANDS

ATTN: NANCY MCPHERSON  
PLANNER  
PLANNING OFFICE

FROM: FORD N. FUCHIGAMI *FB*  
DIRECTOR OF TRANSPORTATION

SUBJECT: REQUEST FOR REVIEW OF A DRAFT ENVIRONMENTAL ASSESSMENT  
KAPAAKEA FLOOD MITIGATION PROJECT  
VICINITY OF THE KAMEHAMEHA V HIGHWAY – MOLOKAI  
TMK: (2) 5-4-007: 010, 011, 024 AND 025

At the request of your consultant, Munekiyo Hiraga, we have completed the review of the Draft Environmental Assessment required by Chapter 343, Hawaii Revised Statutes (HRS) on the subject project.

The proposed work will involve the demolition of existing chain link fence and rubble wall, and the construction of a new 4-ft high Concrete Masonry Unit (CMU) wall within the west and north boundaries of five Department of Hawaiian Home Lands Homestead lots. A portion of the CMU wall totaling 180-ft in length will be abutting the State's Kamehameha V Highway to the north. The purpose of the project is to help prevent storm water runoff from both the highway and the wetland onto these lots.

The Hawaii Department of Transportation (HDOT) has the following comments:

1. Submit construction plans to the HDOT Maui District Office for review prior to the start of the project to ensure there is no drainage impacts to the Kamehameha V Highway.
2. A permit must be obtained from the HDOT Maui District Office in accordance with HRS 264, before any work is done within the right-of-way.

If you have any questions, please contact Nami Wong, Systems Planning Engineer, Highways Division, Planning Branch, at (808) 587-6336. Please reference file review number PS 2016-145.

c: Office of Environmental Quality Control  
Gwendolyn Leialoha Cheney Rivera - Munekiyo Hiraga

December 21, 2016

Ford Fuchigami, Director  
State of Hawai'i  
**Department of Transportation**  
869 Punchbowl Street  
Honolulu, Hawai'i 96813

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.)) (DIR 1084, HWY-PS 2.3382)

---

Dear Mr. Fuchigami:

Thank you for your letter of October 14, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. The Department of Hawaiian Home Lands (DHHL) offers the following responses to the comments in your letter.

**Comment No. 1**

*Submit construction plans to the HDOT Maui District Office for review prior to the start of the project to ensure there is no drainage impacts to the Kamehameha V Highway.*

**Response:** DHHL will provide a copy of the construction plans to the HDOT Maui District Office prior to initiation of construction of the project.

**Comment No. 2**

*A permit must be obtained from the HDOT Maui District Office in accordance with HRS 264, before any work is done within the right-of-way.*

**Response:** Current plans do not include any work in the right-of-way. A permit will be obtained from HDOT Maui District Office, as may be applicable, should the project scope change to involve the right-of-way.

Ford Fuchigami, Director  
December 21, 2016  
Page 2

On behalf of DHHL, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:la

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\SDOT.docx

DAVID Y. IGE  
GOVERNOR



AUG 25 2016

ARTHUR J. LOGAN  
MAJOR GENERAL  
ADJUTANT GENERAL

KENNETH S. HARA  
BRIGADIER GENERAL  
DEPUTY ADJUTANT GENERAL

STATE OF HAWAII  
**DEPARTMENT OF DEFENSE**  
OFFICE OF THE ADJUTANT GENERAL  
3949 DIAMOND HEAD ROAD  
HONOLULU, HAWAII 96816-4495

August 23, 2016

Planning Office  
Department of Hawaiian Home Lands  
State of Hawaii  
91-5420 Kapolei Parkway  
Kapolei, Hawaii 96707

Attention: Ms. Nancy McPherson, Planner

Subject: Draft Environmental Assessment for the Department of Hawaiian Home Lands  
Kapaakea Flood Mitigation Project, Kaunakakai, Molokai, Hawaii (TMKs (2) 5-4-007: 009 (por.), (2) 5-4-007:010 (por.), (2) 5-4-007:011 (por.), (2) 5-4-007:024 (por.), and (2) 5-4-007:025 (por.))

Dear Ms. McPherson:

Thank you for the opportunity to comment on the above project. The State of Hawaii Department of Defense has no comments to offer relative to the project.

If you have any questions or concerns, please have your staff contact Mr. Lloyd Maki, Assistant Chief Engineering Officer at (808) 733-4250.

Sincerely,

A handwritten signature in black ink, appearing to read "Neal S. Mitsuyoshi".

Neal S. Mitsuyoshi, P.E.  
Colonel, Hawaii National Guard  
Chief Engineering Officer

c: Ms. Havinne Okamura, Hawaii Emergency Management Agency  
✓ Ms. Gwendolyn Leialoha Cheney Rivera, Senior Associate, Munekiyo Hiraga



## OFFICE OF ENVIRONMENTAL QUALITY CONTROL

DEPARTMENT OF HEALTH | 235 South Beretania Street, Suite 702, Honolulu, HI 96813 | oeqchawaii@doh.hawaii.gov

DAVID Y. IGE  
GOVERNOR

SCOTT GLENN  
DIRECTOR

(808) 586-4185

August 26, 2016

Nancy McPherson  
Hawai'i Department of Hawaiian Homelands  
91-5420 Kapolei Parkway  
Kapolei, HI 96707

Dear Nancy McPherson,

SUBJECT: Draft Environmental Assessment (DEA) for Kapa'akea Flood Mitigation Improvements

The Office of Environmental Quality Control (OEQC) has reviewed the DEA for the subject project and offers the following comments:

1. Section 11-200-10, Hawai'i Administrative Rules, requires EAs to identify and summarize alternatives considered. This DEA only considers 1) the proposed action and 2) not undertaking the proposed action, which is not an alternative to accomplish the project's objective. Please identify and consider at least one alternative that involves a soft or revegetative approach, or further flood mitigation strategies, per the following comments and information:

A comment from the National Oceanic and Atmospheric Administration (NOAA) asked whether any soft or revegetative approaches could be considered to reduce runoff of sediments into the ocean. It notes that this is an area where reefs are stressed due to sediment and turbidity increases (p. 121). The response was simply that disturbed areas will be grassed and suggested contacting the neighboring property owners for concerns regarding plantings (p. 123).

Additionally, a comment from the Office of Planning recommended considering further flood mitigation strategies (p. 159). The response was that earthen beams require more area and maintenance (p. 164).

The cultural assessment says nearshore waters provide excellent gathering and fishing grounds and that marine gathering is an important and common cultural practice shared by many members of the community (p. 29). Given the importance and sensitivity of the nearshore waters and reefs, coupled with the above suggestions from federal and state agencies, it may be worth the additional area and maintenance for earthen beams or something like the biowall proposed for the Hanalei River Bank Stabilization DEA here:

[http://oeqc.doh.hawaii.gov/Shared%20Documents/EA\\_and\\_EIS\\_Online\\_Library/Kauai/2010s/2016-08-08-KA-5E-DEA-Hanalei-River-Bank-Stabilization.pdf](http://oeqc.doh.hawaii.gov/Shared%20Documents/EA_and_EIS_Online_Library/Kauai/2010s/2016-08-08-KA-5E-DEA-Hanalei-River-Bank-Stabilization.pdf). Such an alternative would be appropriate for consideration in the FEA.


2. The OEQC recommends considering climate change for this and all future projects. Changing weather patterns in the Pacific are projected to result in localized increased precipitation severity, such as periodic extreme heavy downpours. Please consider the fact that accelerating

17-076

climate change may result in flood levels and frequencies higher than those considered throughout the assessment. More information can be found at <https://www3.epa.gov/climatechange/impacts/islands.html>.

Thank you for the opportunity to comment on the DEA. We look forward to a response that will also be included in the Final EA. If you have any questions, please contact our office at (808) 586-4185.

Sincerely,

A handwritten signature in cursive script that reads "Scott J. Glenn".

Scott Glenn, Director

cc: Gwendolyn Rivera, Munekiyo Hiraga



December 21, 2016

Scott Glenn, Director  
**Office of Environmental Quality Control**  
Department of Health  
235 South Beretania Street, Suite 702  
Honolulu, Hawai'i 96813

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.))

Dear Mr. Glenn:

Thank you for your letter dated August 26, 2016, providing comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. The Department of Hawaiian Home Lands (DHHL) appreciates your review of the document. On behalf of DHHL, we offer the following responses to the comments presented in your letter.

**1. Alternatives to the Proposed Action**

DHHL notes your request to consider an alternative to the proposed action which would utilize a soft or revegetative approach. It is further noted that the Office of Environmental Quality Control (OEQC) would consider an alternative such as an earthen berm or biowall to be appropriate for consideration. The Final EA will be revised to include an expanded discussion of alternatives considered. The project team and DHHL reviewed the suggestion for consideration of an alternative to the proposed improvements such as an earthen berm. The proposed alternative would include the installation of an earthen berm along the property line of the DHHL Homestead lots and the adjacent wetland. In review of this alternative, it was determined that in order to provide the flood mitigation protection, the berm would encroach into the DHHL Homestead lots by approximately six (6) ft. to nine (9) ft. It is noted that the five (5) Homestead lots are currently occupied by lessees. Additionally, maintenance along the embankment would also be required to be done by the lessees to ensure the structural integrity of the berm and continue protection by the berm. The adjacent wetland provides a low impact method that mitigates adverse impacts from the floodwaters that are generated mauka of the



Kamehameha V Highway to the environment and the ocean. Based on the need to encroach on the existing lessees properties and the long term maintenance needs for the berm, this alternative was not selected as a preferred alternative for the project.

**2. Climate Change**

We note your comment that climate change may result in altered flood levels and frequency in the future. We have reviewed the resources provided on the United States Environmental Protection Agency (EPA) website. It is noted that the scope of the proposed project is limited to providing flood protection for existing residences on DHHL homestead lands. The DHHL homestead residents have been impacted in the past by runoff from areas mauka (east) of the homestead area. The proposed project is meant to provide some relief to the existing homestead residents. DHHL has been participating in the Interagency Climate Adaptation Committee process and is in the process of implementing measures to increase community resilience and climate change adaptability in homestead communities that are vulnerable to sea level rise.

Thank you once again for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,




Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\OEQC.doc

SEP 12 2016



**OFFICE OF PLANNING  
STATE OF HAWAII**

DAVID Y. IGE  
GOVERNOR

LEO R. ASUNCION  
DIRECTOR  
OFFICE OF PLANNING


235 South Beretania Street, 6th Floor, Honolulu, Hawaii 96813  
Mailing Address: P.O. Box 2359, Honolulu, Hawaii 96804

Telephone: (808) 587-2846  
Fax: (808) 587-2824  
Web: <http://planning.hawaii.gov>

Ref. No. P-15296

September 8, 2016

To: Jobie Masagatani, Chairperson  
Department of Hawaiian Home Lands

From: Leo R. Asuncion, Director 

Attention: Nancy McPherson, Planner  
Planning Office

Subject: Draft Environmental Assessment for the Department of Hawaiian Home Lands  
Kapaakea Flood Mitigation Project, Kaunakakai, Molokai;

Tax Map Keys: (2) 5-4-007:009 (por), 5-4-007:010 (por), 5-4-007:011 (por), 5-4-007:024 (por), and 5-4-007:025 (por)

Thank you for the opportunity to provide comments on the Draft Environmental Assessment (Draft EA) for a proposed flood mitigation project for the Kapaakea Homestead Lands in Kaunakakai, Molokai. The Draft EA was transmitted to our office via letter dated August 4, 2016.

It is our understanding that the Department of Hawaiian Home Lands (DHHL) proposes to plan, design, and construct a flood mitigation structure located in the vicinity of Kapaakea Loop Road. The project will require the demolition and removal of an existing fence and rubble wall, and replaced by a four-foot high Concrete Masonry Unit (CMU) wall. Additionally, a swale will be installed on both sides of the CMU wall.

The wall will transverse across approximately 700 feet and will end approximately 60 feet mauka of the shoreline. The flood control CMU wall and swale is intended to serve as a flood barrier and stormwater diversion structure for five DHHL Homestead lots which experience heavy flooding problems during intense storm events.

The Office of Planning (OP) has reviewed the Draft EA and has the following comments to offer:

- 1) The Draft EA addresses a number of our comments made in a previous pre-consultation letter dated May 17, 2016 (Reference Number P-15157). The Draft EA:
  - a) examines the goals and objectives of the Hawaii Coastal Zone Management program as listed in Hawaii Revised Statutes (HRS) § 205A-2;

- b) evaluates pollutants and toxic-contribution loading issues and proposes the use of best management practices to maintain water quality;
  - c) includes an analysis on mitigation strategies to control flooding and erosion/sediment loss with the use of the flood control wall, swale, and the nearby wetlands which serve as a natural water collection and filtration system; and,
  - d) details the project's stormwater management strategy and site planning, which are consistent with low-impact design practices.
- 2) Section III. B., pages 47-49 of the Draft EA address the project's consistency with the objectives and policies of the Hawaii State Planning Act (Hawaii State Plan), as listed in Hawaii Revised Statutes (HRS) Chapter 226. As stated in the Draft EA, the objectives and policies applicable to this project include:
- HRS § 226-13(b)(5) - Objective and Policies for the Land, Air and Water Quality;
  - HRS § 226-14(b)(1) and 14(b)(3) - Objectives and Policies for Facility Systems – In General;
  - HRS § 226-26(a)(1) – Objective and Policies for Socio-Cultural Advancement – Public Safety; and
  - HRS § 226-27(a)(1) – Objective and Policies for Socio-Cultural Advancement – Government.

The Final Environmental Assessment should include an analysis of the Hawaii State Plan and address all of the goals, objectives, policies, and priority guidelines in its entirety. If any of these items are not applicable to the project, the analysis should affirmatively state such determination. The most efficient method is summarizing the objectives, policies, and priority guidelines of the Hawaii State Plan in tabular form, followed by discussion of the passages.

- 3) Section III, F., page 54 of the Draft EA confirms that the project is within the Special Management Area (SMA) delineated by the County of Maui and states that the County of Maui, Department of Planning determined that it does not have jurisdiction to require a SMA permit for this project. The rules governing SMA use requirements do not apply if Hawaiian Home Lands are deemed required for the purpose of the Hawaiian Homes Commission Act of 1920, per State Attorney General Opinion No. 72-21 and its legal memorandum dated October 23, 1987.

We have no further comments at this time. If you have any questions regarding this comment letter, please contact Joshua Hekeia of our office at (808) 587-2845.

c: Ms. Gwendolyn Leialoha Cheney Rivera, Munekiyo Hiraga ✓



December 21, 2016

Leo R. Asuncion, Director  
State of Hawai'i  
**Office of Planning**  
Post Office Box 2359  
Honolulu, Hawai'i 96804

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.)) (Ref. No. P-15296)

Dear Mr. Asuncion:

Thank you for your memorandum of September 8, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL), we offer the following responses to the comments included in your letter.

**Comment No. 1**

*The Draft EA addresses a number of our comments made in a previous pre-consultation letter dated May 17, 2016 (Reference Number P-15157). The Draft EA:*

- a) *examines the goals and objectives of the Hawaii Coastal Zone Management program as listed in Hawaii Revised Statutes (HRS)§ 205A-2;*
- b) *evaluates pollutants and toxic-contribution loading issues and proposes the use of best management practices to maintain water quality;*
- c) *includes an analysis on mitigation strategies to control flooding and erosion/sediment loss with the use of the flood control wall, swale, and the nearby wetlands which serve as a natural water collection and filtration system; and,*

- d) *details the project's stormwater management strategy and site planning, which are consistent with low-impact design practices.*

**Response:** It is acknowledged that the above-mentioned sections of the Draft EA have addressed the Office of Planning's early consultation comments regarding soil erosion, flooding, streams and wetlands, stormwater runoff, pollutant and toxic-contribution loading issues, and the policies and objectives of the Hawai'i State Plan as listed in Hawai'i Revised Statutes (HRS) Section 205A-2.

**Comment No. 2**

*Section III. B., pages 47-49 of the Draft EA address the project's consistency with the objectives and policies of the Hawaii State Planning Act (Hawaii State Plan), as listed in Hawaii Revised Statutes (HRS) Chapter 226. As stated in the Draft EA, the objectives and policies applicable to this project include:*

- *HRS § 226-13(b)(5) - Objective and Policies for the Land, Air and Water Quality;*
- *HRS § 226-14(b)(1) and 14(b)(3) - Objectives and Policies for Facility Systems - In General;*
- *HRS § 226-26(a)(I)- Objective and Policies for Socio-Cultural Advancement - Public Safety; and*
- *HRS § 226-27(a)(I)- Objective and Policies for Socio-Cultural Advancement- Government.*

*The Final Environmental Assessment should include an analysis of the Hawaii State Plan and address all of the goals, objectives, policies, and priority guidelines in its entirety. If any of these items are not applicable to the project, the analysis should affirmatively state such determination. The most efficient method is summarizing the objectives, policies, and priority guidelines of the Hawaii State Plan in tabular form, followed by discussion of the passages.*

**Response:** The Final EA will include an updated analysis that addresses a discussion and clarification on the Hawai'i State Plan, relative to goals, objectives, policies, and priority guidelines listed in the Hawai'i State Plan.

**Comment No. 3**

*Section III, F., page 54 of the Draft EA confirms that the project is within the Special Management Area (SMA) delineated by the County of Maui and states that the County of Maui, Department of Planning determined that it does not have jurisdiction to require a SMA permit for this project. The rules governing SMA use requirements do not apply if Hawaiian Home Lands are deemed required for the purpose of the Hawaiian Homes Commission Act of 1920, per State Attorney General Opinion No. 72-21 and its legal memorandum dated October 23, 1987.*

**Response:** DHHL acknowledges that the rules governing SMA use requirements do not apply if Hawaiian Home Lands are deemed required for the purpose of the Hawaiian Homes Commission Act of 1920. As such, a SMA permit is not required by the County of Maui, Department of Planning, and has not been requested for this project.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp


cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\OP.doc

AUG 24 2016

ALAN M. ARAKAWA  
Mayor  
STEWART STANT  
Director  
MICHAEL M. MIYAMOTO  
Deputy Director

MICHAEL RATTE  
Solid Waste Division  
ERIC NAKAGAWA, P.E.  
Wastewater Reclamation Division



**COUNTY OF MAUI  
DEPARTMENT OF  
ENVIRONMENTAL MANAGEMENT**  
2050 MAIN STREET, SUITE 2B  
WAILUKU, MAUI, HAWAII 96793

August 18, 2016

State of Hawaii  
Department of Hawaiian Home Lands  
Planning Office  
Attn: Nancy McPherson  
91-5420 Kapolei Parkway  
Kapolei, Hawaii 96707

**SUBJECT: DEPARTMENT OF HAWAIIAN HOME LANDS  
KAPA'AKEA FLOOD MITIGATION PROJECT  
DRAFT ENVIRONMENTAL ASSESSMENT  
TMK (2) 5-4-007:009 (POR.), (2) 5-4-007:010 (POR.), (2) 5-4-007:011  
(POR.), (2) 5-4-007:024 (POR.) AND (2) 5-4-007:025 (POR.)  
KAUNAKAKAI, MOLOKAI, HAWAII**

We reviewed the subject application and have the following comments:

1. Solid Waste Division comments:
  - a. None.
2. Wastewater Reclamation Division (WWRD) comments:
  - a. There is no County wastewater system in the area of the subject project.

If you have any questions regarding this letter, please contact Michael Miyamoto at 270-8230.

Sincerely,

*Stewart Stant*  
STEWART STANT  
Director of Environmental Management

xc: ✓ Ms. Gwendolyn Leialoha Cheney Rivera  
Munekiyo Hiraga  
305 High Street, Suite 104  
Wailuku, Hawaii 96793



**MUNEKIYO HIRAGA**

Planning, Project Management, Sustainable Solutions.

Michael T. Munekiyo  
PRESIDENT

Karlynn K. Fukuda  
EXECUTIVE VICE PRESIDENT

Mark Alexander Roy  
VICE PRESIDENT

Tessa Munekiyo Ng  
VICE PRESIDENT

December 21, 2016

Stewart Stant, Director  
County of Maui  
Department of Environmental Management  
2050 Main Street, Suite 23  
Wailuku, Hawai'i 96793

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.))

Dear Mr. Stant:

Thank you for your letter of August 18, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. The Department of Hawaiian Home Lands (DHHL) appreciates your letter of confirmation that there are no comments from the Solid Waste Division and that the County of Maui does not have a wastewater system in the project area. We note that the proposed project will not generate wastewater.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,


Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates



Alan M. Arakawa  
Mayor



JEFFREY A. MURRAY  
FIRE CHIEF

SEP 08 2016

ROBERT M. SHIMADA  
DEPUTY FIRE CHIEF

*County of Maui*

*Department of Fire and Public Safety*

*Fire Prevention Bureau*

*313 Manea Place • Wailuku, Hawaii 96793*

*(808) 876-4690 • Fax (808) 244-1363*

September 2, 2016

**Department of Hawaiian Home Lands  
Planning Office  
Attn: Nancy McPherson - Planner  
91-5420 Kapolei Parkway  
Honolulu, HI 96707**

**Re: DHHL – Kapa’akea Flood Mitigation Project  
Molokai, Hawaii**

Dear Nancy:

Thank you for the opportunity to comment on this subject. Our department supports this project to improve living conditions for the residents of Hawaiian Homelands on Moloka’i. There are no other comments at this time.

If there are any questions or comments, please feel free to contact me at (808) 876-4693.

Sincerely,

A handwritten signature in cursive script that reads "Paul Haake".

Paul Haake  
Captain, Fire Prevention Bureau



**MUNEKIYO HIRAGA**

Planning. Project Management. Sustainable Solutions.

Michael T. Munekiyo  
PRESIDENT

Karlynn K. Fukuda  
EXECUTIVE VICE PRESIDENT

Mark Alexander Roy  
VICE PRESIDENT

Tessa Munekiyo Ng  
VICE PRESIDENT

December 21, 2016

Paul R. Haake, Captain  
County of Maui  
**Department of Fire and Public Safety**  
313 Manea Place  
Wailuku, Hawai'i 96793

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.))

Dear Mr. Haake:

Thank you for your letter of September 2, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. On behalf of the State of Hawai'i, Department of Hawaiian Home Lands (DHHL), we thank you for your participation in the Chapter 343, Hawai'i Revised Statutes (HRS) review process and for your support of this project to benefit the residents at Kapa'akea. We note that the Department of Fire and Public Safety has no additional comments at this time. A copy of your letter and this response will be included in the Final EA.

Very truly yours,

Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DF&PS.doc

Maui: 305 High Street, Suite 104 • Wailuku, Hawaii 96793 • Tel: 808.244.2015 • Fax: 808.244.8729

Oahu: 735 Bishop Street, Suite 321 • Honolulu, Hawaii 96813 • Tel: 808.983.1233

www.munekiyo-hiraga.com



DEPARTMENT OF  
**HOUSING AND HUMAN CONCERNS**  
HOUSING DIVISION  
COUNTY OF MAUI

AUG 18 2016

ALAN M. ARAKAWA  
Mayor  
CAROL K. REIMANN  
Director  
JAN SHISHIDO  
Deputy Director

35 LUNALILO STREET, SUITE 102 • WAILUKU, HAWAII 96793 • PHONE (808) 270-7351 • FAX (808) 270-6284

August 11, 2016

Ms. Nancy McPherson, Planner  
Planning Office  
Department of Hawaiian Home Lands  
State of Hawaii  
91-5420 Kapolei Parkway  
Kapolei, Hawaii 96707

Dear Ms. McPherson:

**Subject: Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Molokai, Hawaii**  
TMKs (2) 5-4-007:009 (por), (2) 5-4-007:010 (por), (2) 5-4-007:011 (por), (2) 5-4-007:024 (por) and (2) 5-4-007:025 (por)

The Department has reviewed the Draft Environmental Assessment (EA) for the above subject project. Based on our review, we have determined that the subject project is not subject to Chapter 2.96, Maui County Code. At the present time, the Department has no additional comments to offer.

Please call Mr. Veranio Tongson Jr. of our Housing Division at (808) 270-1741 if you have any questions.

Sincerely,

BUDDY A. ALMEIDA  
Housing Administrator

cc: Director of Housing and Human Concerns  
Munekiyo Hiraga ✓



**MUNEKIYO HIRAGA**

Planning. Project Management. Sustainable Solutions.

Michael T. Munekiyo  
PRESIDENT

Karlynn K. Fukuda  
EXECUTIVE VICE PRESIDENT

Mark Alexander Roy  
VICE PRESIDENT

Tessa Munekiyo Ng  
VICE PRESIDENT

December 21, 2016

Buddy A. Almeida, Housing Administrator  
County of Maui  
**Department of Housing and Human Concerns**  
35 Lunalilo Street, Suite 102  
Wailuku, Hawai'i 96793

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.))

Dear Mr. Almeida:

Thank you for your letter of August 11, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. The Department of Hawaiian Home Lands (DHHL) notes your determination that the project is not subject to Chapter 2.96, Maui County Code. On behalf of DHHL, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,


Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DHHC.doc

ALAN M. ARAKAWA  
Mayor



BRIANNE L. SAVAGE  
Deputy Director

**DEPARTMENT OF PARKS & RECREATION**  
700 Hali'a Nakoia Street, Unit 2, Wailuku, Hawaii 96793

(808) 270-7230  
FAX (808) 270-7934

September 7, 2016

Nancy McPherson, Planner  
Planning Office  
Department of Hawaiian Home Lands  
State of Hawai'i  
91-5420 Kapolei Parkway  
Kapolei, Hawai'i 96707

Dear Ms. McPherson:

**SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT FOR DEPARTMENT OF HAWAIIAN HOME LANDS KAPA'AKEA FLOOD MITIGATION PROJECT, KAUNAKAKAI, MOLOKA'I, HAWAI'I, TMKs (2)5-4-007:009 (por.), (2)5-4-007:010 (por.), (2)5-4-007:011 (por.), (2)5-4-007:024 (por.) and (2)5-4-007:025 (por.)**

Thank you for the opportunity to review and comment on the proposed improvements to the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation project. The Department has no comments to the proposed action, but would like to review the project as it develops. In accordance with the requirements of Chapter 343, Hawaii Revised Statutes (HRS) and Section 11-2-00-6, Hawaii Administrative Rules (HAR), please provide a copy of the Environmental Assessment (EA).

Feel free to contact me or Robert Halvorson, Chief of Planning and Development, at 270-7931, should you have any questions.

Sincerely,



KA'ALA BUENCONSEJO  
Director of Parks & Recreation

c: Robert Halvorson, Chief of Planning & Development  
Gwendolyn C. Rivera, Munekiyo & Hiraga, Inc.

KB:RH:as

December 21, 2016

Ka'ala Buenconsejo, Director  
County of Maui  
Department of Parks and Recreation  
700 Hali'a Nako'a Street, Unit 2  
Wailuku, Hawai'i 96793

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.))

Dear Mr. Buenconsejo:

Thank you for your letter of September 7, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. The Department of Hawaiian Home Lands notes that your Department has no comments to the proposed action but would like to review the project as it develops.

A copy of your letter and this response will be included in the Final EA, and a copy of the Final EA will be provided to your office. Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DPR.doc

ALAN M. ARAKAWA  
Mayor

DAVID C. GOODE  
Director

ROWENA M. DAGDAG-ANDAYA  
Deputy Director

Telephone: (808) 270-7845  
Fax: (808) 270-7955



COUNTY OF MAUI  
**DEPARTMENT OF PUBLIC WORKS**  
200 SOUTH HIGH STREET, ROOM NO. 434  
WAILUKU, MAUI, HAWAII 96793

AUG 30 2016

GLEN A. UENO, P.E., P.L.S.  
Development Services Administration

CARY YAMASHITA, P.E.  
Engineering Division

LESLI L. OTANI, P.E., L.S.  
Highways Division

August 24, 2016

Ms. Nancy McPherson, Planner  
DEPARTMENT OF HAWAIIAN HOME LANDS  
PLANNING OFFICE  
91-5420 Kapolei Parkway  
Kapolei, Hawaii 96707

Dear Ms. McPherson:

**SUBJECT: DRAFT ENVIRONMENTAL ASSESSMENT FOR THE  
DEPARTMENT OF HAWAIIAN HOME LANDS KAPA'AKEA  
FLOOD MITIGATION PROJECT, KAUNAKAKAI, MOLOKA'I,  
HAWAI'I; TMK: (2) 5-4-007:009-011, 024, 025 (POR.)**

We reviewed the subject application and have the following comments:


Comments from the Engineering Division:

1. The applicant shall be responsible for all required improvements as required by Hawaii Revised Statutes, Maui County Code and rules and regulations.
2. As applicable, construction plans shall be designed in conformance with Hawaii Standard Specifications for Road and Bridge Construction dated 2005 and Standard Details for Public Works Construction, 1984, as amended.
3. As applicable, worksite traffic-control plans/devices shall conform to "Manual on Uniform Traffic Control Devices for Streets and Highways", 2003.

Ms. Nancy McPherson, Planner  
August 24, 2016  
Page 2

Please call Rowena M. Dagdag-Andaya at (808) 270-7845 if you have any questions regarding this letter.

Sincerely,

  
DAVID C. GOODE  
Director of Public Works

DCG:RMDA:da

xc: Highways Division  
Engineering Division

Munekiyo Hiraga – Gwendolyn Rivera

S:\DSA\Engr\CZM\54007009-011\_024\_025\_kapaakea\_fld\_mitgn\_dea.wpd.rtf



December 21, 2016

David Goode, Director  
**Department of Public Works**  
County of Maui  
200 South High Street, Room 434  
Wailuku, Hawai'i 96793

SUBJECT: Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.))

Dear Mr. Goode:

Thank you for your letter of August 24, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. On behalf of the Department of Hawaiian Home Lands (DHHL), we offer the following information in response to the comments in your letter.

**Comment No. 1**

*The applicant shall be responsible for all required improvements as required by Hawai'i Revised Statutes, Maui County Code and rules and regulations.*

**Response:** DHHL acknowledges responsibility for State- and County-required improvements as may be applicable to the project.

**Comments No. 2 and No. 3**

*As applicable, construction plans shall be designed in conformance with Hawai'i Standard Specifications for Road and Bridge Construction dated 2005 and Standard Details for Public Works Construction, 1984, as amended.*

*As applicable, worksite traffic-control plans/devices shall conform to "Manual on Uniform Traffic Control Devices for Streets and Highways", 2003.*

David Goode, Director  
December 21, 2016  
Page 2

**Response:** DHHL acknowledges your comments regarding the project's conformance with these design standards. Please note that the proposed improvements are limited to the installation of a flood mitigation wall.

Again, thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,



Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL Kapaakea EA 1900\Applications\Draft EA\Draft EA Response\DPW.doc

ALAN M. ARAKAWA  
Mayor



AUG 25 2016  
DAVID TAYLOR, P.E.  
Director

PAUL J. MEYER  
Deputy Director

**DEPARTMENT OF WATER SUPPLY**  
**COUNTY OF MAUI**  
200 SOUTH HIGH STREET  
WAILUKU, MAUI, HAWAII 96793-2155  
www.mauewater.org

August 17, 2016

Munekiyo Hiraga, Inc.  
Ms. Gwendolyn C. Rivera, Senior Associate  
305 High St., Ste 104  
Wailuku, Hawaii 96793

Re: Kapa'akea Flood Mitigation Project Draft EA (DEA)  
TMKs: (2) 5-4-007:009 (por.); :010 (por.); :011 (por.); :024 (por.); and :025 (por.).

Dear Ms. Rivera:

Thank you for the opportunity to comment on the DEA for this project. The Department of Hawaiian Home Lands is proposing the construction of a concrete masonry unit wall in response to flooding conditions due to heavy rainfall. Please see the attached Department of Water Supply's (DWS) comment letter dated May 22, 2016.

**System Infrastructure**

The project area is served by DWS's Southeast System on Molokai. Two water lines, 6" and 8", run parallel to the Kamehameha V Highway section of the project. An 8" tie in water line exists at Kamehameha V Highway and Kapaakea Loop. Valves at this location should remain uncovered.

Should you have any questions, please contact Staff Planner Audrey Dack at 463-3109 or [audrey.dack@mauicounty.gov](mailto:audrey.dack@mauicounty.gov).

Sincerely,

David Taylor, P.E. Director

apd

cc: engineering division

*"By Water All Things Find Life"*

ALAN M. ARAKAWA  
Mayor



DAVID TAYLOR, P.E.  
Director

PAUL J. MEYER  
Deputy Director

**DEPARTMENT OF WATER SUPPLY  
COUNTY OF MAUI**

200 SOUTH HIGH STREET  
WAILUKU, MAUI, HAWAII 96793-2155  
www.mauewater.org

May 22, 2016

Munekiyo Hiraga, Inc.  
Ms. Gwendolyn C. Rivera, Senior Associate  
305 High St., Ste 104  
Wailuku, Hawaii 96793

Re: Kapa'akea Flood Mitigation Project Early Consultation Request  
TMKs: (2) 5-4-007:009 (por.); :010 (por.); :011 (por.); :024 (por.); and :025 (por.).

Dear Ms. Rivera:

Thank you for the opportunity to comment on the early consultation request for this project. The Department of Hawaiian Home Lands is proposing the construction of a concrete masonry unit wall in response to flooding conditions due to heavy rainfall. This proposal will not negatively impact the Department of Water Supply's (DWS) water system on Moloka'i.

**Pollution Prevention**

Best Management Practices (BMPs) protect groundwater resources and should be noted in the Draft Environmental Assessment (DEA) and implemented during construction. The mitigation measures below will alleviate adverse impacts on water quality during construction:

- Prevent cement products, oil, fuel and other toxic substances from leaching into the water.
- Properly and promptly dispose of all loosened and excavated soil and debris material from drainage structure work.
- Retain ground cover until the last possible date.
- Stabilize denuded areas by sodding or planting as soon as possible. Replanting should include soil amendments and temporary irrigation. Use high seeding rates to ensure rapid stand establishment.
- Avoid fertilizers and biocides, or apply only during periods of low rainfall to minimize chemical run-off.
- Keep run-off on site.

Should you have any questions, please contact Staff Planner Marti Buckner at 463-3104 or [marti.buckner@mauicounty.gov](mailto:marti.buckner@mauicounty.gov).

Sincerely,

Handwritten signature of Paul J. Meyer in black ink.

David Taylor, P.E. Director  
mlb

cc: engineering division

*"By Water All Things Find Life"*





**MUNEKIYO HIRAGA**

Planning. Project Management. Sustainable Solutions.

Michael T. Munekiyo  
PRESIDENT

Karlynn K. Fukuda  
EXECUTIVE VICE PRESIDENT

Mark Alexander Roy  
VICE PRESIDENT

Tessa Munekiyo Ng  
VICE PRESIDENT

December 21, 2016

David Taylor, Director  
County of Maui  
**Department of Water Supply**  
200 South High Street  
Wailuku, Hawai'i 96793

**SUBJECT:** Comments on the Draft Environmental Assessment (EA) for the Department of Hawaiian Home Lands Kapa'akea Flood Mitigation Project, Kaunakakai, Island of Moloka'i, Hawai'i (TMKs (2)5-4-007:009(por.), (2)5-4-007:010(por.), (2)5-4-007:011(por.), (2)5-4-007:024(por.), and (2)5-4-007:025(por.))

Dear Mr. Taylor:

Thank you for your letter of August 17, 2016, responding to our request for comments on the Draft Environmental Assessment (EA) for the proposed Kapa'akea Flood Mitigation project. We have noted your comment regarding Department of Water Supply (DWS) lines in the vicinity of the project. The civil engineering consultant and contractor for the project will be notified regarding the 6-inch and 8-inch water lines running parallel to the Kamehameha V Highway, as well as the 8-inch tie-in water line at the Kapa'akea Loop intersection. They will also be advised that DWS valves at this location should remain uncovered. On behalf of the Department of Hawaiian Home Lands (DHHL), we thank you for your participation in the Chapter 343, Hawai'i Revised Statutes review process. A copy of your letter and this response will be included in the Final EA.

Very truly yours,

Gwendolyn Leialoha Cheney Rivera  
Senior Associate

GLCR:yp

cc: James Richardson, State of Hawai'i, Department of Hawaiian Home Lands  
Nancy McPherson, State of Hawai'i, Department of Hawaiian Home Lands  
Chad McDonald, Mitsunaga and Associates  
Chris Ball, Mitsunaga and Associates

K:\DATA\MA\DHHL\Kapaakea\EA-1900\Applications\Draft-EA\Draft-EA-Response\DWS.doc

Maui: 305 High Street, Suite 104 • Wailuku, Hawaii 96793 • Tel: 808.244.2015 • Fax: 808.244.8729

Oahu: 735 Bishop Street, Suite 321 • Honolulu, Hawaii 96813 • Tel: 808.983.1233

[www.munekiyoHIRAGA.com](http://www.munekiyoHIRAGA.com)

**REFERENCES**

**XI**

## XI. REFERENCES

Chinen, Jon, The Great Mahele: Hawai'i's Land Division of 1848, Honolulu: University of Hawai'i P, 1958.

County of Maui, Civil Defense Agency, Tsunami Evacuation Maps, Retrieved from "[www.co.maui.hi.us/261Tsunami-Evacuation Maps](http://www.co.maui.hi.us/261Tsunami-Evacuation%20Maps) (2016).

County of Maui, Department of Planning, Rules on the Moloka'i Planning Commission Relating to the Shoreline Area of the Island of Moloka'i, (1991).

County of Maui, Department of Planning, Special Management Area Rules of the Moloka'i Planning Commission, (1994).

County of Maui, Department of Planning (2006) Socio-Economic Forecast: The Economic Projections for Maui County General Plan 2030. Wailuku, Hawai'i. Retrieved from <http://www.co.maui.hi.us/index.aspx?WID=1489><http://www.co.maui.hi.us/index.aspx?WID=1489> on October 2011.

County of Maui, (2010 March 24) "County of Maui 2030 General Plan Countywide Policy Plan". Retrieved from <http://www.co.maui.hi.us/index.aspx?NID=420>.

County of Maui, Department of Planning (2001) Moloka'i Community Plan. Retrieved from <http://www.co.maui.hi.us/index.aspx?NID=423> on December 2011.

County of Maui, Office of Economic Development, Maui County Data Book, 2014.

County of Maui, "Island of Maui TMK Parcels", [GIS Polygon Shapefile]. Created by Geographic Decision Systems International and County of Maui. (2010) Retrieved from <http://Hawaii.gov/dbedt/gis/download.htm> on December 2011.

County of Maui, Department of Water Supply, Maui County Water Use and Development Plan, (1990).

Davis, B.D., 1977 Cultural Reconnaissance Report Kapa'akea Homestead Flood Control Project, Kapa'akea, Moloka'i Island, Hawai'i. Archaeological Research Center Hawai'i, Inc., Honolulu.

De Loach, Lucile, Land and People on Moloka'i: An Overview, Master's Thesis, 1975.

Dye, T.S. and E.H.R. Jourdane, 2006 Archaeological Assessment for the Proposed Verizon Wireless H12 Kaunakakai Cell Site VZW No. 2004005296, Moloka'i Education Center, 375 Kamehameha V Highway, Kaunakakai, Kona District, Moloka'i, Hawai'i (TMK 5-3-03:014). Prepared for Clayton Group Services. T.S. Dye Colleagues, Inc., Honolulu.

Federal Emergency Management Agency, Flood Insurance Rate Map Community Panel 1500030193F and 1500030189F, November 4, 2015.

Land Study Bureau, University of Hawai'i, "Land Study Bureau (LSB) Detailed Land Classification", May 1967.

Mackenzie, Melody Kapiliaoloha, ed., Native Hawaiian Rights Handbook, Honolulu: Native Hawaiian Legal Corporation, 1991.

McGerty, L. and R.L.Spear, 2006 An Archaeological Assessment Report for an Approximately 5-Acre Parcel in Kaunakakai Ahupua'a, Moloka'i, Hawai'i. Scientific Consultant Services, Wailuku, Hawai'i.

Minerbi, Luciano et. al., Native Hawaiian and Local Cultural Assessment Project, Honolulu: University of Hawai'i at Manoa, 1993.

Perzinski, D. and M. Dega, 2011 An Archaeological Monitoring Report for DHHL Kapa'akea On-Site Drainage Improvements, Kapa'akea Ahupua'a, Kona District Moloka'i Island, Hawai'i. Scientific Consultant Services, Inc., Honolulu.

Spitz, A, 1964 Land Aspects of the Hawaiian Homes Program. Report No. 1b. Legislative Reference Bureau.

State of Hawai'i, Department of Hawaiian Home Lands, Moloka'i Island Plan, 2005.

State of Hawai'i, Department of Education, Public and Charter School Enrollment 2014/2015 <http://doe.k12.hi.us/reports/enrollment.htm> on October 2014.

State of Hawai'i, Department of Labor and Industrial Relations. (2016). Local Area Unemployment Statistics [data file]. Retrieved from <http://labor.hawaii.gov/wp-content/uploads/2016/11/20161117Oct-U1-Rate-PR.pdf> on November 29, 2016.

State of Hawai'i, Office of Planning, Coastal Zone Management Program, Low Impact Development, A Practitioner's Guide, June 2006.

State of Hawai'i, Office of Planning, Coastal Zone Management Program, Stormwater Impact Assessments, May 2013.

State of Hawai'i, Hawai'i State Planning Act, Chapter 226, Hawai'i Revised Statutes.

Summers, C.C., 1971 Moloka'i, A Site Survey. Pacific Anthropological Records No. 14. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

U.S. Army Corps of Engineers, Final Environmental Statement, Flood Control Project, Kapaakea, Moloka'i, Hawai'i (1976).

U.S. Census Bureau, "Census 2010 Redistricting Data, Detailed Tables, Table H-1, Maui County and Maui Block Groups", retrieved from <http://factfinder2.census.gov/main.html> on October 2011.

United States Department of Agriculture, Soil Conservation Service, Soil Survey of the Islands of Kauai, Oahu, Maui, Molokai & Lanai, August 1972.

Wiesler, Marshall and P.V Kirch, 1982. The Archaeological Resources of Kawela, Moloka'i: their nature, significance and management.

Wilson Okamoto & Associates, Inc., Final Environmental Assessment for the Proposed Kaunakakai Town Drainage Improvements, January 1995.



# **Engineering Report**

## **APPENDIX**

# **A**

---

# **KAPAAKEA FLOOD MITIGATION IMPROVEMENTS, ENGINEERING REPORT**

Kaunakakai, Molokai, Hawaii

Job Number: PS-14-LDD-008

TMK: (2) 5-4-007: 009, 010, 011, 024 & 025

February 2016

**PREPARED FOR:**

State of Hawaii  
Department of Hawaiian Home Lands  
91-5420 Kapolei Parkway  
Kapolei, Hawaii 96707



**MITSUNAGA & ASSOCIATES, INC.**

747 Amana Street, Suite 216  
Honolulu, Hawaii 96814  
(808) 945-7882 • Fax: (808) 946-2563

---

TABLE OF CONTENTS

BASIS OF DESIGN

A. PROJECT SITE .....	1
B. GRADING AND DRAINAGE .....	2
C. ENVIRONMENTAL PERMITS .....	2
D. REFERENCES .....	3

APPENDIXES

- A. SMA CORRESPONDENCE
- B. DRAINAGE REPORT
- C. COST ESTIMATE

## 100% Basis of Design

## A. Project Site

The Kapaakea Flood Mitigation Improvements project will be located within five (5) Department of Hawaiian Home Lands (DHHL) parcels on the island of Molokai (TMK: (2) 5-4-007: 009, 010, 011, 024 & 025). The properties are situated along Kamehameha V Highway and Kapaakea Loop. The proposed concrete masonry unit (CMU) wall has a project area of 0.17 acres at the edge of each property. The proposed project is owned and maintained by DHHL, State of Hawaii.



---

**100% Basis of Design****B. Grading and Drainage**

The grading of the site will be in conformance with the County of Maui Grading Ordinance. On-site fill will be used wherever necessary, fill slopes will not exceed 10:1. Erosion and dust control will adhere to the Erosion Control Plan provided by the engineer and approved by the County of Maui.

The project storm drainage system will be designed to comply with the latest County of Maui *Rules for the Design of Storm Drainage Facilities in the County of Maui*. The on-site three foot (3') high CMU wall will be designed help mitigate the flood affects of the adjacent residential parcels. The wall will run north to south along the bordering properties and along a portion of the Kamehameha V Highway.

The project site is located in zone AE (varies between elev. 9-10) and VE (elev. 10) – Base Flood Elevations determined: Floodway as determined by the Federal Emergency Management Agency (FIRM Maps FM1500030189F & FM1500030193F, dated November 4, 2015).

**C. Environmental Permits and Controls****1. SMA PERMIT**

This project was previously considered to prompt a Special Management Area (SMA) minor permit due to the location in the SMA zone and a project valuation of less than \$500,000. Through correspondence with Maui County, Planning Department (Appendix A), this project no longer requires a SMA permit because this project will be carried out by DHHL. Therefore, the County does not have jurisdiction for the SMA.

**2. Applicable Regulations**

In order to provide for abatement and control of environmental pollution arising from the construction activities of the Contractor and his subcontractors in the performance of this contract, the work performed will be required to comply with the intent of the applicable Federal, State, and local laws and regulations concerning environmental pollution control and abatement, including, but not limited to the following regulations:

- a. State of Hawaii, Department of Health, Administrative Rules, Chapter 55, WATER POLLUTION CONTROL: Chapter 54, WATER QUALITY STANDARDS.

---

100% Basis of Design

3. Best Management Practices Plan (BMP)

A BMP will be included, implemented and consist of, but not be limited to, the application of the following mitigation and/or corrective measures by the Contractor:

- a. Properly controlling fugitive dust from entering State waters.
- b. Wash-out of concrete trucks will be done in such a way (preferably off-site) as to ensure that neither wastewater nor surplus concrete enters State Waters.
- c. Construction of berms, sandbags, filter fences, catchments, etc., as needed to contain/filter storm water runoff.
- d. If during construction, water quality parameters exceed respective State standards, all construction activities that were identified as contributing to water quality degradation shall be stopped immediately. The causes shall be established, and if related to construction activity, remedial action for the non-compliance should be taken to fix the problem prior to commencing work.

D. References:

1. *Rules For The Design Of Storm Drainage Facilities In The County Of Maui.* Department of Public Works and Waste Management, County of Maui, November 1995.
2. *Code of the County of Maui.* Department of Planning and Permitting, County of Maui, 1980.
3. *Civil Engineering Reference Manual, Twelfth Edition.* Michael R. Lindeburg, PE. CA, 2011.



**APPENDIX A**  
**SMA CORRESPONDENCE**





## Steven Doo

---

**From:** Cheryl Okuma [Cheryl@munekiyohiraga.com]  
**Sent:** Wednesday, July 22, 2015 12:39 PM  
**To:** Steven Doo  
**Cc:** Karlynn Fukuda  
**Subject:** FW: Request To Meet (Molokai Flood Mitigation Project)  
**Attachments:** ATT00002.png; ATT00003.png; ATT00004.png; image001.png

Steven,

We just received the determination from the Planning Department (Jeff Dack) – see email below.

Please let us know if you have questions, or wish to discuss. Thank you.....

**Cheryl K. Okuma**, Senior Associate  
Email: [cheryl@munekiyohiraga.com](mailto:cheryl@munekiyohiraga.com)

Maui: 305 High Street, Suite 104, Wailuku, Hawaii 96793 T: 808.244.2015 F: 808.244.8729  
Oahu: 735 Bishop Street, Suite 238, Honolulu, Hawaii 96813 T: 808.983.1233  
Planning. Project Management. Sustainable Solutions. [www.munekiyohiraga.com](http://www.munekiyohiraga.com)

CONFIDENTIAL AND PRIVILEGED COMMUNICATION: This message (including attachments) is intended for the use of the designated recipient(s) named above. The contents of this correspondence are considered privileged and confidential. If you have received this message in error, kindly notify us immediately by email or telephone, and delete this email from your computer system. Thank you.

**From:** Jeffrey Dack [mailto:Jeffrey.Dack@co.maui.hi.us]  
**Sent:** Wednesday, July 22, 2015 12:33 PM  
**To:** Cheryl Okuma; Karlynn Fukuda  
**Cc:** Sybil Lopez  
**Subject:** RE: Request To Meet (Molokai Flood Mitigation Project)

Cheryl and Karlynn,

I checked with Clayton after our meeting on Monday. If the project is to be carried out by DHHL we would not consider the County to have jurisdiction for the SMA. If instead the project is to be carried out by a lessee of DHHL we WOULD consider the County of have jurisdiction for the SMA. I hope this helps.

Thanks,

Jeff Dack

>>> Cheryl Okuma <[Cheryl@munekiyohiraga.com](mailto:Cheryl@munekiyohiraga.com)> 7/6/2015 12:33 PM >>>  
Ok, thank you ---

**Cheryl K. Okuma**, Senior Associate  
Email: [cheryl@munekiyohiraga.com](mailto:cheryl@munekiyohiraga.com)

Maui: 305 High Street, Suite 104, Wailuku, Hawaii 96793 T: 808.244.2015 F: 808.244.8729  
Oahu: 735 Bishop Street, Suite 238, Honolulu, Hawaii 96813 T: 808.983.1233  
Planning. Project Management. Sustainable Solutions. [www.munekiyohiraga.com](http://www.munekiyohiraga.com)

CONFIDENTIAL AND PRIVILEGED COMMUNICATION: This message (including attachments) is intended for the use of the designated recipient(s) named above. The contents of this correspondence are considered privileged and confidential. If you have received this message in error, kindly notify us immediately by email or telephone, and delete this email from your computer system. Thank you.

**From:** Ann Cua [<mailto:Ann.Cua@co.maui.hi.us>]  
**Sent:** Monday, July 06, 2015 9:43 AM  
**To:** Cheryl Okuma; Sybil Lopez  
**Cc:** Jeffrey Dack; Karlynn Fukuda  
**Subject:** RE: Request To Meet (Molokai Flood Mitigation Project)

Since Jeffrey will be attending, I will not need to attend. Ann

>>> Cheryl Okuma <[Cheryl@munekiyohiraga.com](mailto:Cheryl@munekiyohiraga.com)> 7/6/2015 9:03 AM >>>  
Hi Sybil - thank you, we will see you folks Monday, July 20 @ 9:30 a.m. at your conference room.

**Cheryl K. Okuma**, Senior Associate  
Email: [cheryl@munekiyohiraga.com](mailto:cheryl@munekiyohiraga.com)

Maui: 305 High Street, Suite 104, Wailuku, Hawaii 96793 T: 808.244.2015 F: 808.244.8729  
Oahu: 735 Bishop Street, Suite 238, Honolulu, Hawaii 96813 T: 808.983.1233  
Planning. Project Management. Sustainable Solutions. [www.munekiyohiraga.com](http://www.munekiyohiraga.com)

CONFIDENTIAL AND PRIVILEGED COMMUNICATION: This message (including attachments) is intended for the use of the designated recipient(s) named above. The contents of this correspondence are considered privileged and confidential. If you have received this message in error, kindly notify us immediately by email or telephone, and delete this email from your computer system. Thank you.

**From:** Sybil Lopez [<mailto:Sybil.Lopez@co.maui.hi.us>]  
**Sent:** Monday, July 06, 2015 8:31 AM  
**To:** Cheryl Okuma  
**Cc:** Ann Cua; Jeffrey Dack  
**Subject:** RE: Request To Meet (Molokai Flood Mitigation Project)

Aloha Cheryl;

Yes, we can plan for July 20 at 9:30am.  
Once confirmed, I will book the conference room for then.

Mahalo;

Sybil

*Sybil K Lopez*  
Molokai Planner  
County of Maui  
Department of Planning-Current Division  
Telephone: (808) 270-5529  
Office: (808) 270-8205  
Cell: (808) 866-8389  
Fax: (808) 270-1775  
E-mail: [sybil.lopez@co.maui.hi.us](mailto:sybil.lopez@co.maui.hi.us)

>>> Cheryl Okuma <[Cheryl@munekiyohiraga.com](mailto:Cheryl@munekiyohiraga.com)> 7/6/2015 7:22 AM >>>  
Can we see if we can meet Monday, July 20 at 9:30 a.m. at your office? Seems that works for Jeff and Ann-Sybil, does this work for you?

The State of Hawaii, Department of Hawaiian Home Lands proposes a flood mitigation project in Kaunakakai, which involves five (5) Hawaiian Homestead lots in the vicinity of Kapaakea Loop Road. The Tax Map Keys are as follows:

TMK (2)5-4-007:009  
(2)5-4-007:010  
(2)5-4-007:011  
(2)5-4-007:024  
(2)5-4-007:025

The proposed work involves removal of the existing fence/wall on the properties and replacing with a new fence wall.

**Cheryl K. Okuma**, Senior Associate  
Email: [cheryl@munekiyohiraga.com](mailto:cheryl@munekiyohiraga.com)

Maui: 305 High Street, Suite 104, Wailuku, Hawaii 96793 T: 808.244.2015 F: 808.244.8729  
Oahu: 735 Bishop Street, Suite 238, Honolulu, Hawaii 96813 T: 808.983.1233  
Planning. Project Management. Sustainable Solutions. [www.munekiyohiraga.com](http://www.munekiyohiraga.com)

CONFIDENTIAL AND PRIVILEGED COMMUNICATION: This message (including attachments) is intended for the use of the designated recipient(s) named above. The contents of this correspondence are considered privileged and confidential. If you have received this message in error, kindly notify us immediately by email or telephone, and delete this email from your computer system. Thank you.

---

**From:** Jeffrey Dack [<mailto:Jeffrey.Dack@co.maui.hi.us>]  
**Sent:** Friday, July 03, 2015 8:37 PM  
**To:** Cheryl Okuma  
**Cc:** Ann Cua; Clayton Yoshida; Sybil Lopez  
**Subject:** RE: Request To Meet (Molokai Flood Mitigation Project)

I am available Monday, July 20 (anytime btwn 9:30 to 10:30), and Tuesday, July 21 (anytime between 8:30 to 2:00)

If we do not yet have any basic written project scope and plans could you please email those before the meeting so we may be better prepared?

Thanks,

Jeff Dack

>>> Cheryl Okuma <[Cheryl@munekiyohiraga.com](mailto:Cheryl@munekiyohiraga.com)> 7/2/2015 3:55 PM >>>  
Ok, thank you --

**Cheryl K. Okuma**, Senior Associate  
Email: [cheryl@munekiyohiraga.com](mailto:cheryl@munekiyohiraga.com)

Maui: 305 High Street, Suite 104, Wailuku, Hawaii 96793 T: 808.244.2015 F: 808.244.8729  
Oahu: 735 Bishop Street, Suite 238, Honolulu, Hawaii 96813 T: 808.983.1233  
Planning. Project Management. Sustainable Solutions. [www.munekiyohiraga.com](http://www.munekiyohiraga.com)

CONFIDENTIAL AND PRIVILEGED COMMUNICATION: This message (including attachments) is intended for the use of the designated recipient(s) named above. The contents of this correspondence are considered privileged and confidential. If you have received this message in error, kindly notify us immediately by email or telephone, and delete this email from your computer system. Thank you.

**From:** Ann Cua [<mailto:Ann.Cua@co.maui.hi.us>]  
**Sent:** Thursday, July 02, 2015 3:59 PM  
**To:** Cheryl Okuma; Sybil Lopez

**Cc:** Clayton Yoshida; Jeffrey Dack

**Subject:** RE: Request To Meet (Molokai Flood Mitigation Project)

As Jeff Dack is Sybil's supervisor I will cc him about this meeting. If Jeffrey cannot attend I will attend with Sybil and Clayton

I am only not free on Monday July 20 from 10:30 until noon and on Tuesday July 21 from 1-230

>>> Cheryl Okuma <[Cheryl@munekiyohiraga.com](mailto:Cheryl@munekiyohiraga.com)> 7/2/2015 3:42 PM >>>

Would you folks be available during any of the following days/time?

Monday, July 20 (anytime btwn 9:30 to 1:00)

Tuesday, July 21 ( anytime between 8:30 to 2:00)

**Cheryl K. Okuma**, Senior Associate

Email: [cheryl@munekiyohiraga.com](mailto:cheryl@munekiyohiraga.com)

Maui: 305 High Street, Suite 104, Wailuku, Hawaii 96793 T: 808.244.2015 F: 808.244.8729

Oahu: 735 Bishop Street, Suite 238, Honolulu, Hawaii 96813 T: 808.983.1233

Planning. Project Management. Sustainable Solutions. [www.munekiyohiraga.com](http://www.munekiyohiraga.com)

CONFIDENTIAL AND PRIVILEGED COMMUNICATION: This message (including attachments) is intended for the use of the designated recipient(s) named above. The contents of this correspondence are considered privileged and confidential. If you have received this message in error, kindly notify us immediately by email or telephone, and delete this email from your computer system. Thank you.

**APPENDIX B**  
**DRAINAGE REPORT**



KAPAAKEA FLOOD MITIGATION IMPROVEMENTS  
DRAINAGE REPORT


Kaunakakai, Molokai  
Job Number: PS-14-LDD-008  
TMK: (2) 5-4-007:009,010,011,024 & 025

Prepared for:

STATE OF HAWAII  
Department of Hawaiian Home Lands  
91-5420 Kapolei Parkway  
Kapolei, Hawaii 96707

Prepared by:

Mitsunaga & Associates, Inc.  
747 Amana Street, Suite 216  
Honolulu, HI 96814



This work was prepared by  
me or under my supervision.

*Chad M. McDonald*

Signature

4/30/16

Expiration date of License

February 2016



TABLE OF CONTENTS

1.0 SUMMARY ..... 1  
    1.1 Background Information ..... 1  
    1.2 Project Description ..... 1  
    1.3 Drainage Summary ..... 1  
  
2.0 HYDROLOGY ..... 4  
  
3.0 DESIGN CRITERIA ..... 6  
    3.1 On-site ..... 6  
    3.2 Off-site ..... 7  
  
4.0 CONCLUSION ..... 10  
  
5.0 REFERENCES ..... 10

LIST OF FIGURES

Figure 1 - Project Location ..... 2  
Figure 2 - FEMA Flood Maps (FM1500030189F & FM1500030193F)..... 3  
Figure 3 – Mauka Property Owners ..... 5

LIST OF TABLES

Table 1 – On-site Drainage Runoff ..... 6  
Table 2 – Off-site Floodway Data ..... 7  
Table 3 – Summary of Discharges ..... 8  
Table 4 – Flood Profiles, Kamiloloa Gulch ..... 9

LIST OF APPENDICES

Appendix 1 – Existing & Proposed Drainage Map ..... 11  
Appendix 2 – Flow Calculations ..... 12-13

## 1.0 SUMMARY

### 1.1 Background Information

The project site is a residential area owned and maintained by State of Hawaii, Department of Hawaiian Home Lands (DHHL). The Molokai Island Plan by DHHL states that residents within the project site experience severe flooding events on an annual basis due to their location in the coastal area; heavy seasonal rainfall contributes to flooding in the areas. The US Army Corp of Engineers have assessed the installation of a diversion ditch north of the Kamehameha V Highway and improvements to the drainage channel under the highway leading into the Kapaakea Makai DHHL neighborhood. No funds have been allocated for these improvements. Local residents have recounted numerous incidents of flooding within the homestead lots. The Final Environmental Statement (1976, page 1-1) states that the most significant flood occurred during the period of October 31st to early November in 1961 when the homestead was inundated by approximately 2 feet of water, which deposited about one foot of mud on the homestead lands. The Kamehameha V Highway was under 3 feet of water during the height of the storm.

### 1.2 Project Description

The Kapaakea Flood Mitigation Improvements project will be located within five (5) DHHL parcels on the island of Molokai (TMK: (2) 5-4-007: 009, 010, 011, 024 & 025). Figure 1 identifies the project location. The properties are situated along Kamehameha V Highway and Kapaakea Loop. The adjacent property is owned by Good Fellow Brothers and is classified as wetlands. There is no municipal drainage system near the project site.

### 1.3 Drainage Summary

The project site is located in zone AE (varies between elev. 9-10) and VE (elev. 10) – Base Flood Elevations determined: Floodway as determined by the Federal Emergency Management Agency (FIRM Maps FM1500030189F & FM1500030193F, dated November 4, 2015) as shown in Figure 2. The source of flooding is Kamiloloa Gulch and detailed study has been completed by FEMA.

In order to mitigate the flooding of the project site, a 700 linear foot concrete masonry unit (CMU) wall with swale will be constructed along the North and West-facing boundaries of the resident's properties. The CMU wall will divert the flow from Kamehameha V Highway to the existing wetland and will prevent any water flow from the wetland into the project site. The proposed CMU wall has a project area of 0.17 acres.






Figure 2 - FEMA Flood Maps (FM1500030189F & FM1500030193F)

## 2.0 HYDROLOGY

### 2.1 Soils

The soil of the project site consists of Kealia silt loam(KMW). Natural Resources Conservation Service (NRCS) states that Kealia silt loam is poorly drained and has a high content of salt. Ponding occurs in low areas after a heavy rain. When the soil dries, salt crystals accumulate on the surface. The soil has a brackish water table that fluctuates with the tides; the water table is nearer the surface along the shoreline than in inland areas. The slope ranges from 0 to 1 percent.

In a representative profile the surface layer is dark reddish-brown silt loam about 3 inches thick. Below this are stratified layers of silt loam, loam, and fine sandy loam. A brackish water table occurs at a depth of 12 to 40 inches. The subsurface layers are dark reddish brown to dark reddish gray in the upper part and dark grayish brown to black near the zone of the water table. The soil has a high concentration of salts and is moderately alkaline.

Permeability is moderately rapid. Runoff is slow to very slow. The hazard of water erosion is no more than slight, but the hazard of wind erosion is severe when the soil is dry and the surface layer becomes loose and fluffy.

### 2.2 On-site

The current use of the project site is residential. The on-site flow is attributed from the water that falls on each parcel in addition to the off-site storm water that overflows from Kamiloloa Stream.

### 2.3 Off-site

#### 2.3.1. Existing Land Use

The parcels north of Kamehameha V Highway are owned by Molokai Properties, DHHL, and the County of Maui, see Figure 3. Kamiloloa Stream bisects the DHHL property and is diverted around the County of Maui property.

#### 2.3.2. Surface Water

The project site is near the mouth of the Kamiloloa Stream and adjacent to the wetland and Pacific Ocean. The surface water received at the mouth of the stream spills over through the parcels to the ocean. Geographically, the lowest points are the ocean-front properties and the adjacent wetlands, west of the DHHL homestead lots.



Figure 3 – Mauka Property Owners

Drainage Report

3.0 DESIGN CRITERIA

The following design criteria are based on the “Storm Drainage Standard” Department of Public Works and Waste Management, County of Maui, November 1995.

For drainage areas of 100 acres or less, the recurrence interval (Tm) = 10 years based on a 1-hour storm, unless otherwise specified.

Rational Method (Q = CIA) is used to estimate the runoff from drainage basins.

Runoff Quantities

Rational Method

- Q = CIA where,
- Q = flow rate in cubic feet per second (cfs)
- C = runoff coefficient  
 Asphalt concrete pavement and shoulder: C = 0.90  
 Landscaped, bare ground, or porous pavement: C=0.55
- I = rainfall intensity in inches per hour (in / hr) for a duration equal to the time of concentration
  1. Rainfall Intensity, I, determined by using Plate 1 to determine the 1-hour rainfall intensity (inches) for the design storm recurrence interval needed to obtain the value from Plate 4 attached.
  2. Time of Concentration, Tc, determined from Plate 3 attached.
- A = drainage area in acres (ac)

3.1 On-site

<i>Existing Drainage Area</i>	<i>Area (acres)</i>	<i>Runoff (cfs)</i>
1	2.182	4.75
<b>TOTAL</b>	<b>2.182</b>	<b>4.75</b>

<i>Proposed Drainage Area</i>	<i>Area (acres)</i>	<i>Runoff (cfs)</i>
1	2.182	4.75
<b>TOTAL</b>	<b>2.182</b>	<b>4.75</b>

The proposed onsite runoff will be the same as the predevelopment onsite runoff since an existing rock wall will be removed prior to the proposed construction.

In order to mitigate the flooding of the project site from the offsite runoff, constructing 700 LF of the concrete masonry unit (CMU) wall with a swale along the property line is proposed. The CMU wall will divert the flow from Kamehameha V Highway to the existing wetland and will prevent the water flow from the wetland to the project site while still allowing water flow from the project site to the wetland.

The proposed CMU wall has a project area of 0.17 acres along the boundary of each property.

3.2 Off-site

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
					(FEET NGVD)				
Kawela Gulch	A	150	1,187	3,289	5.2	5.8	5.8	6.6	0.8
	B	705	1,106	2,724	6.2	8.7	8.7	9.7	1.0
	C	1,180	664	1,624	10.5	12.4	12.4	13.4	1.0
	D	1,725	338	1,314	12.9	28.6	28.6	29.3	0.7
Kamalo Gulch	A	200	966	2,559	4.9	4.0	4.0	5.0	1.0
	B	820	487	1,179	10.7	7.8	7.8	8.8	1.0
Kamiloloa Gulch	A	260	570	1,569	5.9	4.7	4.7	5.7	1.0
	B	715	465	1,455	9.5	10.0	10.0	10.9	0.9
	C	1,330	455	933	13.4	20.4	20.4	21.3	0.9
Ohia Gulch	A	270	469	994	6.0	6.6	6.6	7.6	1.0
	B	590	212	846	7.1	10.5	10.5	11.3	0.8
	C	1,150	138	725	8.3	22.8	22.8	23.2	0.4
Kahananui Gulch	A	280	615	1,864	4.8	6.2	6.2	7.2	1.0
	B	760	171	846	10.5	15.2	15.2	16.2	1.0
Pukoo Gulch	A	630	366	867	3.3	9.0	9.0	9.7	0.7
	B	760	101	261	11.1	10.4	10.4	11.4	1.0
	C	900	127	313	9.3	14.8	14.8	15.8	1.0
Waialua Stream	A	370	427	2,475	4.1	11.4	11.4	12.3	0.9
	B	690	477	3,699	2.8	11.9	11.9	12.8	0.9
	C	1,260	120	735	13.9	14.3	14.3	15.3	1.0

<sup>1</sup>Feet Above Mouth

TABLE 3	FEDERAL EMERGENCY MANAGEMENT AGENCY	<b>FLOODWAY DATA</b>
	MAUI COUNTY, HI	KAWELA GULCH-KAMALO GULCH-KAMILOLOA GULCH OHIA GULCH- KAHANANUI GULCH- PUKOO GULCH- WAIALUA STREAM


Table 2 – Off-site Floodway Data



Table 1. Summary of Discharges (Cont'd)

<u>Flooding Source and Location</u>	<u>Drainage Area (Square Miles)</u>	<u>Peak Discharge (Cubic Feet per Second)</u>			
		<u>10-Year</u>	<u>50-Year</u>	<u>100-Year</u>	<u>500-Year</u>
<b><u>ISLAND OF MOLOKAI</u></b>					
Kawela Gulch At Mouth	5.7	5,800	13,000	17,000	30,000
Kamalo Gulch At Mouth	4.0	4,300	9,600	12,600	22,100
Kamiloloa Stream At Mouth	3.7	2,525	6,000	8,200	15,655
Keawanui Gulch At Mouth	0.77	1,400	3,100	4,100	7,400
Ohia Gulch At Mouth	1.28	2,100	4,500	6,000	10,600
Kahananui Gulch At Mouth	0.98	1,700	3,700	5,000	8,600
Mānawai Gulch At Mouth	0.71	1,300	3,000	3,900	7,000
Pukoo Gulch At Mouth	0.52	960	2,320	2,900	5,200
Waialua Stream At Mouth	2.60	3,500	7,700	10,200	18,000

Table 3 – Summary of Discharges



**FLOOD PROFILES**  
**KAMILOLOA GULCH**

FEDERAL EMERGENCY MANAGEMENT AGENCY  
 MAUI COUNTY, HI

**55P**

**Table 4 – Flood Profiles, Kamiloloa Gulch**

In 1976, the US Army Corp of Engineers (USACE) has proposed a 1,800-foot long channel with diversion levees at mauka of the highway and improving the drainage channel under Kamehameha V Hwy leading into the Kapaakea Makai DHHL neighborhood but funds have not been allocated for this improvement.

#### 4.0 CONCLUSION

Based on the study above, Kamiloloa stream at mouth will receive a peak storm water runoff of 2,525 cfs for 10 year storm. Using the area of the project site, 2.182 acres, and the total area, 21.6 acres, near the stream, a runoff of approximately 303 cfs will cross the project site. This flow will be diverted to the ocean and adjacent wetland by means of the natural lay of the land and the new swale. The wall will prevent any water from the wetland from entering the residential properties.

#### 5.0 REFERENCES

1. Flood Insurance Rate Map (FIRM), County of Maui, September 25, 2009.
2. *Storm Drainage Standards*. Department of Public Works and Waste Management, County of Maui, November 1995.
3. Final Environmental Statement Flood Control Project, Kapaakea, Molokai, US Army Corps of Engineer, Honolulu, December 1976
4. United States Department of Agriculture, Natural Resources Conservation Service, Accessed June 25, 2015, <http://websoilsurvey.nrcs.usda.gov/app/>

**APPENDIX C**  
**COST ESTIMATE**



Kapaakea Flood Mitigation Improvements  
 FINAL DESIGN - CONSTRUCTION COST ESTIMATE  
 Kapaakea, Molokai, Hawaii

Mitsunaga & Associates, Inc.  
 Date: February 2016

Item No.	Item	Qty	Unit	Unit Price	Total Price
<b>DEMOLITION</b>					
1	Remove & Dispose of Exist. Chain Link Fence Fabric, Posts & Foundations	260	LF	\$ 10.00	\$ 2,600.00
2	Remove & Dispose of Exist. CRM Wall	115	LF	\$ 12.00	\$ 1,380.00
3	Remove & Dispose of Exist Tree	13	EA	\$ 800.00	\$ 10,400.00
<b>SUBTOTAL DEMOLITION</b>					<b>\$ 14,380.00</b>
<b>SITE IMPROVEMENTS</b>					
4	Temporary Erosion Control Measures, In-Place Complete	1,500	LF	\$ 12.00	\$ 18,000.00
5	Excavation	275	CY	\$ 60.00	\$ 16,500.00
6	Site Grading	7,500	SF	\$ 3.00	\$ 22,500.00
7	CMU Wall, In Place Complete	700	LF	\$ 150.00	\$ 105,000.00
8	Check Valves	38	EA	\$ 275.00	\$ 10,450.00
9	Geofabric	800	LF	\$ 20.00	\$ 16,000.00
<b>SUBTOTAL SITE IMPROVEMENTS</b>					<b>\$ 188,450.00</b>
<b>SITE WORK BASE BID SUBTOTAL ESTIMATED COST</b>					<b>\$ 202,830.00</b>
<b>MOBILIZATION / CONTINGENCY (10%)</b>					<b>\$ 18,850.00</b>
<b>SITE WORK BASE BID TOTAL ESTIMATED COST</b>					<b>\$ 221,680.00</b>

**Project Plans**


**APPENDIX**

**B**

# KAPAAKEA FLOOD MITIGATION IMPROVEMENTS

FOR THE  
DEPARTMENT OF HAWAIIAN HOME LANDS

KAUNAKAKAI, MOLOKAI 96748  
TAX MAP KEY: (2) 5-4-007: 009, 010, 011, 024 & 025  
JOB NO.: PS-14-LDD-008




APPROVED:

\_\_\_\_\_  
CHAIRMAN, HAWAIIAN HOMES COMMISSION  
DEPARTMENT OF HAWAIIAN HOME LANDS  
STATE OF HAWAII

DATE

SYSTEM NO.	SYM.	DESCRIPTION	SHEET OF	DATE



This work was prepared by me or under my supervision.

*Chad M. McDonald*

MITSUNAGA & ASSOCIATES, INC. 4/30/2015

NOTE: Contractor to check and verify dimensions of job before proceeding with work.

DEPARTMENT OF HAWAIIAN HOME LANDS  
STATE OF HAWAII

KAPAAKEA FLOOD MITIGATION IMPROVEMENTS  
KAUNAKAKAI, MOLOKAI

TITLE SHEET

MITSUNAGA & ASSOCIATES, INC.	JOB NO. P61001-13	DRAWING NO. T-1
DESIGNED BY: SD	CHECKED BY: SD	DATE: DECEMBER 2015
DRAWN BY: DT	APPROVED BY: CM	SHEET 1 OF 8
SCALE: AS INDICATED		DATE: DECEMBER 2015

FILE \_\_\_\_\_ ENGINEER \_\_\_\_\_ FOLDER \_\_\_\_\_



**GENERAL NOTES**

- ALL CONSTRUCTION WORK SHALL BE DONE IN ACCORDANCE WITH THE "HAWAII STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION", 2005 AND "STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION" DATED SEPTEMBER 1984 OF THE DEPARTMENT OF PUBLIC WORKS, COUNTY OF MAUI, AS AMENDED.
- THE CONTRACTOR SHALL OBTAIN AND PAY FOR ALL PERMITS AND LICENSES REQUIRED. THE CONTRACTOR SHALL CONDUCT ALL TESTS AS REQUIRED BY THE ENGINEER AND BE RESPONSIBLE FOR ALL EXPENSES INCURRED IN CONDUCTING THESE TESTS.
- THE CONTRACTOR SHALL NOTIFY THE DEPARTMENT OF PUBLIC WORKS AND ENVIRONMENTAL MANAGEMENT, COUNTY OF MAUI, ENGINEERING DIVISION SEVEN (7) DAYS PRIOR TO COMMENCEMENT OF CONSTRUCTION.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATIONS AND INVERTS OF ALL EXISTING UTILITIES AND DRAINAGE SYSTEMS, WHETHER SHOWN ON THE PLANS OR NOT, PRIOR TO COMMENCEMENT OF CONSTRUCTION.
- THE CONTRACTOR SHALL VERIFY AND CHECK ALL DIMENSIONS AND DETAILS SHOWN ON THE DRAWINGS PRIOR TO THE START OF CONSTRUCTION. THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ENGINEER OF ANY DISCREPANCY OR CONFLICTS FOUND IN THE FIELD PRIOR TO OR DURING THE COURSE OF CONSTRUCTION AND SHALL NOT PROCEED WITH CONSTRUCTION UNTIL THE ENGINEER RESOLVES THE SAID DISCREPANCY OR CONFLICT.
- FOR DETAILS NOT DELINEATED BY THESE PLANS, THE CONTRACTOR SHALL REFER TO THE "STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION" MAUI, HAWAII AND KAUAI COUNTIES AND CITY AND COUNTY OF HONOLULU, OR THE "WATER SYSTEM STANDARDS", DATED 2002, WHICHEVER IS APPLICABLE.
- UNLESS OTHERWISE NOTED, ALL EXISTING PAVEMENT, UTILITY LINES AND OTHER IMPROVEMENTS WITHIN THE COUNTY RIGHT-OF-WAY THAT ARE DAMAGED OR UNDERMINED AS A RESULT OF THE CONTRACTOR'S OPERATION SHALL BE RECONSTRUCTED OR REPLACED BY THE CONTRACTOR AT HIS OWN EXPENSE TO MATCH OR BETTER THAN EXISTING CONDITIONS.
- ALL VISIBLE UTILITY STRUCTURES HAVE BEEN LOCATED IN THE FIELD. HOWEVER, CONNECTIONS TO UNDERGROUND UTILITY LINES AS SHOWN ARE UNVERIFIED AND COMPILED FROM EXISTING DATA. UNDERGROUND UTILITIES SHOWN HEREIN ARE FOR INFORMATION ONLY, HAVING BEEN OBTAINED FROM THE BEST AVAILABLE SOURCES. NO GUARANTEE IS MADE ON THE ACCURACY OR COMPLETENESS OF SAID INFORMATION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYMENT OF ANY DAMAGED UTILITIES.
- PRIOR TO THE START OF CONSTRUCTION, THE CONTRACTOR SHALL TONE OR PROBE THE PROJECT SITE TO VERIFY THE LOCATION OF ALL UNDERGROUND UTILITIES AND PIPELINES WHETHER SHOWN OR NOT. IF UTILITIES OR PIPELINES ARE FOUND DURING PROBING AND ARE NOT SHOWN ON THE PLANS, THE ENGINEER SHALL BE NOTIFIED IMMEDIATELY.
- THE CONTRACTOR SHALL OBSERVE AND COMPLY WITH ALL FEDERAL, STATE, AND LOCAL LAWS REQUIRED FOR THE PROTECTION OF PUBLIC HEALTH, SAFETY, AND ENVIRONMENTAL QUALITY.
- WHENEVER CONNECTIONS OF NEW UTILITIES TO EXISTING UTILITIES ARE SHOWN ON THE PLANS, THE CONTRACTOR SHALL EXPOSE THE EXISTING LINES AT THE PROPOSED CONNECTIONS TO VERIFY THEIR LOCATIONS, DEPTHS AND ASSURE CONNECTIONS CAN BE MADE PRIOR TO EXCAVATION FOR THE NEW LINES, AT NO ADDITIONAL COST TO THE STATE.
- IN THE EVENT THAT SUBSURFACE CULTURAL REMAINS SUCH AS ARTIFACTS, BURIALS, OR DEPOSITS OF SHELLS OR CHARCOAL ARE ENCOUNTERED DURING EXCAVATION WORK, THE CONTRACTOR SHALL STOP WORK IN THE AREA OF THE FIND AND CONTACT THE DEPARTMENT OF LAND AND NATURAL RESOURCES, HISTORIC PRESERVATION DIVISION (808-692-8015) IMMEDIATELY.
- TOPOGRAPHIC SURVEY PERFORMED BY ENGINEERING SURVEYORS HAWAII, INC., DATED OCTOBER 30, 2014.

**COMPACTION REQUIREMENTS**

- TESTING OF MATERIAL SHALL BE CONDUCTED BY AN APPROVED INDEPENDENT TESTING AGENCY IN ACCORDANCE WITH ASTM STANDARD METHODS OR AS SPECIFIED BY THE DEPARTMENT OF PUBLIC WORKS AND ENVIRONMENTAL MANAGEMENT, COUNTY OF MAUI, AS FOLLOWS:
  - EMBANKMENT/SELECT BORROW AND SUBGRADE MATERIALS: ONE (1) COMPACTION TEST PER 600 SQUARE YARDS PER LIFT;
  - AGGREGATE SUBBASE COURSE: ONE (1) COMPACTION TEST PER 400 SQUARE YARDS; ONE (1) GRADATION AND SAND EQUIVALENT TEST PER LIFT PER PROJECT;
  - AGGREGATE BASE COURSE: ONE (1) COMPACTION TEST PER 300 SQUARE YARDS; ONE (1) GRADATION AND SAND EQUIVALENT TEST PER PROJECT;
  - ASPHALT CONCRETE PAVEMENT OR ASPHALT TREATED BASE COURSE; THREE (3) A.C. CORES FOR THICKNESS AND DENSITY TEST PER PROJECT;
  - TRENCH BACKFILL MATERIAL: ONE (1) TEST FOR EACH 300 LINEAL FEET OF TRENCH PER LIFT OF MATERIAL.
- CONTRACTOR SHALL SUBMIT ALL TESTING REPORTS INCLUDING RESULTS TO THE ENGINEER FOR REVIEW AND APPROVAL PRIOR TO COUNTY'S ACCEPTANCE OF WORK.
- THE CONTRACTOR SHALL BE REQUIRED TO NOTIFY THE ENGINEER OF ANY TESTING FAILURES AND CORRECT EACH FAILURE PRIOR TO PROCEEDING TO THE NEXT PHASE OF CONSTRUCTION.

**GRADING NOTES**

- ALL GRADING WORK SHALL CONFORM TO THE MAUI COUNTY CODE. SHOULD A GRADING PERMIT BE REQUIRED, NO WORK SHALL COMMENCE UNTIL THE DEPARTMENT OF PUBLIC WORKS AND ENVIRONMENTAL MANAGEMENT (DPW) APPROVES A GRADING PERMIT.
- THE CONTRACTOR SHALL PROVIDE ADEQUATE MEASURES TO PREVENT FLOODING AND EROSION PROBLEMS TO ADJACENT PROPERTIES.
- THE CONTRACTOR SHALL REMOVE ALL SILT AND DEBRIS DEPOSITED IN DRAINAGE FACILITIES, ROADWAYS AND OTHER AREAS RESULTING FROM HIS WORK. THE COSTS INCURRED FOR ANY NECESSARY REMEDIAL ACTION BY THE DPW SHALL BE PAYABLE BY THE CONTRACTOR.
- THE CONTRACTOR, AT HIS OWN EXPENSE, SHALL KEEP THE PROJECT AND SURROUNDING AREAS FREE FROM DUST NUISANCES. THE WORK SHALL BE IN CONFORMANCE WITH THE AIR POLLUTION CONTROL RULES OF THE STATE DEPARTMENT OF HEALTH, HAR 11-60.1, FUGITIVE DUST.
- ALL GRADING OPERATIONS SHALL BE PERFORMED IN CONFORMANCE WITH THE APPLICABLE PROVISIONS OF THE HAWAII ADMINISTRATIVE RULES, TITLE 11, CHAPTER 55, WATER POLLUTION CONTROL AND CHAPTER 54, WATER QUALITY STANDARDS.
- ALL GRADING OPERATIONS SHALL BE PERFORMED IN CONFORMANCE WITH THE APPLICABLE PROVISIONS OF THE HAWAII ADMINISTRATIVE RULES, TITLE 11, CHAPTER 46, COMMUNITY NOISE CONTROL.
- SHOULD ANY UNANTICIPATED ARCHAEOLOGICAL SITE(S) BE UNCOVERED BY THE GRADING ACTIVITY, ALL WORK SHALL CEASE IN THE IMMEDIATE AREA AND THE CONTRACTOR SHALL NOTIFY THE STATE HISTORIC PRESERVATION DIVISION AT 692-8015. NO WORK SHALL RESUME UNTIL THE CONTRACTOR OBTAINS CLEARANCE FROM THE HISTORIC PRESERVATION DIVISION.
- THE CONTRACTOR SHALL SOO OR PLANT ALL SLOPES AND EXPOSED AREAS IMMEDIATELY AFTER THE GRADING WORK HAS BEEN COMPLETED.
- FILLS ON SLOPES STEEPER THAN 5:1 SHALL BE KEYED.
- THE CONTRACTOR SHALL INFORM THE DPW OF THE LOCATION OF THE DISPOSAL AND/OR BORROW SITE(S) REQUIRED FOR THIS PROJECT WHEN AN APPLICATION FOR A GRADING PERMIT IS MADE. THE DISPOSAL AND/OR BORROW SITES MUST ALSO FULFILL THE REQUIREMENTS OF THE GRADING ORDINANCE.
- NO GRADING WORK SHALL BE DONE ON SATURDAYS, SUNDAYS, AND HOLIDAYS ANYTIME WITHOUT PRIOR APPROVAL FROM DPW. GRADING WORK ON NORMAL WORKING DAYS SHALL BE BETWEEN THE HOURS OF 8:00 AM TO 4:30 PM.
- FILLS SHALL BE COMPACTED TO 90 PERCENT (90%) OF MAXIMUM DENSITY PER ASTM D-1557 TEST, UNLESS SPECIFIED OTHERWISE.
- THE CONTRACTOR SHALL REMOVE ALL VEGETATION BEFORE PLACING FILLS ON NATURAL GROUND SURFACE.
- THE CONTRACTOR IS RESPONSIBLE FOR THE PROPER HANDLING, STORAGE AND/OR DISPOSAL OF ALL WASTE GENERATED BY THIS CONSTRUCTION. THE CONTRACTOR SHALL SUBMIT A PLAN TO MAUI COUNTY DEPARTMENT OF PUBLIC WORKS AND ENVIRONMENTAL MANAGEMENT FOR COMPOSTING AND DISPOSAL OF CLEARED AND GRUBBED MATERIAL AND RECYCLING AND DISPOSAL OF CONSTRUCTION WASTE.

**PUBLIC HEALTH SAFETY AND CONVENIENCE NOTES**

- THE CONTRACTOR SHALL OBSERVE AND COMPLY WITH ALL FEDERAL, STATE AND LOCAL LAWS REQUIRED FOR THE PROTECTION OF PUBLIC HEALTH, SAFETY AND ENVIRONMENTAL QUALITY.
- THE CONTRACTOR, AT HIS OWN EXPENSE, SHALL KEEP THE PROJECT AND ITS SURROUNDING AREAS FREE FROM DUST NUISANCE. THE WORK SHALL BE IN CONFORMANCE WITH THE AIR POLLUTION STANDARDS AND REGULATIONS OF THE STATE DEPARTMENT OF HEALTH, THE COUNTY MAY REQUIRE SUPPLEMENTARY MEASURES AS NECESSARY.
- NO CONTRACTOR SHALL PERFORM ANY TRENCHING OPERATION SO AS TO CAUSE FALLING ROCKS, SOIL OR DEBRIS IN ANY FORM TO FALL, SLIDE OR FLOW ONTO ADJOINING PROPERTIES, STREETS OR NATURAL WATER COURSES. SHOULD SUCH VIOLATIONS OCCUR, THE COSTS INCURRED FOR ANY REMEDIAL ACTION BY THE ENGINEER SHALL BE PAYABLE BY THE CONTRACTOR.
- WHERE PEDESTRIAN WALKWAYS EXIST, THEY SHALL BE MAINTAINED IN PASSABLE CONDITION OR OTHER FACILITIES FOR PEDESTRIANS SHALL BE PROVIDED. TEMPORARY PASSAGE WAYS SHALL BE ACCESSIBLE AND COMPLY WITH THE GUIDELINES BELOW:
  - ADAAG 201.3 TEMPORARY AND PERMANENT STRUCTURES. THESE REQUIREMENTS SHALL APPLY TO TEMPORARY AND PERMANENT BUILDINGS AND FACILITIES
  - ADAAG 206.1 GENERAL ACCESSIBLE ROUTES SHALL BE PROVIDED IN ACCORDANCE WITH 206 AND SHALL COMPLY WITH CHAPTER 4.

**ENVIRONMENTAL PROTECTION NOTES**

- IN ACCORDANCE WITH CHAPTER 11-60.1, AIR POLLUTION CONTROL, TITLE 11, STATE ADMINISTRATIVE RULES, THE PROPERTY OWNER/DEVELOPER SHALL BE RESPONSIBLE FOR ENSURING THAT EFFECTIVE CONTROL MEASURES ARE PROVIDED TO MINIMIZE OR PREVENT ANY VISIBLE DUST EMISSION CAUSED BY THE CONSTRUCTION WORK FROM IMPACTING THE SURROUNDING AREAS INCLUDING THE OFF-SITE ROADWAYS USED TO ENTER/EXIT THE PROJECT. THESE MEASURES INCLUDE BUT ARE NOT LIMITED TO THE USE OF WATER WAGON, SPRINKLER SYSTEMS, DUST FENCES, ETC.
- IN ACCORDANCE WITH CHAPTER 11-55, WATER POLLUTION CONTROL AND CHAPTER 11-54, WATER QUALITY STANDARDS, TITLE 11, STATE ADMINISTRATIVE RULES, THE PROPERTY OWNER/DEVELOPER SHALL BE RESPONSIBLE FOR ENSURING THAT THE BEST MANAGEMENT PRACTICE (BMP) TO MINIMIZE OR PREVENT THE DISCHARGE OF SEDIMENTS, DEBRIS, AND OTHER WATER POLLUTANTS INTO STATE WATERS IS PROVIDED.
- IN ACCORDANCE WITH CHAPTER 11-58.1, SOLID WASTE MANAGEMENT CONTROL, TITLE 11, STATE ADMINISTRATIVE RULES, THE PROPERTY OWNER/DEVELOPER SHALL BE RESPONSIBLE FOR ENSURING THAT GRUB MATERIAL, DEMOLITION WASTE AND CONSTRUCTION WASTE GENERATED BY THE PROJECT ARE DISPOSED OF IN A MANNER OR AT A SITE APPROVED BY THE STATE DEPARTMENT OF HEALTH. DISPOSAL OF ANY OF THESE WASTES BY BURNING IS PROHIBITED.

**ARCHAEOLOGICAL NOTE**


- IF, DURING CONSTRUCTION, ANY ARCHAEOLOGICAL SITES OR REMAINS (SUCH AS ARTIFACTS, SHELL, BONE, OR CHARCOAL DEPOSITS, HUMAN BURIALS, ROCK OR CORAL ALIGNMENTS, PAVINGS, OR WALLS) ARE ENCOUNTERED, THE CONTRACTOR SHALL STOP WORK AND CONTACT THE STATE HISTORIC PRESERVATION DIVISION AT 692-8015. WORK IN THE IMMEDIATE AREA SHALL BE STOPPED UNTIL THE OWNER IS ABLE TO ASSESS THE IMPACT AND MAKE RECOMMENDATIONS FOR MITIGATE ACTIVITY.

**ABBREVIATIONS:**


&	AND	N	NORTH
AC	ACRES	NTS	NOT TO SCALE
APPROX	APPROXIMATE, APPROXIMATELY	NO	NUMBER
@	AT	OC	ON CENTER
BW	BOTTOM OF WALL	OD	OUTSIDE DIAMETER
BF	BOTTOM OF FOOTING	O/S	OFFSET
CB	CATCH BASIN	P	PROPERTY LINE
CONN	CONNECT, CONNECTION	PVC	POLYVINYL CHLORIDE
CL	CENTERLINE	PP	POWER POLE
CONC	CONCRETE	PSI	POUNDS PER SQUARE INCH
CONT	CONTINUE, CONTINUOUS	POC	POINT ON CURVE
		PORT	PORTABLE BUILDING
CY	CUBIC YARD	R	RADIUS
D	DIAMETER	S	SOUTH, SLOPE, SEWER, SPAN
DET	DETAIL	SF	SQUARE FOOT
DPP	DEPARTMENT OF PLANNING & PERMITTING	SHT	SHEET
DPW	DEPARTMENT OF PUBLIC WORKS	SIGMH	SIGNAL MANHOLE
DWG	DRAWING	SL	SEWER LINE
E	EAST	S/N	SERIAL NUMBER
EA	EACH	SMH	SEWER MANHOLE
ELEC	ELECTRIC, ELECTRICAL	SQ	SQUARE
EP	EDGE OF PAVEMENT	ST	STREET
ELEV, EL	ELEVATION	STA	STATION
EXIST	EXISTING	STD	STANDARD
FT	FOOT, FEET	SY	SQUARE YARD
FH	FIRE HYDRANT	T	TOP
FG	FINISH GRADE	TB	TOP OF BANK
H	HEIGHT	TF	TOP OF FOOTING
HORIZ	HORIZONTAL	TW	TOP OF WALL
ID	INSIDE DIAMETER	TYP	TYPICAL
INV	INVERT	UP	UTILITY POLE
LAT	LATERAL	VB	VALVE BOX
LF	LINEAR FOOT	VERT	VERTICAL
LIN	LINEAR	W	WATER
		W/	WITH
MAX	MAXIMUM	WL	WATERLINE
MECH	MECHANICAL	WMH	WATER MANHOLE
MH	MISCELLANEOUS MANHOLE	WM	WATER METER
MISC	MISCELLANEOUS	WV	WATER VALVE
MIN	MINIMUM	WVH	WATER VALVE HAND HOLE
MON	MONUMENT	W	WEST

**INDEX TO DRAWINGS**

SHEET	DWG. NO.	DESCRIPTION
1	T-1	TITLE SHEET
2	C-1	SHEET INDEX AND CONSTRUCTION NOTES
3	C-2	EXISTING CONDITIONS
4	C-3	DEMOLITION & EROSION CONTROL PLAN
5	C-4	SITE & GRADING PLAN & PROFILE 1
6	C-5	SITE & GRADING PLAN & PROFILE 2
7	C-6	SECTIONS
8	C-7	DETAILS

REVISION NO.	SYMBOL	DESCRIPTION	SHEET OF	DATE
			2	
				
DEPARTMENT OF HAWAIIAN HOME LANDS STATE OF HAWAII KAPAAKEA FLOOD MITIGATION IMPROVEMENTS KAUNAKAKAI, MOLOKAI				
SHEET INDEX AND CONSTRUCTION NOTES				
MITSUNAGA & ASSOCIATES, INC. 4/30/2016 MITSUNAGA & ASSOCIATES, INC. EXP. DATE		JOB NO. P61001-13	DRAWING NO. <b>C-1</b>	
DESIGNED BY: SD	CHECKED BY: SD	DATE DECEMBER 2015	SHEET 2 OF 8 SHEETS	
DRAWN BY: DT	APPROVED BY: CM	SCALE: AS INDICATED		
NOTE: Contractor to check and verify dimensions at job before proceeding with work.				





**LEGEND**

	PROPERTY LINE
	LIMITS OF CONSTRUCTION & DISTURBED AREA
	COMPOST FILTER SOCK, SEE DETAIL THIS SHEET
	DEMOLISH & REMOVE EXIST. TREE
	FLOW ARROW
	DEMOLISH & REMOVE EXIST. LAVA ROCK WALL
	DEMOLISH & REMOVE EXIST. FENCE
	SHORELINE

**DEMOLITION NOTES**

- TREES TO BE DEMOLISHED & REMOVED WITHIN TMK: (2) 5-3-007: 039 SHALL BE COORDINATED WITH THE PROPERTY CARETAKER AT 808-553-5992.
- ALL TREES WITHIN TMK: (2) 5-3-007: 039 SHALL BE CUT AT THE BASE AND TREATED WITH GARLON 4 HERBICIDE OR APPROVED EQUAL.
- CONTRACTOR SHALL REMOVE AND PROPERLY DISPOSE OF ALL WOODY DEBRIS AND RUBBISH OFF-SITE.

**EROSION CONTROL NOTES**

- TEMPORARY EROSION CONTROL NOTES:**
- FOLLOW SEQUENCE OF OPERATION AS RECOMMENDED ON PAGES 23 AND 24 OF THE "RULES RELATING TO SOIL EROSION STANDARDS AND GUIDELINES", APRIL 1999, OF THE DEPARTMENT OF PLANNING AND PERMITTING, MAUI COUNTY.
  - THE CONTRACTOR SHALL MINIMIZE THE AMOUNT OF LAND TO BE EXPOSED AT ANY TIME.
  - EXPOSED AREAS THAT ARE NOT AT FINAL GRADE AND ARE EXPECTED TO BE EXPOSED FOR MORE THAN 30 DAYS SHALL BE PLACED WITH A VEGETATIVE COVER OR BE MULCHED (AT A RATE OF 45 CUBIC FEET PER 1,000 SQUARE FEET) IN ORDER TO PREVENT EROSION AND SILT RUNOFF.
  - TEMPORARY EROSION CONTROLS SHALL NOT BE REMOVED BEFORE PERMANENT EROSION CONTROLS ARE IN PLACE AND ESTABLISHED.
- PERMANENT EROSION CONTROL MEASURES:**
- ALL SLOPES AND EXPOSED AREAS SHALL BE SODDED OR PLANTED AS SOON AS FINAL GRADES HAVE BEEN ESTABLISHED.
  - 2:1 SLOPES SHALL BE TREATED WITH GEOFABRIC OR TREATED WITH SOIL CONDITIONER TO AID IN THE ESTABLISHMENT OF TURF/ PLANTING.

**DEMOLITION & EROSION CONTROL PLAN**




SCALE: 1" = 20'

**BMP NOTES:**


- TEMPORARY EROSION CONTROL MEASURES:**
- PRIOR TO CLEARING LAND FOR GRADING, TEMPORARY EROSION CONTROL MEASURES, SUCH AS COMPOST FILTER SOCK SHALL BE INSTALLED.
  - OPENING AND CLEARING OF LAND FOR GRADING SHALL BE PERFORMED INCREMENTALLY TO MINIMIZE EROSION POTENTIAL.
  - AREAS NOT WITHIN THE LIMITS OF CONSTRUCTION & DISTURBED AREA SHALL REMAIN VEGETATED DURING GRADING OPERATIONS.
  - SILT WHICH HAS ACCUMULATED ON COMPOST FILTER SOCK SHALL BE REMOVED AND DISPOSED OF ON A BI-WEEKLY BASIS.
  - WHEN CLEARED OR GRUBBED AREAS ARE NOT TO BE GRADED OR DISTURBED FOR 30 DAYS OR MORE, SEED, PLANT OR HYDROSEED TEMPORARY VEGETATION.
  - THE CONTRACTOR'S EQUIPMENT STORAGE AREAS SHALL BE PROTECTED THROUGH THE USE OF EARTH BERMS AND/OR ABSORPTION MATERIALS TO PREVENT POLLUTANTS FROM DISCHARGING INTO STATE WATERS. THE CONTRACTOR SHALL INSPECT AND MAINTAIN STORAGE AREAS.
- SEQUENCE FOR SEDIMENT CONTROL:**
- INSTALL COMPOST FILTER SOCK.
  - GROUND COVER, SUCH AS GRASSING, MULCHING OR NETTING TO BE INSTALLED IMMEDIATELY AFTER FINAL GRADES ARE ESTABLISHED.

**NOTE:**


- COMPOST SHALL NOT CONTAIN BIOSOLIDS AND SHOULD BE CONSISTENT WITH EPA GUIDELINES.
- COMPOST FILTER SOCK SHALL BE 12" MIN. IN DIAMETER.
- NO REBAR OR OTHER METAL RODS ARE TO BE USED AS ANCHORS.
- ANCHORS SHALL HAVE A 4" MAX SPACING.



**01 COMPOST FILTER SOCK**  
NOT TO SCALE





PRISON NO.		SYL.	DESCRIPTION	SIT. OF	DATE
DEPARTMENT OF HAWAIIAN HOME LANDS STATE OF HAWAII KAPAKEA FLOOD MITIGATION IMPROVEMENTS KAUNAKAKAI, MOLOKAI <b>DEMOLITION &amp; EROSION CONTROL PLAN</b>					
		MITSUNAGA & ASSOCIATES, INC. 4302016 EXP. DATE		JOB NO. F61001-13	DRAWING NO. <b>C-3</b>
DESIGNED BY: SD	CHECKED BY: SD	DRAWN BY: DT	APPROVED BY: CM	DATE DECEMBER 2015	SHEET 4 OF 8 SHEETS
NOTE: Contractor to check and verify dimensions at job before proceeding with work.					
SCALE: AS INDICATED					




**LEGEND**

- PROPERTY LINE
- LIMITS OF CONSTRUCTION & DISTURBED AREA
- FINISHED GRADE CONTOUR
- SHORELINE



**EARTHWORK QUANTITIES:**  
(FOR GRADING PERMIT PURPOSES ONLY)

GRADED AREA	0.20 ACRES
EXCAVATION	100 CY
EMBANKMENT	10 CY
DISTURBED AREA	0.33 ACRES



REVISION NO.	DATE	DESCRIPTION	SHEET NO.	DATE

CHAD M. MCDONALD  
LICENSED PROFESSIONAL ENGINEER  
No. 9793-C  
HAWAII, U.S.A.

This work was prepared by me or under my supervision.

*Chad M. McDonald*

MITSUNAGA & ASSOCIATES, INC. EXP. DATE


NOTE: Contractor to check and verify dimensions of job before proceeding with work.

DEPARTMENT OF HAWAIIAN HOME LANDS  
STATE OF HAWAII


KAPAHEKA FLOOD MITIGATION IMPROVEMENTS  
KAUNAKAKAI, MOLOKAI

**SITE & GRADING PLAN & PROFILE 1**


MITSUNAGA & ASSOCIATES, INC.	JOB NO.	DRAWING NO.
DESIGNED BY: SD	PS1001-13	C-4
CHECKED BY: SD	DATE	SHEET
DRAWN BY: DT	APPROVED BY: CM	5
SCALE: AS INDICATED	DECEMBER 2015	OF 8 SHEETS




- LEGEND**
- PROPERTY LINE
  - - - - - LIMITS OF CONSTRUCTION & DISTURBED AREA
  - 2 — FINISHED GRADE CONTOUR



**CMU WALL BACK PROFILE**  
SCALE: 1"=20' HORIZ.  
1"=5' VERT.



**CMU WALL FRONT PROFILE**  
SCALE: 1"=20' HORIZ.  
1"=5' VERT.



REGION NO.	STA.	DESCRIPTION	SHEET OF	DATE

**Chad M. McDonald**  
4/30/2015  
MITSUNAGA & ASSOCIATES, INC.  
NOTE: Contractor to check and verify dimensions at job before proceeding with work.

DEPARTMENT OF HAWAIIAN HOME LANDS  
STATE OF HAWAII


















KAPA'AKEA FLOOD MITIGATION IMPROVEMENTS  
KAUNAKAKAI, MOLOKAI

**SITE & GRADING PLAN & PROFILE 2**

JOB NO.  
P61001-13

DRAWING NO.  
**C-5**


DRAWN BY: SD  
CHECKED BY: SD  
APPROVED BY: CM  
DATE: DECEMBER 2015  
SHEET 6 OF 8 SHEETS



GRAPHIC SCALE:

VERT: 1" = 2'


HORIZ: 1" = 5'




REVISION NO.	SYMBOL	DESCRIPTION	SHEET NO.	DATE


		DEPARTMENT OF HAWAIIAN HOME LANDS STATE OF HAWAII	
		KAPA'EA FLOOD MITIGATION IMPROVEMENTS KAUNAKAKAI, MOLOKAI	
		SECTIONS	
		MITSUNAGA & ASSOCIATES, INC.	JOB NO. P61001-13
DESIGNED BY: SD	CHECKED BY: SD	DATE DECEMBER 2015	DRAWING NO. C-6
DRAWN BY: DT	APPROVED BY: CM	SHEET 7	OF 8 SHEETS
NOTE: Contractor to check and verify dimensions at job before proceeding with work.		SCALE: AS INDICATED	




**1 CMU WALL**  
SCALE: 1" = 1'-0"




**2 STEP FOOTING DETAIL**  
SCALE: 3/4" = 1'-0"



**3 TYPICAL SWALE DETAIL**  
LOCATIONS VARY, SEE C-4 & C-5  
SCALE: 1" = 1'-0"




**4 TYPICAL SWALE DETAIL**  
LOCATIONS VARY, SEE C-4 & C-5  
SCALE: 1" = 1'-0"



**5 SECTION "A"-A"**  
SCALE: 1" = 1'-0"

GRAPHIC SCALE:



REGION NO.	SYL.	DESCRIPTION	SIT. OF	DATE
DEPARTMENT OF HAWAIIAN HOME LANDS STATE OF HAWAII KAPAAKEA FLOOD MITIGATION IMPROVEMENTS KAUNAKAKAI, MOLOKAI DETAILS				
MITSUNAGA & ASSOCIATES, INC. DESIGNED BY: SD DRAWN BY: DT		JOB NO. P61001-13 DATE DECEMBER 2015		DRAWING NO. <b>C-7</b> SHEET 8 OF 8 SHEETS
NOTE: Contractor to check and verify dimensions at job before proceeding with work.				

**Communication from  
Planning Department  
that County has No  
Jurisdiction in SMA**

**APPENDIX**

**C**



## **Cheryl Okuma**

---

**Subject:** FW: Request To Meet (Molokai Flood Mitigation Project)

**From:** Jeffrey Dack [mailto:Jeffrey.Dack@co.maui.hi.us]

**Sent:** Wednesday, July 22, 2015 12:33 PM

**To:** Cheryl Okuma <Cheryl@munekiyohiraga.com>; Karlynn Fukuda <karlynn@munekiyohiraga.com>

**Cc:** Sybil Lopez <Sybil.Lopez@co.maui.hi.us>

**Subject:** RE: Request To Meet (Molokai Flood Mitigation Project)

Cheryl and Karlynn,

I checked with Clayton after our meeting on Monday. If the project is to be carried out by DHHL we would not consider the County to have jurisdiction for the SMA. If instead the project is to be carried out by a lessee of DHHL we WOULD consider the County of have jurisdiction for the SMA. I hope this helps.

Thanks,

Jeff Dack

**REAL PROPERTY TAX  
CERTIFICATION  
OF FIELD BOOK  
LAND SHEET  
(Parcel 9)**

**APPENDIX**

**D**

FIELD BOOK LAND SHEET

FORM A. D. 17-B

DESCRIPTION		SECTION DIVISION		
ZONE	SEC.	PLAT.	PARCEL	AREA
5	4	07	09	0.445 AC
OWNER Hawaii Home Commission Lucy Malic		TITLE HISTORY H.H.C. Lessee No. 2361 - 4/27/50		
<p>Consolidated to be filed and correct copy of the original can be found in this office</p> <p><i>J. M. Gray</i> Tax Assessor</p>				

**Flora and  
Fauna Survey**

**APPENDIX**

**E**

FLORA AND FAUNA SURVEY  
DEPARTMENT OF HAWAIIAN HOME LANDS  
KAPA'AKEA FLOOD MITIGATION PROJECT  
KAPA'AKEA, MOLOKA'I

by

ROBERT W. HOB DY  
Environmental Consultant  
Koakomo, Maui  
January 2016

Prepared for:  
STATE OF HAWAII  
DEPARTMENT OF HAWAIIAN HOME LANDS

FLORA AND FAUNA SURVEY  
DEPARTMENT OF HAWAIIAN HOME LANDS  
KAPA'AKEA FLOOD MITIGATION PROJECT  
KAPA'AKEA, MOLOKA'I

INTRODUCTION

The Department of Hawaiian Home Lands (DHHL) Kapa'akea Flood Mitigation Project is located 0.75 miles to the east of Kaunakakai Town below Kamehameha V Highway (see Figure 1). The project area includes five DHHL lots (TMK (2) 5-4-07:9, 10, 11, 24, 25) that total approximately 2.5 acres and stretch from the highway down to the shoreline (see Figure 2). Bordering the project area on the west is the Koheo Wetland, on the south is the ocean, on the east are more DHHL lots within the Kapa'akea Homestead, and on the north is Kamehameha V Highway. This project calls for the construction of a concrete retaining wall between the DHHL lots and the adjacent wetland to protect the lots from potential flooding damages. This flora and fauna study was initiated by DHHL in compliance with environmental requirements of the planning process.

SITE DESCRIPTION

The five lots within the project, range in elevation from 3 to 5 feet above sea level. The terrain is nearly level on this coastal plain. Soils are described mostly as Kealia Silt Loam with a smaller area of Mala Silty Clay near the highway (Foote et al, 1972). Vegetation is mostly of a domestic landscape type, including mowed lawns, shade trees, low hedges and a few scattered ornamentals and fruit trees (see Figure 3). Rainfall averages 12 to 15 inches per year with most occurring during the winter months (Armstrong, 1983). The proposed concrete wall along the west side of the project area would extend approximately 745 feet from near the shoreline up to the edge of the highway right-of-way and then an additional 187 feet laterally along the highway to Kapa'akea Loop Road.

SURVEY OBJECTIVES

This report summarizes the findings of a flora and fauna survey for the DHHL Kapa'akea Flood Mitigation Project which was conducted in January 2016. The objectives of the survey were to:

1. Document what plant and animal species occur on the property or may likely occur in the existing habitat.
2. Document the status and abundance of each species.
3. Determine the presence or likely occurrence of any native flora and fauna, particularly any that are Federally listed as Threatened or Endangered. If such occur, identify what features of the habitat may be essential for these species.
4. Determine if the project area contains any special habitats which if lost or altered might result in a significant negative impact on the flora and fauna in this part of the island.

## BOTANICAL SURVEY REPORT

### SURVEY METHODS

A walk-through botanical survey was conducted for the five small subject parcels. Notes were made on species, distribution and abundance as well as on terrain and substrate.

### DESCRIPTION OF THE VEGETATION

The vegetation was typical of landscaped home site properties, with mowed lawns, shade trees, hedges and scattered ornamental plants and fruit trees. A few weedy species grew along the western boundaries near the Koheo wetland. Plants growing in pots were not recorded.

A total of 25 plant species were recorded during the course of the survey. Of these, none were species endemic to Hawaii. Three species were indigenous to Hawaii as well as to other Pacific islands: milo (*Thespesia populnea*), kīpūkai (*Heliotropium curassavicum*) and 'ekaha or birds-nest fern (*Asplenium nidus*). No Endangered or Threatened species were recorded, nor were any found that were candidates for such status.

### DISCUSSION AND RECOMMENDATIONS

Little about the vegetation that currently occupies the five residential lots within the project area is worthy of comment or concern. The absence of any Endangered or Threatened plants and the lack of any natural habitats defines the character of the project area. Of the three indigenous plants, the milo and 'ekaha have been purposely planted and are being cultivated as ornamentals, and only the widespread and common kīpūkai was found growing naturally.

The construction of the proposed concrete flood mitigation wall on a non-wetland alignment along the western edge of the project area would not have a significant negative impact on the botanical resources in this part of Moloka'i. No recommendations regarding the botanical resources in this area are deemed necessary.

## PLANT SPECIES LIST

Following is a checklist of all those vascular plant species inventoried during the field studies. Plant families are arranged alphabetically within each of three groups: Ferns, Monocots and Dicots. Taxonomy and nomenclature of the Ferns are in accordance with Palmer (2003) and the Monocots and Dicots are in accordance with Wagner et al. (1999) and Staples and Herbst (2005).

For each species, the following information is provided:

1. Scientific name with author citation
2. Common English or Hawaiian name.
3. Bio-geographical status. The following symbols are used:

endemic = native only to the Hawaiian Islands; not naturally occurring anywhere else in the world.

indigenous = native to the Hawaiian Islands and also to one or more other geographic area(s).

Polynesian = all plant species brought to Hawaii by the Polynesians in the course of their migrations.

non-native = all those plants brought to the islands intentionally or accidentally after western contact.

4. Abundance of each species within the project area:

abundant = forming a major part of the vegetation within the project area.

common = widely scattered throughout the area or locally abundant within a portion of it.

uncommon = scattered sparsely throughout the area or occurring in a few small patches.

rare = only a few isolated individuals within the project area.



SCIENTIFIC NAME	COMMON NAME	STATUS	ABUNDANCE
<b>FERNS</b>			
ASPLENIACEAE (Spleenwort Family)			
<i>Asplenium nidus</i> L.	'ekaha, birds-nest fern	indigenous	rare
<b>MONOCOTS</b>			
ARECACEAE (Palm Family)			
<i>Cocos nucifera</i> L.	niu, coconut	Polynesian	uncommon
ASPARAGACEAE (Asparagus Family)			
<i>Cordyline fruticosa</i> (L.) A. Chev.	kī, tī	Polynesian	rare
<i>Dracaena reflexa</i> Lam.	Song-of-India	non-native	rare
BROMELIACEAE (Bromeliad Family)			
<i>Tillandsia usneoides</i> (L.) L.	Spanish moss, hinahina	non-native	rare
MUSACEAE (Banana Family)			
<i>Musa acuminata x balbisiana</i> Colla	banana	non-native	rare
POACEAE (Grass Family)			
<i>Cenchrus ciliaris</i> L.	buffelgrass	non-native	rare
<i>Chloris barbata</i> (L.) Sw.	swollen fingergrass	non-native	rare
<i>Cynodon dactylon</i> (L.) Pers.	Bermuda grass	non-native	common
<i>Megathyrsus maximus</i> (Jacq.) Morrone	Guinea grass	non-native	rare
<b>DICOTS</b>			
ACANTHACEAE (Acanthus Family)			
<i>Graptophyllum pictum</i> (L.) Griffith	caricture plant	non-native	rare
AMARANTHACEAE (Amaranth Family)			
<i>Chenopodium murale</i> L.	'aheahea	non-native	rare
ANACARDIACEAE (Mango Family)			
<i>Mangifera indica</i> L.	mango	non-native	uncommon
ASTERACEAE (Sunflower Family)			
<i>Pluchea carolinensis</i> (Jacq.) G. Don	sourbush	non-native	uncommon
<i>Pluchea indica</i> (L.) Less.	Indian fleabane	non-native	common
BATAACEAE (Saltwort Family)			
<i>Batis maritima</i> L.	pickleweed	non-native	uncommon
BORAGINACEAE (Borage Family)			
<i>Heliotropium curassavicum</i> L.	kīpūkai	indigenous	rare
FABACEAE (Pea Family)			
<i>Desmanthus pernambucanus</i> (L.) Thellung	slender mimosa	non-native	rare
<i>Leucaena leucocephala</i> (Lam.) de Wit	koa haole	non-native	rare
<i>Prosopis pallida</i> (Humb. & Bonpl. Ex Willd.) Kunth	kiawe	non-native	common
<i>Samanea saman</i> (Jacq.) Merr.	monkeypod	non-native	uncommon
MALVACEAE (Mallow Family)			
<i>Hibiscus x rosa-sinensis</i> L.	hybrid hibiscus	non-native	uncommon
<i>Thespesia populnea</i> (L.) Correa	milo	indigenous	rare

SCIENTIFIC NAME	COMMON NAME	STATUS	ABUNDANCE
POLYGONACEAE (Buckwheat Family)			
<i>Coccoloba uvifera</i> (L.) L.	sea grape	non-native	rare
RUTACEAE (Citrus Family)			
<i>Citrus aurantiifolia</i> (Christman) Swingle	lime	non-native	rare

# FAUNA SURVEY REPORT

## SURVEY METHODS

A fauna survey was conducted at the same time as the botanical survey. Observations were made using binoculars and listening to vocalizations. Notes were made on species, abundance, activities and location as well as observations of trails, tracks, scat and signs of feeding. In addition, an evening visit was made to the area to record crepuscular activities and vocalizations and to see if there was any evidence of occurrence of the Hawaiian hoary bat (*Lasiurus cinereus semotus*) in the area.

## RESULTS

### MAMMALS

Three non-native mammal species were observed during the course of the survey. Taxonomy and nomenclature follow Tomich (1986). These were all domesticated animals including dogs (*Canis familiaris*), cats (*Felis catus*) and a pig (*Sus scropha*). Other mammals one might expect to encounter on the property include the mongoose (*Herpestes auropunctatus*), rats (*Rattus rattus*) and mice (*Mus domesticus*). Rats and mice eat seeds, insects and herbaceous vegetation and mongoose and cats hunt for rodents and birds.

A special effort was made to look for the native Hawaiian hoary bat by making an evening survey of the area. When present in an area these bats can be easily identified as they forage for insects, their distinctive flight patterns clearly visible in the glow of twilight. No evidence of such activity was observed though visibility was excellent. In addition a bat detecting device (Batbox IIID) was employed, set to the frequency of 27,000 Hertz, which these bats are known to use when echolocating for nocturnal flying insects. No bats were detected with the use of this device.

### BIRDS

There were moderate amounts of birdlife observed in the project area during four site visits. Eleven species were recorded including ten non-native species and one migratory winter visitor. Taxonomy and nomenclature follow the American Ornithologists' Union (2014). Common species were zebra dove (*Geopelia striata*), chicken (*Gallus gallus*), common myna (*Acridotheres tristis*), spotted dove (*Streptopelia chinensis*) and pigeon (*Columba livia*). Uncommon were the house sparrow (*Passer domesticus*), cattle egret (*Bubulcus ibis*) and gray francolin (*Francolinus pondicerianus*). Rare species included the African silverbill (*Lonchurus cantans*), Pacific golden-plover or kolea (*Pluvialis fulva*) and northern cardinal (*Cardinalis cardinalis*). A few other non-native birds may occasionally occur in the project area, but this habitat is not suitable for Hawaii's native forest birds which presently occur only in higher elevation native forests.

The adjacent Kōheo Wetland is a very different habitat than the project area and it consistently supports a number of waterbirds and shorebirds including the indigenous 'auku'u or black-crowned night-heron (*Nycticorax nycticorax hoactli*) and the endemic and Endangered Ae'o or Hawaiian stilt (*Himantopus mexicanus knudseni*) and the 'alae ke'oke'o or Hawaiian coot (*Fulica alai*). Migratory species include the 'ūlilili or wandering tattler (*Tringa incana*), long-billed dowitcher (*Limnodromus scolopaceus*), 'akekeke or ruddy turnstone (*Arenaria interpres*), hunakai or sanderling (*Calidris alba*), kioea or bristle-thighed curlew (*Numenius tahitiensis*) and the semipalmated plover (*Charadrius*

*semipalmatus*). These waterbirds and shorebirds are nearly obligates to these habitats and rarely venture into upland habitats. None were observed in the project area.

## INSECTS

There was a moderate diversity of insects observed in the project area. Ten species of non-native insects were recorded during four site visits. Taxonomy and nomenclature follow Nishida (1992). Just two species were of common occurrence, the western pygmy blue butterfly (*Brephidium exile*) and the monarch butterfly (*Danaus plexippus*). Uncommon were the southern house mosquito (*Culex quinquefasciatus*), the pill bug (*Porcellio laevis*) and the long tail blue butterfly (*Lampides boeticus*). No native insects or important host plants of native insects were found during the survey.

## DISCUSSION AND RECOMMENDATIONS

The fauna survey of the DHHL Kapa'akea Wetland Mitigation Project area failed to find a single native mammal, bird or insect species, and no special habitat for any native animal species was found either. The whole project area consists of fully occupied residential properties.

The adjacent Kōheo Wetland, however is habitat for two Endangered waterbirds, the ae'o and the 'alae ke'oke'o, and this habitat deserves consideration. This wetland has come under a cooperative agreement with a Moloka'i entity that is pursuing a number of habitat enhancements and other protective measures for these birds. The wetland has enough of a buffer that allows the birds to coexist with surrounding human activities in relative peace.

The construction of a cement wall within 150 feet of the wetland, however, will produce a heightened level of disturbance for a time. It is recommended that work activities be monitored to minimize unnecessary levels of equipment and human noise so as not to unduly disturb the birds.

## ANIMAL SPECIES LIST

Following is a checklist of the animal species inventoried during the field work. Animal species are arranged in descending abundance within three groups: Mammals, Birds and Insects. For each species the following information is provided:

1. Common name
2. Scientific name
3. Bio-geographical status. The following symbols are used:

endemic = native only to Hawaii; not naturally occurring anywhere else in the world.

indigenous = native to the Hawaiian Islands and also to one or more other geographic area(s).

non-native = all those animals brought to Hawaii intentionally or accidentally after western contact.

migratory = spending a portion of the year in Hawaii and a portion elsewhere. In Hawaii the migratory birds are usually in the overwintering/non-breeding phase of their life cycle.

4. Abundance of each species within the project area:

abundant = many flocks or individuals seen throughout the area at all times of day.

common = a few flocks or well scattered individuals throughout the area.

uncommon = only one flock or several individuals seen within the project area.

rare = only one or two seen within the project area.

SCIENTIFIC NAME	COMMON NAME	STATUS	ABUNDANCE
<b>MAMMALS</b>			
<i>Felis catus</i> L.	domestic cat	non-native	uncommon
<i>Canis familiaris</i> L.	domestic dog	non-native	uncommon
<i>Sus scrofa</i> L.	domestic pig	non-native	rare
<b>BIRDS</b>			
<i>Geopelia striata</i> L.	zebra dove	non-native	common
<i>Gallus gallus</i> L.	chicken	non-native	common
<i>Acridotheres tristis</i> L.	common myna	non-native	common
<i>Streptopelia chinensis</i> Scopoli	spotted dove	non-native	common
<i>Columba livia</i> Gmelin	rock dove, pigeon	non-native	common
<i>Passer domesticus</i> L.	house sparrow	non-native	uncommon
<i>Bubulcus ibis</i> L.	cattle egret	non-native	uncommon
<i>Francolinus pondicerianus</i> Gmelin	gray francolin	non-native	uncommon
<i>Lonchura cantans</i> Gmelin	African silverbill	non-native	rare
<i>Pluvialis fulva</i> Gmelin	kolea, Pacific golden-plover	migratory	rare
<i>Cardinalis cardinalis</i> L.	northern cardinal	non-native	rare

SCIENTIFIC NAME	COMMON NAME	STATUS	ABUNDANCE
<b>INSECTS</b>			
Order ARANAE - true spiders			
SALTICIDAE (Jumping Spider Family)			
<i>Menemerus bivittatus</i> Dufour	gray wall jumper	non-native	rare
Order DIPTERA - flies			
CULICIDAE (Mosquito Family)			
<i>Culex quinquefasciatus</i> Say	southern house mosquito	non-native	uncommon
SYRPHIDAE (Hoverfly Family)			
<i>Ornidia obesa</i> Fabricius	green hoverfly	non-native	rare
Order HYMENOPTERA - bees, wasps, ants			
FORMICIDAE (Ant Family)			
<i>Pheidole megacephala</i> Fabricius	big-headed ant	non-native	rare
Order ISOPODA - woodlice			
PORCELLIONIDAE (Pill Bug Family)			
<i>Porcellio laevis</i> Latreille	pill bug	non-native	uncommon
Order LEPIDOPTERA - butterflies, moths			
LYCAENIDAE (Gossamer-winged Butterfly Family)			
<i>Brephidium exile</i> Boisduval	western pygmy blue	non-native	common
<i>Lampides boeticus</i> L.	long tail blue	non-native	uncommon
NYMPHALIDAE (Brush-footed Butterfly Family)			
<i>Danaus plexippus</i> L.	monarch butterfly	non-native	common
PAPILIONIDAE (Swallowtail Butterfly Family)			
<i>Papilio xuthus</i> L.	Asian swallowtail	non-native	rare
Order ORTHOPTERA - grasshoppers, crickets			
ACRIDIDAE (Grasshopper Family)			
<i>Schistocerca nitens</i> Thunberg	graybird grasshopper	non-native	rare




Figure 1. DHHL Kapa'akea Flood Mitigation Project (1952 USGS Kaunakakai Quadrant Map)





Figure 2.



-  DHHL Kapa'akea Flood Mitigation Project boundary
-  Proposed concrete wall along the west and north project boundaries



Figure 3. View northeast across the project boundary into the DHHL lots, showing their developed residential character

### Literature Cited

- American Ornithologists' Union 2014. Check-list of North American Birds.  
7<sup>th</sup> edition. American Ornithologists' Union. Washington D.C.
- Armstrong, R. W. (ed.) 1983. Atlas of Hawaii. (2<sup>nd</sup>. ed.) University of Hawaii Press.
- Foote, D.E. , E.L. Hill, S. Nakamura, and F. Stephens. 1972.  
Soil survey of the islands of Kauai, Oahu, Maui, Molokai, and Lanai,  
State of Hawaii. U.S. Dept. of Agriculture, Soil Conservation Service. Washington, D.C.
- Nishida, G.M., G.A. Samuelson, J.S. Strazanac, K.S. Kami. 1992.  
Hawaiian Terrestrial Arthropod Checklist. Hawaii Biological Survey.
- Staples, G.W., D.R. Herbst. 2005. A Tropical Garden Flora. Bishop Museum Press. Honolulu.
- Tomich, P.Q. 1986. Mammals in Hawaii. Bishop Museum Press, Honolulu.
- U.S. Fish and Wildlife Service. 1999. Endangered and threatened wildlife and  
Plants. Listings and Occurrences for Hawaii. [www.fws.gov/endangered](http://www.fws.gov/endangered)
- Wagner, W. L., D.R. Herbst, and S. H. Sohmer. 1999. Manual of the flowering  
plants of Hawai'i. University of Hawai'i Press and Bishop Museum Press.  
Honolulu.

**Archaeological  
Assessment Report**

**APPENDIX**

**F**

**FINAL—Archaeological Assessment in Support of the  
Department of Hawaiian Homelands Kapa‘akea Flood  
Mitigation Improvements, Kapa‘akea Ahupua‘a, Kona District,  
Island of Moloka‘i, Hawai‘i**

**TMK (2) 5-4-007:009, 010, 011, 024, and 025**

**Prepared For:**

Mitsunaga & Associates, Inc.  
747 Amana Street, Suite 216  
Honolulu, HI 96814

**Prepared By:**

David Byerly, BA  
and  
Patrick O’Day, PhD

Garcia and Associates  
146 Hekili St., Suite 101  
Kailua, Hawai‘i 96734

Hawai‘i SHPD Permit No. 15-20

GANDA Report No. 2341-1



13 October 2015

## **MANAGEMENT SUMMARY**

At the request of Mitsunaga and Associates, Inc., Garcia and Associates conducted an Archaeological Inventory Survey (AIS) with systematic subsurface testing at TMKs (2) 5-4-007:009, 010, 011, 024, and 025 in support of the Department of Hawaiian Homelands Kapa'akea Flood Mitigation Improvements Project. The project footprint included a 240 meter long corridor along the eastern and northern boundaries of the Kapa'akea Homesteads. The primary objective of the AIS was to determine the presence or absence of cultural resources within the flood mitigation improvements footprint, systematically document all cultural resources identified, and evaluate identified cultural resources for significance.

The AIS was conducted by the Principal Investigator, Patrick O'Day, PhD, and produced no evidence of traditional Hawaiian or historic cultural resources.



## CONTENTS

Management Summary .....	i
List of Figures .....	iv
List of Tables .....	iv
1.0 INTRODUCTION .....	1
1.1 Project Authority .....	1
1.2 Project Location .....	1
1.3 Personnel Qualifications and Field Schedule .....	1
2.0 ENVIRONMENTAL, HISTORICAL, AND ARCHAEOLOGICAL CONTEXT .....	5
2.1 Physical Environment .....	5
2.2 Pre-Contact Occupation .....	7
2.3 Post-Contact Period .....	8
2.3.1 Historic Land Tenure .....	8
2.3.2 Land Use and Development .....	9
2.3.3 Kapa'akea Homestead .....	11
2.4 Previous Archaeology .....	12
2.4.1 Archaeological Expectations .....	17
3.0 METHODS .....	18
3.1 Consultation .....	18
4.0 RESULTS .....	19
4.1 Surface Survey .....	19
4.1.1 Section 1 Survey .....	19
4.1.2 Section 2 Survey .....	19
4.2 Subsurface Testing .....	19
4.2.1 Section 1 Testing .....	24
4.2.1.1 TU-1 .....	24
4.2.1.2 TU-3 .....	26
4.2.1.3 TU-8 .....	27
4.2.1.4 Section 1 Conclusion .....	28
4.2.2 Section 2 Testing .....	28
4.2.2.1 TU-12 .....	28
4.2.2.2 TU-13 .....	28
4.2.2.3 Section 2 Conclusion .....	31
4.3 Consultations .....	32
5.0 CONCLUSIONS .....	33
6.0 REFERENCES .....	34
APPENDIX A: ADDITIONAL STRATIGRAPHIC PROFILES .....	37



## FIGURES

Figure 1. Map of construction footprint.....	2
Figure 2. Location of project area.....	3
Figure 3. <i>Ahupua'a</i> boundaries.....	4
Figure 4. Project area soils.....	6
Figure 5. 1900 American Sugar Company map of Moloka'i Island.....	11
Figure 6. Registered Map 3093 showing Kapa'akea Residence Lots, date unknown. ....	13
Figure 7. 1950 USGS aerial photograph of project area.....	14
Figure 8. 1964 USGS aerial photograph of project area.....	14
Figure 9. Previous archaeological work near the project area. ....	16
Figure 10. Sections 1 and 2 of project area, with modern rock wall in Section 2.....	20
Figure 11. Coastal mud flat west of project area, facing northwest.....	21
Figure 12. Coastline at southern end of the project area, facing southeast. ....	21
Figure 13. Rock and concrete wall, facing north. ....	22
Figure 14. Degraded section of wall in project area, facing west. ....	22
Figure 15. Section of restacked wall along Kapa'akea Loop Road, facing east. ....	23
Figure 16. Locations of test units in the project area. ....	23
Figure 17. Profile and photograph of north wall of TU-1.....	25
Figure 18 Profile and photograph of north wall of TU-3.....	26
Figure 19. Profile and photograph of west wall of TU-8.....	27
Figure 20. Profile and photograph of east wall of TU-12.....	30
Figure 21. Profile and photograph of southeast wall of TU-13. ....	31

## TABLES

Table 1. Previous Archaeological Investigations Conducted in Vicinity of the Project Area .....	15
Table 2. Stratigraphic Description for TU-1–11, Section 1 .....	25
Table 3. Stratigraphic Description for TU-12–13, Section 2 .....	29

## **1.0 INTRODUCTION**

At the request of Mitsunaga and Associates, Inc., Garcia and Associates conducted an Archaeological Inventory Survey (AIS) with systematic subsurface testing at TMKs (2) 5-4-007:009, 010, 011, 024, and 025 in support of the Department of Hawaiian Homelands (DHHL) Kapa'akea Flood Mitigation Improvements Project. The primary objective of the AIS was to determine the presence or absence of cultural resources within flood improvements footprint, systematically document all cultural resources identified, and evaluate identified cultural resources for significance.

The flood mitigation project will involve the installation of a concrete and cinder block wall and footing that will extend from the shoreline to the south side of Kamehameha V Highway (Figure 1). The footing for the wall will extend two feet under the ground surface and the finished wall will be approximately three feet high. Construction for this project will involve clearing and grading of the footprint and excavation of a trench up to 30 inches deep for the wall's foundation.

This report includes a description of the project, descriptions of environmental and historical contexts, and a review of previous archaeology conducted in the area. Subsequent sections present field methodologies used during the archaeological inventory survey and subsurface testing. This is followed by survey results and conclusions sections.

### **1.1 Project Authority**

This AIS was conducted in accordance with the Hawai'i Revised Statutes §6E-8, Review of Effect of Proposed State Projects, and Hawai'i Administrative Rules §13-276, Rules Governing Standards for Archaeological Inventory Surveys and Reports. Since no cultural properties were documented during the archaeological inventory survey, this document is submitted as an Archaeological Assessment in accordance with HAR §13-276-5.

### **1.2 Project Location**

The project area is located on DHHL's Kapa'akea Homesteads at the west end of Kapa'akea Loop on the southern coast of Moloka'i (Figure 2). A portion of the project area is on the northwest boundary of Kapa'akea Ahupua'a (Figure 3) and is approximately 1 kilometer (km) east of Kaunakakai Town center.

The 4.5 meter (m) wide construction footprint starts from the shoreline at the southwest corner of an oceanfront lot and runs 188 m in a northeasterly direction to the northwest corner of a lot fronting Kamehameha V Highway and covers 0.27 acres (0.11 hectares). From this point, the footprint turns 90 degrees to the east and runs along the southern edge of Kamehameha V Highway for 55 m to the Kapa'akea Loop Road intersection.

### **1.3 Personnel Qualifications and Field Schedule**

Patrick O'Day, PhD., served as the Principal Investigator. Dr. O'Day meets the professional qualifications outlined in Hawai'i Administrative Rules §13-281-3 and is permitted to conduct archaeological investigations under Hawai'i State Historic Preservation Division Permit (SHPD) No. 15-20. Archaeological field investigations were conducted by Dr. O'Day on 30 July 2015.




Figure 1. Map of construction footprint.




Figure 2. Location of project area.




Figure 3. Ahupua'a boundaries.

## 2.0 ENVIRONMENTAL, HISTORICAL, AND ARCHAEOLOGICAL CONTEXT

This section of the report presents the environmental, historical, and archaeological background information for the project area as a means to provide context for the archaeological assessment. A critical review of this information is used to determine and anticipate what types of archaeological features may be present in the project area.

### 2.1 Physical Environment

Moloka'i was formed by two main shield volcanoes that overlapped in the center of the island approximately 1.8 million years ago (Sherrod et al. 2007). Moloka'i's southeast, or leeward side, is characterized by gently sloping uplands incised by numerous small streams leading out to a low-lying, relatively narrow coastal terrace formed by a high sea level stand about 3000 years ago. The southeast shore is fronted by narrow sand beaches bordered by a shallow reef-flat and well-developed offshore fringing reef. This environment was conducive to the traditional construction of fishponds that line Moloka'i's southern shore. Currently many of these ponds, including Kapa'akea Pond (located 650 m southeast of the project area), are infilled by terrigenous sediment transported from upslope and colonized by mangroves.

Soils in the project area are classified as Kealia Silt Loam (KMW) (USDA 2013) (Figure 4). Kealia Silt Loam is a low-lying coastal soil characterized by moderately rapid permeability and slow to very slow runoff. The high salt content in this poorly drained soil results in the accumulation of salt crystals on low areas after heavy rainfall.

Before colonization, the Kona slopes and coast were probably covered with dry mesic forest dominated by *Pritchardia (loulou)*; the only member of the Arecaceae family native to Hawai'i. Traditional settlers significantly altered their environment. Much of the island's lowland forests were cleared for agricultural pursuits and native vegetation was replaced with Polynesian introductions. In traditional times, the lower slopes of the southern coast were probably vegetated in *lama (Diospyros sandwicensis)*, *'akoko (Chamaesyce sp.)*, and *kulu'i (Nototrichium sp.)* (Tuggle 1993b:9). When westerners first sighted Moloka'i in 1778, the land rising back from the southwest coast "appeared to be entirely without wood" (Cook 1785, in Summers 1971:21).

Moloka'i's southern coast has been considerably altered since island colonization. Deforestation and extensive terracing and stream diversion for traditional and commercial agriculture on the upland slopes have drastically altered the traditional landscape. Further alteration of Moloka'i's southern landscape was caused by the historic introduction of herbivores, particularly goats.

Mean annual rainfall recorded at the Molokai Ranch Rainfall Station No. 536 (one kilometer northwest of the project area) is 338.3 millimeters with 83% of the precipitation falling between November and March (Giambelluca et al 2013).



Figure 4. Project area soils.

## 2.2 Pre-Contact Occupation

The following Hawaiian settlement history of Moloka‘i is based on paleoenvironmental studies, archaeological research, and oral histories. The chronological framework follows the settlement model of the Hawaiian Islands established by Kirch (2010).

Paleoenvironmental studies on Moloka‘i suggest human colonization of the island occurred between AD 800 and 1200 during Hawai‘i’s Foundation Period (Denham et al. 1999). Paleocoring samples taken along the southern coast indicate a decline of the endemic dry lowland forests with a corresponding rise in sedge and grass pollen and the first occurrence of substantial charcoal flecking (Denham et al. 1999). This large-scale disturbance of the native ecosystem is interpreted to reflect land clearance associated with cultivation (Denham et al. 1999:54)

The first evidence of temporary occupation along Moloka‘i’s leeward coast is a radiometric date range of calAD 1219–1322 (73.0%), 1347–1393 (22.4%) (Beta-7564) from a charcoal sample collected in a sandy midden in the Mālama Cultural Park located 1.2 km northwest of the current study area (Athens 1983; Weisler 1989:126). As shown by a radiocarbon assay of calAD 1265–1313, (68.9%), 1358–1388 (26.55) (B-359995) associated with a fire pit in Mapulehu (Byerly and Liston 2013), the southeast coastal lowlands may have been semi-permanently occupied during the Early Expansion Period (AD 1200–1400).

The subsequent centuries of this period see the appearance of a diverse range of domestic architectural features in Moloka‘i’s archaeological record. Basalt quarries began to be used for the procurement of lithic material and tool manufacture (Dixon et al. 1994; Weisler 2011). The first evidence of marine resource and avifauna exploitation (Weisler 1989) as well as the spread of small scale cultivation (Kirch 2002) also dates to this early period.

During Moloka‘i’s Late Expansion Period (AD 1400–1650), there is strong archaeological evidence for the intensification of subsistence practices, increases in population, and the early evidence of ritual practices (McCoy 2007). Moloka‘i’s chief agricultural product was sweet potato (*Ipomoea batatas*) which was grown throughout the island (Summers 1971).

Around AD 1450 (Denham et al. 1999) on Moloka‘i’s southern shore, stone fishtraps may have been expanded into fishponds (*loko i‘a*) (Summers 1971; Kikuchi 1976; Kelly 1989). Primary species produced in the roughly 70 stone ponds lining a 20 mile stretch of the island’s south and southeast coastline included mullet (*Mugil cephalis*), ‘ama‘ama and milkfish (*Chanos chanos*), and *awa*. The inland Kapa‘akea Pond is 650 m southeast of the current study area. However, this 5.45 acre pond is filled in with silt and is overgrown with vegetation.

The following centuries of the Proto-Historic Period (AD 1650–1795) brought internal wars for domination of the island between the Ko‘olau and Kona chiefs. This conflict may have arisen over the significant economic advantage offered by access rights to the southeast coast’s rich fishing grounds, especially when the waters of the Ko‘olau district were inaccessible due to rough waters for half the year (Athens 1985:6). After many intra-island battles, the Kona District chief, Paepae, beseeched the O‘ahu chief, Kualī‘i, for assistance. With the combined strength of the Kona warriors and Kualī‘i’s army, the Ko‘olau warriors were defeated and its chiefs were forced to surrender their lands to O‘ahu (Fornander 1916–1917:418). Rule over the island of Moloka‘i shifted from island to



island. Ultimately, control of Moloka'i shifted from O'ahu to Maui under the renowned chief Kahikili, a rival of the Hawai'i Island chiefs (Kamakau 1961:133).

### 2.3 Post-Contact Period

On November 26, 1778, sailors from Captain Cook's expedition were the first Europeans known to sight Moloka'i Island. A year later in 1779, the expedition passed very close to Moloka'i and Captain Cook wrote the following comments:

Morotoi is only two leagues and a half from Mowee to the West North West. The South Western coast, which is the only part near which we have approached, is very low; but the land rises backward to considerable height; and, at the distance from which we saw it, appeared to be entirely without wood. Its produce, we were told, consists chiefly of yams. It may, probably, have fresh water, and, on the South and West sides, the coast forms several bays that promise good shelter from the trade winds.

Cook 1785 in Summers 1971:21

The first recorded account of interaction between the natives of Moloka'i and Europeans is from Captain Dixon's account in 1786:

I should observe, that the people who came to us from Mowee and Morotoy, seemed to admire our vessels more than we had hithertomet with; 'tis probable that many of them had never seen any ships before.

Dixon 1789 in Summers 1971

In 1790, during the wars for the unification of the Hawaiian archipelago, Kamehameha I planned to unite the Moloka'i chiefs against Kahekili, but he ultimately failed to conquer Maui. By 1795, Kamehameha launched his conquest of O'ahu from his headquarters at Kaunakakai. Kamehameha's military encampments were established in Kaunakakai and on the slopes of the surrounding *ahupua'a* because of the presence of an open water passage through the reef (Kamakau 1961:70–71, 159, 172).

In 1792, Captain Vancouver wrote a detailed account of Moloka'i's land shape while sailing west along Moloka'i's southern shoreline (Summers 1971). Captain Vancouver commented on what he called the devastation of the islands of Maui and Moloka'i, and that Lāna'i and Kaho'olawe were exhausted of inhabitants due to Kamehameha's wars of unification (Vancouver 1792 in Graham 2006:79–80). Thirty years after Vancouver's account of Moloka'i, early missionaries estimated the native population at between 3,000 and 4,000 people (Stewart 1830:26 in Stazar 2000:5). Reverend Harvey Rexford Hitchcock established the first Mission Station at Kalua'aha in 1832 and preached once a week at Kamalo'o and Halawa. In 1833, the reverend estimated the population of the entire island to be about 3,300 (Schmitt 1977:2).

#### 2.3.1 Historic Land Tenure

During the mid-19<sup>th</sup> century Māhele, in which the traditional Hawaiian land tenure system was converted to a fee-simple system, not a single *kuleana* was awarded in Kapa'akea Ahupua'a. The ahupua'a remained unassigned after the Māhele until 1890 when all unassigned lands were declared

royal domain by the Crown Land Commissioners through legislation (Indices 1929:23). There were also no known *kuleana* awarded in Kaunakakai. In 1855, the entire *ahupua'a* was conveyed to Lot Kapuāiwa (Kamehameha V) for the sum of \$200 under the direction of the King's Privy Council (Privy Council Minutes 1855:AH, in Strazer 2000:5).

In 1859, the traditional land districts of Kona and Ko'olau were combined into the single district of Moloka'i. It was not until 1909 that the Kalaupapa Peninsula became its own county, Kalawao County, and the remainder of the island came under the jurisdiction of Maui County.

In 1890, the Indices of Land Commission Awards lists the Bishop Estates as owners of Kaunakakai (LCA 1890:c.78AH). Also in 1890, 46 people in Kaunakakai petitioned the Minister of the Interior to sell them Kaunakakai and Kapa'akea Ahupua'a (Interior Department, letter of 8/1/1890, in Silva 1983:14).

In the late 1890s, a group of Honolulu investors formed the Moloka'i Ranch by purchasing about 28,000 hectares (ha) (70,000 acres) of Kamehameha V's former land holdings from the Bishop Estate and leasing another 12,000 ha (30,000 acres) from the Hawaiian government. The *ahupua'a* of Kaunakakai was included in the purchase.

Currently, about two-thirds of Moloka'i is privately owned, mainly by large landowners such as Moloka'i Ranch and Puu O Hoku Ranch. Small private landowners hold only six percent of the island's land area. The remaining land is owned by the state (ca. 30%) and federal (ca. 0.2%) governments (Armstrong and Bier 1973). Development on the coast is centered on Kaunakakai Harbor. The State of Hawai'i owns the property at 85 Kaunakakai Place and Island Petroleum, a subsidiary of Mid Pac Petroleum, LLC, owns and operates the fuel storage facility.

### 2.3.2 Land Use and Development

The historic land use of Kapa'akea Ahupua'a is intrinsically tied to the early commercial development of the island's economic center in the neighboring *ahupua'a* of Kaunakakai.

In 1859, Alexander Liholiho (Kamehameha IV) began a sheep ranch on the west end of the island. Kamehameha V, who ruled from 1863 to 1872, further developed the ranch. According to Judd IV (1936:10, in Summers 1971:23), "In the desire to have a country estate, he bought up land and cattle from the resident Hawaiians and used Molokai as a vacation ground from the cares of State." Moloka'i was Kamehameha V's favorite island.

Although when on Moloka'i, Kamehameha IV lived on the beach of Kaunakakai close to the reef passage, it was Kamehameha V who maintained a residential compound for his retreats. This was originally known as Mālama and is currently the site of the Mālama Cultural Park. Mālama is described in an 1870 article in the Hawaiian language newspaper, *Ke Au 'Oko'a*.

It is close to the edge of the sand and if the tide is very high, the murmuring wavelets wash up and whisper to the grains of earth which were rubbed off the royal feet at the threshold of the entrance leading up to the lanai.

It is a grass hut, skillfully thatched, having a lanai all around, with floors covered with real Hawaiian mats. The house has two big rooms. The parlor is

well furnished, with glass cases containing books in the English language... This is a very good vacation house for the king, in spite of that sun baked area.

On the northwest side of the house is a large grass house, and it seems to be the largest one seen to this time. The house is divided into rooms and appears to be a place in which to receive the king's guests. There are four other fine, big houses, mostly thatched. These are surrounded by the houses of those who wait on him and some are houses used for storage.

The royal residence is set apart from the rest by a wooden fence that encloses it on all sides except the sea side. The king's yard covers about three acres and is planted with trees, mostly coconuts, that are thriving nicely. Another 16 reasons why we admire it so is that we saw no faucets since we left Honolulu, but when we got there we saw "the water that sleeps in the houses of men."

Holoholopinaau 1870, in Summers 1971:23

Moloka'i's commercial activities started in the late 1800s with cattle ranching and agricultural development. Due to access for ships provided by the passage through the reef, Kaunakakai town became the island's primary port for bringing in supplies and personnel and shipping out goods.

In the late 1890s, a group of Honolulu investors formed the Moloka'i Ranch by purchasing about 28,000 ha (70,000 acres) of Kamehameha V's former land holdings from the Bishop Estate and leasing another 12,000 ha (30,000 acres) from the Hawaiian government. The *ahupua'a* of Kapa'akea was included in the purchase. The investors who established the Moloka'i Ranch formed the American Sugar Company (ASCO) only a year after buying their Moloka'i properties. ASCO attempted to commercialize sugar cultivation on Moloka'i. While sugarcane cultivation was heavily concentrated on the Hoolehua Plain, an early ASCO map indicates that cane fields extended south east into the inland areas of Kapa'akea Ahupua'a just north of the project area. This map also shows that the project area is now situated on a reclaimed salt marsh and reef flat (Pope 1900) (Figure 5). The sugar industry on Moloka'i proved short lived and by the early 1900s the thin fresh water lens irrigating the cane fields was depleted (Sterns and McDonald 1947:5).

At this point section after section began to fail. Analysis finally showed a high salt content in the well water. For the huge steam pumps had sucked up water with such strength that the layer of sweet water was soon exhausted. Brackish and later salt water was being pumped up the eight miles to Hoolehua, effectively killing all young cane . . .

Judd IV 1936, in Summers 1971:24

The Moloka'i sugar industry collapsed before the construction of the sugar mill. The population of Moloka'i fell from approximately 6,000 in 1834 to 1,006 in 1910 (Sterns and McDonald 1947:5).




Figure 5. 1900 American Sugar Company map of Moloka'i Island.

### 2.3.3 Kapa'akea Homestead

In 1920, the U.S. Government passed the Hawaiian Homes Commission Act which provided a means for Native Hawaiians who were at least half Hawaiian or 50 percent blood quantum to acquire land on which to build homes and farm. The Hawaiian Homes Commission Act specifically designated public lands to the Hawaiian Homes Commission which excluded: 1) all lands within any forest reserve; 2) all cultivated sugar lands; and 3) all public lands held under certificate of occupation, right of purchase lease, or special homestead agreement. Moloka'i served as the staging ground for the program with 2,000 acres available specifically in Kapa'akea Ahupua'a.

The lands provided to the Hawaiian Homes Commission for homesteading proved to be the least desirable lands for development. However, Prince Kuhio indicated he was satisfied with the lands chosen for the Hawaiians at Commission hearings. In a letter written by A. Horner, addressed

to Senator Poindexter, the Kapa‘akea lands provided to the Hawaiian Homes Commission for homesteading were described as worthless for agriculture (Spitz 1964:8). In 1924, F.G Krauss, the Chairman of the Classification Commission, also described the homesteading lands of Kapa‘akea, Kamiloloa 1 and 2, and Makakupaia 1 as:

Second class pasture land. "...one of the poorest areas of land that we have inspected. It is very dry, rough, and rocky." Couldn't carry over 100 cattle, perhaps only part of the year. Estimated cost of making domestic water available, \$10,000.

Spitz 1964:13

An undated map of the Kapa‘akea Residence Lots (Registered map 3093) (Figure 6) shows the arrangement of the parcels in the subdivision. The current project area runs along the north and west boundary of Lot 1, and along the western boundary of Lots 1–5.

According to USGS aerial photographs of Moloka‘i’s southern shoreline, the Kapa‘akea Residential Homestead lots were constructed sometime between 1950 and 1964. In the 1950 aerial photograph, the homestead location is clearly undeveloped, overgrown with vegetation, and the western area of the homestead site appears to be tidal wetlands (Figure 7). By 1964, a USGS aerial photograph shows that construction of some houses in the Kapa‘akea Residential Homestead was completed with a number of structures built around Kapa‘akea Loop (Figure 8).

## 2.4 Previous Archaeology

No previous archaeological work has been conducted within the project area and previous work in surrounding areas is also extremely limited. A search of the Hawai‘i State Historic Preservation Division library indicated that only three projects have been conducted in Kapa‘akea Ahupua‘a and most of the previous work conducted within the neighboring Kaunakakai Ahupua‘a was focused on Kaunakakai Town center located approximately one kilometer to the west. This is due to a higher frequency of commercial and residential development in Kaunakakai. Table 1 below lists archaeological investigations conducted near the current project area and the locations of these projects are shown on Figure 9.

In 1909, John F. G. Stokes conducted an island wide survey of Moloka‘i to document the remains of *heiau* on the island. While this early survey is limited by its focus on relatively large structures, a number of large habitation complexes and fish ponds were also recorded. Summers (1971) summarized the manuscripts and notes from the Stokes Moloka‘i survey and lists the following site for Kapa‘akea:

**Site 50-60-03-132:** Kapa‘akea Pond was a *pu‘uone*, or an inland pond connected to the ocean by a ditch or stream. The pond is described having an area of 5.45 acres which extended from the sea shore to the Government Road. The pond was filled in by the time Stokes made his observation.






Figure 6. Registered Map 3093 showing Kapa'akea Residence Lots, date unknown.



**Figure 7. 1950 USGS aerial photograph of project area.**



**Figure 8. 1964 USGS aerial photograph of project area.**

**Table 1. Previous Archaeological Investigations Conducted in the Vicinity of the Project Area**

Reference	Location	Investigation	Results
Summers 1971	Moloka'i	Survey	Kapa'akea Pond (Site 132).
Davis 1977	Kapa'akea	Archaeological Reconnaissance Survey	Site 50-60-03-1600 consisting of seven features.
Dye 1977	Kapa'akea	Survey and Subsurface Testing	Added two additional features to Site 50-60-03-1600 and identified Feature 7 as a human burial marker.
Dye and Jordane 2005	Kaunakakai	Archaeological Assessment	No findings.
McGerty and Spear 2006	Kaunakakai Fire Station	Archaeological Assessment	No findings.
Hammatt 2008	Kaunakakai Elementary School	Literature Review and Field Check	No sites were documented.
Madeus et al. 2010	Kaunakakai Elementary School	Archaeological Monitoring	No Findings.
Perzinski and Dega 2011	Kapa'akea	Archaeological Monitoring	No findings.
McElroy et al. 2013	Kaunakakai Duke Maliu Field	Archaeological Assessment	No findings.
Medrano and Dega 2013	Kaunakakai Duke Maliu Field	Archaeological Monitoring	No findings.

James M. Dunn, a former surveyor of the State of Hawai'i made the following observation of Kapa'akea Pond in 1957:

The pond has been neglected for a long period of time and can hardly be called such any more. It has been almost totally filled by silt washed down from the highlands mauka of the road and is covered with dense growth of mangrove with some kiawe. The undergrowth is a thick mat of *akulikuli*. The old springs which fed this pond are either clogged or dried up and no longer available.

Summers 1971:88

Presently, remnants of the Kapa'akea Pond are visible on aerial imagery (Figure 7 and Figure 8) and the pond's shape, including the two ocean drainages, can be clearly seen. Kapa'akea Pond is located 650 meters southeast of the current study area within an undeveloped and overgrown tract of land along the coast situated between two residential areas.






Figure 9. Previous archaeological work near the project area.

In 1977, the Archaeological Research Center Hawaii, Inc., conducted a reconnaissance survey for the Kapa‘akea Flood Control Project on the lower slopes of Pu‘u Maninikolo (Davis 1977). The survey produced a single archaeological complex designated as Site 50-60-03-1600. The site consisted of seven features including a large platform, a small terrace enclosure, rock mounds, large walled enclosures, and a trail. Basalt flakes and surface midden were also observed. The site was interpreted as historic, consisting of rock mounds and a platform, interpreted as a possible historic cemetery. Later that year, the Bishop Museum was commissioned to re-evaluate Site 50-60-03-1600 and conduct subsurface testing. This work produced two additional features which include an enclosure and a cairn. While subsurface excavation produced no dateable material, a historic human burial was identified during excavations of the large platform. The site was interpreted as a historic cemetery with pre-Contact components. The 50-60-03-1600 archaeological complex is located 280 m north northeast of the current project area.

An archaeological assessment was conducted 100 meters northwest of the current project area for the addition of the Verizon Wireless H12 Kaunakakai Cell site (Dye and Jordane 2006). No cultural properties were identified during the assessment.

In 2006, an archeological assessment was conducted of a 5-acre parcel for the Kaunakakai Fire Station (McGerty and Spear 2006). The project area was once a part of Moloka‘i Ranch and is situated along the boundary of Kaunakakai and Kapaakea Ahupua‘a approximately 380 m north of the current project area. No cultural properties were identified during the assessment.

In 2008, a historic literature review with a field survey was conducted for the improvement of the wastewater system for Kaunakakai Elementary School. Kaunakakai Elementary School is located 600 m northwest of the current project area and no cultural properties were identified. Subsequent archaeological monitoring of construction for the improvements to the Kaunakakai Elementary School wastewater system was conducted in 2010 (Madeus et al. 2010). Monitoring results also produced no findings.

In 2011, Scientific Consulting Services, Inc., (SCS) conducted archaeological monitoring for the construction of two drainages in Kapa‘akea Ahupua‘a (Perzinski and Dega 2011). The drainages crossed beneath Kamehameha V highway and through the Kapa‘akea Homesteads. This project was located approximately 178 m southwest of the current project area and monitoring results produced no findings.

An archaeological assessment with subsurface testing was conducted at the Duke Maliu Park to determine the nature of stratigraphy on the parcel and to identify any cultural material or deposits (McElroy 2013). A series of nine trenches were excavated to the water table at 100-147 centimeters (cm) below the surface. Stratigraphy was generally characterized as alluvium with natural marine sand below. No cultural deposits or significant finding were observed during the assessment. Archaeological monitoring for improvements to park was also conducted in 2013 and resulted in no findings (Medrano and Dega 2013).

#### **2.4.1 Archaeological Expectations**

Archival research suggests that pre-Contact environmental conditions were favorable along Moloka‘i’s southeast coast and semi-permanent occupation started relatively early within the

traditional Hawaiian settlement sequence. The presence of 1) a significant pre-Contact and historic site which included a historic human burial 280 m to the north and 2) Kapa'akea Pond 650 m to the southeast indicate the importance of Moloka'i's southern coast in Hawai'i's cultural history.

Significantly, the current project area was built on a reclaimed salt marsh. Salt marshes represent an environmental type that is very unlikely to contain substantial residues of traditional Hawaiian use aside from fishponds that often feature large rock walls. A previous archaeological investigation at a similarly filled salt marsh just east of the current project area produced no findings (Perzinski and Dega 2011).

Archaeological expectations within the project area are extremely low and it is very unlikely that intact pre-Contact cultural resources are present. According to an ASCO map produced in 1900, the project area is located on a reclaimed salt marsh that extended from the current shoreline to the southern edge of Kamehameha V Highway (Pope 1900). Historic maps also indicate that there were no fishponds built within the immediate vicinity of the project area. By 1930, as shown by a Territory of Hawaii map of Hawaiian Homelands surveyed by Robert D. King, the area of the marsh was filled in. Furthermore, USGS aerial imagery shows that houses for the Kapa'akea Homesteads were not built until after 1950. The early to mid-20<sup>th</sup> Century date for reclamation of the salt marsh and late-20<sup>th</sup> Century date for construction of the Kapa'akea Homesteads indicates that the potential for the presence of early historic period resources is also extremely low. It is important to note, however, that fill material used to develop the Kapa'akea subdivision may potentially contain secondary cultural materials and artifacts.

### **3.0 METHODS**

Prior to fieldwork, the archaeologist met with the backhoe operator to explain the purpose of the survey, review the types of archaeological resources that may be present, and clearly explain the protocols and procedures for dealing with archaeological resources. The project area was inspected for surface remains and features prior to excavation. During excavation, the archaeologist worked closely with the backhoe operator and directed the progress of work.

Thirteen backhoe test trenches were placed at regular intervals along the project corridor. These were minimally 1.5 m long, 1.0 m deep, and 70 cm wide. Backhoe excavations proceeded in 20 to 30 cm increments so that progress could be closely monitored until the target depth was reached.

Field recording included drawing one stratigraphic profile and photographing exposed sediments in each test unit. The stratigraphic profiles were recorded in order to document the general stratigraphy of the area. Profiles include technical information in accordance with the U.S. Soil Conservation Service standards and an archaeological interpretation of the area's depositional history. Standards of documentation and recording for the project were in accordance with HAR §13-276.

#### **3.1 Consultation**

Three consultations were conducted with persons knowledgeable about the history of the project area. These consisted of interviews and site tours with Ms. Arleone Dibben-Young, Mr.

Dean Spencer, and Mr. Boom. Ms. Dibben-Young is a biologist who manages the wetland adjacent to the project corridor. Mr. Spencer was born and raised in the Kapa‘akea Homesteads and Mr. Boom is a long-time resident of the homesteads. All of the informants were questioned specifically about the history of land use in the area and the presence of any cultural resources.

## **4.0 RESULTS**

AIS fieldwork entailed a pedestrian surface survey of the project area, excavation of 13 backhoe trenches, and consultations with three informants regarding site specific information related to cultural and environmental resources. The results of this work are presented below. To facilitate the presentation and discussion of data collected during fieldwork, the “L-shaped” project area was divided into two sections (1 and 2). Section 1 extends from the shoreline in a northeasterly direction for approximately 188 m and Section 2 extends from the northern end of the previous section in an easterly direction for roughly 55 m (Figure 10).

### **4.1 Surface Survey**

Prior to subsurface testing the surface of the project area was surveyed by the archaeologist to ascertain if features were present within the boundaries of the project area.

#### **4.1.1 Section 1 Survey**

Section 1 is relatively flat and consists of exposed soft muddy soils with little vegetation (Figure 11). Much of this portion of the project area is subject to regular tidal flooding and salt left from evaporated seawater was present on the ground surface. The project area also runs along a modern wire fence that marks the western boundary of five house lots of the subdivision and the boundary between the *ahupua‘a* of Kaunakakai and Kapa‘akea. Some of the owners of these houses have built modern rock walls and berms on the eastern side of this fence to keep their yards from flooding (Figure 12). No features were found in this portion of the project area and a lot of modern refuse including cans, bottles, and other small bits of rubbish was common on the ground surface.

#### **4.1.2 Section 2 Survey**

Section 2 runs along the southern edge of Kamehameha V Highway (Route 450) and is on relatively flat ground covered by cut grass. There is a degraded wall built from roughly quarried red lava rock blocks held together with concrete mortar (Figure 10 and Figure 13). A small valve box is present along the north side of the wall indicating the presence of a buried utility line (Figure 14). Portions of this wall have been knocked down and the stones were moved and restacked forming a wall along the eastern boundary of the house lot along the west side of Kapa‘akea Loop Road (Figure 15). According to local informants and residents of the subdivision, this wall is modern and was built within the last 20 years.

### **4.2 Subsurface Testing**

Thirteen test units were excavated with a backhoe at regular intervals within the grading and construction footprint for the proposed flood mitigation improvements (Figure 16). All trenches were excavated to a minimum depth of 1 m and exposed imported fill and undisturbed black silty




Figure 10. Sections 1 and 2 of project area, with modern rock wall in Section 2.



**Figure 11. Coastal mud flat west of project area, facing northwest.**



**Figure 12. Coastline at southern end of the project area, facing southeast.**



**Figure 13. Rock and concrete wall, facing north.**



**Figure 14. Degraded section of wall in project area, facing west. Arrow indicates location of valve box.**



Figure 15. Section of restacked wall along Kapa'akea Loop Road, facing east.




Figure 16. Locations of test units in the project area.



loam from the buried salt marsh. The water table was also reached in some of the test units. Within the two sections of the project area, soils from fill layers and salt marsh deposits are the same. Generally, all of the trenches sectioned a layer of fill overlaying undisturbed salt marsh deposits. Profiles were drawn of one wall of each trench and corresponding photographs were taken. Soil descriptions, profiles, and photographs according to the two sections of the project area are presented below. Since redundant stratigraphic soil layers were observed in the two sections of the project area, representative profiles with photographs for each section are presented and described below. The remaining profiles and photographs are included in Appendix A.

#### **4.2.1 Section 1 Testing**

A total of 11 backhoe trenches were excavated in Section 1 of the project area (Figure 16). This portion of the project area was accessed through the neighboring lot west of the project corridor. This area is flat, mostly void of vegetation, and is a tidal mud flat that is partially flooded at high tide. The ground surface was soft and muddy. The eastern side of the narrow project corridor runs along the edge of five residential parcels. These appear to be slightly raised in elevation and the residents have built low rock walls and piled soil at the western edges of their lots to stop flooding.


Backhoe testing sectioned two basic soil types which were present throughout the 11 test units excavated in Section 1. These are summarized in Table 2 below. Descriptions of the soils from 3 of the 11 test units are also presented below. These provide representative samples of the soils found throughout Section 1 and include TU-1, TU-3, and TU-8.

##### **4.2.1.1 TU-1**

Test Unit 1 was located near the shoreline within the project area. The test unit was 2.1 m long, 70 cm wide, and 1.2 m deep. The unit was excavated next to a modern rock and concrete wall built along the property line of the ocean from lot of the Kapa'akea Subdivision. Two primary soil layers and a sub-layer were sectioned during excavation and included Layers I, Ia, and II (Figure 17). Layer I is 20 cm thick and consists of dark reddish brown very fine sandy clay loam. Modern rubbish, including plastic and glass bottles, metal cans, cut bones, and various other pieces of refuse was present on the surface and in the first 10 cm below the surface. This layer appears to be disturbed fill that has been graded. Layer Ia consists of a brown loamy calcareous beach sand that has been disturbed and mixed with fill. No refuse or cultural materials were present. Layer II extended from 60 cm below the ground surface to the base of the excavation unit below the water table. Layer II consisted of a wet silty clay and is undisturbed soil from the buried salt marsh.

**Table 2. Stratigraphic Description for TU-1–11, Section 1**

Layer	Depth (cmbs)	Description	Interpretation
I	0–20/75	Dark reddish brown (5YR 3/3) very fine sandy clay loam, lower boundary clear and wavy, dry consistence, loose and noncoherent, and nonplastic. Modern refuse present in upper 10 cm of layer.	Disturbed fill
Ia	20–60	Brown (7.5YR 4/4) loamy sand, lower boundary very abrupt and smooth, moist consistence, loose and noncoherent, and nonplastic.	Disturbed fill mixed with calcareous beach sand
II	25–150 (base of test unit)	Dark brown (7.5Y (3/2) silty clay, wet consistence and sticky.	Buried mud flat



**Figure 17. Profile and photograph of north wall of TU-1.**

#### 4.2.1.2 TU-3

Test Unit 3 was located 25 m northeast of TU-1. This test unit was 2.70 m long, 70 cm wide, and 1.30 m deep. At the base of the test unit, excavations reached the water table (Figure 18). Two layers were sectioned and no sandy sublayers like Layer Ia in TU-1 and TU-2 were present. Layer I was the same as Layer I in TU-1 and TU-2 and consisted of a very fine sandy clay loam with modern rubbish in the first few centimeters below the ground surface. Layer II was also the same as Layer II in TU-1 and TU-2 and consisted of the wet silty clay from the underlying undisturbed soils of the tidal salt marsh (Figure 18).




Figure 18 Profile and photograph of north wall of TU-3.

#### 4.2.1.3 TU-8

Test Unit 8 was located approximately 70 m southwest of Kamehameha V Highway. This test unit was 3.10 m long, 70 cm wide, and 1.40 m deep, where excavations hit the water table (Figure 19). Layer I in TU-8 also lacked the sandy sub-Layer Ia that was present in TU-1 or TU-2 (Figure 17 and Appendix A). Layer I was the same as Layer I in TU-1–TU-7 and TU-9–TU-11 and consisted of a very fine sandy clay loam with modern rubbish in the first few centimeters below the ground surface. Layer II was also the same as Layer II in TU-1–TU-7 and TU-9–TU-11 and consisted of the wet silty clay from the underlying undisturbed soils of the tidal salt marsh (Figure 19).




Figure 19. Profile and photograph of west wall of TU-8.

#### **4.2.1.4 Section 1 Conclusion**

The 11 test units within Section 1 exhibited the same two stratigraphic soil layers (Layers I and II). The first, Layer I, consists of imported fill used to reclaim the land that the Kapa‘ahea Subdivision is built on. This layer appears to have been repeatedly disturbed. This is evident by the presence of berms and walls built in the project corridor by residents of the subdivision to prevent flooding and the tracks and tire marks left by heavy equipment throughout the soft surface of the adjoining lot. Residents and Ms. Dibben-Young indicated that the adjoining parcel had been graded several times during clean-up and restoration of the wetland. Layer II consists of soils from the original salt marsh depicted on historical maps that once extended from the shore line to Kamehameha V Highway. The loamy sand sublayer (Ia) present in TU-1 and TU-2 are likely from the mixing of beach sand, fill, and mud flat soils due to wave and tidal action.

Testing results are in agreement with archaeological expectations that there was an extremely low probability for historic properties within Section 1. As noted in the background narrative, Section 1 is located on a reclaimed wetland, there were no fishponds located near the project area, and Kapa‘ahea subdivision is a recent construction.

#### **4.2.2 Section 2 Testing**

Section 2 of the “L-shaped” project area extends from the bend, or northwest corner, of the project area at 6 m southwest of Kamehameha V Highway to the eastern end of the project area near the corner of Kamehameha V Highway and Kapa‘ahea Loop Road (Figure 10). This section runs through the yard of a Kapa‘ahea subdivision lot southwest of Kamehameha V Highway. The corridor was covered by short grass and contained a modern rock and concrete wall and a berm.

Two backhoe trenches were excavated along this section of the project area, each of which exhibited six stratigraphic layers (Figure 16). Variations in thickness and depth were observed between the layers in the two trenches. Stratigraphy consisted of four layers of fill overlying two layers of calcareous beach sand. A summary of the six soil types and their technical descriptions is provided in Table 3 below.

##### **4.2.2.1 TU-12**

Test Unit 12 was located approximately 12 m east of the northwest corner of the project area. This test unit was 1.60 m long, 70 cm wide, and 1.25 m deep and was excavated on the south side of the degraded rock and concrete wall, roughly 10 m south of Kamehameha V Highway. Excavation of TU-12 sectioned six stratigraphic layers (I–VI) (Figure 20). Layers I and II were imported fill consisting of silt loam and a very fine sandy loam with modern rubbish and rotting wood. Layers III and IV comprised mixed fill and mud flat sediments consisting of a clay loam and silty clay loam. Layer V consisted of disturbed beach sand and Layer VI consisted of wet undisturbed beach sand containing naturally deposited shells.

##### **4.2.2.2 TU-13**

Test Unit 13 was located approximately 20 m southwest of the Kamehameha V Highway and Kapa‘ahea Loop Road intersection. This test unit was 1.70 m long, 70 cm wide, and 1.00 m deep (Figure 21). Test Unit 13 was also excavated on the south side of a degraded rock and concrete wall

**Table 3. Stratigraphic Description for TU-12-13, Section 2**

Layer	Depth (cmbs)	Description	Interpretation
I	0-10/20	Dark reddish brown (5YR 3/3-3/4) silt loam with 5-10% fine angular crushed coral, lower boundary clear and smooth, dry consistence, loose and noncoherent, and nonplastic. Many very fine grass roots and modern refuse present.	Imported fill
II	10/20-40	Dark reddish brown (5YR 3/2-3/4) very fine sandy loam, lower boundary clear and smooth, dry consistence, soft and weakly coherent, and nonplastic. Few very fine roots and rotten wood present.	Imported fill
III	40-70	Dark reddish brown (5YR 3/2-3/3) clay loam, lower boundary clear and smooth, moist consistence, friable and slightly plastic. Very few fine roots.	Mixed fill and mud flat sediments
IV	70-80/100	Dark reddish brown (5YR 3/2) to dark brown (7.5YR 3/3) silty clay loam, lower boundary clear and smooth, moist consistence, friable and slightly plastic.	Mixed fill and mud flat sediments
V	80/100-120	Dark brown (7.5YR 3/4) to dark yellowish brown (10YR 4/6) very fine calcareous sand, lower boundary abrupt and smooth, moist consistence, loose and noncoherent.	Disturbed beach sand
IV	120-125 (base of test unit)	Dark olive gray (5Y 3/2) to black (5Y 2.5/2) calcareous sand with natural shell, wet consistence, and nonsticky.	Undisturbed beach sand




Figure 20. Profile and photograph of east wall of TU-12.




Figure 21. Profile and photograph of southeast wall of TU-13.

running along the south edge Kamehameha V Highway. The same stratigraphic layers (I–VI) were sectioned in TU-13 as TU-12. These included Layers I and II that consisted of a silt loam and a very fine sandy loam imported fill with modern rubbish and broken pipe. Like TU-12, Layers III and IV in TU-13 comprised mixed fill and mud flat sediments consisting of a clay loam and silty clay loam. Layer V consisted of a dark yellowish brown disturbed beach sand and Layer VI consists of wet undisturbed beach sand containing naturally deposited shells.

**4.2.2.3 Section 2 Conclusion**

Test Units 12 and 13 in Section 1 of the project area sectioned the same six stratigraphic soil layers (Layers I–VI). Layers I and II consist of imported fill likely used to reclaim land for the Kapa‘akea Subdivision and for road construction. Both appear to have been repeatedly disturbed during construction of the rock and concrete wall, installation of underground utilities, and landscaping of the yard on Lot 1. This is evident by the presence of a valve box along the north side of the wall, buried pieces of broken pipe, and modern rubbish. Residents of the subdivision and Mr. Spencer indicated that the wall had been built within the last 20 years.



Layers III and IV consist of mixed fill and soils from the original salt marsh depicted on historical maps that once extended from the current shoreline to Kamehameha V Highway. Layer V consists of disturbed beach sand and Layer VI consists of undisturbed wet dark olive gray beach sand. The sandy Layers V and VI present in TU-12 and TU-13 are likely derived from the buried beach at the end of the mud flat that was likely located just south of Kamehameha V Highway. Layer V was likely disturbed during road construction and deposition of fill for the construction of the Kapa'akea Homestead subdivision. Test excavation results are in line with archaeological expectation of an extremely low probability for historic properties. This is because Section 2 is located on or very near the original shoreline and has been buried relatively recently during construction of the Kapa'akea subdivision and Kamehameha Highway.

#### 4.3 Consultations

During fieldwork, Ms. Arleone Dibben-Young, Mr. Dean K. Spencer, and a current resident of Kapa'akea subdivision, Mr. Boom, were interviewed regarding the history of the project area. Mr. Spencer was born and raised in the Kapa'akea Homestead. Mr. Boom was residing in the seaside house on Lot 5 in the Kapa'akea Homestead subdivision.

Ms. Dibben-Young is a biologist and long-time resident of Molokai. She works with Ahupua'a Natives and manages several wetlands on the island of Molokai. Ms. Dibben-Young currently manages the wetland areas located on the west side of the project area. Ms. Dibben-Young managed cleanup efforts of this lot and knows members of the Kapa'akea community through conducting interviews during environmental conservation efforts. During the interview for the present project, Ms. Dibben-Young said that a development had been approved for the adjacent empty lot 1989. At this time, Goodfellow Bros. Inc. began to dump soils, rock, and old concrete footings from other construction sites on the property in 1989 as fill. This was subsequently halted by the courts and Goodfellow Bros. Inc. was forced to remove the material in 2001. Ms. Dibben-Young also said this parcel was used as an unofficial dump site and that the materials from the illicit dumping were removed and the parcel was then graded. Ms. Dibben-Young and her colleagues have been removing invasive plants and encouraging the growth of wetland plants, such as *'ākulikuli* (*Sesuvium portulacastrum*). While Ms. Dibben-Young has been managing the parcel immediately adjacent to the project area, she was unaware of the presence of traditional Hawaiian or historic cultural resources in or near the current project area.

Mr. Dean Spencer was born and raised in the Kapa'akea Homesteads subdivision and has several members of his extended family still residing within the subdivision. Mr. Spencer said that as a child he fished along the shoreline in front of the project area and that he used to collect salt from the adjacent mudflats. Mr. Spencer also recalled that the areas west of the project area had always been mudflats and did not know of any traditional Hawaiian or historic resources located within or near the current project area. When asked about the rock and concrete wall in Lot 1 running along Kamehameha V Highway, he indicated that he could not recall exactly when this wall was built, but was sure it was not more than 20 years old.

Mr. Boom, as he wished to be called, currently lives in the house located on Lot 5 of the subdivision. This is located along the shoreline at the southern terminus of the project area. Mr. Boom indicated that he originally grew up in Waimanalo on O'ahu but had been residing in the house on Lot 5 in the Kapa'akea subdivision for the last 20 years. Mr. Boom indicated that family

members who still reside in the subdivision also collected salt from the flats and that there was a pond or hole in the wetland where they use to go swimming. He was also unaware of any traditional Hawaiian or historic cultural resources within or in the vicinity of the project area.

## **5.0 CONCLUSIONS**

Garcia and Associates conducted an AIS with systematic subsurface testing of TMKs (2) 5-4-007:009, 010, 011, 024, and 025 in advance of the Kapa‘akea Flood Mitigation Improvements Project. This AIS was conducted in accordance with the Hawai‘i Revised Statutes §6E-8, Review of Effect of Proposed State Projects, and Hawai‘i Administrative Rules §13-276, Rules Governing Standards for Archaeological Inventory Surveys and Reports. The primary objective of the AIS was to determine the presence or absence of subsurface traditional Hawaiian or early historic cultural resources, including human skeletal remains, within the footprint of the flood mitigation improvements.

The AIS fieldwork consisted of a surface survey of the project area and excavation of 13 test trenches at intervals throughout the narrow footprint of the proposed flood mitigation project. Only modern walls and wire fencing associated with the Kapa‘akea Homestead Lots 1–5 was observed in the project area during the surface survey. Testing produced stratigraphic data on six soil layers, none of which contained any evidence of traditional Hawaiian or early historic cultural deposition. Based on the survey and testing results, installation of the flood mitigation wall will result in “no historic properties affected.” No further archaeological work is recommended.

## 6.0 REFERENCES



- Armstrong, R.W. and J.A. Bier  
1973 *Atlas of Hawaii*. Department of Geography, University of Hawai'i, Manoa, Hawai'i.
- Athens, J.S.  
1983 *Archaeological and Historical Investigations at a Property Near Kaunakakai Wharf, Island of Moloka'i, Hawai'i*. Prepared for Alu Like, Inc. J. Stephen Athens, Archaeological Consultant, Honolulu.  
1985 *Prehistoric Investigations at an Upland Site on the Leeward Slopes of Central Moloka'i*. Prepared for the Department of Hawaiian Homelands. International Archaeological Research Institute, Inc., Honolulu.
- Byerly, D and J. Liston  
2013 *Archaeological Inventory Survey of Two 0.5 Acre Parcels, Mapulehu Ahupua'a, Kona District, Island of Moloka'i, Hawai'i*. Prepared for Janet Place. Garcia and Associates, Kailua, Hawai'i.
- Davis, B.D.  
1977 *Cultural Reconnaissance Report Kapa'akea Homestead Flood Control Project, Kapa'akea, Moloka'i Island, Hawai'i*. Archaeological Research Center Hawaii, Inc., Honolulu.
- Denham, T., F.J. Eblé, B. Winsborough, and J.V. Ward  
1999 Paleoenvironmental and archaeological investigations at Ōhi'apilo Pond, leeward coast of Moloka'i. *Hawaiian Archaeology* 7:35–59.
- Dixon B., M. Major, M. Price, A. Carpenter, C. Stine, and B. Longton  
1994 Lithic tool production and dryland planting adaptations to regional agricultural intensification: preliminary evidence from leeward Moloka'i, Hawai'i. *Bishop Museum Occasional Papers* 39:1–19.
- Dye, T.  
1977 *Cultural Resource Survey, Kapa'akea Flood Control Project, Moloka'i, Hawai'i*. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.
- Dye, T.S. and E.H.R. Jourdane  
2006 *Archaeological Assessment for the Proposed Verizon Wireless H12 Kaunakakai Cell Site VZW No. 2004005296, Moloka'i Education Center, 375 Kamehameha V Highway, Kaunakakai, Kona District, Moloka'i, Hawai'i (TMK 5-3-03:014)*. Prepared for Clayton Group Services. T.S. Dye Colleagues, Inc., Honolulu.
- Fornander, A.  
1916–1917 *Fornander Collection of Hawaiian Antiquities and Folk-lore: The Hawaiian Account of the Formation of their Islands and Origin of their Race with the Traditions of their Migrations, Etc. as Gathered from Original Sources*. Bishop Museum Press, Honolulu.
- Giambelluca, T.W., Q. Chen, A.G. Frazier, J.P. Price, Y.-L. Chen, P.-S. Chu, J.K. Eischeid, and D.M. Delparte  
2013 Online Rainfall Atlas of Hawai'i. *Bulletin of the American Meteorological Society* 94, 313-316, doi: 10.1175/BAMS-D-11-00228.1. Accessed August 5, 2015.
- Graham, W.L.  
2006 *Braided Waters: Environment, Economy, and Community in Moloka'i, Hawai'i*. Unpublished PhD dissertation. University of California, Los Angeles.

- Hammatt, H.  
2008 *Archaeological Monitoring Plan for Three Schools within the Moloka'i School Complex Hawai'i Inter-Island DOE Cesspool Project*. Cultural Surveys Hawai'i Inc. Wailuku, Hawai'i.
- Kamakau, S.M.  
1961 *Ruling Chiefs of Hawai'i*. The Kamehameha Schools Press, Honolulu.
- Kelly, M.  
1976 Dynamics of production intensification in Precontact Hawai'i. In: *What's New? A Closer Look at the Process of Innovation*, S. van der Leeuw and R. Torrence (eds.), pp. 82–106. Unwin Hyman, Boston.
- Kikuchi, W.K.  
1976 Prehistoric Hawaiian fishponds. *Science* 193:295–299.
- Kirch, P.V.  
2010 *How Chiefs Became Kings: Divine Kingship and the Rise of Archaic States in Ancient Hawai'i*. University of California Press, Berkeley.
- Kirch P.V. (ed.)  
2002 *From the 'Cliffs of Keolewa' to the 'Sea of Papaloa': An Archaeological Reconnaissance of Portions of the Kalaupapa National Historical Park, Moloka'i, Hawaiian Islands*. Berkeley Archaeological Research Facility, Oceanic Archaeology Laboratory Special Publication No. 2. University of California, Berkeley.
- Madeus, J.K.  
2010 *An Archaeological Monitoring Report for the Kaunakakai Elementary School Grease Interceptor and Four Inch Sewer Line Installation and Replacement Project Kaunakakai Ahupua'a, Kona District, Moloka'i Island (TMK [2] 5-3-02:052)*. Prepared for CH2MHill.
- McCoy, M.D.  
2007 A revised late Holocene culture history for Moloka'i Island, Hawai'i. *Radiocarbon* 49(3):1273–1322.
- McElroy, W.K., M. Elison, and R. Kapoi-Keli'i  
2013 *Archaeological Assessment for Improvements to Duke Maliu Regional Park, Kaunakakai Ahupua'a, Kona District, Island of Moloka'i TMK: (2) 5-3-003:012*. Prepared for County of Maui, Department of Parks and Recreation Department. Keala Pono Archaeological Consulting, Kaneohe, Hawai'i.
- McGerty, L. and R.L.Spear  
2006 *An Archaeological Assessment Report for an Approximately 5-Acre Parcel in Kaunakakai Ahupua'a, Moloka'i, Hawai'i*. Scientific Consultant Services, Wailuku, Hawai'i.
- Medrano, S. and M.F. Dega  
2013 *An Archaeological Monitoring Report for the Duke Maliu Regional Park Project Kaunakakai Ahupua'a, Kona District Moloka'i Island, Hawai'i (TMK 5-3-003:012)*. Prepared for the Department of Parks and Recreation. Scientific Consultant Services, Inc., Honolulu.
- Perzinski, D. and M. Dega  
2011 *An Archaeological Monitoring Report for DHHL Kapa'akea On-Site Drainage Improvements, Kapa'akea Ahupua'a, Kona District, Moloka'i Island, Hawai'i*. Scientific Consultant Services, Inc., Honolulu.





- Roberts, L.  
2001 Historical Land Use, Coastal Change, and Sedimentation on South Moloka'i Reefs. *Recent Advances in Marine Science and Technology*, 9th Pacific Congress on Marine Science and Technology: PACON 2000. pp. 167-176. Honolulu.
- Schmitt, R.C.  
1977 *Historical Statistics of Hawaii*. University of Hawai'i Press, Honolulu.
- Sherrod, D.R., J.M. Sinton, S.E. Watkins, and K.M. Brunt  
2007 *Geologic Map of the State of Hawaii*. Open File Report 2007-1089. U.S. Geological Survey, Washington, D.C.
- Silva, C.L.  
1983 *Historic Document Search: Archaeological and Historical Investigations at a Property Near Kaunakakai Wharf, Island of Moloka'i, Hawai'i*. Prepared for Alu Like, Inc. J. Stephen Athens, Archaeological Consultant, Honolulu.
- Spitz, A.  
1964 *Land Aspects of the Hawaiian Homes Program*. Report No. 1b, Legislative Reference Bureau.
- Stearns H.T. and G.A. Macdonald  
1947 *Geology and Ground-Water Resources of the Island of Molokai, Hawaii*. Bulletin 11 Hawaii Division of Hydrography.
- Strazar, M.D.  
2000 *Moloka'i in History: A Guide to the Resources*. Prepared by the History and Humanities Program of the Hawai'i State Foundation on Culture and the Arts.
- Summers, C.C.  
1971 *Moloka'i, A Site Survey*. Pacific Anthropological Records No. 14. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.
- Tuggle, D.H.  
1993 *Kamiloloa Archaeology: Data Recovery and Site Inventory for a Portion of Kamiloloa, Island of Moloka'i, Hawai'i*. Prepared for the Department of Hawaiian Home Lands, State of Hawai'i, Honolulu. International Archaeological Institute, Inc., Honolulu.
- United States Department of Agriculture (USDA)  
2013 Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Web Soil Survey. Available online at <http://websoilsurvey.nrcs.usda.gov/>. Accessed August, 5, 2015.
- Weisler, M.  
1989 Chronometric dating and Late Holocene prehistory in the Hawaiian Islands: A critical review of radiocarbon dates from Moloka'i Island. *Radiocarbon* 31(2):121-45.  
2011 A quarried landscape in the Hawaiian Islands. *World Archaeology* 43(2):298-317.



**APPENDIX A: ADDITIONAL STRATIGRAPHIC PROFILES**

















**State Historic Preservation  
Division Approval Letter  
for Archaeological  
Assessment Report**

**APPENDIX**

**F-1**

DAVID Y. IGE  
GOVERNOR OF HAWAII



**STATE OF HAWAII  
DEPARTMENT OF LAND AND NATURAL RESOURCES**

STATE HISTORIC PRESERVATION DIVISION  
KAKUHIHEWA BUILDING  
601 KAMOKILA BLVD, STE 555  
KAPOLEI, HAWAII 96707

SUZANNE D. CASE  
CHAIRPERSON  
BOARD OF LAND AND NATURAL RESOURCES  
COMMISSION ON WATER RESOURCE MANAGEMENT

KEKOA KALUHIWA  
FIRST DEPUTY

JEFFREY T. PEARSON  
DEPUTY DIRECTOR - WATER

AQUATIC RESOURCES  
BOATING AND OCEAN RECREATION  
BUREAU OF CONVEYANCES  
COMMISSION ON WATER RESOURCE MANAGEMENT  
CONSERVATION AND COASTAL LANDS  
CONSERVATION AND RESOURCES ENFORCEMENT  
ENGINEERING  
FORESTRY AND WILDLIFE  
HISTORIC PRESERVATION  
KAHOOLAWE ISLAND RESERVE COMMISSION  
LAND  
STATE PARKS

October 6, 2015

Jobie M. K. Masagatani, Chairman  
Hawaiian Homes Commission  
Department of Hawaiian Home Lands  
PO Box 1879  
Honolulu, Hawaii 96805  
([Jobie.K.Masagatani@hawaii.gov](mailto:Jobie.K.Masagatani@hawaii.gov))

Log No: 2015.03552  
Doc No: 1510MD02  
Archaeology

Aloha Ms. Masagatani:

**SUBJECT: Chapter 6E-8 Historic Preservation Review and  
National Historic Preservation Act (NHPA) Section 106 Consultation –  
Draft Archaeological Assessment for the Department of Hawaiian Home Lands  
Kapa‘akea Ahupua‘a, Kona District, Island of Moloka‘i  
TMK (2) 5-4-007:009, 010, 011, 024 and 025**

Thank you for the opportunity to review the draft report titled *Archaeological Assessment in Support of the Department of Hawaiian Homelands Kapa‘akea Flood Mitigation Improvements, Kapa‘akea Ahupua‘a, Kona District, Island of Moloka‘i, Hawai‘i TMK (2) 5-4-007:009, 010, 011, 024, and 025* (Byerly and O‘Day, September 2015; GANDA Report No. 2341-1), which we received on September 28, 2015. This report was prepared for Mitsunaga & Associates, Inc. on behalf of the Department of Hawaiian Home Lands (DHHL).

Garcia and Associates conducted an archaeological inventory survey (AIS) with systematic subsurface testing in support of DHHL’s Kapa‘akea flood mitigation improvements project. The flood mitigation project will involve the installation of a concrete and cinder block wall and footing that will extend from the shoreline to the south side of Kamehameha V Highway. The footing for the wall will extend two feet below ground surface and the finished wall will be approximately three feet high. Construction for this project will involve clearing and grading of the footprint and excavation of a trench up to 30 inches deep for the wall’s foundation.

The AIS footprint included pedestrian survey of a 240 meter long corridor along the eastern and northern boundaries of the Kapa‘akea Homesteads. Thirteen (13) test trenches were mechanically excavated. Testing produced stratigraphic data on six soil layers, none of which contained any evidence of traditional Hawaiian or early historic cultural deposition. No historic properties were identified as a result of the AIS and the report was submitted to SHPD for review and acceptance as an Archaeological Assessment (AIS with negative findings) pursuant to Hawai‘i Administrative Rules (HAR) §13-276. No further archaeological work is recommended for this project area.

This archaeological assessment report meets the requirements of HAR §13-276-5 and the Secretary of the Interior’s Standards for Archaeological Identification, Assessment, and Documentation. Please send one hardcopy of the final document, clearly marked FINAL, along with a copy of this review letter and a text-searchable PDF version on CD to the Kapolei SHPD office, attention SHPD Library.

Please contact Maui Lead Archaeologist Morgan Davis at (808) 243-4641 or at [Morgan.E.Davis@hawaii.gov](mailto:Morgan.E.Davis@hawaii.gov) if you have any questions or concerns about this letter.

Mahalo,



Alan S. Downer, Ph.D.  
Administrator, State Historic Preservation Division  
Deputy State Historic Preservation Officer

cc: County of Maui  
Department of Planning  
[Planning@co.maui.hi.us](mailto:Planning@co.maui.hi.us)

Mitsunaga & Associates  
747 Amana Street, Suite 216  
Honolulu, Hawaii 96814  
[general@mitsdesign.com](mailto:general@mitsdesign.com)

County of Maui  
Department of Public Works – DSA  
[Wendy.Kobashigawa@co.maui.hi.us](mailto:Wendy.Kobashigawa@co.maui.hi.us)

Patrick O'Day, PhD  
Garcia and Associates  
146 Hekili St., Suite 101  
Kailua, Hawaii 96734  
[poday@garciaandassociates.com](mailto:poday@garciaandassociates.com)

County of Maui  
Cultural Resources Commission  
[Annalise.Kehler@co.maui.hi.us](mailto:Annalise.Kehler@co.maui.hi.us)

**Cultural Impact  
Assessment Report**

**APPENDIX**

**G**

**FINAL—Cultural Impact Assessment**

**Department of Hawaiian Homelands Kapa‘akea Flood  
Mitigation Improvements, Kapa‘akea Ahupua‘a, Kona District,  
Island of Moloka‘i, Hawai‘i**

**TMK (2) 5-4-007:009, 010, 011, 024, and 025**

**Prepared For:**

Munekiyo Hiraga  
305 High Street, Suite 104  
Wailuku, Hawaii 96793

**Prepared By:**

Michael Desilets, MA  
and  
David Byerly, BA

Garcia and Associates  
146 Hekili St., Suite 101  
Kailua, Hawai‘i 96734

GANDA Report No. 2350-1



1 June 2016





## **MANAGEMENT SUMMARY**

At the request of Munekiyo Hiraga, Garcia and Associates conducted a Cultural Impact Assessment in support of an Environmental Assessment being prepared for the Department of Hawaiian Homelands' Kapa'akea Flood Mitigation Improvements Project. The project footprint included a 240-meter-long corridor along the eastern and northern boundaries of Kapa'akea Homesteads within Kapa'akea Ahupua'a, approximately one kilometer east of Kaunakakai Town center. The objective of the Cultural Impact Assessment was to determine the presence or absence of cultural practices or traditionally significant cultural places within the flood mitigation improvements footprint and surrounding area, and to evaluate the project's potential impact on such resources. Ethnographic interviews with locally knowledgeable native Hawaiian consultants indicated that marine resource exploitation is the primary cultural practice of concern in the area. It was felt by the consultants, however, that the proposed project would have no impact on this practice. No extant cultural sites or traditionally significant places were identified in or near the project footprint. It is therefore the conclusion of this assessment that the project will have no significant impact on traditional Hawaiian cultural practices or resources.



## CONTENTS

Management Summary .....	i
List of Figures .....	iv
List of Tables .....	iv
1.0 INTRODUCTION .....	1
1.1 Project Authority .....	1
1.2 Project Location and Design .....	1
2.0 ENVIRONMENTAL, HISTORICAL, AND CULTURAL CONTEXT .....	5
2.1 Environmental Context .....	5
2.2 Pre-Contact Occupation .....	5
2.2.3 Mo‘olelo of Kapa‘akea and Kaunakakai .....	6
2.3 Post-Contact Period .....	7
2.3.1 The Great Māhele and Historic Land Tenure in Kapa‘akea .....	8
2.3.2 Land Use and Development .....	8
2.3.3 Kapa‘akea Homestead .....	9
2.4 The Archaeology of Kapa‘akea .....	11
2.4.1 Archaeological Research within Kapa‘akea Flood Mitigation Project Area .....	16
2.5 Previous Ethnographic Research at Kapa‘akea .....	17
3.0 ASSESSMENT METHODOLOGY .....	18
4.0 RESULTS .....	19
4.1 Marine Resources: Gathering and Fishing .....	19
4.1.1 Impact Assessment .....	19
4.2 Fresh Water Spring .....	19
4.2.1 Impact Assessment .....	20
4.3 Religio-Spiritual Activities .....	20
4.3.1 Impact Assessment .....	20
4.4 Salt Gathering .....	21
4.4.1 Impact Assessment .....	21
4.5 Places of Traditional Importance .....	22
4.4.4 Impact Assessment .....	22
5.0 CONCLUSIONS .....	23
6.0 REFERENCES .....	23

## FIGURES

Figure 1. Project area location in Kapa‘akea Homesteads, Molokai. ....	2
Figure 2. <i>Ahupua‘a</i> boundaries.....	3
Figure 3. Kapa‘akea flood mitigation construction footprint. Kapa‘akea Homestead lots to right. ...	4
Figure 4. 1900 American Sugar Company map of Moloka‘i Island.....	10
Figure 5. Registered Map 3093 showing Kapa‘akea Residence Lots, date unknown. ....	12
Figure 6. 1950 USGS aerial photograph of project area.....	13
Figure 7. 1964 USGS aerial photograph of project area.....	13
Figure 8. Previous archaeological work near the project area. ....	14
Figure 10. Location of spring on <i>mauka</i> side of Kap‘akea Fishpond (red oval).....	20
Figure 11. Aerial image from 2012 showing salt deposits (red circle) near the project area.....	21

## TABLES

Table 1. Previous Archaeological Investigations.....	15
------------------------------------------------------	----

## **1.0 INTRODUCTION**

At the request of Munekiyo Hiraga, Garcia and Associates conducted a Cultural Impact Assessment (CIA) in support of an Environmental Assessment being prepared for the Department of Hawaiian Homelands (DHHL) Kapa'akea Flood Mitigation Improvements Project. The objective of the CIA was to determine the presence or absence of native Hawaiian cultural practices or resources within the flood improvements footprint and surrounding area, which might potentially be impacted by the project, and to evaluate the extent and intensity of the impacts.

The Kapa'akea flood mitigation project will involve the installation of a concrete and cinder block wall and footing that will extend from the shoreline to the south side of Kamehameha V Highway. The footing for the wall will extend two feet under the ground surface and the finished wall will be approximately three feet high. Construction for this project will involve clearing and grading of the footprint and excavation of a trench up to 30 inches deep for the wall's foundation.

This report includes descriptions of the historical and cultural context of the Kapa'akea Flood Mitigation Improvements Project site, a review of previous cultural resource studies conducted in the area, the methodology used to gather data on cultural practices, and the results and conclusions of the assessment.

### **1.1 Project Authority**

This CIA was conducted in accordance with the Hawaii Revised Statutes (HRS) Chapter 343 which requires the assessment of cultural resources in determining the overall significance of the impact of a proposed action. More specifically, the study complies with Act 50, which amends HRS Section 343-2 to include consideration of the effects of a proposed action on "cultural practices." The methodology, protocols, and content of this CIA follow the *Guidelines for Assessing Cultural Impacts*, adopted by the Environmental Council, State of Hawaii, on November 19, 1997.

### **1.2 Project Location and Design**

The Kapa'akea flood mitigation project is located on DHHL's Kapa'akea Homesteads at the west end of Kapa'akea Loop on the southern coast of Moloka'i (Figure 1). The project area is on the northwest boundary of Kapa'akea Ahupua'a (Figure 2) and is approximately one kilometer east of Kaunakakai Town center. It includes TMKs (2) 5-4-007:009, 010, 011, 024, and 025.

The proposed action, construction of a concrete and cinder block wall, includes a 4.5-meter-wide construction footprint beginning at the shoreline at the southwest corner of an oceanfront lot (Figure 3). The wall will run 188 meters in a northeasterly direction to the northwest corner of a lot fronting Kamehameha V Highway. From this point, the proposed wall turns 90 degrees to the east and runs along the southern edge of Kamehameha V Highway for 55 m to the Kapa'akea Loop Road intersection. Total area encompassed by the project is 0.27 acres (0.11 hectares).






Figure 2. Ahupua'a boundaries.






Figure 3. Kapa'akea flood mitigation construction footprint. Kapa'akea Homestead lots to right.

## 2.0 ENVIRONMENTAL, HISTORICAL, AND CULTURAL CONTEXT

This section of the report presents environmental, historical, and cultural background information for the project area to provide context for the CIA. This information is used to anticipate what types of cultural practices and features may be present in the project area and to evaluate the significance of any potential impacts to practices and features identified in the consultant interviews.

### 2.1 Environmental Context

Moloka'i was formed by two main shield volcanoes that overlapped in the center of the island approximately 1.8 million years ago (Sherrod et al. 2007). Moloka'i's southeast, or leeward side, is characterized by gently sloping uplands incised by numerous small streams leading out to a low-lying, relatively narrow coastal terrace formed by a high sea level stand about 3000 years ago. The southeast shore is fronted by narrow sand beaches bordered by a shallow reef-flat and well-developed offshore fringing reef. This environment was conducive to the traditional construction of fishponds that line Moloka'i's southern shore. Currently many of these ponds, including Kapa'akea Pond (located 650 m southeast of the project area), are infilled by terrigenous sediment transported from upslope and colonized by mangroves.

Before colonization, the Kona slopes and coast were probably covered with dry mesic forest dominated by *Pritchardia (loulou)*; the only member of the Arecaceae family native to Hawai'i. Traditional settlers significantly altered their environment. Much of the island's lowland forests were cleared for agricultural pursuits and native vegetation was replaced with Polynesian introductions. In traditional times, the lower slopes of the southern coast were probably vegetated in *lama (Diospyros sandwicensis)*, *'akoko (Chamaesyce sp.)*, and *kulu'i (Nototrichium sp.)* (Tuggle 1993b:9). When westerners first sighted Moloka'i in 1778, the land rising back from the southwest coast "appeared to be entirely without wood" (Cook 1785, in Summers 1971:21).

Moloka'i's southern coast has been considerably altered since island colonization. Deforestation and extensive terracing and stream diversion for traditional and commercial agriculture on the upland slopes have drastically altered the traditional landscape. Further alteration of Moloka'i's southern landscape was caused by the historic introduction of herbivores, particularly goats.

### 2.2 Pre-Contact Occupation

The following Hawaiian settlement history of Moloka'i is based on paleoenvironmental studies, archaeological research, and oral histories. The chronological framework follows the settlement model of the Hawaiian Islands established by Kirch (2010).

Paleoenvironmental studies on Moloka'i suggest human colonization of the island occurred between AD 800 and 1200 during Hawai'i's Foundation Period (Denham et al. 1999). Paleocoring samples taken along the southern coast indicate a decline of the endemic dry lowland forests with a corresponding rise in sedge and grass pollen and the first occurrence of substantial charcoal flecking (Denham et al. 1999). This large-scale disturbance of the native ecosystem is interpreted to reflect land clearance associated with cultivation (Denham et al. 1999:54)

The first evidence of temporary occupation along Moloka'i's leeward coast is a radiometric date range of calAD 1219–1322 (73.0%), 1347–1393 (22.4%) (Beta-7564) from a charcoal sample collected in a sandy midden in the Mālama Cultural Park located 1.2 km northwest of the current study area (Athens 1983; Weisler 1989:126). As shown by a radiocarbon assay of calAD 1265–1313, (68.9%), 1358–1388 (26.55) (B-359995) associated with a fire pit in Mapulehu (Byerly and Liston 2013), the southeast coastal lowlands may have been semi-permanently occupied during the Early Expansion Period (AD 1200–1400).

The subsequent centuries of this period see the appearance of a diverse range of domestic architectural features in Moloka'i's archaeological record. Basalt quarries began to be used for the procurement of lithic material and tool manufacture (Dixon et al. 1994; Weisler 2011). The first evidence of marine resource and avifauna exploitation (Weisler 1989) as well as the spread of small scale cultivation (Kirch 2002) also dates to this early period.

During Moloka'i's Late Expansion Period (AD 1400–1650), there is strong archaeological evidence for the intensification of subsistence practices, increases in population, and the early evidence of ritual practices (McCoy 2007). Moloka'i's chief agricultural product was sweet potato (*Ipomoea batatas*) which was grown throughout the island (Summers 1971).

Around AD 1450 (Denham et al. 1999) on Moloka'i's southern shore, stone fishtraps may have been expanded into fishponds (*loko i'a*) (Summers 1971; Kikuchi 1976; Kelly 1989). Primary species produced in the roughly 70 stone ponds lining a 20 mile stretch of the island's south and southeast coastline included mullet (*Mugil cephalis*), 'ama'ama and milkfish (*Chanos chanos*), and *awa*. The inland Kapa'akea Pond is 650 m southeast of the current study area. However, this 5.45 acre pond is filled in with silt and is overgrown with vegetation.

The following centuries of the Proto-Historic Period (AD 1650–1795) brought internal wars for domination of the island between the Ko'olau and Kona chiefs. This conflict may have arisen over the significant economic advantage offered by access rights to the southeast coast's rich fishing grounds, especially when the waters of the Ko'olau district were inaccessible due to rough waters for half the year (Athens 1985:6). After many intra-island battles, the Kona District chief, Paepae, beseeched the O'ahu chief, Kualii'i, for assistance. With the combined strength of the Kona warriors and Kualii'i's army, the Ko'olau warriors were defeated and its chiefs were forced to surrender their lands to O'ahu (Fornander 1916–1917:418). Rule over the island of Moloka'i shifted from island to island. Ultimately, control of Moloka'i shifted from O'ahu to Maui under the renowned chief Kahikili, a rival of the Hawai'i Island chiefs (Kamakau 1961:133).

### 2.2.3 Mo'olelo of Kapa'akea and Kaunakakai

Kapa'akea *ahupua'a* does not figure prominently in the traditional literature of Hawai'i. Archival and documentary research conducted for this study ranging from the standard published works of Hawaiian historians and mythologists to newly available Hawaiian language newspapers produced no information on Kapa'akea. This small *ahupua'a* appears to have always been in the shadow of its more prominent neighbor to the west, Kaunakakai. It will perhaps be of some utility, then, to take a broader regional approach and look at the *mo'olelo* of Kaunakakai as a window of sorts into Kapa'akea.

Many of the *mo'olelo* that mention Kaunakakai refer to it as a place that people passed through, in reference to its landing spot. These include, for example, the tale of Hi'iaka, the sister of Pele, who during her voyages departs from Kaunakakai on her way to O'ahu (Beckwith 1970:175) and Kamalalawalu, Halemano's wife, who landed in Kaunakakai while searching for her husband (Fornander 1919:260).

Fornander (1918:164–167) also recounts the *mo'olelo* of Maniniholokuaua and Keliimalolo, both known for their running abilities. Maniniholokuaua, who lived in Kaunakakai, would steal the canoes and other valuables from those landing at the beach to take to his lizard grandmother living in a cave in upland Kalama'ula. When Keliimalolo, of O'ahu, landed at Kaunakakai, his canoe was also stolen by Maniniholokuaua who lifted it onto his back and carried it to the cave. After enlisting aid from his friends on Kaua'i, Kamaakamikioi and Kamaakauluohia, Keliimalolo caught up with Maniniholokuaua just as he was commanding the cave to open. When Keliimalolo ordered the cave to close, it crushed Maniniholokuaua and the canoe. Maniniholokuaua's grandmother was also dead and the people of Moloka'i could now enter the cave to retrieve their stolen belongings.

The abundance of fish in Kaunakakai's waters is related in the *mo'olelo* of 'Ai'ai, the son of the fishing god Ku'ula.

After making the circuit of Lanai he ['Ai'ai] went over to Moloka'i, landing at Punakou and travelled along the shore until he reached Kaunakakai. At this place he saw spawns of mullet, called *pua'i'i*, right near the shore, which he kicked with his foot, landing them on the sand. This practice of kicking fish with the feet is carried on to this time, but only at that locality. [Thrum 1907, in Summers 1971:73]

### 2.3 Post-Contact Period

On November 26, 1778, sailors from Captain Cook's expedition were the first Europeans known to sight Moloka'i Island. A year later in 1779, the expedition passed very close to Moloka'i and Captain Cook wrote the following comments:

Morotoi is only two leagues and a half from Mowee to the West North West. The South Western coast, which is the only part near which we have approached, is very low; but the land rises backward to considerable height; and, at the distance from which we saw it, appeared to be entirely without wood. Its produce, we were told, consists chiefly of yams. It may, probably, have fresh water, and, on the South and West sides, the coast forms several bays that promise good shelter from the trade winds.

Cook 1785 in Summers 1971:21

The first recorded account of interaction between the natives of Moloka'i and Europeans is from Captain Dixon's account in 1786:

I should observe, that the people who came to us from Mowee and Morotoy, seemed to admire our vessels more than we had hithertomet with; 'tis probable that many of them had never seen any ships before.

Dixon 1789 in Summers 1971

In 1790, during the wars for the unification of the Hawaiian archipelago, Kamehameha I planned to unite the Moloka'i chiefs against Kahekili, but he ultimately failed to conquer Maui. By 1795, Kamehameha launched his conquest of O'ahu from his headquarters at Kaunakakai. Kamehameha's military encampments were established in Kaunakakai and on the slopes of the surrounding *ahupua'a* because of the presence of an open water passage through the reef (Kamakau 1961:70–71, 159, 172). At this time also, Kapa'akea was the site of a meeting between the *ali'i* Ka'iana and Kalanimoku. Kalanimoku had established his war party's camp at Kapa'akea:

After his conversation with the *ali'i wahine* Nāmāhana [mother of Ka'ahumanu], he bade her farewell and left that place [Kamilola, adjacent to Kapa'akea]. While he was passing Kapa'akea where Kalanimoku was encamped with his army, this bald-headed *ali'i* saw him, his companion of the battlefield. Affection welled up in him and he called to Ka'iana saying: “*E 'iwi'ula ē! E 'iwi'ula ho'i ē!* Come hither and eat!” When Ka'iana heard Kalanimoku calling him, he took advantage of the invitation by his chiefly comrade. [Desha 2000:405]

In this meeting, he informed his friend Ka'iana of the intent of Kamehameha's other *ali'i* to cut him out of their conquest plans. This marked an important turning point in Ka'iana's allegiance, as he then joined forces with Kalanikūpule.

### 2.3.1 The Great Māhele and Historic Land Tenure in Kapa'akea

During the mid-19<sup>th</sup> century Māhele, in which the traditional Hawaiian land tenure system was converted to a fee-simple system, not a single *kuleana* was awarded in Kapa'akea Ahupua'a. The *ahupua'a* remained unassigned after the Māhele until 1890 when all unassigned lands were declared royal domain by the Crown Land Commissioners through legislation (Indices 1929:23). There were also no known *kuleana* awarded in Kaunakakai. In 1855, the entire *ahupua'a* was conveyed to Lot Kapuāiwa (Kamehameha V) for the sum of \$200 under the direction of the King's Privy Council (Privy Council Minutes 1855:AH, in Strazer 2000:5).

In 1890, the Indices of Land Commission Awards lists the Bishop Estates as owners of Kaunakakai (LCA 1890:c.78AH). At this time, 46 people in Kaunakakai petitioned the Minister of the Interior to sell them Kaunakakai and Kapa'akea Ahupua'a (Interior Department, letter of 8/1/1890, in Silva 1983:14). In the late 1890s, a group of Honolulu investors formed the Moloka'i Ranch by purchasing about 28,000 hectares (ha) (70,000 acres) of Kamehameha V's former land holdings from the Bishop Estate and leasing another 12,000 ha (30,000 acres) from the Hawaiian government. The *ahupua'a* of Kaunakakai was included in the purchase.

### 2.3.2 Land Use and Development

Historic land use in Kapa'akea Ahupua'a is intrinsically tied to the early commercial development of the island's economic center in the neighboring *ahupua'a* of Kaunakakai.

In 1859, Alexander Liholiho (Kamehameha IV) began a sheep ranch on the west end of the island. Kamehameha V, who ruled from 1863 to 1872, further developed the ranch. According to Judd IV (1936:10, in Summers 1971:23), “In the desire to have a country estate, he bought up land and cattle from the resident Hawaiians and used Molokai as a vacation ground from the cares of State.” Moloka'i was Kamehameha V's favorite island.

Moloka'i's commercial activities expanded dramatically in the late 1800s with cattle ranching and agricultural development. Due to access for ships provided by the passage through the reef, Kaunakakai town became the island's primary port for bringing in supplies and personnel and shipping out goods.

In the late 1890s, a group of Honolulu investors formed the Moloka'i Ranch through the purchase of some 28,000 ha (70,000 acres) of Kamehameha V's former land holdings from the Bishop Estate and leasing another 12,000 ha (30,000 acres) from the Hawaiian government. The *ahupua'a* of Kapa'akea was included in the purchase. The investors who established the Moloka'i Ranch formed the American Sugar Company (ASCO) only a year after buying their Moloka'i properties. ASCO attempted to commercialize sugar cultivation on Moloka'i. While sugarcane cultivation was heavily concentrated on the Hoolehua Plain, an early ASCO map indicates that cane fields extended south east into the inland areas of Kapa'akea Ahupua'a just north of the project area. This map also shows that the project area is now situated on a reclaimed salt marsh and reef flat (Pope 1900) (Figure 4). The sugar industry on Moloka'i proved short lived and by the early 1900s the thin fresh water lens irrigating the cane fields was depleted (Sterns and McDonald 1947:5).

At this point section after section began to fail. Analysis finally showed a high salt content in the well water. For the huge steam pumps had sucked up water with such strength that the layer of sweet water was soon exhausted. Brackish and later salt water was being pumped up the eight miles to Hoolehua, effectively killing all young cane . . .


Judd IV 1936, in Summers 1971:24

The Moloka'i sugar industry collapsed before construction of the sugar mill. The population of Moloka'i fell from approximately 6,000 in 1834 to 1,006 in 1910 (Sterns and McDonald 1947:5).

### **2.3.3 Kapa'akea Homestead**

In 1920, the U.S. Government passed the Hawaiian Homes Commission Act which provided a means for Native Hawaiians who were at least half Hawaiian or 50 percent blood quantum to acquire land on which to build homes and farm. The Hawaiian Homes Commission Act specifically designated public lands to the Hawaiian Homes Commission which excluded: 1) all lands within any forest reserve; 2) all cultivated sugar lands; and 3) all public lands held under certificate of occupation, right of purchase lease, or special homestead agreement. Moloka'i served as the staging ground for the program with 2,000 acres available specifically in Kapa'akea Ahupua'a.

The lands provided to the Hawaiian Homes Commission for homesteading proved to be the least desirable lands for development. However, Prince Kuhio indicated he was satisfied with the lands chosen for the Hawaiians at Commission hearings. In a letter written by A. Horner, addressed to Senator Poindexter, the Kapa'akea lands provided to the Hawaiian Homes Commission for homesteading were described as worthless for agriculture (Spitz 1964:8). In 1924, F.G Krauss, the Chairman of the Classification Commission, also described the homesteading lands of Kapa'akea, Kamiloloa 1 and 2, and Makakupaia 1 as:



**Figure 4. 1900 American Sugar Company map of Moloka'i Island showing Kapa'akea flood mitigation project area.**

Second class pasture land. "...one of the poorest areas of land that we have inspected. It is very dry, rough, and rocky." Couldn't carry over 100 cattle, perhaps only part of the year. Estimated cost of making domestic water available, \$10,000.

Spitz 1964:13

An undated map of the Kapa'akea Residence Lots (Registered map 3093) (Figure 5) shows the arrangement of the parcels in the subdivision. The current project area runs along the north and west boundary of Lot 1, and along the western boundary of Lots 1-5.

According to USGS aerial photographs of Moloka'i's southern shoreline, the Kapa'akea Residential Homestead lots were constructed sometime between 1950 and 1964. In the 1950 aerial photograph, the homestead location is clearly undeveloped, overgrown with vegetation, and the

western area of the homestead site appears to be tidal wetlands (Figure 6). By 1964, a USGS aerial photograph shows that construction of some houses in the Kapa'akea Residential Homestead was completed with a number of structures built around Kapa'akea Loop (Figure 7).

## 2.4 The Archaeology of Kapa'akea

No previous archaeological work has been conducted within the Kapa'akea flood mitigation project area and previous work in surrounding areas is also extremely limited. A search of the Hawai'i State Historic Preservation Division library indicated that only three projects have been conducted in Kapa'akea Ahupua'a and most of the previous work conducted within the neighboring Kaunakakai Ahupua'a was focused on Kaunakakai Town center located approximately one kilometer to the west. This is due to a higher frequency of commercial and residential development in Kaunakakai. Archaeological investigations conducted near the current project area and the locations of these projects are shown on Figure 8 and listed in Table 1.

In 1909, John F. G. Stokes conducted an island wide survey of Moloka'i to document the remains of *heiau* on the island. While this early survey is limited by its focus on relatively large structures, a number of large habitation complexes and fish ponds were also recorded. Summers (1971) summarized the manuscripts and notes from the Stokes Moloka'i survey and lists the following site for Kapa'akea:

**Site 50-60-03-132:** Kapa'akea Pond was a *pu'uone*, or an inland pond connected to the ocean by a ditch or stream. The pond is described having an area of 5.45 acres which extended from the sea shore to the Government Road. The pond was filled in by the time Stokes made his observation.

James M. Dunn, a former surveyor of the State of Hawai'i made the following observation of Kapa'akea Pond in 1957:

The pond has been neglected for a long period of time and can hardly be called such any more. It has been almost totally filled by silt washed down from the highlands mauka of the road and is covered with dense growth of mangrove with some kiawe. The undergrowth is a thick mat of *akulikuli*. The old springs which fed this pond are either clogged or dried up and no longer available.

Summers 1971:88

Presently, remnants of the Kapa'akea Pond are faintly visible on aerial imagery (Figure 6 and Figure 7). Kapa'akea Pond is located 650 meters southeast of the current study area within an undeveloped and overgrown tract of land along the coast situated between two residential areas.

In 1977, the Archaeological Research Center Hawaii, Inc., conducted a reconnaissance survey for the Kapa'akea Flood Control Project on the lower slopes of Pu'u Maninikolo (Davis 1977). The survey produced a single archaeological complex designated as Site 50-60-03-1600. The site consisted of seven features including a large platform, a small terrace enclosure, rock mounds, large walled enclosures, and a trail. Basalt flakes and surface midden were also observed.






Figure 5. Registered Map 3093 showing Kapa'akea Residence Lots, date unknown.




Figure 6. 1950 USGS aerial photograph of project area.




Figure 7. 1964 USGS aerial photograph of project area.




Figure 8. Previous archaeological work near the project area.

**Table 1. Previous Archaeological Investigations Conducted in the Vicinity of the Project Area**

Reference	Location	Investigation	Results
Summers 1971	Moloka'i	Survey	Kapa'akea Pond (Site 132).
Davis 1977	Kapa'akea	Archaeological Reconnaissance Survey	Site 50-60-03-1600 consisting of seven features.
Dye 1977	Kapa'akea	Survey and Subsurface Testing	Added two additional features to Site 50-60-03-1600 and identified Feature 7 as a human burial marker.
Dye and Jordane 2005	Kaunakakai	Archaeological Assessment	No findings.
McGerty and Spear 2006	Kaunakakai Fire Station	Archaeological Assessment	No findings.
Hammatt 2008	Kaunakakai Elementary School	Literature Review and Field Check	No sites were documented.
Madeus et al. 2010	Kaunakakai Elementary School	Archaeological Monitoring	No Findings.
Perzinski and Dega 2011	Kapa'akea	Archaeological Monitoring	No findings.
McElroy et al. 2013	Kaunakakai Duke Maliu Field	Archaeological Assessment	No findings.
Medrano and Dega 2013	Kaunakakai Duke Maliu Field	Archaeological Monitoring	No findings.

The site was interpreted as historic, consisting of rock mounds and a platform, interpreted as a possible historic cemetery. Later that year, the Bishop Museum was commissioned to re-evaluate Site 50-60-03-1600 and conduct subsurface testing. This work produced two additional features which include an enclosure and a cairn. While subsurface excavation produced no dateable material, a historic human burial was identified during excavations of the large platform. The site was interpreted as a historic cemetery with pre-Contact components. The 50-60-03-1600 archaeological complex is located 280 m north northeast of the current project area.

An archaeological assessment was conducted 100 meters northwest of the current project area for the addition of the Verizon Wireless H12 Kaunakakai Cell site (Dye and Jordane 2006). No cultural properties were identified during the assessment.

In 2006, an archeological assessment was conducted of a 5-acre parcel for the Kaunakakai Fire Station (McGerty and Spear 2006). The project area was once a part of Moloka'i Ranch and is situated along the boundary of Kaunakakai and Kapaakea Ahupua'a approximately 380 m north of the current project area. No cultural properties were identified during the assessment.

In 2008, a historic literature review with a field survey was conducted for the improvement of the wastewater system for Kaunakakai Elementary School. Kaunakakai Elementary School is located 600 m northwest of the current project area and no cultural properties were identified. Subsequent archaeological monitoring of construction for the improvements to the Kaunakakai Elementary School wastewater system was conducted in 2010 (Madeus et al. 2010). Monitoring results also produced no findings.

In 2011, Scientific Consulting Services, Inc., (SCS) conducted archaeological monitoring for the construction of two drainages in Kapa‘akea Ahupua‘a (Perzinski and Dega 2011). The drainages crossed beneath Kamehameha V highway and through the Kapa‘akea Homesteads. This project was located approximately 178 m southwest of the current project area and monitoring results produced no findings.

An archaeological assessment with subsurface testing was conducted at the Duke Malii Park to determine the nature of stratigraphy on the parcel and to identify any cultural material or deposits (McElroy 2013). A series of nine trenches were excavated to the water table at 100-147 centimeters (cm) below the surface. Stratigraphy was generally characterized as alluvium with natural marine sand below. No cultural deposits or significant findings were observed during the assessment. Archaeological monitoring for improvements to park was also conducted in 2013 and resulted in no findings (Medrano and Dega 2013).

#### **2.4.1 Archaeological Research within Kapa‘akea Flood Mitigation Project Area**

Archaeological test excavation was conducted along the entire corridor of the proposed Kapa‘akea flood mitigation project on 30 July 2015. This testing included the excavation of 13 test units with a backhoe at regular intervals within the proposed grading and construction footprint. All test units extended to a minimum depth of one meter. In all cases, the test units produced a layer of imported fill overlying an intact black silty loam associated with the buried salt marsh. No traditional Hawaiian or early historic cultural deposits were identified and the testing confirms historic data showing that this portion of the Kapa‘akea Homesteads is built on reclaimed marshlands. Salt marshes represent an environmental type that is very unlikely to contain substantial residues of traditional Hawaiian use. A previous archaeological investigation at a similarly filled salt marsh just east of the current project area also produced no findings (Perzinski and Dega 2011).

Based on these findings, it is very unlikely that intact pre-Contact cultural resources are present in the project area. According to an ASCO map produced in 1900, the project area is located on a reclaimed salt marsh that once extended from the current shoreline to the southern edge of Kamehameha V Highway (Pope 1900). Historic maps also indicate that there were no fishponds built within the immediate vicinity of the project area. By 1930, as shown by a Territory of Hawaii map of Hawaiian Homelands surveyed by Robert D. King, the area of the marsh was filled in. Furthermore, USGS aerial imagery shows that houses for the Kapa‘akea Homesteads were not built until after 1950. The early to mid-20<sup>th</sup> Century date for reclamation of the salt marsh and late-20<sup>th</sup> Century date for construction of the Kapa‘akea Homesteads indicates that the potential for the presence of early historic period cultural resources is also extremely low.

## 2.5 Previous Ethnographic Research at Kapa'akea

In conjunction with the archaeological assessment summarized in Section 2.4.1 above, ethnographic consultations were conducted with persons knowledgeable about the history of the project area. These consisted of interviews and site tours with Ms. Arleone Dibben-Young, Mr. Dean Spencer, and Mr. Boom. Ms. Dibben-Young is a biologist who manages the wetland adjacent to the project corridor. Mr. Spencer was born and raised in the Kapa'akea Homesteads and Mr. Boom is a long-time resident of the homesteads. All of the informants were questioned specifically about the history of land use in the area and the presence of any cultural resources. The results of the ethnographic interviews are quoted in full below:

During fieldwork, Ms. Arleone Dibben-Young, Mr. Dean K. Spencer, and a current resident of Kapa'akea subdivision, Mr. Boom, were interviewed regarding the history of the project area. Mr. Spencer was born and raised in the Kapa'akea Homestead. Mr. Boom was residing in the seaside house on Lot 5 in the Kapa'akea Homestead subdivision.

Ms. Dibben-Young is a biologist and long-time resident of Molokai. She works with Ahupua'a Natives and manages several wetlands on the island of Molokai. Ms. Dibben-Young currently manages the wetland areas located on the west side of the project area. Ms. Dibben-Young managed cleanup efforts of this lot and knows members of the Kapa'akea community through conducting interviews during environmental conservation efforts. During the interview for the present project, Ms. Dibben-Young said that a development had been approved for the adjacent empty lot. At this time, Goodfellow Bros. Inc. began to dump soils, rock, and old concrete footings from other construction sites on the property in 1989 as fill. This was subsequently halted by the courts and Goodfellow Bros. Inc. was forced to remove the material in 2001. Ms. Dibben-Young also said this parcel was used as an unofficial dump site and that the materials from the illicit dumping were removed and the parcel was then graded. Ms. Dibben-Young and her colleagues have been removing invasive plants and encouraging the growth of wetland plants, such as 'ākulikuli (*Sesuvium portulacastrum*). While Ms. Dibben-Young has been managing the parcel immediately adjacent to the project area, she was unaware of the presence of traditional Hawaiian or historic cultural resources in or near the current project area.

Mr. Dean Spencer was born and raised in the Kapa'akea Homesteads subdivision and has several members of his extended family still residing within the subdivision. Mr. Spencer said that as a child he fished along the shoreline in front of the project area and that he used to collect salt from the adjacent mudflats. Mr. Spencer also recalled that the areas west of the project area had always been mudflats and did not know of any traditional Hawaiian or historic resources located within or near the current project area. When asked about the rock and concrete wall in Lot 1 running along Kamehameha V Highway, he indicated that he could not recall exactly when this wall was built, but was sure it was not more than 20 years old.

Mr. Boom, as he wished to be called, currently lives in the house located on Lot 5 of the subdivision. This is located along the shoreline at the southern terminus of the project area. Mr. Boom indicated that he originally grew up in Waimanalo on O'ahu but had been residing in the house on Lot 5 in the Kapa'akea subdivision for the last 20 years. Mr. Boom indicated that family members who still reside in

the subdivision also collected salt from the flats and that there was a pond or hole in the wetland where they use to go swimming. He was also unaware of any traditional Hawaiian or historic cultural resources within or in the vicinity of the project area. [O'Day and Byerly 2015:32–33]

### 3.0 ASSESSMENT METHODOLOGY

The level and intensity of the CIA was scaled to the size and complexity of the project under study. The proposed flood mitigation project is a small-scale action requiring only a minimal physical footprint. For this reason, interviews with a total of four knowledgeable local community members was determined to be an appropriate sample. Every effort was made to consult with the *kupuna* of the Kapa'akea community and those who have the longest history living on the landscape. The cultural consultants were selected primarily through the assistance of the Kapa'akea Homestead Association. Molokai's Ho'olehua Hawaiian Civic Club was also consulted to locate appropriate interview subjects. Their recommendations largely overlapped those of the Kapa'akea Homestead Association. It appears to be the consensus of the local Hawaiian community that Hawaiians living at Kapa'akea are the most knowledgeable regarding cultural practices and cultural sites in the area.

The interview style for this CIA was decidedly informal and a “talk story” format was selected as the most culturally appropriate and efficacious. The interview style followed Spradley's (1979) conception of the ethnographic interview as a qualitative “speech event,” in which development of rapport with interviewees is of central importance (see also Leach 2002). Interviews were not recorded and no structured ethnographic instrument was followed. The consultations did, however, incorporate a mix of directive and non-directive interview techniques. The consultations began with a brief explanation of the goals and objectives of the CIA and a review of the flood mitigation project itself. This was followed by general questions regarding practices or resources that might be of interest. Research domains such as cultural/spiritual sites, terrestrial subsistence and medicinal gathering, and marine resource gathering and fishing were asked about explicitly and any potentially significant responses were then pursued with directed questioning.

All interviews were facilitated and attended by Kapa'akea Homestead Association President, resident, and native Hawaiian consultant Doreen Gaspar, who was invaluable in locating appropriate participants and organizing the consultations. Consultant interviews included extended sit-down interviews, home visits, and telephone conversations. Additionally, a driving tour of Kapa'akea Homestead and surrounding areas was conducted with Mrs. Doreen Gaspar and Mrs. Georgette Kaneakua to identify historic places, natural resources, and current cultural practices of concern to the community. A site visit was also made to the locale of the proposed project.

The following Kapa'akea Homestead Association members, all native Hawaiian individuals living in the vicinity of the proposed project, were interviewed:

- Georgette Kaneakua
- Lorraine Luuloa
- Leilani Wallace
- Doreen Gaspar

## 4.0 RESULTS

The CIA interview results are organized according to five topical domains. Some of these domains were identified early in the planning process and constitute common research domains, while others are specific to the project area and its distinctly coastal character.

### 4.1 Marine Resources: Gathering and Fishing

Kapa'akea Hawaiian Homesteads is fundamentally a coastal community and it is therefore no surprise that near-shore marine resources and harvesting activities are among the most significant concerns to its native Hawaiian residents. Marine resources and the subsistence gathering and fishing practices that revolve around them have been central to the Hawaiian lifestyle from time immemorial and continue to be so today. Kapa'akea Ahupua'a has approximately one kilometer of coastline which originally supported salt flats and a fishpond. Perhaps more significantly, the near-shore waters provide excellent gathering and fishing grounds extending out approximately a mile from the shore. Consultant Georgette Kaneakua is an active practitioner of traditional marine gathering and reef gleaning and testified to the importance of these activities to the Hawaiian community of Kapa'akea. Ms. Kaneakua collects mollusks and many varieties of *limu* from the waters fronting Kapa'akea Homestead. This is a very common cultural practice by many community members. In addition, hook and line, net, and spear fishing are also regular activities in these coastal waters. Marine fishing and gathering are daily and weekly activities and fishermen could be seen out in the waters during the site visit. Many homesteaders have shallow-draft boats which they launch directly along the waterfront.


#### 4.1.1 Impact Assessment

Although traditional subsistence gathering and fishing are still widely practiced in the vicinity of the proposed action, ethnographic consultants indicated that these activities would not be affected by the project. The flood mitigation wall, as currently designed, follows the western boundary of the Kapa'akea Homestead development, perpendicular to the shoreline. It creates no access impediment to the local waters and will not adversely impact the near-shore marine resources. The western boundary of the residential development borders a private lot and there was no indication that cultural or natural resources, marine or otherwise, are accessed in that direction. Public access to the shore is currently through four corridors spaced evenly along the Kapa'akea Homestead coastal frontage. These will continue to provide access to marine resources for the local community.

### 4.2 Fresh Water Spring

Fresh water springs are mentioned in many Hawaiian *mo'olelo* and have always been a very important resource in Hawaiian culture. Kapa'akea once contained a spring just *mauka* of the shoreline, along the perimeter of Kapa'akea Fishpond. This spring was significant enough to be recorded on a map of American Sugar Co. improvements dating to 1900 (Figure 10). Although ethnographic consultants were well aware of a spring in this locale, it appears to have been destroyed or obscured when Kapa'akea Fishpond was filled in.





**Figure 9.** Location of spring on *mauka* side of Kap'akea Fishpond (red oval). Detail of May 1900 Map of Kaunakakai and Vicinity showing improvements of the American Sugar Co.

#### **4.2.1 Impact Assessment**

There is presently no active use of the Kapa'akea spring by the local community. It is located a significant distance from the proposed action and any cultural use or practices associated with it would therefore not be impacted. The consultants did not express any concern about the spring relative to the proposed action.

#### **4.3 Religio-Spiritual Activities**

Consultants did not express any knowledge of traditional religious or spiritual sites, such as *heiau* or *iwi kupuna*, in the vicinity of the proposed action. This agrees with the documentary background research, which indicated an absence of such sites. When questioned about the possibility of *iwi kupuna*, consultants stated that they did not believe there had been any traditional-style burials in this area since it was reclaimed. Any early *iwi kupuna* would likely be located *mauka*, but none were identified by the interviewees. Consultant Leilani Wallace did express concern for the maintenance of *mauka-makai* cultural “pathways” which she believes run concomitant with the former river courses (now drainage ditches) that run through the homestead. She related a story of a neighbor who had placed a large *pōhaku* in one of the waterways, after which there was a spike in sickness and ill health. When the stone was subsequently removed, the situation returned to normal. The interpretation of these events, following traditional epistemology, was that a cultural “pathway” had been blocked, thereby causing bad effects for the community. Mrs. Wallace felt that such considerations should be kept in mind when designing projects.

#### **4.3.1 Impact Assessment**

Consultants did not identify any religio-spiritual practices or sites in the area that would be adversely affected by the project. Concern over maintenance of clear *mauka-makai* cultural

“pathways” was centered on the courses of former waterways, all located well east of the proposed action. These would not be affected by its construction.

#### 4.4 Salt Gathering

Given the former presence of a salt marsh adjacent to and possibly within the fill area that is now Kapa‘akea Homesteads, consultants were asked specifically about salt collecting in the vicinity as a current cultural practice. The answer was negative. Although salt deposits are clearly visible on the parcel adjacent to the proposed flood control wall (Figure 11), these have been recently created as part of a “wetlands” bird preserve by a private landowner and are not exploited by the Hawaiian community. Traditional salt gathering likely ended when the land was filled, if not earlier. Consultants did note that the former Kapa‘akea salt flats were likely harvested and controlled by the *ali‘i* who also maintained Kapa‘akea Fishpond.

##### 4.4.1 Impact Assessment

Salt gathering is not currently a practice that will be affected by the proposed project. If, in the future, salt from the adjacent “wetlands” becomes available, there remain many available access points. The presence of the flood control wall will not unduly burden this cultural practice. Most importantly, the Hawaiian consultants did not express any concern over this resource relative to the proposed action.



Figure 10. Aerial image from 2012 showing salt deposits (red circle) near the project area (blue L-shaped line).

#### 4.5 Places of Traditional Importance

Interviews with knowledgeable local consultants did not produce any evidence of places of traditional importance that would be impacted by the project. The project footprint is entirely on reclaimed land dating to the Twentieth Century. Consultants did note the traditional importance of the general area and its association with ruling *ali'i*. *Mo'olelo* mention the use of the former small bay (now entirely filled) as a beaching site for canoes in the days of Kamehameha I and earlier. Kapa'akea was also the site of a meeting between the famous Kauai *ali'i* Ka'iana and his fellow chief Kalanimoku. This happened just before Ka'iana formally severed his allegiance to Kamehameha I to support Kalanikūpule, the *ali'i 'ai moku* of O'ahu. According to Desha:

After his conversation with the *ali'i wahine* Nāmāhana [mother of Ka'ahumanu], he bade her farewell and left that place [Kamilola, adjacent to Kapa'akea]. While he was passing Kapa'akea where Kalanimoku was encamped with his army, this bald-headed *ali'i* saw him, his companion of the battlefield. Affection welled up in him and he called to Ka'iana saying: “*E 'iwi'ula ē! E 'iwi'ula ho'i ē!* Come hither and eat!” When Ka'iana heard Kalanimoku calling him, he took advantage of the invitation by his chiefly comrade. [Desha 2000:405]

The ensuing meeting at Kapa'akea helped cement Ka'iana's change of allegiance. One can only imagine the sight of a full war party encamped on the shores of Kapa'akea—and up and down the coastline as well: “On the arrival of Kamehameha's war fleet at Kaunakakai, the shore from Kaunakakai to Kalama'ula was covered by his canoes.” This general area, including Kaunakakai with its many fishponds, salt flats, and former *heiau*, was clearly a central gathering place for chiefs and their retinues. Liston points out that:

The channel through the reef in front of Kaunakakai attracted chiefs during the proto-historic and early historic period wars for domination as a location for their large military encampments and high-status meetings. This traditional sociopolitical importance of the Kaunakakai area is expressed by the presence of four *heiau* (Mahinahina, Kamalae, 'Opae'ula, and Pu'upapa'i), now destroyed, in the immediate vicinity. This area was so centrally located and easily accessed that Kamehameha V established his vacation retreat, Mālama, at Kaunakakai. [Liston 2016:32]

Mālama Cultural Park, former residence of Kamehameha V, is a further testament to the enduring attraction of this coastal area for ruling *ali'i*. Certainly Kapa'akea was secondary to Kaunakakai, but it was no doubt similarly valued for its anchorage, fresh water spring, and fishpond. This historical significance is reaffirmed and maintained by the Hawaiians now living at Kapa'akea. Although these historical associations were not identified as resources that would be impacted by the proposed undertaking, they remain important to the local population and provide context for their worldview and sense of place.

##### 4.4.4 Impact Assessment

The Kapa'akea coastline was a significant place in the pre-Contact and early historic period and was frequented by *ali'i* during a critical period in Kamehameha I's consolidation of power in Hawai'i. The immediate vicinity of the proposed action was a docking locale for canoes at this time and likely much earlier as well. However, consultation with locally knowledgeable Hawaiians indicates that the proposed project will not adversely impact any traditional cultural or historical

place. The landscape in this area is already highly modified and the former canoe landing spot has long since been obliterated.

## 5.0 CONCLUSIONS

Background literature research and interviews with locally knowledgeable individuals indicate that the area surrounding the Kapa'akea Flood Mitigation project was once significant as an area frequented by *ali'i*, particularly during Kamehameha I's rise to power. As with nearby Kaunakakai, the coastline at Kapa'akea has been almost completely altered, mainly through filling of the near-shore waters in the early to mid-Twentieth Century. This has filled in Kapa'akea Fishpond to the east and has covered the former stream outflow and salt marsh once present near the proposed project area. No cultural or spiritual sites, such as *heiau*, are presently known in the vicinity of the project area and no traditional practices associated with such sites were mentioned in the interviews. Despite the dramatic changes to the landscape over the past century, Hawaiians at Kapa'akea continue to conduct traditional marine subsistence gathering and fishing activities. These were the most significant cultural practices mentioned during the consultation interviews. However, the consultants made explicitly clear that they felt that the proposed action would have no negative effect to these practices. The proposed flood mitigation wall does not inhibit access to marine resources, nor will it impact them in any foreseeable way. Overall, the proposed action was seen as a net benefit to the community. Construction of the flood wall would allow the Hawaiian community at Kapa'akea to survive (physically and financially) the recurrent flooding episodes and thereby allow them to maintain their traditional cultural practices into the future.

Consultant interviews conducted for this CIA did not produce any evidence of cultural practices or resources that would be impacted by the project. It is therefore the conclusion of this assessment that the project will have no significant impact on traditional Hawaiian cultural practices or resources.

## 6.0 REFERENCES

- Armstrong, R.W. and J.A. Bier  
1973 *Atlas of Hawaii*. Department of Geography, University of Hawai'i, Manoa, Hawai'i.
- Athens, J.S.  
1983 *Archaeological and Historical Investigations at a Property Near Kaunakakai Wharf, Island of Moloka'i, Hawai'i*. Prepared for Alu Like, Inc. J. Stephen Athens, Archaeological Consultant, Honolulu.
- 1985 *Prehistoric Investigations at an Upland Site on the Leeward Slopes of Central Moloka'i*. Prepared for the Department of Hawaiian Homelands. International Archaeological Research Institute, Inc., Honolulu.
- Byerly, D and J. Liston  
2013 *Archaeological Inventory Survey of Two 0.5 Acre Parcels, Mapulehu Ahupua'a, Kona District, Island of Moloka'i, Hawai'i*. Prepared for Janet Place. Garcia and Associates, Kailua, Hawai'i.

- Davis, B.D.  
1977 *Cultural Reconnaissance Report Kapa'akea Homestead Flood Control Project, Kapa'akea, Moloka'i Island, Hawai'i*. Archaeological Research Center Hawaii, Inc., Honolulu.
- Denham, T., F.J. Eblé, B. Winsborough, and J.V. Ward  
1999 Paleoenvironmental and archaeological investigations at Ōhi'apilo Pond, leeward coast of Moloka'i. *Hawaiian Archaeology* 7:35–59.
- Desha, S.L.  
2000 Kamehameha and his Warrior Kekūhaupi'o. Kamehameha Schools Press, Honolulu.
- Dixon B., M. Major, M. Price, A. Carpenter, C. Stine, and B. Longton  
1994 Lithic tool production and dryland planting adaptations to regional agricultural intensification: preliminary evidence from leeward Moloka'i, Hawai'i. *Bishop Museum Occasional Papers* 39:1–19.
- Dye, T.  
1977 *Cultural Resource Survey, Kapa'akea Flood Control Project, Moloka'i, Hawai'i*. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.
- Dye, T.S. and E.H.R. Jourdane  
2006 *Archaeological Assessment for the Proposed Verizon Wireless H12 Kaunakakai Cell Site VZW No. 2004005296, Moloka'i Education Center, 375 Kamehameha V Highway, Kaunakakai, Kona District, Moloka'i, Hawai'i (TMK 5-3-03:014)*. Prepared for Clayton Group Services. T.S. Dye Colleagues, Inc., Honolulu.
- Fornander, A.  
1916–1917 *Fornander Collection of Hawaiian Antiquities and Folk-lore: The Hawaiian Account of the Formation of their Islands and Origin of their Race with the Traditions of their Migrations, Etc. as Gathered from Original Sources*. Bishop Museum Press, Honolulu.
- Giambelluca, T.W., Q. Chen, A.G. Frazier, J.P. Price, Y.-L. Chen, P.-S. Chu, J.K. Eischeid, and D.M. Delparte  
2013 Online Rainfall Atlas of Hawai'i. *Bulletin of the American Meteorological Society* 94, 313-316, doi: 10.1175/BAMS-D-11-00228.1. Accessed August 5, 2015.
- Graham, W.L.  
2006 *Braided Waters: Environment, Economy, and Community in Moloka'i, Hawai'i*. Unpublished PhD dissertation. University of California, Los Angeles.
- Hammatt, H.  
2008 *Archaeological Monitoring Plan for Three Schools within the Moloka'i School Complex Hawai'i Inter-Island DOE Cesspool Project*. Cultural Surveys Hawai'i Inc. Wailuku, Hawai'i.
- Kamakau, S.M.  
1961 *Ruling Chiefs of Hawai'i*. The Kanehameha Schools Press, Honolulu.
- Kelly, M.  
1976 Dynamics of production intensification in Precontact Hawai'i. In: *What's New? A Closer Look at the Process of Innovation*, S. van der Leeuw and R. Torrence (eds.), pp. 82–106. Unwin Hyman, Boston.
- Kikuchi, W.K.  
1976 Prehistoric Hawaiian fishponds. *Science* 193:295–299.

- Kirch, P.V.  
2010 *How Chiefs Became Kings: Divine Kingship and the Rise of Archaic States in Ancient Hawai'i*. University of California Press, Berkeley.
- Kirch P.V. (ed.)  
2002 *From the 'Cliffs of Keolewa' to the 'Sea of Papaloa': An Archaeological Reconnaissance of Portions of the Kalaupapa National Historical Park, Moloka'i, Hawaiian Islands*. Berkeley Archaeological Research Facility, Oceanic Archaeology Laboratory Special Publication No. 2. University of California, Berkeley.
- Leech, B.L.  
2002 Asking Questions: Techniques for Semistructured Interviews. *Political Science and Politics* 35(4):665–668.
- Liston, J and J. Robins  
2016 FINAL—Revised Archaeological Monitoring Plan for Former Kaunakakai Chevron Bulk Storage Terminal, Kaunakakai Ahupua'a, Kona District, Moloka'i Island, Hawai'i. GANDA Report No. 2289-1. Prepared for URS Corporation, Honolulu. Garcia and Associates, Kailua, Hawaii.
- Madeus, J.K.  
2010 *An Archaeological Monitoring Report for the Kaunakakai Elementary School Grease Interceptor and Four Inch Sewer Line Installation and Replacement Project Kaunakakai Ahupua'a, Kona District, Moloka'i Island (TMK [2] 5-3-02:052)*. Prepared for CH2MHill.
- McCoy, M.D.  
2007 A revised late Holocene culture history for Moloka'i Island, Hawai'i. *Radiocarbon* 49(3):1273–1322.
- McElroy, W.K., M. Elison, and R. Kapoi-Keli'i  
2013 *Archaeological Assessment for Improvements to Duke Maliu Regional Park, Kaunakakai Ahupua'a, Kona District, Island of Moloka'i TMK: (2) 5-3-003:012*. Prepared for County of Maui, Department of Parks and Recreation Department. Keala Pono Archaeological Consulting, Kaneohe, Hawai'i.
- McGerty, L. and R.L.Spear  
2006 *An Archaeological Assessment Report for an Approximately 5-Acre Parcel in Kaunakakai Ahupua'a, Moloka'i, Hawai'i*. Scientific Consultant Services, Wailuku, Hawai'i.
- Medrano, S. and M.F. Dega  
2013 *An Archaeological Monitoring Report for the Duke Maliu Regional Park Project Kaunakakai Ahupua'a, Kona District Moloka'i Island, Hawai'i (TMK 5-3-003:012)*. Prepared for the Department of Parks and Recreation. Scientific Consultant Services, Inc., Honolulu.
- O'Day, P. and D. Byerly  
2015 FINAL—Archaeological Assessment in Support of the Department of Hawaiian Homelands Kapa'akea Flood Mitigation Improvements, Kapa'akea Ahupua'a, Kona District, Island of Moloka'i, Hawai'i. GANDA Report No. 2341-1. Prepared for Mitsunaga & Associates, Inc., Honolulu. Garcia and Associates, Kailua, Hawai'i.
- Perzinski, D. and M. Dega  
2011 *An Archaeological Monitoring Report for DHHL Kapa'akea On-Site Drainage Improvements, Kapa'akea Ahupua'a, Kona District, Moloka'i Island, Hawai'i*. Scientific Consultant Services, Inc., Honolulu.

- Roberts, L.  
2001 Historical Land Use, Coastal Change, and Sedimentation on South Moloka'i Reefs. *Recent Advances in Marine Science and Technology*, 9th Pacific Congress on Marine Science and Technology: PACON 2000. pp. 167-176. Honolulu.
- Schmitt, R.C.  
1977 *Historical Statistics of Hawaii*. University of Hawai'i Press, Honolulu.
- Sherrod, D.R., J.M. Sinton, S.E. Watkins, and K.M. Brunt  
2007 *Geologic Map of the State of Hawaii*. Open File Report 2007-1089. U.S. Geological Survey, Washington, D.C.
- Silva, C.L.  
1983 *Historic Document Search: Archaeological and Historical Investigations at a Property Near Kaunakakai Wharf, Island of Moloka'i, Hawai'i*. Prepared for Alu Like, Inc. J. Stephen Athens, Archaeological Consultant, Honolulu.
- Spradley, J.  
1979 *The Ethnographic Interview*. Holt, Rinehart, & Winston, New York.
- Spitz, A.  
1964 *Land Aspects of the Hawaiian Homes Program*. Report No. 1b, Legislative Reference Bureau.
- Stearns H.T. and G.A. Macdonald  
1947 *Geology and Ground-Water Resources of the Island of Molokai, Hawaii*. Bulletin 11 Hawaii Division of Hydrography.
- Strazar, M.D.  
2000 *Moloka'i in History: A Guide to the Resources*. Prepared by the History and Humanities Program of the Hawai'i State Foundation on Culture and the Arts.
- Summers, C.C.  
1971 *Moloka'i, A Site Survey*. Pacific Anthropological Records No. 14. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.
- Tuggle, D.H.  
1993 *Kamiloloa Archaeology: Data Recovery and Site Inventory for a Portion of Kamiloloa, Island of Moloka'i, Hawai'i*. Prepared for the Department of Hawaiian Home Lands, State of Hawai'i, Honolulu. International Archaeological Institute, Inc., Honolulu.
- United States Department of Agriculture (USDA)  
2013 Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Web Soil Survey. Available online at <http://websoilsurvey.nrcs.usda.gov/>. Accessed August, 5, 2015.
- Weisler, M.  
1989 Chronometric dating and Late Holocene prehistory in the Hawaiian Islands: A critical review of radiocarbon dates from Moloka'i Island. *Radiocarbon* 31(2):121-45.  
2011 A quarried landscape in the Hawaiian Islands. *World Archaeology* 43(2):298-317.

**Wetland Study**

**APPENDIX**

**H**



Wetland Study  
Department of Hawaiian Home Lands  
Kapa'akea Flood Mitigation Project  
Kapa'akea, Moloka'i

by

Robert W. Hobdy  
Environmental Consultant  
Koakomo, Maui  
January 2016

Prepared for:  
State of Hawaii  
Department of Hawaiian Home Lands

## INTRODUCTION

The Department of Hawaiian Home Lands (DHHL) Kapa'akea Flood Mitigation Project is located 0.75 miles to the east of Kaunakakai Town below Kamehameha V Highway. The project area includes five DHHL lots (TMK's (2) 5-4-07:9, 10, 11, 24, 25) that total approximately 2.5 acres and stretch from the Highway down to the shoreline (see Figures 1 and 2). Bordering the project area to the west is the Kōheo Wetland. This flood mitigation project calls for the construction of a concrete retaining wall between the DHHL lots and the Kōheo Wetland to protect the lots from potential flooding. This wetland study was initiated to determine and delineate the wetland boundary relative to the western edge of the DHHL lots.

## BACKGROUND HISTORY

Kōheo Wetland is located in a low spot on the coastal plain at the boundary between Kaunakakai and Kapa'akea. It is fed by ground water, local rainfall and receives runoff from a small ephemeral unnamed gully above the highway. It only flows during heavy rainfall events. When this gully reaches the coastal plain it disappears and any runoff spreads out as sheet flow. At the highway the water accumulates as temporary ponding due to inadequate drainage features until it over flows down slope into the wetland.

The Kapa'akea Homesteads were established along the coastal plain, with the first lots being awarded in 1950. The lots adjacent to the wetland were lower in elevation and were prone to periodic temporary flooding during high rainfall events. Fill material was brought in and spread on these lots to build up the surface elevations one to two feet to minimize flood damages. This resulted in a clear, rather straight boundary line that slopes down into the wetland from the DHHL lots (Figures 4 & 5). The proposed construction of a concrete wall is intended to eliminate this threat.

The entire Kōheo Wetland was delineated in a 2005 study that was submitted to the U.S. Army Corps of Engineers. The 2005 study found the eastern boundary of the wetland to roughly approximate the lower toe of the slope below the DHHL boundary. This study, however, has exceeded its 5-year sunset date and a portion of the eastern boundary is here reassessed to accommodate any potential recent changes relative to the project boundary.

## SURVEY OBJECTIVES

This report summarizes the findings of a wetland determination process in accordance with the Corps of Engineers Wetlands Delineation Manual (1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Hawaii and Pacific Islands Regional (2012). Work consisted of following set procedures, conducting tests and making observations in order to determine the presence or absence of indicators of hydrophytic vegetation, hydric soils and wetland hydrology with the goal of making a definitive determination as to whether a wetland exists on the property and to delineate the boundaries of any such wetland. This wetland boundary will then be shown relative to the DHHL Homestead boundary and the proposed alignment of the concrete flood mitigation wall.

## SURVEY METHODS

Procedures required the assessment and characterization of vegetation, the excavation of soil pits for the analysis of soil types, and the documentation of indicators of wetland hydrology following U.S. Corps of Engineers Guidelines.

Equipment and tools used included:

- 3 inch diameter hand auger
- Sharpshooter shovel
- Wooden stakes
- Hammer
- Hand Level
- Tape measure
- Camera
- Munsell soil color charts
- Machete
- Corps of Engineers Wetlands Delineation Manual (U.S.A.C.E. 1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Hawaii and Pacific Islands Region (2012).
- National List of Plants that Occur in Wetlands: Hawaii (Region H) 2004
- Plastic flagging
- Spray marking paint

### Preliminary Data Gathering and Synthesis

The following sources of information were utilized in the preparation of this report:

- USGS topographic maps and other maps: 1900, 1924, 1952, 1983
- High elevation aerial photography: 1975, 2012
- SCS (NRCS) Soil Survey, 1972.
- Local individuals and experts with special knowledge of the history, conditions and environmental functioning of the subject area and surroundings.

These sources are referenced in this report or included in the appendix as appropriate. Six sampling points were selected outside the project area along the lower slope below the western boundary of the DHHL lots where it appeared to be close to being a wetland. At each site a soil pit was dug and wetland analysis performed. This study just addresses the eastern edge of the Kōheo Wetland where it is close to the project area.

## RESULTS

Six sampling points were established a little outside the west boundary of the project area in a line running from below the highway down toward the shoreline (see Figure 2). Each of these were analyzed for wetland characteristics as described above. Sampling points 1 through 5 were found to lie just outside the margin of the wetland, while sampling point 6 was just within the margin of the wetland. From this information a proposed wetland boundary was determined and is delineated as shown in Figure 2. This wetland boundary line lies entirely outside of the DHHL Kapa'akea Flood Mitigation Project boundary by distances ranging from 20 feet at the top to 8 feet near the shoreline. The Wetland Determination Data Forms and analyses are presented below.

### WATERS OF THE U.S. ANALYSIS

The DHHL Kapa'akea Flood Mitigation Project lies on approximately 2.5 acres of coastal plain between two gullies that drain into the Pacific Ocean (see Figure 3). To the west is a small unnamed ephemeral gully that drains about 50 acres of land on the slopes of Pu'u Maninikolo and terminates at the Kōheo Wetland adjacent to the shoreline. To the east is a larger unnamed ephemeral gulch that drains about 250 acres above the Kapa'akea Cemetery and runs through the DHHL Kapa'akea Homesteads to the ocean.

An eleven acre area between the two adjacent drainages lies on nearly level land on the coastal plain and includes five acres of undeveloped grass land and kiawe (*Prosopis pallida*) forest above Kamehameha V Highway and six acres of the residential Kapa'akea Homesteads community below the highway to the shoreline. This eleven acre area has no drainage channels and no wetlands. The 2.5 acre project area lies wholly within this eleven acre area. The companion wetland study found the boundary of Kōheo Wetland to lie entirely outside the western side of the project area as is the drainage that feeds it. The unnamed drainage to the east has no wetlands associated with it. Because this project area clearly has no aquatic resources within it or directly abutting its boundary, there is nothing to assess and the use of an Approved Jurisdictional Determination Form is deemed to be unnecessary.

The entire 2.5 acre DHHL Kapa'akea Flood Mitigation project is determined to be an upland site with no aquatic resources that would qualify it as a Waters of the U.S.




Figure 1. DHHL Kapa'akea Flood Mitigation Project (1952 USGS Kaunakakai Quadrant Map)



Figure 2.

- DHHL Kapa'akea Flood Mitigation Project boundary
- Proposed concrete wall along west and north boundaries of project area.
- - - - - > Runoff flow pattern of unnamed drainage along west boundary of project area.
- ③ — ④ — ⑤ Numbered sampling points and proposed wetland boundary



Figure 3

- DHHL Kapa'akea Flood Mitigation Project Area
- Ephemeral stream storm water flow from adjacent unnamed gullies
- Watershed boundaries of adjacent unnamed gullies



Figure 4. View northeast across the project boundary into the DHHL Lots, showing their developed residential character.



Figure 5. View north along project boundary. The proposed wetland boundary is indicated by red stakes which are located near the toe of the slope below the elevated DHHL lots.



**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/site: DHML Kapāhāhā Flood Mitigation Project, Kapāhāhā Sampling Date: 1-08-16 Time: 0800  
 Applicant/Owner: Department of Hawaiian Home Lands State/Terr/Com: Hawai'i Island, Maui Kai Sampling Point: 1  
 Investigator(s): Robert Hobdy TMK/Parcel(s): (2) 5-4-07: 2, 10, 11, 24, 25  
 Landform (hillslope, coastal plain, etc.): Coastal Plain Local relief (concave, convex, none): Concave  
 Lat: 21° 05' 05.69" N Long: 157° 00' 45.60" W Datum: 3 ft Slope (%): 0-1%  
 Soil Map Unit Name: Kualia Silt Loam NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation no Soil no or Hydrology no significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation no Soil no or Hydrology no naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <u>    </u> No <u>X</u> Hydric Soil Present? Yes <u>    </u> No <u>X</u> Wetland Hydrology Present? Yes <u>    </u> No <u>X</u>	Is the Sampled Area within a Wetland? Yes <u>    </u> No <u>X</u>
Remarks: <u>This sampling point experiences short-term overtopping runoff from Kamehameha V Highway following heavy rainfall events which continues laterally down into Kohao Wetlands. While not a wetland, it lies close to the wetland boundary.</u>	

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. <u>Prosopis pallida</u>	<u>60</u>	<u>Yes</u>	<u>FACU</u>	Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)
2. <u>    </u>				Total Number of Dominant Species Across All Strata: <u>4</u> (B)
3. <u>    </u>				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>25%</u> (AB)
4. <u>    </u>				<b>Prevalence Index worksheet:</b> Total % Cover of:      Multiply by: OBL species <u>0</u> x 1 = <u>0</u> FACW species <u>0</u> x 2 = <u>0</u> FAC species <u>4</u> x 3 = <u>12</u> FACU species <u>66</u> x 4 = <u>264</u> UPL species <u>0</u> x 5 = <u>0</u> Column Totals: <u>70</u> (A) <u>276</u> (B)  Prevalence Index - B/A = <u>3.94</u>
5. <u>    </u>	<u>60</u> - Total Cover			
Seedling/Strat. Stratum (Plot size: <u>30 ft radius</u> )				
1. <u>Pluchea indica</u>	<u>4</u>	<u>Yes</u>	<u>FAC</u>	
2. <u>    </u>				
3. <u>    </u>				
4. <u>    </u>				
5. <u>    </u>				
6. <u>    </u>				
7. <u>    </u>				
8. <u>    </u>				
Herb Stratum (Plot size: <u>30 ft radius</u> )				
1. <u>Cyperus dactyloides</u>	<u>5</u>	<u>Yes</u>	<u>FACU</u>	
2. <u>Chenopodium murale</u>	<u>1</u>	<u>Yes</u>	<u>FACU</u>	
3. <u>    </u>				
4. <u>    </u>				
5. <u>    </u>				
6. <u>    </u>				
7. <u>    </u>				
8. <u>    </u>				
Woody Vine Stratum (Plot size: <u>    </u> )				
1. <u>    </u>				
2. <u>    </u>				
3. <u>    </u>				
4. <u>    </u>				
5. <u>    </u>				
6. <u>    </u>				
7. <u>    </u>				
8. <u>    </u>				
<u>0</u> - Total Cover				

Remarks: This sampling point lies near the edge of a broad drainage channel that flows from Kamehameha V Highway into Kohao Wetland. The vegetation was largely Facultative upland in character.

SOIL

Sampling Point 1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type	Loc <sup>2</sup>		
0-18	2.5YR 3/4	100	-	-	-	-	Silt loam	DARK reddish brown undeveloped
18-24	2.5YR 4/1	100	-	-	-	-	clay loam	DARK reddish gray saturated

Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A5)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):  
 Type None  
 Depth (inches): \_\_\_\_\_  
 Hydric Soil Present? Yes \_\_\_\_\_ No

Remarks:  
 The soil at this site does not have any positive indicators of a hydric soil.

HYDROLOGY

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tiafia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B5)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)

Field Observations:  
 Surface Water Present? Yes \_\_\_\_\_ No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No \_\_\_\_\_ Depth (inches): 22 in.  
 Saturation Present? (includes capillary fringe) Yes  No \_\_\_\_\_ Depth (inches): 18 in.  
 Wetland Hydrology Present? Yes \_\_\_\_\_ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 This site floods for short periods following heavy rainfall events but groundwater levels retreat to depths that prevent the development of positive indicators of wetland hydrology.



Sampling Point 1A. Upper edge of wetland. Inflow from the Kamehameha V Highway is aligned with the telephone pole. The elevated DHHL project boundary is along the fenceline on the right



Sampling Point 1B. Dark reddish-brown silt loam over dark reddish gray clay loam. Soil saturated at 18 inches, water table at 22 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL Kapāhala Flood Mitigation Project, Day Kasin'ken Sampling Date: 1-28-16 Time: 0830  
 Applicant/Owner: Department of Hawaiian Home Lands State/Terr/Comith: Hawaii Island: Molokai Sampling Point: 2  
 Investigator(s): Robert Hobdy TMK/Parcel: (2)5-4-07:9,10,11  
 Landform (hillslope, coastal plain, etc.): Coastal Plain Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 04.92" N Long: 157° 00' 45.23" W Datum: 3 ft Slope (%): 0-1%  
 Soil Map Unit Name: Kealia Silty Loam NWI classification: PEM13  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation Yes Soil No or Hydrology No significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation No Soil No or Hydrology No naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>X</u> No <u>    </u>	Is the Sampled Area within a Wetland? Yes <u>    </u> No <u>X</u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	
Remarks: <u>The boundary of the DHHL lot stands about 2 ft. higher than this sampling point which is near the base of the slope between them.</u>		

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>60%</u> (AB)
1. <u>Proserpis pallida</u>	<u>40</u>	<u>Yes</u>	<u>FACU</u>	
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
Sapling/Shrub Stratum (Plot size: <u>30 ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators: <u>No</u> 1 - Rapid Test for Hydrophytic Vegetation <u>Yes</u> 2 - Dominance Test is >50% <u>No</u> 3 - Prevalence Index is <3.0 <u>Yes</u> 5 - Problematic Hydrophytic Vegetation? (Explain in Remarks or in the delineation report)  *Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
1. <u>Pluchea indica</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>	
2. <u>Pluchea carolinensis</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>	
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
Herb Stratum (Plot size: <u>30 ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>
1. <u>Cynodon dactylon</u>	<u>15</u>	<u>Yes</u>	<u>FACU</u>	
2. <u>Megathyrsus maximus</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>	
3. <u>Chloris barbata</u>	<u>1</u>	<u>No</u>	<u>FACU</u>	
4. <u>Heliotropium curassavicum</u>	<u>1</u>	<u>No</u>	<u>FAC</u>	
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
6. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
7. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
8. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
Woody Vine Stratum (Plot size: <u>    </u> )	Absolute % Cover	Dominant Species?	Indicator Status	
1. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
2. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
3. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
4. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
5. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
6. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
7. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
8. <u>    </u>	<u>    </u>	<u>    </u>	<u>    </u>	
Remarks: <u>Much of the vegetation around this sampling point had been mowed and is maintained mostly free of vegetation as part of a cooperative wetland enhancement project for a variety of waterbirds and shorebirds. While sparse, the vegetation is still representative of what naturally grows here.</u>				

**SOIL**

Sampling Point: 2

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-18	2.5YR 3/4	100	-	-	-	-	Silt loam	dark reddish brown MSS 2.5YR 3/4

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:      Indicators for Problematic Hydric Soils<sup>3</sup>:

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A5)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):  
 Type: NONE  
 Depth (inches): \_\_\_\_\_  
 Hydric Soil Present? Yes \_\_\_\_\_ No X

Remarks:  
 The soil at this site does not have any positive indicators of a hydric soil. This sampling point lies along a slope running down from the adjacent DWH Lot. The wetland boundary appears to be at the toe of this slope which is 14 feet from the DWH Lot.

**HYDROLOGY**

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

Primary Indicators (minimum of one required; check all that apply)	Secondary Indicators (minimum of two required)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Sparingly Vegetated Concave Surface (B5)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	
<input type="checkbox"/> Presence of Reduced Iron (C4)	
<input type="checkbox"/> Thin Muck Surface (C7)	
<input type="checkbox"/> Fiddler Crab Burrows (C16) (Guam, CNMI, and American Samoa)	
<input type="checkbox"/> Other (Explain in Remarks)	

Field Observations:  
 Surface Water Present? Yes \_\_\_\_\_ No X Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes \_\_\_\_\_ No X Depth (inches): \_\_\_\_\_  
 Saturation Present? Yes \_\_\_\_\_ No X Depth (inches): \_\_\_\_\_  
 (includes capillary fringe)  
 Wetland Hydrology Present? Yes \_\_\_\_\_ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 While close to the wetland boundary, this sampling point does not have any positive signs of wetland hydrology.



Sampling Point 2A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 2B. Dark reddish-brown silt. Loam to 18 inches depth.  
Did not reach saturation or water table depths.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL Kapa'akea Flood Mitigation Project City Kapa'akea Sampling Date: 1-08-11 Time: 0850  
 Applicant/Owner: Department of Hawaiian Home Lands State/Terr. Con. H. Hawaii Island: Molokai Sampling Point: 3  
 Investigator(s): Robert Hobdy TMK/Parcel: (2)5-4-07: 9, 10, 11, 24, 25  
 Landform (hillslope, coastal plain, etc.): Coastal Plain Local relief (concave, convex, none): Concave  
 Lat: 21° 05' 04.29" N Long: 157° 00' 45.58" W Datum: 3 ft Slope (%): 0-5%  
 Soil Map Unit Name: Kealia Silt Loam NWI classification: PEM13  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (if no, explain in Remarks.)  
 Are Vegetation Yes, Soil NO, or Hydrology NO significantly disturbed? Are 'Normal Circumstances' present? Yes X No       
 Are Vegetation NO, Soil NO, or Hydrology NO naturally problematic? (if needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>X</u> No <u>    </u>	Is the Sampled Area within a Wetland?	Yes <u>    </u> No <u>X</u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>		
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>		

Remarks: The boundary of the DHHL lot stands about 2 ft higher than the sampling point which is near the base of the slope between them.

**VEGETATION – Use scientific names of plants.**

Turf Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:	
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u>	(A)
2. _____				Total Number of Dominant Species Across All Strata: <u>4</u>	(B)
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>75%</u>	(A/B)
4. _____				Prevalence Index worksheet:	
5. _____				Total % Cover of:	Multiply by:
Sampling/Shrub Stratum (Plot size: <u>10 ft radius</u> )					
1. <u>Plurbea indica</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>	OBL species <u>7</u> x 1 = <u>7</u>	
2. <u>Prescopia pallida</u>	<u>3</u>	<u>Yes</u>	<u>FACU</u>	FACW species <u>0</u> x 2 = <u>0</u>	
3. _____				FAC species <u>8</u> x 3 = <u>24</u>	
4. _____				FACU species <u>3</u> x 4 = <u>12</u>	
5. _____				UPL species <u>0</u> x 5 = <u>0</u>	
	<u>0</u>			Column Totals: <u>18</u> (A)	<u>43</u> (B)
Herb Stratum (Plot size: <u>10 ft radius</u> )					
1. <u>Batis maritima</u>	<u>7</u>	<u>Yes</u>	<u>OBL</u>	Prevalence Index - B/A = <u>2.39</u>	
2. <u>Heliotropium curassavicum</u>	<u>3</u>	<u>Yes</u>	<u>FAC</u>	Hydrophytic Vegetation Indicators:	
3. _____				NO 1 - Rapid Test for Hydrophytic Vegetation	
4. _____				YES 2 - Dominance Test is >50%	
5. _____				YES 3 - Prevalence Index is ≥3.0	
6. _____				YES 4 - Problematic Hydrophytic Vegetation* (Explain in Remarks or in the delineation report)	
7. _____				*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
8. _____				Hydrophytic Vegetation Present? Yes <u>X</u> No <u>    </u>	
Woody Vine Stratum (Plot size: _____)					
1. _____				Remarks: <u>Much of the vegetation around this sampling point had been mowed and is maintained mostly free of vegetation as part of a cooperative wetland enhancement project for a variety of waterbirds and shorebirds. While sparse, the vegetation is still representative of what naturally grows here.</u>	
2. _____					
	<u>0</u>				

SOIL

Sampling Point 3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-17	2.5YR 3/4	100	-	-	-	-	silt loam	dark red soil, brown in stratified
17-20	2.5YR 3/3	100	-	-	-	-	silt loam	dark red, saturated

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: Indicators for Problematic Hydric Soils<sup>3</sup>:

- |                                                            |                                                     |                                                           |
|------------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)           | <input type="checkbox"/> Stratified Layers (A5)           |
| <input type="checkbox"/> Mosaic Epipedon (A2)              | <input type="checkbox"/> Dark Surfaces (S7)         | <input type="checkbox"/> Sandy Mucky Mineral (S1)         |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Gleyed Matrix (F2)   | <input type="checkbox"/> Red Parent Material (F21)        |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Depleted Matrix (F3)       | <input type="checkbox"/> Very Shallow Dark Surface (TF12) |
| <input type="checkbox"/> Muck Presence (A8)                | <input type="checkbox"/> Redox Dark Surface (F6)    | <input type="checkbox"/> Other (Explain in Remarks)       |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7) |                                                           |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input type="checkbox"/> Redox Depressions (F8)     |                                                           |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |                                                     |                                                           |

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: none  
Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes \_\_\_\_\_ No

Remarks: The soil at this sampling point does not have any positive indicators of a hydric soil. This sampling point lies along a slope running down from the adjacent DHTL lot. The wetland boundary appears to be at the toe of this slope which is 18 feet from the DHTL lot.

HYDROLOGY

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

Primary Indicators (minimum of one required; check all that apply)

Secondary Indicators (minimum of two required)

- |                                                                    |                                                                                      |                                                                  |
|--------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Aquatic Fauna (B13)                                         | <input type="checkbox"/> Surface Soil Cracks (B6)                |
| <input type="checkbox"/> High Water Table (A2)                     | <input type="checkbox"/> Tiafia Nests (B17)                                          | <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                                  | <input type="checkbox"/> Drainage Patterns (B10)                 |
| <input type="checkbox"/> Water Marks (B1)                          | <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)                  | <input type="checkbox"/> Dry-Season Water Table (C2)             |
| <input type="checkbox"/> Sediment Deposits (B2)                    | <input type="checkbox"/> Presence of Reduced Iron (C4)                               | <input type="checkbox"/> Salt Deposits (C5)                      |
| <input type="checkbox"/> Drift Deposits (B3)                       | <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)                  | <input type="checkbox"/> Stunted or Stressed Plants (D1)         |
| <input type="checkbox"/> Algal Mat or Crust (B4)                   | <input type="checkbox"/> Thin Muck Surface (C7)                                      | <input type="checkbox"/> Geomorphic Position (D2)                |
| <input type="checkbox"/> Iron Deposits (B5)                        | <input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa) | <input type="checkbox"/> Shallow Aquitard (D3)                   |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Other (Explain in Remarks)                                  | <input type="checkbox"/> FAC-Neutral Test (D5)                   |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 |                                                                                      |                                                                  |

Field Observations:

Surface Water Present? Yes \_\_\_\_\_ No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No \_\_\_\_\_ Depth (inches): 20 in.  
 Saturation Present? Yes  No \_\_\_\_\_ Depth (inches): 17 in.  
 (includes capillary fringe)

Wetland Hydrology Present? Yes \_\_\_\_\_ No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

While close to the wetland boundary, this sampling point does not have any positive indicators of wetland hydrology.





Sampling Point 3A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 3B. Dark reddish-brown silt loam over dusky red silty clay loam. Saturation at 17 inches. Water table at 20 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: Ditch Vegetation and Mitigation Project, Kapa'ulea Sampling Date: 1-08-16 Time: 0915  
 Applicant/Owner: Department of Hawaiian Home Lands State/Terr./Com. Hawaii Island: Mau Sampling Point: 4  
 Investigator(s): Robert Hobdy TMK/Parcel: 255-4-075 910 11, 24, 25  
 Landform (hillslope, coastal plain, etc.): Coastal plain Local relief (concave, convex, none): Concave  
 Lat: 21° 05' 03.41" N Long: 157° 00' 43.97" W Datum: 33 Slope (%): 0-1%  
 Soil Map Unit Name: Kealia Silty Loam NWI classification: PEM13  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation Yes Soil No or Hydrology No significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation No Soil No or Hydrology No naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>X</u> No <u>    </u>	Is the Sampled Area within a Wetland?	Yes <u>    </u> No <u>    </u>
Hydric Soil Present?	Yes <u>    </u> No <u>    </u>		
Wetland Hydrology Present?	Yes <u>    </u> No <u>    </u>		
Remarks: <u>The boundary of the Ditch lot stands about 3 ft above the sampling point which is near the base of the slope between them.</u>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:	
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC:	<u>2</u> (A)
2. _____				Total Number of Dominant Species Across All Strata:	<u>3</u> (B)
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC:	<u>67%</u> (A/B)
4. _____					
5. _____					
	<u>0</u> - Total Cover			<b>Prevalence Index worksheet:</b>	
Shrub/Straw Stratum (Plot size 10ft radius)				Total % Cover of:	Multiply by:
1. <u>Pluchea indica</u>	<u>25</u>	<u>Yes</u>	<u>FAC</u>	OBL species <u>40</u> x 1 = <u>40</u>	
2. _____				FACW species <u>0</u> x 2 = <u>0</u>	
3. _____				FAC species <u>25</u> x 3 = <u>75</u>	
4. _____				FACU species <u>10</u> x 4 = <u>40</u>	
5. _____				UPL species <u>0</u> x 5 = <u>0</u>	
	<u>25</u> - Total Cover			Column Totals:	<u>75</u> (A) <u>155</u> (B)
Herb Stratum (Plot size 10ft radius)				Prevalence Index - B/A = <u>2.06</u>	
1. <u>Batis maritima</u>	<u>40</u>	<u>Yes</u>	<u>OBL</u>	<b>Hydrophytic Vegetation Indicators:</b>	
2. <u>Cynodon dactylon</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>	<u>NO1</u> - Rapid Test for Hydrophytic Vegetation	
3. _____				<u>Yes 2</u> - Dominance Test is >50%	
4. _____				<u>Yes 3</u> - Prevalence Index is >3.0 <sup>1</sup>	
5. _____				<u>Yes</u> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)	
6. _____				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
7. _____					
8. _____					
	<u>50</u> - Total Cover			<b>Hydrophytic Vegetation Present?</b> Yes <u>X</u> No <u>    </u>	
Woody Vine Stratum (Plot size: _____)					
1. _____					
2. _____					
	_____ - Total Cover				
Remarks: <u>much of the vegetation around this sampling point had been mowed and is maintained mostly free of vegetation as part of a cooperative wetland enhancement project for a variety of waterbirds and shorebirds. While sparse, the vegetation is still representative of what naturally grows here.</u>					

**SOIL**

Sampling Point 4

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-19	2.5YR 3/4	100	-	-	-	-	Silt loam	Dark reddish-brown, Unstratified
19-23	2.5YR 3/6	100	-	-	-	-	Silty clay loam	Dark red, Saturated

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Plow Layer, M=Matrix

**Hydric Soil Indicators:**

- |                                                            |                                                     |                                                           |
|------------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)           | <input type="checkbox"/> Stratified Layers (A5)           |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Dark Surface (S7)          | <input type="checkbox"/> Sandy Mucky Mineral (S1)         |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Gleyed Matrix (F2)   | <input type="checkbox"/> Red Parent Material (F21)        |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Depleted Matrix (F3)       | <input type="checkbox"/> Very Shallow Dark Surface (TF12) |
| <input type="checkbox"/> Muck Presence (A8)                | <input type="checkbox"/> Redox Dark Surface (F6)    | <input type="checkbox"/> Other (Explain in Remarks)       |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7) |                                                           |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input type="checkbox"/> Redox Depressions (F8)     |                                                           |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |                                                     |                                                           |
- <sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type None  
Depth (inches) \_\_\_\_\_

Hydric Soil Present? Yes \_\_\_\_\_ No X

Remarks: The soil at this sampling point does not have any positive indicators of a hydric soil. This sampling point lies along a slope running down from the adjacent DSHZ lot. The wetland boundary appears to be at the top of this slope which is 18 feet from the DSHZ lot.

**HYDROLOGY**

**Wetland Hydrology Indicators:** (Explain observations in Remarks, if needed.)

- |                                                                           |                                                                                      |                                                                   |
|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>Primary Indicators (minimum of one required; check all that apply)</b> |                                                                                      | <b>Secondary Indicators (minimum of two required)</b>             |
| <input type="checkbox"/> Surface Water (A1)                               | <input type="checkbox"/> Aquatic Fauna (B13)                                         | <input type="checkbox"/> Surface Soil Cracks (B6)                 |
| <input type="checkbox"/> High Water Table (A2)                            | <input type="checkbox"/> Tilapia Nests (B17)                                         | <input type="checkbox"/> Sparingly Vegetated Concave Surface (B8) |
| <input type="checkbox"/> Saturation (A3)                                  | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                                  | <input type="checkbox"/> Drainage Patterns (B10)                  |
| <input type="checkbox"/> Water Marks (B1)                                 | <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)                  | <input type="checkbox"/> Dry-Season Water Table (C2)              |
| <input type="checkbox"/> Sediment Deposits (B2)                           | <input type="checkbox"/> Presence of Reduced Iron (C4)                               | <input type="checkbox"/> Salt Deposits (C5)                       |
| <input type="checkbox"/> Drift Deposits (B3)                              | <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)                  | <input type="checkbox"/> Stunted or Stressed Plants (D1)          |
| <input type="checkbox"/> Algal Mat or Crust (B4)                          | <input type="checkbox"/> Thin Muck Surface (C7)                                      | <input type="checkbox"/> Geomorphic Position (D2)                 |
| <input type="checkbox"/> Iron Deposits (B5)                               | <input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa) | <input type="checkbox"/> Shallow Aquitard (D3)                    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)        | <input type="checkbox"/> Other (Explain in Remarks)                                  | <input type="checkbox"/> FAC-Neutral Test (D5)                    |
| <input type="checkbox"/> Water-Stained Leaves (B9)                        |                                                                                      |                                                                   |

**Field Observations:**

Surface Water Present? Yes \_\_\_\_\_ No X Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes X No \_\_\_\_\_ Depth (inches): 23 in.  
 Saturation Present? Yes X No \_\_\_\_\_ Depth (inches): 19 in.  
 (includes capillary fringe)

Wetland Hydrology Present? Yes \_\_\_\_\_ No X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: While close to the wetland boundary, this sampling point does not have any positive indicators of wetland hydrology.



Sampling Point 4A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 4B. Dark reddish-brown silt loam over dusky red silty clay loam.  
Saturation at 19 inches. Water table at 23 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL Kapakapa Flood Mitigation Project <sup>Project</sup> Off Kapakapa Sampling Date: 1-08-16 Time: 0945  
 Applicant/Owner: Department of Hawaiian Home Lands State/Terr./Com. Hawaii Island: Molokai Sampling Point: 5  
 Investigator(s): Robert Hobby TMK/Parcel: 235-4-07-3, 4, 11  
 Landform (hillslope, coastal plain, etc.): coastal plain Local relief (concave, convex, none): concave  
 Lat: 21° 05' 02.55" N Long: 157° 00' 46.40" W Datum: 3 ft Slope (%): 0-1%  
 Soil Map Unit Name: Kealia Silt Loam NWI classification: PEM13  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No      (If no, explain in Remarks.)  
 Are Vegetation Yes Soil NO or Hydrology NO significantly disturbed? Are "Normal Circumstances" present? Yes X No       
 Are Vegetation NO Soil NO or Hydrology NO naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <u>    </u> No <u>X</u>	Is the Sampled Area within a Wetland? Yes <u>    </u> No <u>X</u>
Hydric Soil Present?	Yes <u>    </u> No <u>X</u>	
Wetland Hydrology Present?	Yes <u>    </u> No <u>X</u>	
Remarks: <u>The boundary of the DHHL lot stands about 2 ft. higher than the sampling point which is near the base of the slope between them.</u>		

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. _____	_____	_____	_____	Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A)
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata: <u>1</u> (B)
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0%</u> (A/B)
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
<u>0</u> = Total Cover				
Sapling/Strub Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. _____	_____	_____	_____	Total % Cover of: _____ Multiply by:
2. _____	_____	_____	_____	OBL species _____ x 1 = _____
3. _____	_____	_____	_____	FACW species _____ x 2 = _____
4. _____	_____	_____	_____	FAC species <u>2</u> x 3 = <u>6</u>
5. _____	_____	_____	_____	FACU species <u>20</u> x 4 = <u>80</u>
<u>0</u> = Total Cover				UPL species _____ x 5 = _____
				Column Totals: <u>22</u> (A) <u>86</u> (B)
				Prevalence Index = B/A = <u>3.91</u>
Herb Stratum (Plot size: 10ft radius)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. <u>Cyperus acutylus</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>	<u>NI1</u> - Rapid Test for Hydrophytic Vegetation
2. <u>Heliotropium curassavicum</u>	<u>2</u>	<u>NO</u>	<u>FAC</u>	<u>NI2</u> - Dominance Test is >50%
3. _____	_____	_____	_____	<u>NI3</u> - Prevalence Index is >3.0 <sup>1</sup>
4. _____	_____	_____	_____	<u>Yes</u> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
<u>22</u> = Total Cover				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. _____	_____	_____	_____	Yes <u>    </u> No <u>X</u>
2. _____	_____	_____	_____	
<u>0</u> = Total Cover				
Remarks: <u>Much of the vegetation around this sampling point had been mowed and is maintained mostly free of vegetation as part of a cooperative wetland enhancement project for a variety of waterbirds and shorebirds. While sparse, the vegetation is still representative of what naturally grows here.</u>				

SOIL

Sampling Point 5

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-14	2.5YR 3/4	100	-	-	-	-	silt loam	dark reddish-brown unstratified
14-24	2.5YR 4/1	100	-	-	-	-	clay loam	dark reddish-gray

<sup>1</sup>Type: C=Concentration, D=Depletion, FJM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):  
 Type: none  
 Depth (inches): \_\_\_\_\_  
 Hydric Soil Present? Yes \_\_\_\_\_ No X

Remarks: The soil at this sampling point does not have any positive indicators of a hydric soil. This sampling point lies along a slope running down from the adjacent D111 Lot. The wetland boundary appears to be at the toe of the slope which is 14 feet from from the D111 Lot.

HYDROLOGY

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

Primary Indicators (minimum of one required, check all that apply)		Secondary Indicators (minimum of two required)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Triplite Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surfaces (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

Field Observations:

Surface Water Present?	Yes _____ No <u>X</u>	Depth (inches): _____	Wetland Hydrology Present? Yes _____ No <u>X</u>
Water Table Present?	Yes <u>X</u> No _____	Depth (inches): <u>20 in.</u>	
Saturation Present? (includes capillary fringe)	Yes <u>X</u> No _____	Depth (inches): <u>17 in.</u>	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: While close to the wetland boundary, this sampling point does not have any positive indicators of wetland hydrology.



Sampling Point 5A. Located near the bottom of the slope below the DHHL Lot boundary.



Sampling Point 5B. Dark reddish-brown silt loam over dark reddish-gray clay loam. Saturation at 17 inches. Water table at 20 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project Site: DHHL Kapa'akea Flood Mitigation Project by Kapa'akea Sampling Date: 1-08-16 Time: 11:50  
 Applicant/Owner: Department of Hawaiian Home Lands State/Territory/County: Hawaii Island: Molokai Sampling Point: 6  
 Investigator(s): Robert Hobdy (MNF Parcel: 2097-07-910, 11, 12)  
 Landform (hilltop, coastal plain, etc.): Coastal plain Local relief (concave, convex, none): Convex  
 Lat: 21° 05' 01.50" N Long: 157° 00' 46.94" W Datum: 2 1/2 ft Slope (%): 0-1%  
 Soil Map Unit Name: Kealia Silt Loam MWR classification: PEM13  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation Yes Soil Yes or Hydrology NO significantly disturbed? Are 'Normal Circumstances' present? Yes  No   
 Are Vegetation NO Soil NO or Hydrology NO naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Hydric Soil Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Remarks: <u>This sampling point was in the wetland boundary that appears to lie only 8 feet outside the DHHL lot boundary.</u>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. <u>Fraxinus pallida</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>	Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata: <u>2</u> (B)
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50%</u> (WB)
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
<u>20</u> - Total Cover				
Sapling/Shrub Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. _____	_____	_____	_____	Total % Cover of: _____ Multiply by:
2. _____	_____	_____	_____	OBL species <u>35</u> x 1 = <u>35</u>
3. _____	_____	_____	_____	FACW species <u>0</u> x 2 = <u>0</u>
4. _____	_____	_____	_____	FAC species <u>1</u> x 3 = <u>3</u>
5. _____	_____	_____	_____	FACU species <u>20</u> x 4 = <u>80</u>
<u>0</u> - Total Cover				UPL species <u>0</u> x 5 = <u>0</u>
				Column Totals: <u>36</u> (A) <u>118</u> (B)
				Prevalence Index = B/A = <u>2.1</u>
Herb Stratum (Plot size: <u>30 ft radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. <u>Portia maritima</u>	<u>35</u>	<u>Yes</u>	<u>OBL</u>	<u>NO</u> 1 - Rapid Test for Hydrophytic Vegetation
2. <u>Heliotropium curassavicum</u>	<u>1</u>	<u>NO</u>	<u>FAC</u>	<u>NO</u> 2 - Dominance Test is >50%
3. _____	_____	_____	_____	<u>Yes</u> 3 - Prevalence Index is <3.0 <sup>1</sup>
4. _____	_____	_____	_____	<u>Yes</u> 'Problematic Hydrophytic Vegetation' (Explain in Remarks or in the delineation report)
5. _____	_____	_____	_____	<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
<u>36</u> - Total Cover				
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. _____	_____	_____	_____	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
2. _____	_____	_____	_____	
<u>0</u> - Total Cover				
Remarks: <u>The vegetation in this sampling point had been largely removed during clearing work done during the wetland enhancement project and has not fully grown back with desirable species. While the vegetation is marginally hydrophytic I have tipped into a positive rating because of the circumstances</u>				



**SOIL**

Sampling Point 6

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type	Loc		
0-8	2.5YR 5/3	100	-	-	-	-	Silt loam	reddish brown unstratified
8-20	2.5YR 5/6	100	-	-	-	-	silty sand	Weak red, sand saturated water table at 12 in.

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input checked="" type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):  
 Type None  
 Depth (inches): \_\_\_\_\_  
 Hydric Soil Present? Yes  No

Remarks:  
 The soil at this sampling point lies at a low point immediately above a low coastal dune. The soil had been disturbed by equipment during habitat enhancement work and did not have typical hydric character.

**HYDROLOGY**

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

Primary Indicators (minimum of one required, check all that apply)		Secondary Indicators (minimum of two required)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surfaces (B8)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input checked="" type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

Field Observations:

Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (inches): _____	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Water Table Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (inches): <u>12 in.</u>	
Saturation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (inches): <u>8 in.</u>	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available.

Remarks:  
 This sampling point had salt deposits and shallow saturation and water table - it had wetland hydrology.



Sampling Point 6A. Located at the bottom of the slope below the DHHL lot boundary within the margin of the wetland.



Sampling Point 6B. Reddish-brown silt loam over weak red, saturated silty sand. Saturation at 8 inches. Water table at 12 inches.

**Revised Wetland  
Study**

**APPENDIX**

**H-1**

Wetland Study  
for the  
Department of Hawaiian Home Lands  
Kapa'akea Flood Mitigation Project

by:  
Robert W. Hobdy  
Environmental Consultant  
August 2016

## INTRODUCTION

The Department of Hawaiian Home Lands (DHHL) Kapa'akea Flood Mitigation Project is located on the southern coast of Moloka'i a half mile to the east of Kaunakakai Town TMK's (2) 5-4-07:9,10,11,24,25 (Figures 1 & 2). The project calls for the construction of a concrete wall along the western boundary of the DHHL Kapa'akea Houselots and the adjacent Kōheo wetland as a flood mitigation measure (Figure 3). This wetland study assesses the eastern edge of the Kōheo wetland in order to delineate the wetland boundary and to evaluate its proximity to the proposed project alignment as part of the application process.

## SITE DESCRIPTION

The project corridor lies on the coastal plain below Kamehameha V Highway. Elevations range from sea level to eight feet at the Highway. The soil is identified as Kealia Silt Loam (Foote et al, 1972), a low-lying coastal soil with a high salt content and a brackish water table typically within 12 and 40 inches of the surface and which fluctuates with the tides. This soil is identified as a hydric soil in the Corps of Engineers Wetland Delineation Manual (USACE, 1987). Within the project corridor this naturally occurring substrate was covered with a 15 inch to 20 inch thick layer of fill material from an offsite source in 1949. Rainfall in this area averages 12 to 15 inches per year with the bulk falling during the winter months (Armstrong, 1983). Vegetation in the DHHL project area consists of grass lawns and dryland shrubs typical of rural home site landscapes.

## HISTORY OF PROJECT AREA

The Kaunakakai and Kapa'akea coastal plain is shown on an American Sugar Co. map dated in 1900 (Figure 4). The western edge of the Kapa'akea coastline shows an area of salt marsh that borders a small embayment across the Kaunakakai boundary. The ahupua'a lands of Kapa'akea are government lands that became Hawaiian Home lands in 1920.

In the 1940s DHHL decided to develop this coastline into house lots for their Hawaiian constituents and surveyed the land and prepared the house lots so they would be habitable. The portion of the house lots that lay on the saltmarsh was filled in with soil from offsite sources so that they would be elevated dry land and not susceptible to flooding.

The first house lots were awarded in 1950, and more were awarded over the next decade. The area is now completely filled in and forms a significant community.

## HISTORY OF KŌHEO WETLAND

The adjacent Kōheo Wetland TMK (2) 5-3-07:39, 11.27 acres (Figure 2) has had a dynamic history of change during the past century resulting from both natural processes and human activities. A map of the area dated 1900 shows a coastline here with a natural embayment with the ocean extending all the way up to the present Kamehameha V Highway and being bordered on the east side by a salt marsh (Figure 4.). By 1924, however, the pond had filled in with erosional deposition washed down from upslope agricultural fields and pasture lands (Figure 5). An aerial photograph in December, 1964 (Figure 6) shows a substantial pond in the central and western portion of the 11.27 acre parcel surrounded by low shrub land and with large trees in the southwest corner and along the highway on the north side.

In 1976 the U.S. Army Corps of Engineers issued a final Environment Impact Statement for a flood control project a Kōheo recommending construction of an 1,800 foot channel that would exit to the ocean through the eastern part of this property diverting runoff from two small gulches above the Kapa'akea Hawaiian Homesteads (USACE, 1976). This project was never implemented.

In May, 1977 the coastal wetlands of Moloka'i were surveyed and inventoried as part of a statewide effort funded by the Corps of Engineers (Elliott & Hall, 1977). Kōheo pond was found to have significant open water in the Makai half of the property inhabited by the indigenous aquatic sedge kaluhā (*Bolboschoenus maritimus* subsp. *paludosus*) and surrounded by a low pickleweed (*Batis maritima*) shrubland. The peripheral kiawe forests had been recently cleared by the property owner in preparation for sale. An aerial photograph taken in January, 1977 (Figure 7) documents this property devoid of most peripheral vegetation.

The present property owner entered into an Agreement of Sale to purchase the land in December 1977 and took title to the property in October 1984. Between early 1987 and early 1989 the new owner placed fill material on over five acres of the central and western part of the property until in April 1989 the Corps of Engineers stopped this process. An aerial photograph taken in December 1992 documents the extent of the fill (Figure 8.) During this period storm runoff was channeled through the east side of the property to the ocean through a drainage easement that had been established in anticipation of the construction of the Corps Flood Control Project. In 1998 the property owner removed the fill material in order to restore the area to its previous condition per the Corps' instructions (Moore, 2005). This violation was resolved and the case was closed in October, 1999 (USACE, 1999) (file no.870070015).

This has resulted in a present level of substrate that is perhaps a few inches lower than before in the central and western part of the property. Now water ponds on these parts of the property for longer periods of time at slightly greater depths than before. This has improved the quality of habitat for native and migratory waterbirds whose use of the area has increased both in diversity of species and in total numbers since the fill was removed.

Another process that has been occurring in the last few years on this property, and which appears to be accelerating, is shoreline erosion. Land along the shoreline that appeared to be slightly receding in a 2001 aerial photograph (Figure 9) was dramatically different by April 2005 when a shoreline survey showed how much had been lost (Figure 10). This 11.27 acre parcel of land had lost well over 100 feet of shoreline to the ocean along its southeast corner to the point that the actual land area was estimated to be only 9.6 acres in size.

In 2012 a Moloka'i resident biologist submitted an application to the Corps for a restoration project for Kōheo wetland that would involve the removal of the invasive pickleweed and the fencing of the wetland. This plan was accepted and approved with a declaration of "no permit required" in a letter dated June 8, 2012 (file no. POH-2011-00182). With funding assistance from the U.S. Fish and Wildlife Service this work was completed in 2012-13. In 2016 the pickleweed is largely gone with some approved minor surface alterations, and the fencing work has been completed. The cleared areas are beginning to revegetate with the indigenous 'akulikuli (*Sesuvium portulacastrum*) and kipukai (*Heliotropium curassavicum*), and native waterbirds are now feeding and raising their young in the habitat.

## DISCUSSION

Kōheo wetland lies in a low spot along the coastal plain that exposes the natural water table that lies at uniform levels beneath the surface along the entire coastline of central, leeward Moloka'i. The appearance of wetlands here is directly related to surface elevations. Almost all of these wetlands here are associated with the presence of Kealia Silt Loam soil which is classified as a hydric soil. The brackish water table fluctuates with the tides and lies between 12 inches and 40 inches below the surface with the shallower depths occurring closer to the ocean.

The Kōheo wetland lies in the lower parts of the depression in the central and western part of this parcel. The eastern side of this parcel that abuts the DHHL Kapa'akea house lots has a somewhat higher surface elevation and thus a more deeply buried hydrology that prevents it from expressing wetland indicators. The ground level on this eastern side then rises 15 inches to 20 inches higher over a 10 foot lateral distance to the DHHL Kapa'akea house lots boundary.

## WETLAND ASSESSMENT

The entire Kōheo wetland was delineated in a 2005 study that was submitted to the U.S. Army Corps of Engineers. The 2005 study found the eastern boundary of the wetland to roughly approximate the lower toe of the slope below the DHHL boundary. This study, however, has exceeded its 5 year sunset date and a portion of the eastern boundary is here reassessed to accommodate any potential recent changes relative to the DHHL project boundary.

## SURVEY OBJECTIVES

This report summarizes the findings of a wetland determination process in accordance with the Corps of Engineers Wetlands Delineation Manual (1987) and the Regional Supplement to the Corps of Engineers Wetlands Delineation Manual: Hawaii and Pacific Islands Region (2012). Work consisted of following set procedures, conducting tests and making observations in order to determine the presence or absence of indicators of hydrophytic vegetation, hydric soils and wetland hydrology with the goal of making a determination as to whether a wetland exists on the property and to delineate the boundaries of any such wetland. This wetland boundary will then be shown relative to the DHHL houselots boundary and the proposed alignment of the concrete flood mitigation wall.

## SURVEY METHODS

Procedures required the assessment and characterization of vegetation, the excavation of soil pits for the analysis of soil types, and the documentation of indicators of wetland hydrology following U.S. Corps of Engineers Guidelines.

### Equipment and tools used included:

- 3 inch diameter hand auger
- Sharpshooter shovel
- Wooden stakes
- Hammer
- Hand Level
- Stadia rod
- Tape measure
- Camera
- Munsell soil color charts
- Machete
- Corps of Engineers Wetlands Delineation Manual (U.S.A.C.E. 1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Hawaii and Pacific Islands Region (2012).
- National List of Plants that Occur in Wetlands: Hawaii (Region H) 2004
- Plastic flagging
- Spray marking paint

### Preliminary Data Gathering and Synthesis

The following sources of information were utilized in the preparation of this report:

- USGS topographic maps and other maps: 1900, 1924, 1952, 2005, 2013, 2014
- High elevation aerial photography: 1964, 1975, 1977, 1999, 2001, 2012, 2013
- SCS (NRCS) Soil Survey, 1972.
- Local individuals and experts with special knowledge of the history, conditions and environmental functioning of the subject area and surroundings.

These sources are referenced in this report or included in the appendix as appropriate. Seven sampling points were selected outside the project area along the lower slope below the western boundary of the DHHL lots where they appeared to be close to or within a wetland. Two additional sampling points were placed along the project corridor for the proposed wall. At each site a soil pit was dug and wetland analysis performed. This study just addresses the eastern edge of the Kōhēo Wetland where it is close to the project area.



## RESULTS

Seven sampling points were established a little outside the west boundary of the project area in a line running from below the highway down toward the shoreline (see Figure 12). Each of these were analyzed for wetland characteristics as described above. Sampling points 1 through 5 were found to lie just outside the margin of the wetland, while sampling points 6 and 7 were within the margin of the wetland. An additional two sampling points (8 and 9) were established on the proposed DHHL Kapa'akea Flood Mitigation wall alignment. These two sampling points were found to lie well outside the wetland boundary (Figure 12). This wetland boundary lies entirely outside of the DHHL Kapa'akea Flood Mitigation project boundary by distances ranging from 20 feet at the top to 8 feet near the shoreline. The Wetland Determination Data Forms and analyses are presented below.

## WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 8AM  
 Applicant/Owner: Dept of Hawaiian Home Lands State/Terr/Comlth.: HI Island: MOLOKAI Sampling Point: 1  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 05.69" N Long: 157° 00' 45.00" W Datum: 5.0 FEET Slope (%): 0 -1 %  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Remarks: THIS SAMPLING POINT EXPERIENCES SHORT TERM OVERFLOW RUNOFF FROM KAMEHAMEHA V HIGHWAY FOLLOWING HEAVY RAINFALL EVENTS WHICH CONTINUES WEST LATERALLY DOWN INTO KOHEO WETLAND. WHILE NOT A WETLAND THIS SAMPLING POINT LIES ABOUT 20 FEET FROM THE WETLAND BOUNDARY.			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 Foot Radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:														
1. PROSOPIS PALLIDA	60	YES	FACU	Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)														
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata: <u>4</u> (B)														
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>25</u> (A/B)														
4. _____	_____	_____	_____	<b>Prevalence Index worksheet:</b> <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>4</u></td> <td>x 3 = <u>12</u></td> </tr> <tr> <td>FACU species <u>66</u></td> <td>x 4 = <u>264</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>70</u> (A)</td> <td><u>276</u> (B)</td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>4</u>	x 3 = <u>12</u>	FACU species <u>66</u>	x 4 = <u>264</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>70</u> (A)	<u>276</u> (B)
Total % Cover of:	Multiply by:																	
OBL species <u>0</u>	x 1 = <u>0</u>																	
FACW species <u>0</u>	x 2 = <u>0</u>																	
FAC species <u>4</u>	x 3 = <u>12</u>																	
FACU species <u>66</u>	x 4 = <u>264</u>																	
UPL species <u>0</u>	x 5 = <u>0</u>																	
Column Totals: <u>70</u> (A)	<u>276</u> (B)																	
5. _____	_____	_____	_____	Prevalence Index = B/A = <u>3.94</u>														
<u>60</u> = Total Cover				<b>Hydrophytic Vegetation Indicators:</b> <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input type="checkbox"/> 2 - Dominance Test is >50% <input type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup> <input type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)														
<b>Sapling/Shrub Stratum (Plot size: 30 FOOT RADIUS )</b>																		
1. PLUCHEA INDICA	4	YES	FAC															
2. _____	_____	_____	_____	<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.														
3. _____	_____	_____	_____															
4. _____	_____	_____	_____															
<u>4</u> = Total Cover				<b>Hydrophytic Vegetation Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>														
<b>Herb Stratum (Plot size: 30 FOOT RADIUS )</b>																		
1. CYNODON DACTYLON	5	YES	FACU															
2. CHENOPODIUM MURALE	1	YES	FACU	<b>Hydrophytic Vegetation Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>														
3. _____	_____	_____	_____															
4. _____	_____	_____	_____															
<u>6</u> = Total Cover																		
<b>Woody Vine Stratum (Plot size: _____ )</b>																		
1. _____	_____	_____	_____	<b>Hydrophytic Vegetation Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>														
2. _____	_____	_____	_____															
<u>0</u> = Total Cover																		

Remarks: THIS SAMPLING POINT LIES NEAR THE EDGE OF A BROAD DRAINAGE CHANNEL THAT FLOWS FROM KAMEHAMEHA V HIGHWAY INTO KOHEO WETLAND. THE VEGETATION WAS LARGELY FACULTATIVE UPLAND IN CHARACTER.

Sampling Point: 1

**SOIL**

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 18	2.5 YR 3/4	100					SILT LOAM	DARK REDDISH BROWN UNSTRATIFIED
18 - 24	2.5 YR 4/1	100					CLAY LOAM	DARK REDDISH GRAY, MOIST

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<b>Indicators for Problematic Hydric Soils<sup>3</sup>:</b>
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**  
 Type: NONE  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:  
**THIS KEALIA SILT LOAM SOIL IS A HYDRIC SOIL BY DEFINITION, BUT THE WATER TABLE IS TOO DEEP FOR THE SOIL TO EXPRESS WETLAND INDICATORS.**

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 22

Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): 18

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
**THIS SITE FLOODS FOR SHORT PERIODS FOLLOWING HEAVY RAINFALL EVENTS BUT GROUND WATER LEVELS RETREAT TO DEPTHS THAT PREVENT THE DEVELOPMENT OF POSITIVE INDICATORS OF WETLAND HYDROLOGY.**



Sampling Point 1A. Upper edge of wetland. Inflow from the Kamehameha V Highway aligns with the telephone pole. The elevated DHHL project boundary is along the fence line on the right.



Sampling Point 1B. Dark reddish-brown silt loam over dark reddish gray clay loam. Soil saturated at 18 inches, water table at 22 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 08:30AM  
 Applicant/Owner: Dept of Hawaiian Home Lands State/Terr./Corrith.: HI Island: MOLOKAI Sampling Point: 2  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39

Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 04.92" N Long: 157° 00' 45.21" W Datum: 4.8 FEET Slope (%): 0 - 1

Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Hydric Soil Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			

Remarks: THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 14 FEET WEST OF THE DHHL BOUNDARY.

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 Foot Radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:	
1. PROSOPIS PALLIDA	40	YES	FACU	Number of Dominant Species That Are OBL, FACW, or FAC:	<u>3</u> (A)
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata:	<u>5</u> (B)
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC:	<u>60</u> (A/B)
4. _____	_____	_____	_____		
5. _____	_____	_____	_____		
<u>40</u> = Total Cover				<b>Prevalence Index worksheet:</b>	
Sapling/Shrub Stratum (Plot size: <u>30 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Total % Cover of:	Multiply by:
1. PLUCHEA INDICA	20	YES	FAC	OBL species <u>0</u>	x 1 = <u>0</u>
2. PLUCHEA CAROLINENSIS	5	YES	FAC	FACW species <u>0</u>	x 2 = <u>0</u>
3. _____	_____	_____	_____	FAC species <u>31</u>	x 3 = <u>93</u>
4. _____	_____	_____	_____	FACU species <u>56</u>	x 4 = <u>224</u>
5. _____	_____	_____	_____	UPL species <u>0</u>	x 5 = <u>0</u>
<u>25</u> = Total Cover				Column Totals:	<u>87</u> (A) <u>317</u> (B)
<u>25</u> = Total Cover				Prevalence Index = B/A = <u>3.64</u>	
Herb Stratum (Plot size: <u>30 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	<b>Hydrophytic Vegetation Indicators:</b>	
1. CYNODON DACTYLON	15	YES	FACU	<input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation	
2. MEGATHYRSUS MAXIMUS	5	YES	FAC	<input checked="" type="checkbox"/> 2 - Dominance Test is >50%	
3. CHLORIS BARBATA	1	NO	FACU	<input type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup>	
4. HELIOTROPIMUM CURASSIVICUM	1	NO	FAC	<input checked="" type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)	
5. _____	_____	_____	_____		
6. _____	_____	_____	_____		
7. _____	_____	_____	_____		
8. _____	_____	_____	_____		
<u>22</u> = Total Cover				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?	
1. _____	_____	_____	_____	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
2. _____	_____	_____	_____		
<u>0</u> = Total Cover					

Remarks: MOST OF THE VEGETATION HERE HAD BEEN REMOVED ELIMINATING THE FORMER DENSE PICKLEWEED GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.

Sampling Point: 2

**SOIL**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 18	2.5	YR	3 / 4	100			SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix

**Hydric Soil Indicators:**

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Muck Presence (A8)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Gleyed Matrix (S4)

- Sandy Redox (S5)
- Dark Surface (S7)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- Stratified Layers (A5)
- Sandy Mucky Mineral (S1)
- Red Parent Material (F21)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: NONE  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:  
 THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 14 FEET WEST OF THE DHHL BOUNDARY.

**HYDROLOGY**

Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)

**Primary Indicators (minimum of one required; check all that apply)**

- Surface Water (A1)
- High Water Table (A2)
- Saturation (A3)
- Water Marks (B1)
- Sediment Deposits (B2)
- Drift Deposits (B3)
- Algal Mat or Crust (B4)
- Iron Deposits (B5)
- Inundation Visible on Aerial Imagery (B7)
- Water-Stained Leaves (B9)

- Aquatic Fauna (B13)
- Tilapia Nests (B17)
- Hydrogen Sulfide Odor (C1)
- Oxidized Rhizospheres on Living Roots (C3)
- Presence of Reduced Iron (C4)
- Recent Iron Reduction in Tilled Soils (C6)
- Thin Muck Surface (C7)
- Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)
- Other (Explain in Remarks)

**Secondary Indicators (minimum of two required)**

- Surface Soil Cracks (B6)
- Sparsely Vegetated Concave Surface (B8)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Salt Deposits (C5)
- Stunted or Stressed Plants (D1)
- Geomorphic Position (D2)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
 WHILE CLOSE THE WETLAND BOUNDARY, THIS SAMPLING POINT DOES NOT HAVE ANY POSITIVE SIGNS OF WETLAND HYDROLOGY.



Sampling Point 2A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 2B. Dark reddish-brown silt. Loam to 18 inches depth.  
Did not reach saturation or water table depths.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 08:50AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comth.: HI Island: MOLOKAI Sampling Point: 3  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 04.29" N Long: 157° 00' 45.58" W Datum: 4.4 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Remarks: <b>THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 18 FEET WEST OF THE DHHL BOUNDARY.</b>			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. _____	_____	_____	_____	Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A)
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata: <u>4</u> (B)
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>75%</u> (A/B)
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
0 = Total Cover				
Sapling/Shrub Stratum (Plot size: <u>10 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. <u>PLUCHEA INDICA</u>	<u>5</u>	<u>YES</u>	<u>FAC</u>	Total % Cover of: _____ Multiply by: _____
2. <u>PROSOPIS PALLIDA</u>	<u>3</u>	<u>YES</u>	<u>FACU</u>	OBL species <u>7</u> x 1 = <u>7</u>
3. _____	_____	_____	_____	FACW species <u>0</u> x 2 = <u>0</u>
4. _____	_____	_____	_____	FAC species <u>8</u> x 3 = <u>24</u>
5. _____	_____	_____	_____	FACU species <u>3</u> x 4 = <u>12</u>
8 = Total Cover				UPL species <u>0</u> x 5 = <u>0</u>
				Column Totals: <u>18</u> (A) <u>43</u> (B)
				Prevalence Index = B/A = <u>2.39</u>
Herb Stratum (Plot size: <u>10 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. <u>BATIS MARITIMA</u>	<u>7</u>	<u>YES</u>	<u>OBL</u>	<input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation
2. <u>HELIOTROPIUM CURASSAVICUM</u>	<u>3</u>	<u>YES</u>	<u>FAC</u>	<input checked="" type="checkbox"/> 2 - Dominance Test is >50%
3. _____	_____	_____	_____	<input checked="" type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup>
4. _____	_____	_____	_____	<input checked="" type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
10 = Total Cover				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. _____	_____	_____	_____	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
2. _____	_____	_____	_____	
0 = Total Cover				
Remarks: <b>MOST OF THE VEGETATION HERE HAD BEEN REMOVED, ELIMINATING MOST OF THE FORMER DENSE PICKLEWEED GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.</b>				



**SOIL**

Sampling Point: 3

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 17	2.5 YR 3/4	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
17 - 20	2.5 YR 3/3	100					SILTY CLAY LOAM	DUSKY RED, SATURATED

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<b>Indicators for Problematic Hydric Soils<sup>3</sup>:</b>
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**  
 Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

**Remarks:**  
 THIS KEALIA SILT LOAM SOIL IS A HYDRIC SOIL BY DEFINITION, BUT THE WATER TABLE IS TOO DEEP FOR THE SOIL TO EXPRESS WETLAND INDICATORS.

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

Primary Indicators (minimum of one required; check all that apply)		Secondary Indicators (minimum of two required)	
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)	
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)	
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)	
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)	
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)	
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)	
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)	
<input type="checkbox"/> Water-Stained Leaves (B9)			

**Field Observations:**

Surface Water Present?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Depth (inches): _____	Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Water Table Present?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (inches): 20	
Saturation Present? (includes capillary fringe)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Depth (inches): 17	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

**Remarks:**  
 WHILE CLOSE TO THE WETLAND BOUNDARY, THIS SAMPLING POINT DOES NOT HAVE ANY POSITIVE INDICATORS OF WETLAND HYDROLOGY.



Sampling Point 3A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 3B. Dark reddish-brown silt loam over dusky red silty clay loam. Saturation at 17 inches. Water table at 20 inches.

## WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION City: KAPAAKEA Sampling Date: 01/08/2016 Time: 09:15AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comth.: HI Island: MOLOKAI Sampling Point: 4  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 03.41" NORTH Long: 157° 00' 45.97" WEST Datum: 4.1 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

### SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland?
Hydric Soil Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	

Remarks: THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 14 FEET WEST OF THE DHHL BOUNDARY.

### VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A)
2. _____				Total Number of Dominant Species Across All Strata: <u>3</u> (B)
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>67</u> (A/B)
4. _____				
5. _____				
<u>0</u> = Total Cover				
Sapling/Shrub Stratum (Plot size: <u>10 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. <u>PLUCHEA INDICA</u>	<u>25</u>	<u>YES</u>	<u>FAC</u>	Total % Cover of: <u>40</u> x 1 = <u>40</u>
2. _____				OBL species <u>0</u> x 2 = <u>0</u>
3. _____				FACW species <u>25</u> x 3 = <u>75</u>
4. _____				FACU species <u>10</u> x 4 = <u>40</u>
5. _____				UPL species <u>0</u> x 5 = <u>0</u>
<u>25</u> = Total Cover				Column Totals: <u>75</u> (A) <u>155</u> (B)
				Prevalence Index = B/A = <u>2.06</u>
Herb Stratum (Plot size: <u>10 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Indicators:
1. <u>BATIS MARITIMA</u>	<u>40</u>	<u>YES</u>	<u>OBL</u>	<input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation
2. <u>CYNODON DACTYLON</u>	<u>10</u>	<u>YES</u>	<u>FACU</u>	<input checked="" type="checkbox"/> 2 - Dominance Test Is >50%
3. _____				<input checked="" type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup>
4. _____				<input checked="" type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)
5. _____				
6. _____				
7. _____				
8. _____				
<u>50</u> = Total Cover				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. _____				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
2. _____				
<u>0</u> = Total Cover				

Remarks: MOST OF THE VEGETATION HERE HAD BEEN REMOVED, ELIMINATING THE FORMER DENSE PICKLEWEEK GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.

**SOIL**

Sampling Point: 4

4

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 19	2.5 YR 3/4	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
19 - 23	2.5 YR 3/3	100					SILTY CLAY LOAM	DUSKY RED, SATURATED

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.

<sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

- |                                                            |                                                     |
|------------------------------------------------------------|-----------------------------------------------------|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)           |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Dark Surface (S7)          |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Gleyed Matrix (F2)   |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Depleted Matrix (F3)       |
| <input type="checkbox"/> Muck Presence (A8)                | <input type="checkbox"/> Redox Dark Surface (F6)    |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7) |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input type="checkbox"/> Redox Depressions (F8)     |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |                                                     |

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

- |                                                           |
|-----------------------------------------------------------|
| <input type="checkbox"/> Stratified Layers (A5)           |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)         |
| <input type="checkbox"/> Red Parent Material (F21)        |
| <input type="checkbox"/> Very Shallow Dark Surface (TF12) |
| <input type="checkbox"/> Other (Explain in Remarks)       |

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

**Remarks:**

THIS SAMPLING POINT EXPERIENCES SHORT TERM OVERFLOW RUNOFF FROM KAMEHAMEHA V HIGHWAY FOLLOWING HEAVY RAINFALL EVENTS WHICH CONTINUES WEST LATERALLY DOWN INTO KOHEO WETLAND. WHILE NOT A WETLAND THIS SAMPLING POINT LIES ABOUT 14 FEET FROM THE WETLAND BOUNDARY.

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

**Primary Indicators (minimum of one required; check all that apply)**

- |                                                                    |
|--------------------------------------------------------------------|
| <input type="checkbox"/> Surface Water (A1)                        |
| <input type="checkbox"/> High Water Table (A2)                     |
| <input type="checkbox"/> Saturation (A3)                           |
| <input type="checkbox"/> Water Marks (B1)                          |
| <input type="checkbox"/> Sediment Deposits (B2)                    |
| <input type="checkbox"/> Drift Deposits (B3)                       |
| <input type="checkbox"/> Algal Mat or Crust (B4)                   |
| <input type="checkbox"/> Iron Deposits (B5)                        |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 |

- |                                                                                      |
|--------------------------------------------------------------------------------------|
| <input type="checkbox"/> Aquatic Fauna (B13)                                         |
| <input type="checkbox"/> Tilapia Nests (B17)                                         |
| <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                                  |
| <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)                  |
| <input type="checkbox"/> Presence of Reduced Iron (C4)                               |
| <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)                  |
| <input type="checkbox"/> Thin Muck Surface (C7)                                      |
| <input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa) |
| <input type="checkbox"/> Other (Explain in Remarks)                                  |

**Secondary Indicators (minimum of two required)**

- |                                                                  |
|------------------------------------------------------------------|
| <input type="checkbox"/> Surface Soil Cracks (B6)                |
| <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) |
| <input type="checkbox"/> Drainage Patterns (B10)                 |
| <input type="checkbox"/> Dry-Season Water Table (C2)             |
| <input type="checkbox"/> Salt Deposits (C5)                      |
| <input type="checkbox"/> Stunted or Stressed Plants (D1)         |
| <input type="checkbox"/> Geomorphic Position (D2)                |
| <input type="checkbox"/> Shallow Aquitard (D3)                   |
| <input type="checkbox"/> FAC-Neutral Test (D5)                   |

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): 23  
 Saturation Present? Yes  No  Depth (inches): 19  
 (includes capillary fringe)

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

**Remarks:**

WHILE CLOSE TO THE WETLAND BOUNDARY THIS SAMPLING POINT DOES NOT HAVE ANY POSITIVE INDICATORS OF WETLAND HYDROLOGY.



Sampling Point 4A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 4B. Dark reddish-brown silt loam over dusky red silty clay loam. Saturation at 19 inches. Water table at 23 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 09:45AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comlth.: HI Island: MOLOKAI Sampling Point: 5  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 02.55" NORTH Long: 157° 00' 46.40" WEST Datum: 3.8 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: <b>THIS SAMPLING POINT LIES AT THE FOOT OF THE SLOPE BELOW THE DHHL BOUNDARY. THIS POINT IS JUST OUTSIDE THE WETLAND BOUNDARY WHICH IS ROUGHLY 14 FEET WEST OF THE DHHL BOUNDARY.</b>	

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:	
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A)	
2. _____				Total Number of Dominant Species Across All Strata: <u>1</u> (B)	
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A/B)	
4. _____					
5. _____					
	<u>0</u> = Total Cover			<b>Prevalence Index worksheet:</b>	
<b>Sapling/Shrub Stratum</b> (Plot size: _____)				Total % Cover of: _____ Multiply by:	
1. _____				OBL species <u>0</u> x 1 = <u>0</u>	
2. _____				FACW species <u>0</u> x 2 = <u>0</u>	
3. _____				FAC species <u>2</u> x 3 = <u>6</u>	
4. _____				FACU species <u>20</u> x 4 = <u>80</u>	
5. _____				UPL species <u>0</u> x 5 = <u>0</u>	
	<u>0</u> = Total Cover			Column Totals: <u>22</u> (A) <u>86</u> (B)	
<b>Herb Stratum</b> (Plot size: <u>10 FOOT RADIUS</u> )				Prevalence Index = B/A = <u>3.91</u>	
1. CYNODON DACTYLON	20	YES	FACU	<b>Hydrophytic Vegetation Indicators:</b> <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input type="checkbox"/> 2 - Dominance Test is >50% <input type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup> <input checked="" type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)	
2. HELIOTROPIMUM CURASSAVICUM	2	NO	FAC		
3. _____					
4. _____					
5. _____					
6. _____					
7. _____					
8. _____					
	<u>22</u> = Total Cover			<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
<b>Woody Vine Stratum</b> (Plot size: _____)					
1. _____				<b>Hydrophytic Vegetation Present?</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
2. _____					
	<u>0</u> = Total Cover				

Remarks: **MOST OF THE VEGETATION HERE HAD BEEN REMOVED, ELIMINATING THE FORMER DENSE PICKLEWEED GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.**

**SOIL**

Sampling Point: 5

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 14	2.5 YR 3/4	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
14 - 24	2.5 YR 4/1	100					CLAY LOAM	DARK REDDISH GRAY

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

<p><b>Hydric Soil Indicators:</b></p> <input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Muck Presence (A8) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Dark Surface (S7) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input type="checkbox"/> Redox Depressions (F8)	<p><b>Indicators for Problematic Hydric Soils<sup>3</sup>:</b></p> <input type="checkbox"/> Stratified Layers (A5) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Red Parent Material (F21) <input type="checkbox"/> Very Shallow Dark Surface (TF12) <input type="checkbox"/> Other (Explain in Remarks)
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:  
**THIS KEALIA SILT LOAM SOIL IS A HYDRIC SOIL BY DEFINITION, BUT THE WATER TABLE IS TOO DEEP FOR THE SOIL TO EXPRESS WETLAND INDICATORS.**

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Tilapia Nests (B17) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa) <input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Salt Deposits (C5) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 22

Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): 18

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
**WHILE CLOSE TO THE WETLAND BOUNDARY THE SAMPLING POINT DOES NOT HAVE ANY POSITIVE INDICATORS OF WETLAND HYDROLOGY.**



Sampling Point 5A. Located near the bottom of the slope below the DHHL lot boundary.



Sampling Point 5B. Dark reddish-brown silt loam over dark reddish-gray clay loam. Saturation at 17 inches. Water table at 20 inches.



## WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 01/08/2016 Time: 11:50AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comlth.: HI Island: MOLOKAI Sampling Point: 6  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 5' 01.50" NORTH Long: 157° 00' 46.94" WEST Datum: 4.0 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Hydric Soil Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Remarks: <b>THIS SAMPLING POINT WAS WITHIN THE WETLAND BOUNDARY THAT APPEARS TO LIE ONLY 8 FEET OUTSIDE THE DHHL LOT BOUNDARY.</b>					

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 Feet Radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:	
1. PROSOPIS PALLIDA	20	YES	FACU	Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)	
2. _____				Total Number of Dominant Species Across All Strata: <u>2</u> (B)	
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50</u> (A/B)	
4. _____					
5. _____					
	20	= Total Cover			
Sapling/Shrub Stratum (Plot size: _____)				Prevalence Index worksheet:	
1. _____				Total % Cover of: _____ Multiply by: _____	
2. _____				OBL species <u>35</u> x 1 = <u>35</u>	
3. _____				FACW species <u>0</u> x 2 = <u>0</u>	
4. _____				FAC species <u>1</u> x 3 = <u>3</u>	
5. _____				FACU species <u>20</u> x 4 = <u>80</u>	
	0	= Total Cover		UPL species <u>0</u> x 5 = <u>0</u>	
				Column Totals: <u>56</u> (A) <u>118</u> (B)	
				Prevalence Index = B/A = <u>2.11</u>	
Herb Stratum (Plot size: <u>30 FEET RADIUS</u> )				Hydrophytic Vegetation Indicators:	
1. BATIS MARITIMA	35	YES	OBL	<input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation	
2. HELIOTROPIMUM CURASSAVICUM	1	NO	FAC	<input type="checkbox"/> 2 - Dominance Test is >50%	
3. _____				<input checked="" type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup>	
4. _____				<input checked="" type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)	
5. _____					
6. _____					
7. _____					
8. _____					
	36	= Total Cover			
Woody Vine Stratum (Plot size: _____)				Hydrophytic Vegetation Present?	
1. _____				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
2. _____					
	0	= Total Cover			
Remarks: <b>MOST OF THE VEGETATION HERE HAD BEEN REMOVED, ELIMINATING MOST OF THE FORMER DENSE PICKLEWEED GROWTH AND LEAVING A SPARSE GROWTH OF A VARIETY OF SPECIES.</b>					

**SOIL**

Sampling Point: 6

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 8	2.5 YR 5/3	100					SILT LOAM	REDDISH BROWN, UNSATURATED
8 - 20	2.5 YR 5/2	100					SILTY SAND	WEAK RED, SATURATED
								WATER TABLE AT 12 INCHES

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)
<input checked="" type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)
<input type="checkbox"/> Sandy Gleyed Matrix (S4)	

**Indicators for Problematic Hydric Soils<sup>3</sup>:**

<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Other (Explain in Remarks)

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_

Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:

**THIS IS A HYDRIC SOIL BY DEFINITION. IT HAD A SHALLOW WATER TABLE AND A SLIGHT ORDER OF HYDROGEN SULFIDE.**

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input checked="" type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 12

Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): 8

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**THIS SAMPLING POINT HAD SHALLOW SATURATION AND WATER TABLE LEVELS AND SURFACE SALT DEPOSITS. IT HAD WETLAND HYDROLOGY.**



Sampling Point 6A. Located at the bottom of the slope below the DHHL lot boundary within the margin of the wetland.



Sampling Point 6B. Reddish-brown silt loam over weak red, saturated silty sand. Saturation at 8 inches. Water table at 12 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 08/19/2016 Time: 10:45AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comlth.: HI Island: MOLOKAI Sampling Point: 7  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-3-07:39  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN Local relief (concave, convex, none): CONCAVE  
 Lat: 21° 05' 03.59" NORTH Long: 157° 00' 45.98" WEST Datum: 4.1 FEET Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM NWI classification: PEM1R  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (if needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Hydric Soil Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Wetland Hydrology Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Remarks: THIS SAMPLING POINT LIES ON MOSTLY BARREN GROUND. IT WAS COVERED WITH A DENSE GROWTH OF PICKLEWEED PRIOR TO 2012 WHEN THE CORPS APPROVED A HABITAT RESTORATION PROJECT WITHIN A WATER OF THE U.S. WITH A STATEMENT OF NO PERMIT REQUIRED FOR EXCAVATION ACTIVITIES AND INVASIVE VEGETATION REMOVAL.			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. _____				Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)
2. _____				Total Number of Dominant Species Across All Strata: <u>1</u> (B)
3. _____				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100</u> (A/B)
4. _____				Prevalence Index worksheet:
5. _____	<u>0</u> = Total Cover			
<b>Sapling/Shrub Stratum (Plot size: 10 FOOT RADIUS)</b>				OBL species <u>2</u> x 1 = <u>2</u>
1. <u>BATIS MARITIMA</u>	<u>2</u>	<u>YES</u>	<u>OBL</u>	FACW species <u>0</u> x 2 = <u>0</u>
2. _____				FAC species <u>0</u> x 3 = <u>0</u>
3. _____				FACU species <u>0</u> x 4 = <u>0</u>
4. _____				UPL species <u>0</u> x 5 = <u>0</u>
5. _____				Column Totals: <u>2</u> (A) <u>2</u> (B)
<b>Herb Stratum (Plot size: _____)</b>				Prevalence Index = B/A = <u>1.0</u>
1. _____				<b>Hydrophytic Vegetation Indicators:</b> <input checked="" type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> 2 - Dominance Test is >50% <input checked="" type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup> <input type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)  <sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
2. _____				
3. _____				
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
<b>Woody Vine Stratum (Plot size: _____)</b>				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
1. _____				
2. _____				
				Remarks: THIS SAMPLING POINT USED TO HAVE A DENSE STAND OF THE NON-NATIVE AND INVASIVE PICKLEWEED PRIOR TO 2012. THE PICKLEWEED WAS MOWED AND TREATED TO ELIMINATE IT SO THAT SHORTER, LESS DENSE INDIGENOUS COASTAL PLANTS THAT ARE MORE SUPPORTIVE TO ENDANGERED SHORE BIRDS COULD REPLACE IT. THE AREA CONTAINS ONLY SMALL REMNANTS OF THE OBLIGATE WETLAND PICKLEWEED AT PRESENT.

**SOIL**

Sampling Point: 7

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 12	5YR 3/3	100					SILT LOAM	DARK BROWN, MOIST
12 - 16	5YR 4/2	100					SILTY CLAY LOAM	DARK REDDISH GRAY, SATURATED
16 - 22	5YR 3/1	100					SILTY CLAY LOAM	VERY DARK GRAY, SATURATED
22 +								WATER TABLE

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input checked="" type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_

Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:  
**KEALIA SILT LOAM IS A RECOGNIZED HYDRIC SOIL. THIS AREA USED TO BE A SALT MARSH. THE HIGH SALT CONTENT IN THE SOIL HOLDS ON TO MOISTURE AND KEEPS IT CLOSER TO THE SURFACE. THIS SAMPLING POINT LIES WITHIN THE WETLAND BOUNDARY.**

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

<b>Primary Indicators (minimum of one required; check all that apply)</b>		<b>Secondary Indicators (minimum of two required)</b>
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input checked="" type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 22

Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): 12

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
**THIS SAMPLING POINT HAS HIGH SATURATION AND WATER TABLE LEVELS. THUS HIGH SALT CONTENT IN THE SOIL HAS A HYDROPHYTIC EFFECT THAT HOLDS SOME MOISTURE ALL THE WAY TO THE SURFACE.**



Sampling Point 7A. This plot lies 24 feet to the west of the DHHL boundary and about 5 feet within the wetland boundary.



Sampling Point 7B. This soil is saturated to within 12 inches of the surface and has a water table at 22 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 08/19/2016 Time: 09:00AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comlth.: HI Island: MOLOKAI Sampling Point: 8  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-4-07:25

Landform (hillslope, coastal plain, etc.): COASTAL PLAIN (FILLED LAND) Local relief (concave, convex, none): CONVEX  
 Lat: 21° 05' 04.97" NORTH Long: 157° 00' 44.99" WEST Datum: 6.0 FEET Slope (%): 5

Soil Map Unit Name: KEALIA SILT LOAM (FILLED LAND) NWI classification: NONE  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Remarks: <u>THIS SAMPLING POINT LIES ALONG THE DHHL PROJECT CORRIDOR. THE DHHL LAND WAS FILLED IN 1949 TO ELEVATE THE HOUSELOT PARCELS ABOVE THE FORMER SALT MARSH LEVEL. IT PRESENTLY STANDS 15 INCHES ABOVE ITS FORMER LEVEL AND THUS VARIES ITS HYDRIC SOIL QUALITIES BY THIS AMOUNT.</u>	

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: <u>30 foot radius</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. <u>PROSOPIS PALLIDA</u>	70	YES	FACU	Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A)
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata: <u>4</u> (B)
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>75</u> (A/B)
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
70 = Total Cover				
Sapling/Shrub Stratum (Plot size: <u>30 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Prevalence Index worksheet:
1. <u>PLUCHEA INDICA</u>	55	YES	FAC	Total % Cover of: _____ Multiply by: _____
2. <u>BATIS MARITIMA</u>	25	YES	OBL	OBL species <u>25</u> x 1 = <u>25</u>
3. _____	_____	_____	_____	FACW species <u>0</u> x 2 = <u>0</u>
4. _____	_____	_____	_____	FAC species <u>56</u> x 3 = <u>168</u>
5. _____	_____	_____	_____	FACU species <u>70</u> x 4 = <u>280</u>
80 = Total Cover				UPL species <u>0</u> x 5 = <u>0</u>
				Column Totals: <u>151</u> (A) <u>473</u> (B)
				Prevalence Index = B/A = <u>3.13</u>
Herb Stratum (Plot size: <u>30 FOOT RADIUS</u> )	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation indicators:
1. <u>HELIOTROPIUM CURASSAVICUM</u>	1	YES	FAC	<input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation
2. _____	_____	_____	_____	<input checked="" type="checkbox"/> 2 - Dominance Test is >50%
3. _____	_____	_____	_____	<input type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup>
4. _____	_____	_____	_____	<input type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
1 = Total Cover				
Woody Vine Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Hydrophytic Vegetation Present?
1. _____	_____	_____	_____	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
2. _____	_____	_____	_____	
0 = Total Cover				
Remarks: <u>THE VEGETATION ON THE ADJACENT KOHEO WETLAND WAS A SOLID GROWTH OF PICKLEWEED BEFORE 2012. IT SPILLED OVER ONTO THE ELEVATED PARCEL ALONG THE PROPOSED DHHL KAPAAKEA FLOOD MITIGATION PROJECT CORRIDOR. THE VEGETATION RETAINS A MARGINAL HYDROPHYTIC CHARACTER.</u>				

**SOIL**

Sampling Point: 8

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 24	5YR 3/3	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
24 - 29	5YR 3/2	100					SILTY CLAY LOAM	DARK REDDISH BROWN
29 - 32	5YR 3/1	100					SILTY CLAY LOAM	VERY DARK GRAY, SATURATED
32 +								WATER TABLE

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

<p><b>Hydric Soil Indicators:</b></p> <input type="checkbox"/> Histosol (A1) <input type="checkbox"/> Histic Epipedon (A2) <input type="checkbox"/> Black Histic (A3) <input type="checkbox"/> Hydrogen Sulfide (A4) <input type="checkbox"/> Muck Presence (A8) <input type="checkbox"/> Depleted Below Dark Surface (A11) <input type="checkbox"/> Thick Dark Surface (A12) <input type="checkbox"/> Sandy Gleyed Matrix (S4)	<input type="checkbox"/> Sandy Redox (S5) <input type="checkbox"/> Dark Surface (S7) <input type="checkbox"/> Loamy Gleyed Matrix (F2) <input type="checkbox"/> Depleted Matrix (F3) <input type="checkbox"/> Redox Dark Surface (F6) <input type="checkbox"/> Depleted Dark Surface (F7) <input type="checkbox"/> Redox Depressions (F8)	<p><b>Indicators for Problematic Hydric Soils<sup>3</sup>:</b></p> <input type="checkbox"/> Stratified Layers (A5) <input type="checkbox"/> Sandy Mucky Mineral (S1) <input type="checkbox"/> Red Parent Material (F21) <input type="checkbox"/> Very Shallow Dark Surface (TF12) <input type="checkbox"/> Other (Explain in Remarks)
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (if observed):**

Type: \_\_\_\_\_  
 Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:  
**THIS FORMERLY HYDRIC SOIL HAS BEEN BURIED BENEATH 15 INCHES OF UPLAND FILL THAT CHANGES ITS CHARACTER TO A MORE UPLAND TYPE. NO HYDRIC SOIL INDICATORS ARE NOW FOUND ABOVE A DEPTH OF 29 INCHES.**

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

Primary Indicators (minimum of one required; check all that apply)	Secondary Indicators (minimum of two required)
<input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Tilapia Nests (B17) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa) <input type="checkbox"/> Other (Explain in Remarks)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): 32  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): 29

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:  
**NO WETLAND HYDROLOGY INDICATORS OCCUR CLOSE ENOUGH TO THE SURFACE TO EXPRESS THE CHARACTER OF A WETLAND ENVIRONMENT.**





Sampling Point 8A. This plot lies on the elevated DHHL project corridor. Vegetation consists of kiawe (*prosopis pallida*) FACU, Indian fleabane (*Pluchea indica*) FAC and pickleweed (*Batis maritima*) OBL.



Sampling Point 8B. Saturated soil lies at 29 inches below the surface and the water table is at a depth of 32 inches.

**WETLAND DETERMINATION DATA FORM – Hawai'i and Pacific Islands Region**

Project/Site: DHHL KAPAAKEA FLOOD MITIGATION PROJECT City: KAPAAKEA Sampling Date: 08/19/2016 Time: 10:00AM  
 Applicant/Owner: Dept. of Hawaiian Home Lands State/Terr/Comith.: HI Island: MOLOKAI Sampling Point: 9  
 Investigator(s): ROBERT W. HOBDY TMK/Parcel: (2) 5-4-07:11  
 Landform (hillslope, coastal plain, etc.): COASTAL PLAIN (FILLED LAND) Local relief (concave, convex, none): LEVEL  
 Lat: 21° 05' 03.47" NORTH Long: 157° 00' 45.98" WEST Datum: 5 FEET 8 INCHES Slope (%): 0 - 1  
 Soil Map Unit Name: KEALIA SILT LOAM (FILLED LAND) NWI classification: NONE  
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation , Soil , or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation , Soil , or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Wetland Hydrology Present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Remarks: THIS SAMPLING POINT LIES ALONG THE DHHL PROJECT CORRIDOR. THIS AREA RECEIVED FILL MATERIAL IN 1949 THAT RAISED THIS LOT BY 20 INCHES ABOVE ITS FORMER LEVEL AND THUS BURIES ITS FORMER HYDRIC SOIL QUALITIES BY THIS AMOUNT.			

**VEGETATION – Use scientific names of plants.**

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet:
1. _____	_____	_____	_____	Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A)
2. _____	_____	_____	_____	Total Number of Dominant Species Across All Strata: <u>2</u> (B)
3. _____	_____	_____	_____	Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50</u> (A/B)
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
<u>0</u> = Total Cover				<b>Prevalence Index worksheet:</b>
<b>Sapling/Shrub Stratum (Plot size: 10 FOOT RADIUS )</b>				Total % Cover of:
1. PLUCHEA INDICA	75	YES	FAC	OBL species <u>15</u> x 1 = <u>15</u>
2. Batis maritima	15	NO	OBL	FACW species <u>0</u> x 2 = <u>0</u>
3. PLUCHEA CAROLINENSIS	3	NO	FAC	FAC species <u>78</u> x 3 = <u>234</u>
4. _____	_____	_____	_____	FACU species <u>5</u> x 4 = <u>20</u>
5. _____	_____	_____	_____	UPL species <u>0</u> x 5 = <u>0</u>
<u>93</u> = Total Cover				Column Totals: <u>98</u> (A) <u>269</u> (B)
<b>Herb Stratum (Plot size: 10 FOOT RADIUS )</b>				Prevalence Index = B/A = <u>2.74</u>
1. CYNODON DACTYLON	5	YES	FACU	<b>Hydrophytic Vegetation Indicators:</b> <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input type="checkbox"/> 2 - Dominance Test is >50% <input checked="" type="checkbox"/> 3 - Prevalence Index is ≤3.0 <sup>1</sup> <input type="checkbox"/> Problematic Hydrophytic Vegetation <sup>1</sup> (Explain in Remarks or in the delineation report)
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
<u>5</u> = Total Cover				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
<b>Woody Vine Stratum (Plot size: _____)</b>				<b>Hydrophytic Vegetation Present?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
<u>0</u> = Total Cover				
Remarks: THE VEGETATION IS MARGINALLY HYDROPHYTIC BECAUSE OF THE SPILL OVER OF SOME PICKLEWEED FROM KOHEO POND PRIOR TO ITS REMOVAL FROM THAT AREA.				

**SOIL**

Sampling Point: 9

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0 - 25	5YR 3/3	100					SILT LOAM	DARK REDDISH BROWN, UNSTRATIFIED
25 - 28	5YR 3/2	100					SILTY CLAY LOAM	DARK REDDISH BROWN
28 - 33	5YR 4/1	100					SILTY CLAY LOAM	DARK GRAY, MOIST
33 - 38	5YR 3/1	100					SILTY CLAY LOAM	VERY DARK GRAY, SATURATED
38 +								WATER TABLE

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.      <sup>2</sup>Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators:**

<input type="checkbox"/> Histosol (A1)	<input type="checkbox"/> Sandy Redox (S5)	<input type="checkbox"/> Stratified Layers (A5)
<input type="checkbox"/> Histic Epipedon (A2)	<input type="checkbox"/> Dark Surface (S7)	<input type="checkbox"/> Sandy Mucky Mineral (S1)
<input type="checkbox"/> Black Histic (A3)	<input type="checkbox"/> Loamy Gleyed Matrix (F2)	<input type="checkbox"/> Red Parent Material (F21)
<input type="checkbox"/> Hydrogen Sulfide (A4)	<input type="checkbox"/> Depleted Matrix (F3)	<input type="checkbox"/> Very Shallow Dark Surface (TF12)
<input type="checkbox"/> Muck Presence (A8)	<input type="checkbox"/> Redox Dark Surface (F6)	<input type="checkbox"/> Other (Explain in Remarks)
<input type="checkbox"/> Depleted Below Dark Surface (A11)	<input type="checkbox"/> Depleted Dark Surface (F7)	
<input type="checkbox"/> Thick Dark Surface (A12)	<input type="checkbox"/> Redox Depressions (F8)	
<input type="checkbox"/> Sandy Gleyed Matrix (S4)		

<sup>3</sup>Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer (If observed):**

Type: \_\_\_\_\_

Depth (inches): \_\_\_\_\_

Hydric Soil Present? Yes  No

Remarks:

**THIS FORMERLY HYDRIC SOIL HAS BEEN BURIED BENEATH 20 INCHES OF UPLAND FILL THAT CHANGES ITS CHARACTER TO A MORE UPLAND TYPE. NO HYDRIC SOIL INDICATORS ARE NOW FOUND ABOVE A DEPTH OF 33 INCHES.**

**HYDROLOGY**

**Wetland Hydrology Indicators: (Explain observations in Remarks, if needed.)**

Primary Indicators (minimum of one required; check all that apply)		Secondary Indicators (minimum of two required)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Tilapia Nests (B17)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Salt Deposits (C5)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Fiddler Crab Burrows (C10) (Guam, CNMI, and American Samoa)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Water-Stained Leaves (B9)		

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_

Water Table Present? Yes  No  Depth (inches): 38

Saturation Present? Yes  No  Depth (inches): 33

(Includes capillary fringe)

Wetland Hydrology Present? Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**NO WETLAND HYDROLOGY INDICATORS OCCUR CLOSE ENOUGH TO THE SURFACE TO EXPRESS THE CHARACTER OF A WETLAND ENVIRONMENT.**



Sampling Point 9A. This plot lies on the DHHL project corridor on an elevated houselot parcel.



Sampling Point 9B. The soil here is saturated at a depth of 33 inches and the water table is at a depth of 38 inches.

## WATERS OF THE U.S. ASSESSMENT

The DHHL Kapa'akea Flood Mitigation project lies along the western edge of five lots within the Kapa'akea House Lots Community. These five lots, totaling about 2.5 acres, were covered with fill material in 1949 and leveled to create an elevated terrace suitable for residential construction. These house lots abut a coastal depression that contains natural ponds where the water table meets the soil surface. Most of the land occupied by these house lots used to lie on the upper east margin of this depression that was shown as being a salt marsh on a 1900 map (Figure 4) that would today be characterized as a palustrine, emergent, persistent, seasonally flooded, tidal aquatic feature. For 66 years the DHHL house lots have rested on 15 inches to 20 inches of leveled upland fill and can no longer be called a wetland feature.

The leeward coast of central Moloka'i has a dry climate with long hot summers. Annual rainfall average about 15 inches, with most occurring during winter storms. Streams flowing off the leeward slopes are ephemeral and only run for a few days a year. Only the larger gulches have channels to the ocean. Channels in smaller gullies tend to disappear when they reach the coastal plain and their waters spread out as sheet-flow, most being absorbed into the ground.

The watershed areas that contribute surface waters to both the project area and the Kōheo wetland come from relatively small areas above Kamehameha V Highway (see Figure 17). One area is about 25 acres in size and a second is about 15 acres. Both source areas deliver runoff to the highway in the form of sheet-flow. The 25 acre area comes from pasture land and there is no culvert under the highway. Water tends to pond on the highway until it overflows into the northeast corner of Kōheo Wetland. The 15 acre area comes from a more developed parcel to the west of Alanui Kaimike Street. Sheet-flow is concentrated in a lateral drainage channel above the highway that delivers it to a culvert that passes under the highway and down into Kōheo pond.

None of the waters generated above the highway flow through the project area and no stream channels occur within it. There are no ponds or depressions within the project area. The western boundary of the DHHL house lots is near a wetland but does not directly abut it. The only runoff from the project area is in the form of sheet-flow from locally generated rainfall.

Because this project area clearly has no aquatic resources within it or directly abutting its boundary, there is nothing to assess and the use of an Approved Jurisdictional Determination Form is deemed unnecessary. The entire 2.5 acre DHHL Kapa'akea Flood Mitigation project is proposed to be an upland site with no aquatic resources that would qualify as a Waters of the U.S.




Figure 1. DHHL Kapa'akea Flood Mitigation Project (1952 USGS Kaunakakai Quadrant map) (arrow)



Figure 2.

**DHHL Kapa'akea Flood Mitigation Project boundary**  
**Proposed concrete wall along the west and north project boundaries**  
**Kōheo Wetland – Goodfellow Brothers, Inc.**




Figure 3. DHHL Kapa'akea Flood Mitigation Project site plan  
Proposed concrete wall shown in yellow on north and west boundaries






Figure 4. Map of Kaunakakai and vicinity American Sugar Company 1900.




Figure 5. 1924 U.S.G.S. Map of Moloka'i showing Kōheo with shoreline seaward of the pond.




Figure 6. Kōheo wetland - December 28, 1964 showing well defined wetland.




Figure 7. 1977 aerial photograph of Kōheo wetland with vegetation removed.



Figure 8. 1992 Infrared aerial photograph showing Kōheo pond with fill material in place.



Figure 9. 2001 U.S.G.S. aerial photograph with fill material removed.





Figure 10. 2005 site plan of Kōheo wetland showing dramatic shoreline erosion.

Figure 11. 2013 shoreline survey of Kōheo pond showing continuing shoreline erosion.








Figure 12. DHHL Kapa'akea Flood Mitigation project.  
**Proposed concrete wall along west and north boundaries**  
**Sampling point locations**  
**Proposed wetland boundary relative to DHHL project**



Figure 13. Kōheo wetland margin on right. Elevated DHHL boundary (fenceline) at left.



Figure 14. Kōheo wetland margin on right with an abundance of crystalized surface salt. Grounds slope up to the DHHL house lots on the left. Slope retains a remnant cover of *Batis maritima*.



Figure 15. View northeast across the project boundary into the DHHL Lots, showing their developed residential character.



Figure 16. View north along the project boundary. The proposed wetland boundary is indicated by red stakes which are located near the toe of the slope below the elevated DHHL houselots.




Figure 17 DHHZ Kapa'akea Flood Mitigation Project

- Kōkeo wetland
- watershed boundaries
- - - channeled storm flow waters
- unchanneled sheet-flow waters

## LITERATURE CITED

- Armstrong, R.W., 1983. Atlas of Hawaii, Second Edition.  
University of Hawaii Press, Honolulu.
- Elliott, Margaret E. & E.M. Hall, 1977. Wetlands and wetland vegetation in Hawaii.  
Report prepared for the United States Army Corps of Engineers.
- Foote, D.E., E.L. Hill, S. Nakamura, F. Stephens, 1972.  
Soil Survey of the Islands of Kauai, Oahu, Maui, Molokai, and Lanai,  
State of Hawaii. United States Department of Agriculture, Soil Conservation Service.  
Washington D.C.
- Moore, Dale, 2005. Goodfellow Bros., Inc. Moloka'i Projects manager. (personal communication)
- U.S. Army Corps of Engineers, 1976. Environmental Impact Statement for a Flood Control Project  
at Kapa'akea, Moloka'i, Hawaii.
- U.S. Army Corps of Engineers, Oct.1, 1999. Letter to Goodfellow Bros., Inc. (File number 870070015).
- U.S. Army Corps of Engineers, June 8, 2012. Letter to Nene O Molokai attn: Arleone Dibben-Young.  
(File number POH-2011-00182)