

City and County of Honolulu  
 Department of Design and Construction  
 List of Exemption Notices

Island of Oahu  
 Date Submitted: 1/31/24

Contact Person: Kathryn Nakamoto  
 Contact Phone No.: 808-768-8481  
 Contact Email: kathryn.nakamoto@honolulu.gov

Street Address	Location	Zip Code	TMK	Exemption Type HAR 11-200.1-15 (c)	Project Name and Narrative Description
Mānoa Stream at 1461 Kahaloa Drive	Honolulu	96822	2-9-036:003	4	<p><b>Mānoa Stream at Kahaloa Drive Erosion Control Improvements:</b> Installation of an approx 15-ft high gabion retaining wall along an eroded section of stream bank, gabion mattresses to stabilize the stream bed at the bottom of the wall and slope stabilization measures along the top of the wall. The proposed gabion walls will be in the same location, will be the same height, and will serve the same purpose as the existing stream bank.</p>
550 South King Street (Mission Memorial Bldg) and 558 South King Street (Municipal Reference and Records Management Center)	Honolulu	96813	2-1-033:007	1	<p><b>Civic Center Early Education Center Relocation:</b> Minor modifications to the interiors of both buildings as well as the creation of a new door on the southeastern (Diamond Head) side of the Municipal Reference and Records Management Center. Exterior work includes a 4-ft high chain link fence and gates which will partially enclose the property to provide security for the school, two city-furnished trailers which will provide temporary restroom facilities, sewer and water utilities for the restroom trailers, minor trimming of an existing canopy tree's branches and roots to ensure safety for the children and grassing and mulching of the grounds in order to provide specific playground areas for the children. The proposed ground disturbance includes trenching (295-feet long by 2-feet wide by 3-feet deep) for a new sewer line, grading and grubbing of 440 sq.ft. and areas of minor ground disturbance (4,985 sq.ft.) (e.g., mulching, leveling of trip hazards).</p>