

EQC Bulletin

Environmental Quality Commission

550 Halekuanila Street, Room 301 Honolulu, Hawaii 96813 Phone: 548-6916

Vol. III

February 8, 1977

No. 03

REGISTER OF CHAPTER 343 DOCUMENTS

EIS PREPARATION NOTICES

EIS Preparation Notices are available from the respective proposing agency or applicant. Please request copies from the listed contacts. A 30 day period is allowed for requests to be a consulted party.

DOE STOREROOM FACILITY SITE SELECTION STUDY, HONOLULU, OAHU. State Dept. of Accounting and General Services

The evaluation of alternative State-owned industrially-zoned parcels for the construction of a storeroom facility for the Dept. of Education is proposed for this action. The limit of the study area extends from Diamond Head to Honolulu International Airport. It is anticipated that the facility will be a single-story, pre-engineered warehouse of approximately 25,000 sq. ft. This project will also include space for administrative offices, parking, loading, and security fencing. The minimum land area required is 35,000 sq. ft. and the actual land area will depend upon the configuration, access, and topography of the selected site.

Contact: Harold Sonomura
State Dept. of Accounting
and General Services
P.O. Box 119, Honolulu
96810
Phone: 548-5703

Deadline: March 10, 1977

EXPANSION AND UPGRADING OF THE WAIANAЕ WASTEWATER TREATMENT AND DISPOSAL SYSTEM, OAHU. Dept. of Public Works, C&C of Honolulu

Presently, only portions of Maili and Waianae Town are served by the municipal Waianae primary treatment facility, located along Farrington Hwy. near the Lualualei Beach area. The proposed action is the development of a regional sewage collection, treatment, and disposal system for the Waianae District, from Nanakuli to Makaha. The project will involve: 1) expansion of the sewage collection network, 2) extension of the 36-inch ocean outfall further offshore and into deeper waters, and 3) expansion and upgrading of the Waianae wastewater treatment plant from 1.72 million gallons per day (mgd) to 7.25 mgd. The principal treatment processes to be integrated into the present system are solids removal by static screens, organic stabilization (secondary treatment) by the activated sludge process, and final solids removal by sedimentation. Chlorinated effluent will be disposed of offshore by means of an outfall and diffuser system. Digested and dewatered sludge will be disposed in a sanitary landfill.

Contact: Chew Lun Lau, Dept. Environmental Engr.
Dept. of Public Works, C&C
of Honolulu
650 S. King St., Hon. 96813
Phone: 523-4150

Deadline: March 10, 1977

UNIVERSITY OF HAWAII AT HILO TOTAL
DEVELOPMENT PLAN, SOUTH HILO, HAWAII.
State Dept. of Accounting and General
Services

KAWA STREAM FLOOD CONTROL PROJECTS,
KANEONE, OAHU. Dept. of Public Works
C&C of Honolulu

Previously published on January 23,
1977

Contact: Wallace Miyahara, Director
and Chief Engineer
Dept. of Public Works
C&C of Honolulu
650 South King St.
Honolulu, Hawaii 96813

Deadline: February 22, 1977

KANEONE WASTEWATER TREATMENT PLANT
EXPANSION, KANEONE, OAHU. Dept. of
Public Works, C&C of Honolulu

Previously published on January 23,
1977

Contact: Chew Lun Lau, Dept. Environ-
mental Engineer
Dept. of Public Works
C&C of Honolulu
650 South King Street
Honolulu, Hawaii 96813

Deadline: February 22, 1977

LEARNING RESOURCES CENTER, HILO
COLLEGE, UNIVERSITY OF HAWAII AT HILO.
State Dept. of Accounting and General
Services

Contact: Henry Yasuda
State Dept. of Accounting
and General Services
P.O. Box 119
Honolulu, Hawaii 96810
Phone: 548-5742

Deadline: February 22, 1977

VILLAGE PARK, KUNIA, OAHU. U.S. Dept.
of Housing and Urban Development
(NEPA action only)

Previously published in the EQC
Bulletin III-01

On March 25, 1976, the preparation
notice was published for the Student
Health Center, Physical Education
Facilities (Phase I), Fine Arts
Building, Auditorium-Theatre, and
Classroom Building No. 3 at the Uni-
versity of Hawaii at Hilo. Upon
further evaluation of these five
projects, the proposing agency con-
cluded that the projects cumulatively
will have significant environmental
impacts, and relate to the Total
Development Plan for the University
of Hawaii at Hilo. The implementa-
tion of the above described projects
will be integrated into the Total
Development Plan.

The term "U.H. at Hilo" includes both
the Hilo College and Hawaii Community
College. The Hawaii Community College
(TMK: 2-2-50:1) is located off
Kawili Street and Hilo College (TMK:
~~2-4-57:25 & 26~~) is several city
blocks away off Kawila, Lanikaula
and Kapiolani Streets.

The five projects will comprise 17
acres of building and will require
approximately 3 times their coverage
to allow for open space and flexi-
bility of structural configuration.
In addition, 20 acres of physical
education and athletic fields, and
16 acres for parking 2,000 cars will
be accommodated on the campus site.
Therefore, 87 acres of land are re-
quired for the proposed Hilo complex
for a projected enrollment of 5,000
students. The Sept. 1975 enrollment
for the U.H. at Hilo was 3,300
students. The most feasible site of
the size required for the complex is
adjacent to the existing Hilo College
Campus.

Contact: Richard Fujita
State Dept. of Accounting
and General Services
P.O. Box 119, For. 96810
Phone: 548-7439

Deadline: March 10, 1977

Contact: U.S. Dept. of Housing and
Urban Development
Area Office
1000 Bishop St.
Honolulu, Hawaii 96813

KEALAKEHE REGIONAL SPORTS COMPLEX
KONA, HAWAII. Dept. of Parks and
Recreation, County of Hawaii

Previously published in the EQC
Bulletin III-01

Deadline: February 8, 1977

Contact: Milton T. Hakoda, Director
Dept. of Parks and Recreation
County of Hawaii
25 Aupuni Street
Hilo, Hawaii 96720

LEEWARD SANITARY LANDFILL, OAHU. Dept.
of Public Works, C&C of Honolulu

Previously published in the EQC
Bulletin III-01

Deadline: February 8, 1977

Contact: Wallace Miyahara, Acting
Director and Chief Eng.
Dept. of Public Works
C&C of Honolulu
650 South King Street
Honolulu, Hawaii 96813

Deadline: February 8, 1977

AIEA STREAM FLOOD CONTROL PROJECT
AIEA, OAHU. Dept. of Public Works,
C&C of Honolulu

Previously published in the EQC
Bulletin III-01

Contact: Wallace Miyahara, Director
and Chief Engineer
Dept. of Public Works
C&C of Honolulu
650 South King Street
Honolulu, Hawaii 96813

Deadline: February 8, 1977

CRATER ELEMENTARY SCHOOL ALIAMANU
CRATER, OAHU. State Dept. of
Accounting and General Services

Previously published in the EQC
Bulletin III-01

Contact: Herbert Ishida
State Dept. of Accounting
and General Services
P.O. Box 119
Honolulu, Hawaii 96810

Deadline: February 8, 1977

ENVIRONMENTAL IMPACT STATEMENTS

Environmental Impact Statements listed are available for review at the following public depositories: Environmental Quality Commission Office; Legislative Reference Bureau; Sinclair Library, State Main Library and the Kaimuki, Kaneohe, Pearl City, Hilo, Wailuku, and Lihue Regional Libraries. Statements are also available at State Branch Libraries that are in proximity to the site of a proposed action (indicated with project description).

EAST KAKAAKO AREA MAJOR DRAIN AND
KAPIOLANI BOULEVARD-BERETANIA STREET
RELIEF DRAIN, HONOLULU, OAHU. Dept.
of Public Works, C&C of Honolulu

The City and County of Honolulu proposes to improve and expand the capacity of the drainage systems in the East Kakaako and Kapiolani/Beretania areas by providing the necessary conduit to convey the flood waters to a drainage ditch and out into the ocean. The proposed work include the installation of about 7,600 lineal feet of drain line, catch basins, adjustments to existing utilities and improvement of the outlet just Diamond Head of the Honolulu Harbor main entrance channel. The affected drainage area encompass approx. 187.8 acres and is bounded by Lunalilo Fwy. on the east, Ward Ave. drainage areas on the west, and the Punchbowl St. drainage areas on the north. The

southern boundary is bordered by an open ditch and the ocean.

Status: Accepted by the Dept. of Land Utilization, C&C of Honolulu, January 27, 1977

(FIS also available at McCully-Boillii-ii Library.)

Deadline for comments: March 10, 1977

SECOND ENTRANCE TO WAHIAWA, OAHU.
State Dept. of Transportation
(Revised FIS)

The State Dept. of Transportation has selected the 'no improvement' alternative for this project. A Second Entrance to Wahiawa will not be immediately constructed. The proposed course of action will be to monitor traffic condition along Kanehameha Hwy. until the need for improvements, if any, becomes apparent. When the need for improvements become more apparent, then Alternative "A" will be considered for a Second Entrance to Wahiawa. Alternate "A" is the southeast corridor of this project that affects primarily vacant military lands. Access to this facility will be provided at Fose St., Leilehua High School and Leilehua Rd. A previous proposal to provide access to Uluwehi Place has been eliminated. (See also March 8, 1976 EQC Bulletin.)

FIS also available at Wahiawa and Wailua Libraries.

Status: Currently being process by the Office of Environmental Quality Control.

MAIANAE BOAT HARBOR, OAHU. State Dept. of Transportation (Revised FIS)

Previously published in EQC Bulletin II-22

Status: Accepted by Governor Ariyoshi, January 17, 1977

GENTRY-WAIPIC PROJECT, WAIPIC, EWA DISTRICT, OAHU, GENTLY-PACIFIC, LTD.
Dept. of Land Utilization, C&C of Honolulu (Revised FIS)

Previously published in the EQC Bulletin III-01

SUPPLEMENT TO THE FINAL FIS FOR FAR-POINTS POINT MARCOE, OAHU. Dept. of the Army, U.S. Army Engr. District (NEPA only)

This supplement is being issued prior to the 14 February 1977 public meeting to make available the following information which may serve as bases for questions and discussion at the public meeting: a) The results and recommendations of a Cultural Resources Survey study completed by the Bernice P. Bishop Museum in December 1976; b) The findings of additional studies on basin groundwater inflow and harbor circulation and flushing; c) The findings of additional botanical surveys of the project area; and d) A presentation of the information available to date on the State of Hawaii's shoreside facilities planning.

Supplement to Final FIS also available at Ewa Beach, Waipahu, and Maianae Libraries.

Public Meeting to hold on Feb. 14, 1977 at the Ewa Beach Community-School Library at 7:00 p.m.

OVER-NIGHT CAMPING, MOTORCYCLE TRAINING & RECREATIONAL AREA, KAOHE, HAMA-KUA, HAWAII Big Island Motorcycle Association, State Dept. of Land and Natural Resources

Previously published in the EQC Bulletin III-01

Deadline for Comments: February 8, 1977

ANTICIPATED EIS'S

KAUAI COUNTY

Anticipated EIS's are proposed actions for which EIS Preparation Notices have been received and for which the deadline for requests to be consulted parties has passed.

~~Kauai Belt Road, Kalihiwai to Haena (DOT); Kauai Motorcycle Park, Wailua (Kauai Motorcycle Assoc./DLNR).~~

CITY AND COUNTY OF HONOLULU

HAWAII COUNTY

Honolulu Rapid Transit System (DTS, C&C), Ewa High & Intermediate School Site Selection (DAGS); Leilehua High School Complex Development Report (DAGS); Wahiawa Transfer Station & Landfill (DPW, C&C); Waipahu Intermediate School Development Report (DAGS); Kahuku High & Elementary Ultimate Site Plan Revision (DAGS); Subdivision, Waikane (Windward Planners); Maile Kai Elementary School Site Selection (DAGS); Kahuku Support Housing Project A 300 lot Subdivision (DHCD, C&C); East Kakaako Area Major Drain and Kapiolani Blvd.-Beretania St. Relief Drain (DPW, C&C); Wahiawa Civic Center Expansion (DAGS); Pearl City Civic Center Expansion (DAGS); Rezoning Request-Waipahu (Amfac Inc/DLU, C&C); West Oahu College: Temporary and Permanent Facilities, Ewa (UH); Two Single Family Residences-Kailua (LaVoie and Noel/DLNR); Kapaa Sanitary Landfill Expansion (DPW, C&C); Kahuku Police, Fire and Ambulance Site (Building Dept., C&C); Mililani Kai Elementary School (DAGS); Floating Dock, Kaneohe Bay (Kaneohe Bay Yacht Club/DLNR); Kalaheo High School Revised Ultimate Site Plan (DAGS).

Kohala High & Elementary School Complex Development Report (DAGS); Kona Multi-Agency Maintenance (DAGS); Kailua-Keauhou Elementary School Site Selection (DAGS); Student Health Center, P.E. Education Facilities, Fine Art Bldg., Auditorium-Theater and Classroom Bldg., No. 3 at UH at Hilo (DAGS); Consolidation and Re-subdivision of TMK's 8-2-3:1, 9-2-8:15-17, 28,31,38 South Kona (Planning Dept., County of Hawaii).

STATEWIDE

Hawaii Coastal Zone Management Program (DPED)

NEGATIVE DECLARATIONS

Negative Declarations are determinations by an agency that a proposed action does not have a significant effect on the environment and therefore does not require an EIS (EIS Regs. 1:4p). Publication in the Bulletin of a Negative Declaration initiates a 60 day period during which litigation measures may be instituted. Comments may be made and sent to the proposing agency or approving agency. The Commission would appreciate receiving a carbon copy of your comments.

KAUAI

HUNTING AREA IMPROVEMENT BY TREE CLEARING, KEKAHA GAME MANAGEMENT AREA.
State Dept. of Land and Natural Resources

MAUI COUNTY

Makawao Intermediate School Site Selection (DAGS); Kahakuloa Water Project (DLNR); Kalaupapa Infirmary at Kalaupapa Leprosy Settlement, Molokai (DAGS); General Plan Amendment (Sasakal/MCPC); Kihei Drainage Project (DPW, County of Maui); Lahaina Seawall Project Located Between Dickerson St. and Lahaina Rd. (Maui County Historic Commission).

Tree clearing within the Kulaha Game Management Area is proposed by the Dept. of Land and Natural Resources to fell silk oak trees from selected sites ranging from two to ten acres each. Removal of these trees will permit open clearings suitable for continued game bird hunting in areas that have been invaded by scrub silk oak trees. The project will involve mechanical (manual) methods. Incrementments of 100 acres each year will be cleared, until the planned total of 500 acres of clearing has been accomplished.

HABITAT IMPROVEMENT, MANA PONDS WILDLIFE SANCTUARY. State Dept. of Land and Natural Resources

The improvements consist of enlarging the existing 4 acre pond by an additional 5.5 acres, by re-shaping and excavating low lying wasteland surrounding the pond. This project will create additional water area and nesting islets within the pond which will provide an improved habitat for the Hawaiian tilt, gallinule, and ploa. The project area comprise 16.7 acres and is bordered on the north and east by State Hwy. 50, on the south by sugar cane fields of the Kulaha Sugar Co., and on the west by the Waiele Drainage canal.

(A)

LAUNIUPOKO STATE WAYSIDE, LAHAINA. State Dept. of Land and Natural Resources, Division of State Parks

Launiupoko State Wayside is a 4 to 5 acres park located along Honoapiilani Hwy. (H-30) and about 3 miles south of Lahaina towards Olowalu. Present improvements at the park includes barbecue grills, picnic tables, and a protected ocean wading pool. The Division of State Parks plans to dredge between 1,200-1,500 cubic yards of sand within the wading pool and to reconstruct minor portions of the revetment of Launiupoko State Wayside. The dredging will be limited to the confines of the 180 x 200 foot wading pool and the original depths

which were a maximum of -4 for MLLW. The revetment reconstruction will be limited to closing the existing Olowalu opening with material salvaged from the Lahaina opening which is being expanded from 18 ft. to 32 ft. at the top of the V. The south opening will be raised from -1.0 ft. MLLW to +1.0 ft. MLLW.

WAILUKU STORM DRAIN. Dept of Public Works, County of Maui

The proposed action is the first increment of a comprehensive drainage project for Wailuku which will be constructed in phases as funds become available. Storm runoff will be collected and conveyed to Iao Stream for eventual discharge into the ocean. The project will be divided into two segments. The first segment will be the installation of approximately 2,000 linear ft. of 72" and 84" diameter concrete pipes which will serve as the major line serving the upper portions of Wailuku. The proposed segment will start at East Main St., continue along Halewili St., and then follow the makai portion of the Wailuku Sugar Mill yard to the Iao Stream discharge site. The second drainage segment will consist of about 1,020 linear ft. of 18", 24", and 36" diameter concrete pipes, and a section of improved-existing open ditch. The segment will begin below Saint Anthony School, follow the makai boundary of Hale Makua Geriatrics Center, cross Mill St. to Ainaola St. where it will discharge into the existing drainage ditch, between 36" storm drain at Ainahou Place. The two existing catch basins on East Main St. at Puaala Place will also be improved to make them less hazardous to vehicular traffic.

LIHIKAI SCHOOL SIX-CLASSROOM BUILDING, KAPULUI. State Dept. of Accounting and General Services

A single-story six-classroom building containing approximately 8,000 sq. ft. is proposed for construction within the existing Lihikai School campus.

MAUI HIGH SCHOOL AUTO SHOP EXTENSION
TO BUILDING E, KAHULUI. State Dept.
of Accounting and General Services

The project will involve the construction of an approximately 5,000 sq. ft. auto shop extension to existing Building E and other related work at Maui High School.

HAWAII

WAIAKEA HIGH SCHOOL SECOND INCREMENT,
HILO. State Dept. of Accounting
and General Services

An EIS was previously prepared for the total school development and was accepted by the Governor on June 4, 1974. The EIS assessed the anticipated environmental impacts of the school development based on the selected school site. Since then, the school has been planned and the first increment of construction initiated. This project consist of the second increment for the school development plan and will involve the construction of the following facilities: a) 6-classroom Bldg. D, b) 7-classroom Bldg. C, c) Automotive Lab Bldg. J, d) Locker/Shower Bldg. L, e) paved playcourts, and f) portion student parking lot. The school will open in Sept. 1977 with about 300 tenth graders. This second increment will provide the additional school facilities required to accommodate the eleventh graders by Sept. 1978.

WAIAKEA HIGH SCHOOL THIRD INCREMENT,
HILO. State Dept. of Accounting and
General Services

The third increment for the school development plan will include the construction of the following facilities: a) 6-classroom Bldg. E, b) 3-classroom Bldg. H, c) Music Bldg. M, d) Administration Bldg. A, e) Football /track field with bleachers, f) second entrance from Kawili Street, and g) portion of student parking lot. The project will provide the school with additional facilities to accommodate the systematic phase-in-of the 12th grade students in the new school by Sept. 1979.

OAHU

DRAINAGE IMPROVEMENTS, PEARL HARBOR,
FRANK DOYLE-R.M. TOWILL CORP. State
Dept. of Land and Natural Resources

The proposed drainage system for the shoreline area of TMK 9-8-09-13 is part of a project involving the sub division and improvement of a 12- $\frac{1}{4}$ acre industrial zoned parcel of land being developed by the joint venture of Honolulu Ltd., (et al.,) and Magba, Inc. A network of 4 to 7 intake basins is expected to collect storm water runoff and centralize it into one 36 to 48 inch diameter drain line discharging into East Loch, Pearl Harbor. If final grades will not permit a centralized discharge line, due to the relatively low elevation and overall flatness of the parcel, two discharge lines will be required. Drain lines are expected to be reinforced concrete pipe with cast-in-place reinforced concrete intake basins.

KAHUALLANI STREET RELIEF DRAIN PRO-
JECT, WAIPAHU. Dept. of Public Works
C&C of Honolulu

The improvement project is adjacent to the Waipahu Sugar Mill and will begin at Kupehe Lane where the surface runoff from L' Orange Park overflows the park grounds and floods the makai low lying properties below the park. The existing earth ditch system along Kupehe Lane will be cleaned and improved. A new drainage system, consisting of inlets, catch basins and drain pipes ranging from 24 to 36 inches in diameter will continue along Waipahu St. and Mokuola St. and discharge into an existing drainage ditch. The ditch is located in an open area below the end of Mokuola St.

SCHOOL STREET RELIEF SEWER, HONOLULU.
Dept. of Public Works, C&C of Honolulu

The proposed action consists of the construction of approximately 1,300 linear ft. of 12" and 10" diameter sewer lines including eight sewer manholes. The sewer line will be located along School St. between

...alia St. and Kam IV . . , and along
Kam IV Rd. for a distance of 200 ft.
...aka of School St.

(TKR: 2-6-20:23) is about 11,178 sq.
ft. The new project site (TKR: 2-6-
23:55 & 56) will compose of two par-
cels totalling 11,500 sq. ft.

RECONSTRUCTION WYLLIE STREET FROM
LILIHUA STREET TO ALEWA DRIVE, HONO-
LULU. Dept. of Public Works, C&C of
Honolulu

The project involves the complete
reconstruction of Wyllie St., from
Liliha St. to Alewa Dr., in the
Maunui District of Honolulu. The
reconstruction work will be accom-
plished by removing the existing
pavement and repaving the entire
street with new asphaltic concrete
within the limits of the project.
New concrete gutters will be con-
structed along both edges of pave-
ment and the existing curbs will be
reset where necessary. Modification
of existing driveways abutting the
roadway will also be included under
this project.

ALA HOANA SEWAGE FORCE MAIN (DESIGN
CORRECTIVE CHANGES). Dept. of Public
Works, C&C of Honolulu

This Negative Declaration is an
addendum to the Final EIS which was
accepted by the Governor on January
16, 1976. The project will provide
for a new force main from the exist-
ing Ala Hoana Pump Station to the
presently constructed Sand Island
Sewage Treatment Plant. The proposed
changes in the project consist of
the inclusion of a steel cylinder pipe
alternate, requirement of piles for
the future Pier 1 extension, change
in anticipated quantity of dredged
material anticipated, and contractor
in field offices and storage yards.

WAIKIKI COMMUNITY CENTER--DAY CARE
CENTER RELOCATION, WAIKIKI COMMUNITY
CENTER. Dept. of Land Utilization,
C&C of Honolulu

The applicant, Waikiki Community
Center proposed to relocate an exist-
ing day care center building at 2840
Kala Ave. to 825 and 827 Peacocklani
Ave. The existing building is a
single-story wooden frame structure
occupying 23' x 37'. The present site

SINGLE FAMILY RESIDENTIAL, CARETAKER'S
COTTAGE AND DIVERSIFIED AGRICULTURE
USES OF A PORTION OF TKR 4-7-09:9,
KAPALUU, BIEAN KAHAKA. State Dept.
of Land and Natural Resources

The project will consist of the con-
struction of a single story residential
with garage, a single story cottage,
and two greenhouses on land parcel
TKR 4-7-8-69 which is zoned conserva-
tion. The structures will measure
2500 sq. ft., 500 sq. ft., 600 sq. ft.
each, respectively. In addition,
diversified agriculture purposes
consisting of such things as flowers,
bananas, etc. is proposed for the
enjoyment of the landowner and his
family and not for commercial purposes.
Approximately 5 acres of the total
30,348 acres parcel will be utilized.

HALEAKALA AVE. IMPROVEMENTS, HANAKULI
State Dept. of Hawaiian Home Lands
(Correction to the Negative Declara-
tion published on Jan. 23, 1977)

The right-of-way for Haleakala Ave.
will be increased from 40 ft. to 56
ft. in width rather than from 40 ft.
to 50 ft.

SUNSET BEACH NEIGHBORHOOD PARK. Dept.
of Parks and Recreation, C&C of Hono-
lulu

This is a resubmittal of the negative
declaration published in the September
8, 1976 EQC Bulletin. In lieu of
4 tennis courts, the project has
been changed to consist of the con-
struction of 2 tennis courts including
lighting, and lighting of the exist-
ing playcourts as well as future
lighting of the softball field.

REGISTER OF SHORELINE PROTECTION ACT DOCUMENTS

The following documents have been filed with the City and County Department of Utilization pursuant to Ordinance 4529, relating to the Interim Shoreline Protection District for Oahu. All of the projects below are located within the Special Management Area of Oahu.

COMMERCIAL COMPLEX, PUPUKEA. Rainbow Underwriter

The applicant, Rainbow Underwriters, Inc., proposes to demolish existing structures located at 59-720 Kamehameha Hwy. (TMK 5-9-11:16) and replace it with a neighborhood type shopping complex. The project site has an old existing structure used as a general store and two single-family dwellings. The development would consist of two structures and gross 20,000 sq. ft. of commercial retail area. Parking for 72 cars will be provided. The 1.3 acre site is in an R-6 Residential District and designated for residential use on the Oahu General Plan.

LEGISLATION RELATIVE TO CHAPTER 343, HRS

The following bills have been introduced in the 1977 Legislative Session of Hawaii.

- H.B. 119 Relating to Environmental Quality Commission (shortform)
- H.B. 125 Relating to Environmental Impact Statements
- H.B. 368 Relating to the Environmental Quality Commission and EIS
- H.B. 586 Amending Section 343-4 of the HRS relating to EISs.

EQC Bulletin

Environmental Quality Commission,
550 Halekiauila Street, Room 301, Honolulu, Hawaii 96813 - Phone: 548-6915

ERRATA SHEET

The following notice was inadvertently left out of the January 23, 1977 EQC Bulletin (Vol. III No. 02) and is hereby incorporated in that Bulletin.

ENVIRONMENTAL IMPACT STATEMENT available for review.

KIHEI DRAINAGE PROJECT, COUNTY OF MAUI,
Dept. of Public Works, County of Maui

The proposed Kihei Drainage Project is located in the Kihei District on the Leeward coast of Maui. The project area covers approx. 800 acres, which extends inland about 0.6 miles, paralleling the shoreline for 2.0 miles. The proposed interior drainage project consists of a system which is comprised of about 28,500 ft. of drain lines, 3,200 feet of box culverts, 560 ft. of pipe culverts, 320 feet of open channel, and the improvement of an existing channel.

Deadline for Comments: February 22, 1977

This EIS is available for review at the following places: Environmental Quality Commission; Legislative Reference Bureau; Sinclair Library; State Main Library; Kaimuki, Kaneohe, Pearl City, Hilo, Wailuku, and Lihue Regional Libraries; and the Kahului, Makawao, and Lahaina Branch Libraries.