

OEOC BULLETIN



GEORGE R. ARIYOSHI
GOVERNOR

LETITIA N. UYEHARA
DIRECTOR

OFFICE OF ENVIRONMENTAL QUALITY CONTROL

Volume II

November 23, 1985

No. 22

REGISTER OF CHAPTER 343, HRS DOCUMENTS

All Chapter 343, HRS documents submitted for publication in the OEOC Bulletin must be addressed to the Office of Environmental Quality Control, 550 Halekauwila Street, Room 301, Honolulu, Hawaii 96813. Documents addressed otherwise will not be considered for publication.

EIS PREPARATION NOTICES

The following proposed actions have been determined to require an environmental impact statement. Anyone can be consulted in the preparation of the EIS by writing to the listed contacts. 30 days are allowed for requests to be a consulted party.

Previously published November 8, 1985.

Contact: Belt, Collins & Associates
606 Coral Street
Honolulu, Hawaii 96813

Deadline: December 8, 1985.

HAWAII OCEAN CENTER, HONOLULU, OAHU, Dept. of Accounting and General Services

Previously published November 8, 1985.

Contact: Wilson Okamoto & Associates, Inc.
P.O. Box 3530
Honolulu, Hawaii 96811

Deadline: December 8, 1985.

CENTRAL MAUI LANDFILL PROJECT, COUNTY OF MAUI, County of Maui Dept. of Public Works

Previously published November 8, 1985.

Contact: R.M. Towill Corporation
677 Ala Moana Blvd.,
Suite 1016
Honolulu, Hawaii 96813

With a copy to:

County of Maui
Department of Public Works
Waste Management Division
Attn: Mr. Edwin Kagehiro
200 S. High Street
Wailuku, Hawaii 96793

STATE LAND USE DISTRICT BOUNDARY PETITION FOR KAUPULEHU DEVELOPMENT, KAUPULEHU, NORTH KONA DISTRICT, HAWAII, Kaupulehu Developments/State Land Use Commission

Deadline: December 8, 1985.

NEGATIVE DECLARATIONS

The following are Negative Declarations or determinations made by proposing or approving agencies that certain proposed actions will not have significant effects on the environment and therefore do not require EIS's (EIS Reg. 1:4p). Publication in the Bulletin of a Negative Declaration initiates a 60-day period during which litigation measures may be instituted. Copies are available at 25 cents per page upon request to the Office. Written comments should be submitted to the agency responsible for the determination (indicated in project title). The Office would appreciate a copy of your comments.

OAHU

KEWALO BASIN MARINE MAMMAL LABORATORY (KBMML), HONOLULU, OAHU, Research Corporation of the University of Hawaii

This project is to repair the deterioration of the walls of the concrete tanks, raise the wall of the tanks and replace the deteriorated observation platforms at the Kewalo Basin Marine Mammal Laboratory (KBMML), a University of Hawaii facility, which is engaged in behavior research on marine mammals. The facility is composed of two 50' diameter tanks, interconnected with a channel, an 866 sq. ft. office area and a 989 sq. ft. workshop and storage area. Adjacent to each tank is a wooden observation platform for conducting research observations of the dolphins. KBMML is located at the Diamond Head/makai end of the peninsula on the Diamond Head side of Kewalo Basin. The proposed renovation work will be constructed within the present boundaries of KBMML. The renovation and remedial work

at KBMML is required by the deteriorated condition of the concrete tanks and the wood observation platforms. In addition, new United States Department of Agriculture (USDA) regulations for housing marine mammals require increasing the depth of tanks for holding dolphins. The renovations will enable KBMML to meet these new federal regulations and to continue with its current operations. The work proposed consists of the following: a) applying a new linear of concrete on the inside surfaces of the tanks and raising the lip of the tank; b) modifying the connecting channel between the two tanks to provide a "beaching area" for dolphins; c) finishing the inside surface of the tanks and the connecting channel with an epoxy coating; d) modifying the concrete paving around the tanks by raising the level of the slab to improve work access; e) adding 5 new underwater windows; f) demolishing and replacing the two existing observation platforms which are badly termite damaged.

UNIVERSITY AVENUE RECONSTRUCTED SEWER, HONOLULU, OAHU, City and County of Honolulu Dept. of Public Works

The proposed project consists of the installation of approx. 1,700 linear ft. of 24-in. sewers and 500 linear ft. of 21-in. sewers and 100 linear ft. of 18-in. sewers in University Ave. and Date St., Moiliili, Honolulu, at TMK: 2-7-14, 15, 16. The objective of the project is to replace old and deteriorated sewers and to increase the carrying capacity of the present system to accommodate an increase in flow due to a predicted rise in population. The new sewers will prevent future sewage back up in the system. The area tributary to the proposed sewer line

reconstruction is located in the Moiliili district below Dole St. and has an area of 189.81 acres. The sewer reconstruction project starts at the University Ave. and Coyne St. intersection and extends southwest on the Diamond Head side of University Ave. for approx. 400 ft. and on the Ewa side of University Ave. for approx. 1,900 ft. to Date St. The sewer then proceeds southeast on the mauka side of Date St. for approx. 400 ft. to Kamoku St. for connection to the existing Kamoku Interceptor Sewer. New sewer pipes and manholes will be installed within the University Ave. and Date St. rights-of-way. The existing Kamoku Interceptor Sewer continues under the Ala Wai Canal and is connected to the Beach Walk Pump Station in Waikiki. The new sewer will replace an existing deteriorated and inadequate system which was constructed 37 years ago. An estimated two mgd of extraneous water from underground streams in the area enter and fill the deteriorated sewer. The filled sewer cannot be inspected visually, repaired or maintained. Inability to perform maintenance causes grease accumulation which leads to sewage overflows. Construction of the project is tentatively scheduled to start in early 1987 and should be completed within 12 months.

CONSTRUCTION OF LUAU-TYPE DINING AND ENTERTAINMENT FACILITY AT SEA LIFE PARK, MAKAPUU POINT, KOOLAUPOKO, OAHU, Sea Life Park/ City and County of Honolulu Dept. of Land Utilization

The applicant proposes to construct a dining facility within the Sea Life Park site, south of the existing park facilities. The free-standing facility would offer tour groups a luau-type meal with entertainment and would operate in the evenings after Sea Life Park is enclosed. This proposal

represents an addition to the Sea Life Park Master Plan prepared in 1980-81, for which an Environmental Impact Statement was accepted and a Special Management Area Use Permit (SMP) approved (79/SMA-18-August, 1981). While some renovations have been carried out, the major improvements envisioned in the Master Plan have been deferred due to financial constraints. The proposed facility would replace the restaurant proposed in the Master Plan within Sea Life Park proper. The applicant states that they no longer intend to construct a restaurant within the Park. Phase I of the proposed project consists of a covered seating area, a stage, a trellised seating lanai, a kitchen, public restrooms and accessory facilities occupying a covered area of more than 19,000 sq. ft. It will serve a maximum of 750 patrons per night in one sitting. Phase II would increase the seating area to the rear of the structure by over 5,000 sq. ft. At full development, the facility would serve up to 1,000 persons per evening. Constructed of concrete masonry finished with a high-texture paint, the building will be 36 ft. high from the finished slab. A high cedar shake roof over the stage and main dining area will give way to a flat built-up roof over the kitchen and support areas. The outer dining lanai will not be roofed. The structure will be set back about 100 ft. from the makai property line, and about 140 ft. from the edge of Kalaniana'ole Hwy. It will sit on a rise about 25 ft. above the highway elevation. The hours of operation will be evenings, 5:30-8:30 p.m. Since the facility will be marketed to tour groups, the applicant estimates that 95% of patrons will arrive by bus. The dining facility will utilize Sea Life Park's existing parking.

ACQUISITION AND DEVELOPMENT OF A
PEDESTRIAN EASEMENT FOR ACCESS TO
MANANA KAI NEIGHBORHOOD PARK,
PEARL CITY, OAHU, City and County
of Honolulu Dept. of Parks and
Recreation

The proposed action involves acquisition of 700 sq. ft. of private property for a 7-ft. wide pedestrian easement and construction of a concrete wall, fencing, pedestrian bridge and landscape improvements. The property at Pearl City is identified as TMK: 9-7-74: por. of 5. The 4.4-acre Manana Kai Neighborhood Park is an existing park with two basketball courts, two volleyball courts, one softball field and one football field (overlay). At present, access to this park is available via Hoola Pl., a private roadway owned by the Hale Ola Association. The City's use of Hooli Pl. is limited to maintenance vehicles and pedestrians. However, there have been cases where park users with automobiles have used this private roadway and are also using parking stalls which are reserved for apartment owners of Hale Ola. Consequently, to relieve this problem and that of vandalism and trespassing, the proposed action must be pursued. Implementation of the proposed action will create another access to the park. The Department of Parks and Recreation had originally intended to purchase an entire lot on Hooli Circle. This alternative had to be abandoned because of prohibitive real estate prices. Further, for the purpose of providing pedestrian access from Hooli Circle, it was determined that an entire lot would not be required.

FARRINGTON HIGHWAY 36-INCH WATER
MAIN-WAIPAHU STREET TO KUNIA ROAD,
WAIPAHU, OAHU, Board of Water
Supply

The Board of Water Supply (BWS) proposes to install 4000 ft. of 36-in. transmission main along Leowahine St., Leokane St., and Farrington Hwy. from Waipahu St. to Kunia Rd. The proposed water main will run parallel to an existing 12-in. main along Leowahine and Leokane Sts., and a 16-in. main along Farrington Hwy. The proposed project is located in the town of Waipahu, on the leeward side of Oahu at TMK: 9-4-47. The proposed 36-in. main will be located within Leowahine and Leokane Sts. and Farrington Hwy. or within adjacent roadway easements. The primary objective of the proposed project is to strengthen the BWS water distribution system in the Waipahu/Ewa area. The new 36-in. water main will increase the system's flexibility, reliability and carrying capacity to the Ewa and Waianae areas. It will also permit the utilization of the design capacity of the Waipahu Wells (pending State Board of Land and Natural Resources' approval) to help meet the expanding water needs of the Ewa area. The proposed 36-in. main will tap into the existing 36-in. main along Waipahu St. and will ultimately connect into the 30-in. main at Kunia Rd. A 36-in. stub-out will be provided to accommodate future 36-in. main to Ewa. Construction of the proposed project (Job 86-35) is scheduled to be completed by March 1986.

HAWAII

CONSTRUCTION OF LABORATORIES AND
ACCESSORIES BY THE U.S. DEPARTMENT
OF AGRICULTURE, AGRICULTURE
RESEARCH SERVICE, WAIAKEA
AGRICULTURAL EXPERIMENT STATION,
SOUTH HILO DISTRICT, HAWAII,
University of Hawaii

The U.S. Department of Agriculture, Tropical Fruit and Vegetable Laboratory, in cooperation with the University of Hawaii, has operated their laboratory at the Waiakea Agricultural Experiment Station (WAES), in Hilo, County of Hawaii. There is a proposal for the expansion of this facility and also to establish the Clonal Germplasm Repository at the WAES. The proposed project for the Tropical Fruit and Vegetable Laboratory and the Clonal Germplasm Repository involves the construction of pre-fabricated metal buildings and the operation of these facilities. Each project is described below:

1. Tropical Fruit and Vegetable Laboratory

On the slightly more than two acres of land in the WAES, existing laboratory is operating in very cramped and inadequate quarters. This new facility, consisting of two pre-fabricated steel buildings will provide the needed laboratory and office spaces. Each of the buildings will have 2,100 sq. ft. of floor area divided into 2 laboratories, 4 special purpose rooms and 4 offices. They will be equipped with air conditioning units, water, electrical and telephone connections. Buildings will be on concrete slab on gravel material over the lava materials. Parking will be adjacent to the buildings and will not be paved.

2. Clonal Germplasm Repository

The Germplasm Repository will consist of four metal buildings to be constructed on a land parcel of 0.4-acre in the WAES. It will be detached from the Tropical Fruit and

Vegetable Laboratory site and include a greenhouse, screenhouse, headhouse and office laboratory building. The greenhouse will have 1,800 sq. ft. of floor area, partitioned into 2 equal-sized rooms. It will be of aluminum frame with fiber glass and gravel floor and used for the propagation of plants from seeds, cuttings, or grafting, maintenance of plant cultures and virus assays. The screenhouse, with 3000 sq. ft. of floor area, is also of metal frame construction with screens on the top and sides to provide 33% shade. It will have gravel floor with concrete walkway in the center. The headhouse will have 525 sq. ft. of floor area and be used to store and work soil, clean and store pots, treat plants with insect pests, pot plants, seed planting, budding and grafting and to provide space for growth and thermotherapy chambers. It will be of metal construction with concrete floor. The office/laboratory building will have approx. 1365 sq. ft. of floor area will be made of pre-fabricated metal. In addition to providing spaces for offices and laboratories, it will have a 100 sq. ft. walk-in refrigerator. All of the buildings at the Repository site will be on silty sand gravel materials over basalt.

The proposed projects will be built within the WAES, which lies within the Waiakea Forest Reserve and is approx. 1-1/2 miles west of Kanoelehua Hwy. Stainback Hwy., the access road to the WAES is approx. 200 ft. to the south. The WAES is held in fee by the University of Hawaii. It has 195 acres and approx. 2-1/2 acres are being leased to the USDA-ARS for the projects.

REGISTER OF SHORELINE PROTECTION
ACT DOCUMENTS

The projects listed in this section have been filed with County agencies pursuant to Chapter 205A, HRS as amended, relating to the Special Management Area of each county. For additional information, please call the pertinent county agency:

Hawaii Planning Dept. 961-8288;
Hnl. Dept. of Land Utilization
523-4077;
Kauai Planning Dept. 245-3919;
Maui Planning Dept. 244-7735.

GOLF COURSE 5 and 6 CLUSTER DEVELOPMENT, HAWAII KAI, EAST HONOLULU, OAHU, Kaiser Development Co./City and County of Honolulu
Dept. of Land Utilization

Negative Declaration

The applicant plans to develop a 1-acre project site, located in Hawaii Kai, which abuts the mauka side of Kalaniana'ole Hwy. directly across from Sandy Beach and Wawamalu Beach Parks. Kealahou St. divides the property into two separate areas, referred to as Golf Course 5 (14 acres) and Golf Course 6 (17 acres). The site is presently vacant. It is identified as TMK: 3-9-10: por. 1. Approx. 225 single-family detached residences are planned, with about 100 on Golf Course 5 site and 125 on the Golf Course 6 site. The zero lot line concept will be utilized, with use and maintenance easements provided to the side yard of abutting lots. Access to both clusters will be from Kealahou St. Each will include privately owned and maintained roadways, park areas and guest parking. All common areas, including the perimeter of each site, will be landscaped. The applicant's intent is to provide quality single-family detached homes. Together with the apartments planned in the marina

area, this project will contribute toward maintaining a social diversity among the community's residents. It is anticipated that the project will especially appeal to families, with few or grown children, who are seeking a quality single-family home that is somewhat smaller than average and easier to maintain. An important element in the site planning and housing design will be to establish a close identification with open space and the area's distinctive natural setting, especially the ocean, Koko Crater and the golf course. Other characteristics of development in Hawaii Kai which will be reflected in this project are generous setbacks from public streets, ample landscaping which is consistent with existing vegetation in the area, recreation areas and other amenities, and quality architecture and construction. The Golf Course 5 Cluster will consist of one- and two-story units. There will be five basic home designs with variations depending on site conditions. A one-half acre park area will be centrally located within the cluster. It will include a recreation area on the mauka side of the street and a landscaped view corridor with passive open space on the makai side. Other common elements will include roadway and guest parking areas, and the landscaped banks along Kalaniana'ole Hwy. and Kealahou St. The Golf Course 6 Cluster is planned to contain one- and two-story units. About six different home designs will be utilized. A recreational area will be provided on site. Other common elements will include the auto courts and entry landscaping, landscaped banks along the site perimeter, and landscaped berms in some interior areas. Street trees will be provided along all streets and canopy trees will be provided in the auto courts. It is anticipated that development will

begin about mid-1986 with the construction of the model complex for the Golf Course 6 Cluster. Delivery of the first units is projected for the second or third quarter of 1987. A 2 to 3 year time frame is currently planned for completion of the project. However, the actual pace of construction will depend on market conditions. A similar timetable is planned for the Golf Course 5 Cluster, but with start-up occurring approx. 6 to 12 months later because of the time required for site work.

CONSTRUCTION OF A NEW RESTAURANT AT AN EXISTING SHOPPING CENTER, NANAKULI, WAIANAE, OAHU, McDonald's of Hawaii Development Co./City and County of Honolulu Dept. of Land Utilization

Negative Declaration

The applicant proposes to construct a restaurant, with a dining room and drive-through facility, on a portion of the existing Pacific Shopping Mall site. The entire parcel is within the Special Management Area. The development plan designates the site as "Commercial." It is zoned B-2 Community Business District. The proposed site for the restaurant is a portion of a paved parking area of the shopping mall in Nanakuli at TMK: 8-7-08: por. of 12. The mall presently has few tenants and is under used by area residents. The addition of the popular restaurant may draw additional merchants and shoppers, thereby proving economically beneficial to the center as a whole. The 30,080 sq. ft. area to be developed will be subdivided into a separate lot. The proposed restaurant will be 3,018 sq. ft. The dining area will be approx. 222 sq. ft; the kitchen area will be approx. 1,741 sq. ft. The structure will be one-story in height. The building and mansard

roof designs are the typical service marks of the applicant. ~~Forty-seven parking stalls and one loading space will be provided on the site. The shopping mall and additional parking areas will also be accessible to vehicles and pedestrians.~~

ENVIRONMENTAL IMPACT STATEMENTS

EIS's listed in this section are available for review at the following public depositories: Office of Environmental Quality Control; Legislative Reference Bureau; Municipal Reference and Records Center (Oahu EIS's); Hamilton Library; State Main Library and the Kaimuki, Kaneohe, Pearl City, Hilo, Wailuku and Lihue Regional Libraries. Statements are also available at State Branch Libraries that are in proximity to the site of a proposed action (indicated by project description).

Comments on the following EIS's may be sent to: 1) the accepting authority; and 2) the proposing agency. Please note the deadline date for submitting written comments on the EIS.

DRAFT EIS FOR WAIKELE DEVELOPMENT, AULII, WAIKELE, EWA DISTRICT, OAHU, Amfac Property Development, Corp./City and County of Honolulu Dept. of Land Utilization

Previously published November 8, 1985.

This draft EIS is also available for review at the Mililani and Waipahu Libraries.

Deadline: December 23, 1985.

EIS'S SUBMITTED FOR ACCEPTANCE.
The following EIS's have been submitted for acceptance and

contain comments and responses made during the review and response period.

HAWAII TECHNOLOGY PARK, MILILANI, OAHU, Castle & Cooke, Inc., Oceanic Properties, Inc./City and County of Honolulu Dept. of Land Utilization

Oceanic Properties, Inc., a subsidiary of Castle & Cooke, Inc., has asked that approx. 120 acres of land adjacent to Waikakalaua Gulch in Central Oahu that is owned by the parent company be rezoned from Agriculture (AG-1) to Industrial (I-1). The area constitutes the first of two phases of the proposed 256-acre Hawaii Technology Park (HTP). The State Land Use Commission has recently redesignated the entire HTP site from Agricultural to Urban, and the City council has approved a Development Plan (DP) amendment which changed the DP designation of the Phase I area from Agriculture to Industrial. The applicant proposes to create a new industrial subdivision aimed specifically at firms involved in advanced technology areas such as electronics, instruments, telecommunications, bio-technology, and renewable energy sectors. Principal activities are expected to include research and development, manufacturing and assembly, and ancillary warehousing and administrative functions. Acreages that would be devoted to each major land use category are as follows:

Land Use	Phase 1	Phase 2	Total
Campus Industrial	75	115	190
Business Commercial	16	0	16
Recreation/Education	6	0	6
Roadways	16	12	28
Open Space/Common Areas	6	10	16

Access to the Hawaii Technology Park site will be via Kamehameha Hwy. or the H-2 Freeway and Golf Course Rd. The internal circulation system is based on a main spine road with a series of secondary loops. Oceanic Properties, Inc. would act only as the project's master developer, installing the roadways, utility lines, and other essential infrastructure, establishing overall design controls for the project, and then selling the parcels in fee to the ultimate users. The design and construction of structures on individual building sites will be the responsibility of the buyers. Structures within the project would be relatively low. The Development Plan amendment granted for the Phase I portion of the projects sets 40 ft. as the maximum building height there. The proposed covenants stipulate 45 ft. as a maximum. Maximum building coverage of lots is set at 30%, and the maximum "floor area ratio" at 0.4. A minimum lot size of 4 acres is required, and setbacks in excess of City and County requirements are called for in the design plan. The State's High Technology Development Plan stresses the lack of suitable space as an obstacle to the development of high technology industries in Hawaii. The proposed project would correct this deficiency. The site's location is considered desirable enough to attract high technology firms to Hawaii. Most business activity in the field is labor intensive, and thus directly meets the need for additional employment opportunities in the state. It would also serve to broaden Hawaii's economic base, thus giving the State alternatives to tourism, military spending, and agriculture. The site proposed for the project is located to the east of the H-2 Freeway, just south of Waikakalaua Gulch. It is bordered by the H-2 Freeway and

Wikao St. on the west; by Leilehua Golf Course and Schofield Barracks ~~Post Range Training Areas 9 and 10~~ to the north and east; and by Waikakalaua Gulch to the south. It constitutes a portion of parcel (TMK) 9-5-02:11.

The final EIS is also available for review at the Mililani Library.

Status Currently being processed by the City and County of Honolulu Dept. of Land Utilization.

FINAL SUPPLEMENTAL EIS AMENDMENT TO THE MAUNA KEA SCIENCE RESERVE COMPLEX DEVELOPMENT PLAN FOR CONSTRUCTION CAMP HOUSING AT HALE POHAKU, HAMAKUA, HAWAII, University of Hawaii

Previously published November 8, 1985.

This Final EIS is also available for review at the Bond Memorial (Kohala), Kailua-Kona, Mountain View Community-School, Pahoa Community-School, and Thelma Parker Memorial/Waimea Area Libraries.

Status: Accepted by Governor Ariyoshi on November 18, 1985.

FINAL EIS FOR SEWER TUNNEL RELIEF, HONOLULU, OAHU, City and County of Honolulu Dept. of Public Works, Division of Wastewater Management

Previously published on Sept. 23, 1985.

This Final EIS is also available for review at the McCully-Moiliili Library.

Status: Currently being processed by the Dept. of Land Utilization and OEQC.

NOTICES

STATE ENVIRONMENTAL COUNCIL MEETING

Date: November 25, 1985
Time: 5:00 p.m.
Place: State Capitol,
Senate Conference Room 3

PROPOSED AMENDMENT TO THE CITY AND COUNTY OF HONOLULU DEPARTMENT OF HOUSING AND COMMUNITY DEVELOPMENT EXEMPTION LIST

Previously published November 8, 1985.

Pursuant to Sec. 1:33(a)(1) of the EIS Regulations, the City and County of Honolulu Dept. of Housing and Community Development has submitted a proposed amendment to its exemption list.

The Environmental Council is reviewing the proposed amendment and is requesting comments from the public. Comments should be sent to:

Mr. James W. Morrow, Chairman
Environmental Council
550 Halekauwila Street,
Room 301
Honolulu, Hawaii 96813

Deadline: December 8, 1985.

PETITION FOR DECLARATORY RULING

Previously published November 8, 1985.

The Environmental Council has received a petition for a declaratory ruling concerning the applicability of Chapter 343, HRS, to General Plan and Development Plan Amendments in the City and County of Honolulu. The petitioner, Life of the Land, Inc., is requesting that the

Council review and issue a declaratory ruling on 13 questions raised.

The petition will be reviewed at the next Council meeting scheduled for November 25, 1985.

NOTICE OF APPLICATION FOR VARIANCE RECEIVED BY THE STATE DEPARTMENT OF HEALTH

Previously published November 8, 1985.

The Department of Health seeks written comments from interested persons regarding a variance application.

The Public Works Department, City and County of Honolulu, 650 S. King St., Honolulu, Hawaii has applied to the Department of Health for a variance from Administrative Rules Title 11, Chapter 43, Section 6(e)(1)(A)(B)(C).

The applicant seeks the variance in relation to construction of a new sewer line which will replace a badly deteriorated 57 year old sewer line on Kinau St., between Pensacola St., and Makiki St., and on Makiki St., between Kinau St. and Lunalilo St.

Written comments and requests for information or inspection of the variance application and related documents should be directed to:

Staff Services Office
Environmental Protection and
Health Services Division
Department of Health
1250 Punchbowl Street
Honolulu, Hawaii 96813
Telephone: 548-6455.

Deadline for comments:
November 29, 1985.

OEOC WILL BE MOVING IN DECEMBER

This is to notify you that OEOC will be moving from its present location on Halekauwila Street to 465 S. King Street, Kekuanaoa Building, #115. The move is tentatively scheduled for December 26, 1985.

We would like to ask applicants and agencies to assist us by submitting any documents for publication in the December 23, 1985 OEOC Bulletin before the deadline dates which are December 16 for negative declarations and preparation notices and December 20 for draft and final EISS. Your assistance is greatly appreciated.