

OEQC BULLETIN

OFFICE OF ENVIRONMENTAL QUALITY CONTROL



JOHN WAIHEE
GOVERNOR

MARVIN T. MIURA, Ph.D.
DIRECTOR

Volume VI

August 23, 1989

No. 16

REGISTER OF CHAPTER 343, HRS DOCUMENTS

All Chapter 343, HRS documents submitted for publication in the OEQC Bulletin must be addressed to the Office of Environmental Quality Control, 465 South King Street, Room 104, Honolulu, Hawaii 96813. Documents addressed otherwise will not be considered for publication.

NEGATIVE DECLARATIONS

The following are Negative Declarations or determinations made by proposing or approving agencies that certain proposed actions will not have significant effects on the environment and therefore do not require EISs (EIS Rules 11-200-11). Publication in the Bulletin of a Negative Declaration initiates a 60-day period during which litigation measures may be instituted. Copies are available at 25 cents per page upon request to the Office. Parties wishing to comment may submit written comments to the agency responsible for the determination (indicated in project title). The Office would appreciate a copy of your comments.

Dept. of Accounting and General Services for the Dept. of Education proposes to construct a single-story, concrete and masonry, six-classroom building with toilet facilities.

The project will provide the school with a much-needed facility to implement its program in accordance with the Educational Specifications.

The project site is at Pearl Ridge Elementary School in Waimalu.

The estimated cost of the proposed project is \$1,210,000.

OAHU

PEARL RIDGE ELEMENTARY SCHOOL
SIX-CLASSROOM BUILDING; Waimalu,
Oahu; State Dept. of Accounting and
General Services (TMK: 9-8-13:28)

KAILUA FIELD, CONSTRUCTION OF A
MULTI-PURPOSE RECREATION BUILDING;
Koolaupoko, Oahu; Dept. of Parks and
Recreation, City and County of Honolulu
(TMK: 4-3-56:9)

The Dept. of Parks & Recreation, City and County of Honolulu, proposes to construct a new multi-purpose recreation building in Kailua Field located in the Koolaupoko District. The park is bounded by Kainalu Drive, Kailua Road, Kailua Elementary & Intermediate Schools and the Kailua Library, Police and Fire Station complex.

The proposed one-story structure, approximately 112'x 80', will have a gross floor area of about 8,128 sq. ft.

The objective of the proposed project is to provide additional indoor recreation facilities and a meeting place for social gatherings. Major emphasis will be placed on accommodating senior citizens' activities.

Estimated cost of the proposed project is \$1,000,000.

AFTER THE FACT APPLICATION FOR A SHORELINE SETBACK VARIANCE FOR A PATIO ROOF WITHIN THE 40-FOOT SHORELINE SETBACK; Waialua, North Shore, Oahu; Far West Roofing and Home Improvement Agency/Dept. of Land Utilization, City and County of Honolulu (TMK: 6-7-14:27)

The application is for an "after the fact" approval of construction of a 10'x17' patio roof. It is built over an existing concrete slab on the ocean side of the dwelling and fronting the living/dining room. This was built for shading purposes due to the owner's skin cancer problem from sunlight.

The existing concrete slab and patio roof are entirely within the 20' shoreline setback area. Also, the existing dwelling that the patio is

~~attached to is partially within the 20' shoreline setback area.~~

The site contains a one-story, single-family detached dwelling. The subject site lies between Kaimanu Place and the shoreline. The site is located in the outskirts of Waialua, a rural area, and is not very populated.

The patio roof does not have a major impact upon the environment.

35 KUILIMA WEDDING PAVILION; Kahuku, Oahu; Kuilima Development Company/Dept. of Land Utilization, City and County of Honolulu (TMK: 5-7-1:13)

The Kuilima Wedding Pavilion is planned for a 0.25-acre site near the tip of Kuilima Point, makai of the existing Turtle Bay Hilton Hotel, at the Kuilima Resort in the Koolauloa District of Oahu.

The pavilion will consist of an 800 sq. foot structure which will be constructed makai of the existing hotel on lands at an elevation of approximately 18 feet above mean sea level.

The pavilion will be located approximately 50 feet from the shoreline. Access to the pavilion will be by walkways established from the hotel and the surrounding shoreline walkways system. A shoreline survey has been completed and is currently being processed to establish the certified shoreline in the area.

The pavilion is planned to serve local residents and visitors to the Kuilima Resort as a unique location for religious services, especially weddings, and other special event gatherings.

The estimated cost of the proposed project is \$180,000.

ROCKNE C. FREITAS SLOPING ROCK REVETMENT ENTIRELY WITHIN THE 40-FOOT SHORELINE SETBACK; Laie, Koolauloa, Oahu; Rockne C. Freitas/Dept. of Land Utilization, City and County of Honolulu (TMK: 5-5-02:45)

The applicant proposes to reconstruct a rock wall above the high water mark, subdivide the parcel and replace the residences.

The parcel of land is located on the north shore of Oahu in Laie. The Polynesian Cultural Center is diagonally across on Kam Highway, Kahuku Village is approximately three miles to the northwest.

Hurricane Iwa destroyed the original wall and resulted in the erosion of over 2,000 square feet of beach frontage.

The proposed rock wall will be engineered to better resist the destructive power of the surf by sloping the wall away from the ocean and to provide firmer foundation.

The area of the subject property is in excess of the minimum lot size for a residential lot; therefore, the lot will be subdivided into two lots of nearly equal size, both to have beach frontage as well as highway frontage.

BANYAN COVE CLUSTER; Kaneohe, Oahu; Rudolph Brilhante/Dept. of Land Utilization, City and County of Honolulu (TMK: 4-4-7:11,08,32)

The proposal is for a cluster residential housing project consisting of eight single-family, custom-designed detached homes

~~forming a small community along Kaneohe Bay Drive. Two of the homes are existing. Ground floors will be remodeled and second story floors added.~~

The proposed homes vary in size from approximately 2,500 sq. ft. to 3,400 sq. ft. in floor area. Total lot area is 80,574.72 sq ft. The project area consists of three adjacent, long and somewhat narrow parcels which were subdivided out of ten. The site is in the form of a flag which extends from Kaneohe Bay Drive makai to the shoreline.

Estimated cost of the proposed project is \$2,937,835.

HAWAII

WAIOHINU STANDPIPE FACILITY; Waiohinu, Ka'u, Hawaii; Dept. of Water Supply, County of Hawaii (TMK: 9-5-02:11)

The proposed improvements include 13,500 sq. ft. of an all-weather surfaced parking area, a 750 lineal ft. 6-inch pipeline extension from the Mamalahoa Highway to the project site along Kaulia Road, a fire hydrant, four large water connection outlets for commercial haulers, and possibly ten smaller water connection outlets for household water haulers. The site will be graded (approximately 1.2 acres) and all excess material will be removed from the site.

Usage from this system is approximately 320,000 gallons per day with approximately 545 on-line customers.

The project is needed to replace temporary water distribution standpipes along the Mamalahoa Highway and in the Naalehu area.

KAUAI

The estimated cost of the proposed project is \$2,237,000.

38 KAUAI VETERANS MEMORIAL HOSPITAL RENOVATION FOR ACUTE AND LONG TERM CARE; Waimea, Kauai; Dept. of Accounting and General Services, Division of Public Works (TMK: 1-2-06:35)

The project involves the construction of an approximately 10,500 sq. foot, single-story, concrete and masonry addition to the Kauai Veterans Memorial Hospital.

The project will provide the hospital with much-needed patient beds and office spaces to meet the health needs of the west side of Kauai.

The project will not create any major environmental impact. A minor impact would be the noise generated by the air-conditioning equipment. This noise will be minimized by baffle walls.

The estimated cost of the proposed project is \$2,000,000.

MAUI

39 MAUI WAENA INTERMEDIATE SCHOOL CONVENTIONAL KITCHEN/DINING ROOM; Kahului, Maui; State Dept. of Accounting and General Services, Div. of Public Works (TMK: 2nd Div., 3-8-07: Por of 2)

Applicant proposes to construct a 1-story, concrete and masonry kitchen/dining room at Maui Waena Intermediate School in Kahului, Maui.

The project will provide the school with a much-needed facility to implement its program in accordance with the Educational Specification.

40 MAUI WAENA INTERMEDIATE SCHOOL P.E. LOCKER/SHOWER FACILITY; Kahului, Maui; State Dept. of Accounting and General Services, Div. of Public Works (TMK: 2nd Div., 3-8-07: Por of 2)

Applicant proposes to construct a 1-story physical education locker/shower facility at Maui Waena Intermediate School in Kahului, Maui.

The project will provide the school with a much-needed facility to implement its program in accordance with the Educational Specifications.

The project will not create any major environmental impact.

The estimated cost of the project is \$1,772,000.

41 AMENDMENT OF THE DESIGNATION OF CERTAIN LANDS IN THE PAIA-HAIKU COMMUNITY PLAN FROM AGRICULTURAL TO RURAL, Kailua, Maui; Robert Warzecha/Maui Planning Commission, County of Maui (TMK: 2-9-12:33)

The subject property comprises approximately 1.501 acres of land in the Makawao district, situated at Kailua, Maui.

The applicant proposes to subdivide the parcel into three lots. One of the lots will continue to be utilized as the baseyard for East Maui Irrigation Company's Kailua operations.

The other two lots, for which rural classification is sought, will be 0.75 acres each. These will be sold to two of East Maui Irrigation Company's employees, who presently

reside in existing houses on each of the proposed rural lots.

HAWAII

Vehicular access to the property is by unpaved driveways leading off Hana Highway. Approximately 70% of the area is undeveloped, with Hau being the primary vegetative cover.

HONOKOHAU INDUSTRIAL PARK; North Kona, Hawaii; Robert S. McClean/State Land Use Commission (TMK: 7-4-08: 26 and 49)

Previously published August 8, 1989

The proposed Community Plan Amendment is not expected to affect potable water supplies, roadways, traffic, drainage, or sewage in the vicinity of the project area.

Contact: Robert J. Smolenski
841 Bishop Street, Suite 1717
Honolulu, Hawaii 96813

Deadline: September 6, 1989

EIS PREPARATION NOTICES

FINAL ENVIRONMENTAL IMPACT STATEMENTS

The following proposed actions have been determined to require an environmental impact statement. Anyone can be consulted in the preparation of the EIS by writing to the listed contacts. 30 days are allowed for requests to be a consulted party.

The following EISs have been submitted for acceptance and contain comments and responses made during the review and response period.

OAHU

OAHU

AQUACULTURE RESEARCH AND TRAINING FACILITY, MAKAPUU POINT; Koolaupoko, Oahu; Oceanic Institute/State Dept. of Land and Natural Resources and Dept. of Land Utilization, City and County of Honolulu (TMK: 4-1-14:04)

WINDWARD OAHU REGIONAL WATER SYSTEM IMPROVEMENTS, Malaekahana to Makapu'u, Oahu; Board of Water Supply, City & County of Honolulu/Governor, State of Hawaii

Previously published October 8, 1988

Previously published August 8, 1989

Status: Currently being processed by the Office of Environmental Quality Control

Contact: Ernie Dias
Makapuu Point
P.O. Box 25280
Honolulu, Hawaii

PROPOSED HONOLULU CORPORATION YARD, SAND ISLAND AND SAND ISLAND PARK EXTENSION; Primary Urban Center, Oahu; Building Dept., City and County of Honolulu/Governor, State of Hawaii (TMK: 1-5-41:130)

Previously published July 23, 1989

Deadline: September 6, 1989

Status: Currently being processed by the Office of Environmental Quality Control

ROYAL KUNIA PHASE II; Hoaeae, Ewa, Oahu
Halekua Development Corporation/Dept. of
General Planning, City and County of
Honolulu (TMK: 9-4-02: Por 01; 9-4-03:
Por 01 and 9)

Previously published July 23, 1989

Status: Currently being processed by
Dept. of General Planning,
City and County of Honolulu.

HAWAII FILM FACILITY EXPANSION, DIAMOND
HEAD; Honolulu, Oahu; State Dept. of
Accounting and General Services/Governor,
State of Hawaii (TMK: 3-1-42: Por 9, 33)

Previously published August 8, 1989

Status: Currently being processed by
the Office of Environmental
Quality Control

WAAHILA 180 AND WAAHILA 405 RESERVOIRS,
Manoa, Oahu; Board of Water Supply, City
and County of Honolulu/Governor, State of
Hawaii (TMK: 3-3-56: Por. 1 & 2)

The proposed Waahila 180 and Waahila
405 Reservoirs will be constructed on
the hillside above the University of
Hawaii Waahila Faculty Apartments on
Dole Street.

The proposed project includes the
construction of two 4.0 million
gallons concrete reservoirs, 190 feet
in diameter by 22 feet in height.

The reservoir access road and two
24-inch pipelines, one to connect the
upper reservoir to the high service
line on Dole Street, and the second
to connect to the low service line on
Waiialae Avenue are also included in
the project.

Reservoirs are used to meet fire flow
requirements, peak demands, and to
provide water during power outages.

The Board of Water Supply standard
calls for a total storage capacity of
1.5 times average daily use.
Eighty-five million gallons of
additional storage is still required,
of which the proposed 8 million
gallons of storage will help to
alleviate this shortage.

Status: Currently being processed by
the Office of Environmental
Quality Control.

HAWAII

HAWAII COMMODITIES IRRADIATION FACILITY,
Dept. of Business and Economic
Development/Governor, State of Hawaii

Previously published December 23, 1988

Status: Currently being processed by
the Office of Environmental
Quality Control

POHOIKI GEOTHERMAL TRANSMISSION LINE;
Puna, Hawaii; Hawaii Electric Light
Company, Inc./State Dept. of Land and
Natural Resources (TMK: 1-3-9:3, 4;1-4-1:
2,4,17,65,66,78,79;1-4-3:8,11;1-5-1:13;1-5-
8:6,7;1-5-9:5-7,9,17,23-261-5-10:3;1-5-117:
14,15;1-6-1:15,16;1-6-3:3,4,22,67,68,80)

Previously published August 8, 1989

Status: Currently being processed by
State Dept. of Land and Natural
Resources

WAILUKU RIVER HYDROELECTRIC PROJECT:
South Hilo, Hawaii; Kahala Energy
Development Corp./State Dept. of Land &
Natural Resources (TMK:2-6-18;2-5-8;2-5-9)

The Wailuku River Hydroelectric Power Company, Inc., a wholly owned subsidiary of Kahala Energy Development Corporation, both Hawaii corporations, proposes to build a 10-megawatt hydropower plant along with appurtenant structures on the Wailuku River, utilizing waters from the Wailuku River and Kalohehewa Stream.

The proposed project site is located on the eastern coast of the island of Hawaii, approximately 2.5 miles west of the town of Hilo. The project area lies between elevations of 1,000 feet and 2,000 feet within the Hilo Forest Reserve and the Hilo Closed Watershed on lands owned by the State of Hawaii. The principal waterways to be used are the Wailuku River and Kalohehewa Stream.

The proposed project consists of three diversion structures, a powerhouse, penstocks, access roads, and a transmission line. The total project boundary area covers 52 acres.

Two of the diversion structures will be located on branches of the Kalohehewa Stream and one on the Wailuku River. The elevation of the planned diversion structures is 1940 feet above mean sea level. This is a change from plans previously submitted in the CDUA and NOP which places the diversion structures at

elevation 1545 feet. The combined flows from the Kalohehewa and the Wailuku will be transmitted via penstock to a power plant located on the right bank of the Wailuku River at elevation 1040 feet.

Status: Currently being processed by State Dept. of Land and Natural Resources.

NOTICE:

When submitting an Environmental Assessment or a Negative Declaration be certain that it provides all the information required by the Rules Section 11-200-10 or it will be returned without any publication in the OEQC Bulletin. Also, the attached summary Form #89-01 is required. The contents as stated in the Rules are as follows:

- (1) Identification of applicant or proposing agency;
- (2) Identification of approving agency, if applicable;
- (3) Identification of agencies consulted in making assessment;
- (4) General description of the action's technical, economic, social, and environmental characteristics;
- (5) Summary description of the affected environment, including suitable and adequate location and site maps;
- (6) Identification and summary of major impacts and alternatives considered, if any;
- (7) Proposed mitigation measures, if any;
- (8) Determination;
- (9) Findings and reasons supporting determination; and
- (10) Agencies to be consulted in the preparation of the EIS, if applicable.

NOTICE OF INTEREST

List C of Pesticide Active Ingredients Released. On July 24, the United States Environmental Protection Agency (EPA) announced that it published List C of pesticide active ingredients. The announcement is required by the 1988 Amendments of the Federal Insecticide Rodenticide and Fungicide Act (FIFRA). List C includes 150 active ingredients and is the third in a series of four such lists required.

Active ingredients included were selected on the basis of the following criteria: those used in food and feed; those resulting in residues of potential toxicological concern in potable groundwater, edible fish or shellfish; those determined to have significant outstanding data requirements, and those having to use sites where worker exposure is most likely to occur, for instance, greenhouses and nurseries.

The re-registration is a six-phase process for more than 600 active ingredients. Phase 1 will be the listing of all pesticide-active ingredients subject to re-registration. In Phase 2, the registrants of lists B,C and D must indicate whether or not they intend to re-register their active ingredients, submit necessary data to evaluation of the ingredients and identify and fill any data gaps. Phase 3 calls for submission of any and all previous studies. Phase 4 is assessment of the data from phases 2 and 3 to see whether or not more data is required, and phase 5 is the final evaluation.

The final list, list D, which will consist of all remaining active ingredients is scheduled for release October 24, 1989.

Available Technical Assistance to Communities on Solid Waste Management.

On August 1, 1989, EPA began a program to provide technical assistance to states and local governments on developing recycling and other solid waste management programs by funding expansions of two currently existing, privately-operated, technical assistance programs.

The Agency is providing \$76,000 to the Governmental Refuse Collection and Disposal Association (GRCD) in Silver Spring, MD to team with the National Recycling Coalition in Lincoln, NE to provide assistance.

The Coalition will assist primarily on recycling programs; GRCD will assist in the planning and implementation of solid waste programs in waste reduction, recycling, composting, incineration and landfilling.

Anyone who is willing to participate and contribute in the solid waste area should contact: (800)456-5886 or (301)585-2899.

Contact: Joe Powers (703) 557-7372.

PUBLIC NOTICE

Pursuant to Section 13-222-12, Hawaii Administrative Rules
entitled "Shoreline Certification"

Date: August 23, 1989 Number: 89-16

NOTICE OF APPLICATION: Application available for inspection at
District Land Offices on the islands of Kauai, Hawaii and Maui and at
Room 220, Kalanimoku Building, 1151 Punchbowl Street, Honolulu, Oahu

LOCATION	APPLICANT	TAX MAP KEY	DATE RECEIVED
1) <u>Lot 15 of Land</u> <u>Court Application</u> <u>1596 at Wailupe</u> (Honolulu, Oahu)	H. Au & Associates Inc. for Ross Rastegar	3-6-01:15	August 2, 1989
2) <u>Parcel 2 & Lot 13B</u> <u>of the Subdivision</u> <u>of Grant 4938 to</u> <u>Bernard R. Banning</u> (Keeaulau, Kaneohe, Koolaupoko, Oahu)	Sam O. Hirota, Inc. for Paul Yim	4-4-37:3 & 4	August 3, 1989
3) <u>Lots 18 and 190B</u> <u>of Land Court</u> <u>Application 1100</u> <u>at Lilipuna Road</u> (Kaneohe, Koolaupoko, Oahu)	Walter P. Thompson, Inc. for Steven Sawyer	4-6-01:8	August 9, 1989
4) <u>Lot 49A, Land</u> <u>Court Consolidation</u> <u>23 (Kaipapau,</u> Koolauloa, Oahu)	Walter P. Thompson, Inc. for James R. Thompson	5-4-11:27	August 9, 1989
5) <u>Lot 308, Map 7,</u> <u>Land Court</u> <u>Application 1052</u> (Makaha, Waianae, Oahu)	A. E. Minvielle Jr. for Kenneth and Irene Gormley	8-4-10:6	August 9, 1989
6) <u>61-555 Pohakuloa</u> <u>Way (Kawaiiloa,</u> Waialua, Oahu)	Walter P. Thompson, Inc. for Dr. Carl Hodel	6-1-09:16	August 9, 1989

.....
Comments on application may be made in writing to the State Land Surveyor
at Room 210, Kalanimoku Building, 1151 Punchbowl Street, Honolulu, Oahu
within fourteen (14) days of this notice.

Department of Land and Natural Resources
1151 Punchbowl Street, Room 220
Honolulu, Hawaii 96813
Tel. 548-6460

PUBLIC NOTICE

Pursuant to Section 13-222-12, Hawaii Administrative Rules
entitled "Shoreline Certification"

Date: August 23, 1989 Number: 89-16

NOTICE OF APPLICATION: Application available for inspection at
District Land Offices on the islands of Kauai, Hawaii and Maui and at
Room 220, Kalanimoku Building, 1151 Punchbowl Street, Honolulu, Oahu

LOCATION	APPLICANT	TAX MAP KEY	DATE RECEIVED
7) <u>67-007 Kaimanu Place</u> (Kamananui, Waialua, Oahu)	DJNS Surveying & Mapping, Inc. for John and Kathleen Dracup	6-7-14:29	August 14, 1989
8) <u>49-791 Kam Highway</u> (Laie, Koolauloa, Oahu)	DJNS Surveying & Mapping, Inc. for Antonio and Patricia Carini	5-5-03:37	August 14, 1989
9) <u>Lot 44B-2-A Smith Subdivision, Por. of Royal Patent 1663, Land Commission Award 5524 to L. Konia 4869 Lower Honoapiilani Road</u> (Alaeloa, Kaanapali, Lahaina, Maui)	R. T. Tanaka Engineers, Inc. for Uwe Schulz and Pamela Schulz	4-3-15:02	August 8, 1989

Comments on application may be made in writing to the State Land Surveyor at Room 210, Kalanimoku Building, 1151 Punchbowl Street, Honolulu, Oahu within fourteen (14) days of this notice.

Department of Land and Natural Resources
1151 Punchbowl Street, Room 220
Honolulu, Hawaii 96813
Tel. 548-6460

PUBLIC NOTICE

Pursuant to Section 13-222-12, Hawaii Administrative Rules
entitled "Shoreline Certification"

Date: August 23, 1989 Number: 89-16

NOTICE OF APPLICATION: Application available for inspection at District
Land Offices on the islands of Kauai, Hawaii and Maui and at Room 220,
Kalanimoku Building, 1151 Punchbowl Street, Honolulu, Oahu

NOTICE OF SHORELINE CERTIFICATION OR REJECTION

LOCATION	APPLICANT	TAX MAP KEY	DATE CERTIFIED (C) OR REJECTED (R)
1) <u>Lot 17, Por. of Royal Patent 3596, Land Commission Award 10,613 Apana 6 to Abner Paki (Haena, Halelea, Kauai)</u>	Esaki Surveying and Mapping, Inc. for John Carothers	5-9-02:34	August 22, 1989 (C)
2) <u>55-485 Kam Highway (Laie, Koolauloa, Oahu)</u>	PAREN, Inc. for James Shingle	5-5-02:46	August 8, 1989 (C)
3) <u>Lot 6, Nani O' Kalihi-Kai, Por. of Land Commission Award 11,215, Apana 3 to Keliiahonui</u>	Esaki Surveying and Mapping, Inc. for Tetsuo Yamada	5-3-04:37	August 8, 1989 (C)
4) <u>Lot 462 of Land Court Application 1804, Por. of Grant 548 to J. Y. Kanehoa (Paeahu, Honuaula, Maui)</u>	A & B Properties, Inc. for TSA International Ltd.	2-1-08:91	August 8, 1989 (C)

.....
APPEAL may be made to the Department of Land and Natural Resources in
writing within twenty (20) days of the date of this notice:

Department of Land and Natural Resources
1151 Punchbowl Street, Room 220
Honolulu, Hawaii 96813
Tel. 548-6460

PUBLIC NOTICE

Pursuant to Section 13-222-12, Hawaii Administrative Rules
entitled "Shoreline Certification"

Date: AUGUST 23, 1989 Number: 89-16

NOTICE OF APPLICATION: Application available for inspection at District
Land Offices on the islands of Kauai, Hawaii and Maui and at Room 220,
Kalanimoku Building, 1151 Punchbowl Street, Honolulu, Oahu

NOTICE OF SHORELINE CERTIFICATION OR REJECTION

<u>LOCATION</u>	<u>APPLICANT</u>	<u>TAX MAP KEY</u>	<u>DATE CERTIFIED (C) OR REJECTED (R)</u>
5) <u>Lot 1-B-1, Bechert Est. Subdivision, Por. of Grant 1166 to D. Baldwin, J. F. Pogue and S. E. Bishop at Kahanui (Kahananui, Kaanapali, Maui)</u>	R. T. Tanaka Engineers, Inc. for Theodore H. Symth	4-3-10:7	August 8, 1989 (C)
6) <u>Por. of Parcel 1 (State of Hawaii Beach Reserve) at Kamole (Kamaole, Kihei, Maui)</u>	R. T. Tanaka Engineers, Inc. for State of Hawaii	3-9-04:por. 1	August 8, 1989 (C)
7) <u>Lot 17, Por. of Royal Patent 3596, Land Commission Award 10,613, Apana 6 to Abner Paki (Haena, Halelea, Kauai)</u>	Esaki, Surveying & Mapping, Inc. for John Carothers	5-9-02:34	August 22, 1989 (C)
8) <u>Lot 4193, Land Court Application 1069 (Honouliuli, Ewa, Oahu)</u>	Towill, Shigeoka & Associates, Inc. for Trustees under the Will and Estate of James Campbell	9-1-26:28	August 15, 1989 (C)

.....
APPEAL may be made to the Department of Land and Natural Resources in
writing within twenty (20) days of the date of this notice:

Department of Land and Natural Resources
1151 Punchbowl Street, Room 220
Honolulu, Hawaii 96813
Tel. 548-6460

PUBLIC NOTICE

Pursuant to Section 13-222-12, Hawaii Administrative Rules
entitled "Shoreline Certification"

Date: August 23, 1989 Number: 89-16

NOTICE OF APPLICATION: Application available for inspection at District
Land Offices on the islands of Kauai, Hawaii and Maui and at Room 220,
Kalanimoku Building, 1151 Punchbowl Street, Honolulu, Oahu

NOTICE OF SHORELINE CERTIFICATION OR REJECTION

<u>LOCATION</u>	<u>APPLICANT</u>	<u>TAX MAP KEY</u>	<u>DATE CERTIFIED (C) OR REJECTED (R)</u>
9) Lot 33 and 34 of Makena Beach Lots (Keahou, Honuaula, Makawao, Maui)	Austin, Tsutsumi & Associates, Inc. for Paul and Patricia Buehner	2-1-12:7 & 8	August 21, 1989 (C)

APPEAL may be made to the Department of Land and Natural Resources in
writing within twenty (20) days of the date of this notice:

Department of Land and Natural Resources
1151 Punchbowl Street, Room 220
Honolulu, Hawaii 96813
Tel. 548-6460