

The Environmental Notice

A SEMI-MONTHLY BULLETIN OF THE OFFICE OF ENVIRONMENTAL QUALITY CONTROL

JUNE 8, 2001

City Needs More Room for Trash

The City is seeking to expand the Waimanalo Gulch landfill which is located in Kahe Valley in Leeward O'ahu by 60.5 acres to provide additional landfill space for the disposal of over 1,400 tons of solid waste accepted daily at the site.

In the original planning and design of the landfill, the 86.5 acre facility was initially forecasted to receive and process solid waste until the year 2004 or until the capacity of the facility was exhausted. The current landfill area is at 80 percent of

capacity, with anticipated exhaustion of space as early as 2002.

A prior Draft Supplemental EIS was published for the project in May 2000. Based on comments received, the City determined that a Revised Draft SEIS be made available for public review and comment. This Revised Draft Supplemental Environmental Impact Statement addresses the potential for environmental impacts associated with expansion of the existing landfill footprint. See page 6.



BENJAMIN J. CAYETANO
GOVERNOR

**OFFICE OF
ENVIRONMENTAL
QUALITY CONTROL**
GENEVIEVE SALMONSON
DIRECTOR

The Environmental Notice
reviews the environmental impacts of
projects proposed in Hawaii

Other Resources
available at OEQC . . .

- *Guidebook for Hawai'i's Environmental Review Process*
- *Environmental Impact Study Resource Library*
- *Environmental Council Annual Reports*
- *Rules and Policies*
- *"How to Plant a Native Hawaiian Garden"*

OEQC

235 S. BERETANIA STREET
LEIOPAPA A KAMEHAMEHA
SUITE 702
HONOLULU, HAWAII 96813

Telephone (808) 586-4185
Facsimile (808) 586-4186

Molokai & Lanai: 1-800-468-4644 ext.64185
Kauai: 274-3141 ext. 64185
Maui: 984-2400 ext. 64185
Hawaii: 974-4000 ext. 64185

Hawai'i's Solid Waste Recycling Rate Far Short of Target

It was the goal of the state to reduce the solid waste stream prior to disposal by 50% by January 1, 2000. Recent data show that we are only halfway to meeting our goal. For more details, download the Environmental Council's annual report at <http://www.state.hi.us/health/oeqc/notice/anrpt00.pdf>.

Wai'alaie Golf Course FONSI

On May 11th of this year the City & County Department of Planning & Permitting issued a FONSI for the Wai'alaie Golf Course Improvements final environmental assessment. The draft EA, submitted in July 2000, proposed the addition of driving range safety nets atop 60-foot poles, a paved cart path within the shoreline setback and a maintenance gate opening onto Waiholo Street.

The proposed 12-foot wide, quarter mile long "maintenance path," also exiting onto Waiholo Street, has been eliminated. The project must also receive a major SMA permit and a height variance for the poles. See page 6 for more details.

Kapalama Development

The State Department of Accounting and General Services proposes to develop facilities in Kapalama for the Department of Agriculture and for a Food Distribution Center. The proposed site is the former Kapalama Military Reservation.

The DOA and Produce Center Development, Ltd. (PCDL) currently have facilities in the Kakaako area. They need to relocate to allow the re-development of the Kakaako area to proceed. The DOA has selected the former Kapalama Military Reservation site for their new facilities. The relocation of the PCDL to Kapalama is anticipated but not a requirement for the development of the DOA's facilities. If the PCDL does not relocate to Kapalama, the State's alternative would be to assign the site to other similar businesses or to businesses that are compatible to the existing site uses, or for waterfront industrial uses with similar infrastructure requirements.

The former KMR site has a total of about 32 acres. The proposed development will occupy about 14 of those acres. The former KMR site is in the vicinity of the Honolulu Harbor and is bounded by Auiki Street and Sand Island Access Road.

Definitions

Your guide to the Environmental Review Process

Draft Environmental Assessment

A project or action that may affect the environment cannot be implemented until an Environmental Assessment (EA) is prepared in accordance with HRS §343. If the lead government agency anticipates that the project will have no significant environmental impact, then a Draft EA is written and public notice is published in this bulletin. The public has 30 days to comment on the Draft EA from the date of the first notice.

Final Environmental Assessment and FONSI (Negative Declaration)

If, after the lead agency reviews the public comments, it feels that the project will have no significant effect on the environment, then it will prepare a Final EA and issue a Finding of No Significant Impact (FONSI) formerly called a *Negative Declaration*. The Final EA must respond to all public comments. An Environmental Impact Statement will not be required and the project may now be implemented. The public has 30 days from the first notice of a FONSI in this Bulletin to sue in court to require the preparation of an EIS.

EIS Prep Notice

If the lead agency decides that a project may have a significant environmental impact, it must prepare an Environmental Impact Statement (EIS) prior to implementing the project. The first step in preparing an EIS is publishing an EIS Preparation Notice (Prep Notice) in this Bulletin. Agencies, groups or individuals have 30 days from the first publication of an EIS Prep Notice to request to become a consulted party and to make written comments regarding the environmental effects of the proposed action. The draft EIS must respond to these comments.

Draft EIS

If a project is likely to have a significant environmental impact, the lead agency or private applicant must prepare a

Draft Environmental Impact Statement (Draft EIS) prior to project implementation. This document must completely disclose the likely impacts of a project. Secondary and cumulative impacts must be discussed along with measures proposed to mitigate them. The public has 45 days from the first publication date in this Bulletin to comment on a Draft EIS.

Final EIS

After considering public comments filed during the Draft EIS stage, the agency or applicant must prepare a Final Environmental Impact Statement (Final EIS). The Final EIS must respond to all comments from the draft stage. If deeper analysis was required, it must be included in this document. If the project is from a private applicant, the lead agency is authorized to accept the FEIS. If the project is public, the Governor or Mayor is the accepting authority. Only after the EIS is accepted, may the project be implemented.

EIS Acceptance Notice

If the accepting authority accepts a Final Environmental Impact Statement, a separate EIS Acceptance Notice will be published in this Bulletin. The public has 60 days from the date of first notice of acceptance to sue in court to challenge the acceptance of an EIS.

NEPA

National Environmental Policy Act (NEPA) is the law that requires federal projects to prepare an EIS. It is similar to Hawaii's law. Some projects require both a state and federal EIS and the public comment procedure should be coordinated. Although not required by law, the OEQC publishes NEPA notices in this Bulletin to help keep the public informed of important actions.

Special Management Area Permits

The Special Management Area (SMA) is along the coastlines of all our islands. Most development in this area requires a Special Management Permit (SMP). The Counties regulate development

of this area. On Oahu, the County law requires an EA be prepared to accompany a permit application. This Bulletin posts notice of these SMP applications to encourage public input.

Shoreline Certifications

State law requires that Hawaii shorelines be surveyed and certified when necessary to clearly establish the regulatory building setback (usually 40 feet inland from the shoreline). The public may participate in the process to help assure accurate regulatory boundaries. Private land owners often petition to have their shoreline certified prior to construction. This Bulletin publishes notice of both shoreline certification applications and of final certifications or rejections.

Environmental Council

The Environmental Council is a fifteen-member citizen board appointed by the Governor to advise the State on environmental concerns. The council makes the rules that govern the Environmental Impact Statement process. The agendas of their regular meetings are published in this Bulletin and the public is invited to attend.

Exemption Lists

Government agencies must keep a list describing the minor activities they regularly perform that are declared exempt from the environmental review process. These lists are reviewed and approved by the Environmental Council. This Bulletin will publish an agency's draft exemption list for public comment prior to Council decision making.

Conservation District Permits

Use of land in the State Conservation District requires a Conservation District Use Application (CDUA). These applications are reviewed and approved by the Board of Land and Natural Resources (BLNR). Members of the public may intervene in the permit process. Notice of these permit applications is published in this Bulletin.

Table of Contents

JUNE 8, 2001

O'ahu Notices

Draft Environmental Assessments

- (1) Banzai Rock Beach Support Park Skateboard Facility, Sunset Beach 4
- (2) Kapalama Facilities for Department of Agriculture and Food Distribution Center 4
- (3) Mililani Mauka II Elementary School 5

Final Environmental Assessments/Findings of No Significant Impacts (FONSI)

- (4) Wai'alaie Country Club Golf Course Improvements 6

Draft Environmental Impact Statements

- (5) Waimanalo Gulch Sanitary Landfill Expansion (Revised Supplemental) 6

National Environmental Policy Act

- (6) Renovation of Quads B, C, D, E and F at Schofield Barracks Military Reservation for the Whole Barracks Renewal Program (Supplemental EA and FONSI) 7

Maui Notices

Final Environmental Assessments/Findings of No Significant Impacts (FONSI)

- (1) Waiolani 'Elua Subdivision 9

Hawai'i Notices

Draft Environmental Assessments

- (1) Humu'ula Koa Salvage-Reforestation and Gorse Control 11

Final Environmental Assessments/Findings of No Significant Impacts (FONSI)

- (2) Kealakehe WW Treatment Plant Effluent Reuse Master Plan 12

Kaua'i Notices

Final Environmental Assessments/Findings of No Significant Impacts (FONSI)

- (1) Lydgate Park Bike Trail Project 13

Final Environmental Impact Statements

- (2) North Pacific Acoustic Laboratory 13

Federal Notices

- Beaches Environmental Assessment and Coastal Health Act 14
- Endangered Species Application 14
- Maui Home and Highway Nominated to the National Register of Historic Places 14

Withdrawal

- Bonn Lot Consolidation & Single Family Residence 14

Shoreline Notices

- Shoreline Certification Applications 15
- Shoreline Certifications and Rejections 16

Conservation District Notices

- Renovations and Additions to a single family residence 17
- Construction of a Residential Garage 17

Environmental Council Notices

- Environmental Council Meetings 17

Coastal Zone News

- (1) Install Sewer Force Main, Ford Island to Pearl Harbor Naval Station, O'ahu 18
- (2) Rehabilitation of the Kahului Harbor East Revetment, Maui 18
- (3) TGN Hawaii Fiber Optic Cable System Landings at Wai'anae, O'ahu 18

Pollution Control Permits

- Department of Health Permits 19



OEQC intends to make the information in this bulletin accessible to everyone. Individuals that require this material in a different format (such as large type or braille), should contact our office for assistance.

O'ahu Notices

JUNE 8, 2001

Draft Environmental Assessments



(1) Banzai Rock Beach Support Park Skateboard Facility, Sunset Beach

District: Ko'olauloa
TMK: 5-9-05:15
Applicant: City and County of Honolulu
Department of Design and Construction
650 South King Street
Honolulu, Hawai'i 96813
Contact: Mike Sakamoto (527-6323)

Approving Agency/Accepting

Authority: Same as above.
Consultant: Gerald Park Urban Planner
1400 Rycroft Street, Suite 876
Honolulu, Hawai'i 96814
Contact: Gerald Park (942-7484)


Public Comment

Deadline: July 9, 2001
Status: DEA First Notice pending public comment.
Address comments to the applicant with copies to the consultant and OEQC.

Permits Required: SMA; grubbing, grading & stockpiling;
Building; Excavate Public Right-of-Way;
Water and Water System Requirements;
Variance From Pollution Controls; NPDES

The Department of Design and Construction, City and County of Honolulu, proposes to develop a skateboard facility on an existing municipal park site in the 'ahupua'a of Paumalu, North Shore District, City and County of Honolulu, State of Hawai'i.

The proposed facility is a rectangular shaped urban course to be constructed on the upper half of the lot. The course is approximately 8,400 square feet in area. The facility consists of a combination of concrete banks, curved walls, ledges and obstacles designed specifically for skateboarding. The skateboard facility will be built out of poured in place concrete. The course will vary approximately 6-7 feet from the top to the lowest point. There are no plans to either fence the skateboard facility and the park site or to light the facility for night use at this time. Operating hours have not been determined but park hours will be similar to operating hours for other municipal parks.



The cost of the park improvements is estimated at \$600,000 dollars and will be funded by the City and County of Honolulu. Construction will commence after all necessary permits and approvals are received.



(2) Kapalama Facilities for Department of Agriculture and Food Distribution Center

District: Honolulu
TMK: 1-2-25: 11
Applicant: Department of Accounting and General Services
1151 Punchbowl Street, Room 430
Honolulu, Hawai'i 96813
Contact: Brian Isa (586-0484)

Approving Agency/Accepting

Authority: Same as above.
Consultant: R.M. Towill Corporation
420 Waiakamilo Road, Suite 411
Honolulu, Hawai'i 96817-4941
Contact: Chester Koga (842-1133)

Public Comment

Deadline: July 9, 2001
Status: DEA First Notice pending public comment.
Address comments to the applicant with copies to the consultant and OEQC.

Permits Required: NPDES, building, sewer connection, demolition

The State Department of Accounting and General Services (DAGS) proposes to develop facilities in Kapalama for the Department of Agriculture (DOA) and for a Food Distribution Center. The proposed site is the former Kapalama Military Reservation (KMR).

The DOA and Produce Center Development, Ltd. (PCDL) currently has facilities in the Kaka'ako area. They need to relocate out of Kaka'ako to allow the re-development of the area to proceed. The DOA has selected the former Kapalama Military Reservation (KMR) site as the site for their new facilities. The relocation of the PCDL to Kapalama is anticipated but not a requirement for the development of the DOA's facilities. If the PCDL does not relocate to the FDC, the State's alternative would be to assign the site for other similar type of businesses or to businesses that are compatible to the existing site users, or for waterfront industrial users with similar infrastructure requirements.

The former KMR site has a total of about 32 acres. The proposed development will occupy about 14 of those acres. The former KMR site is in the vicinity of the Honolulu Harbor and is bounded by Auiki Street and Sand Island Access Road.

The former KMR site is State owned and currently occupied by tenants who have work related to the maritime industry. The tenants have permits issued by the Department of Transportation - Harbors Division (DOT-HD) and the permits are renewed month to month. The DOT-HD has provided assistance to the tenants by identifying alternative DOT-HD controlled sites for re-location.

The DOA's site will be about 4 acres in size and house the DOA's Measurement Standards Branch, Quality Assurance Division and Plant Quarantine Branch. The DOA's site will have 2 main structures, a parking area, landscaping, and support buildings. Vehicle access to the site will be from Auiki Street. The 2 existing warehouse facilities will be demolished before construction is started. Prior to demolition, hazardous materials will be removed and disposed. The total cost to develop the DOA facilities is estimated to be \$13,800,000.

The FDC site is about 10 acres in size and has 3 existing warehouses which may be rehabilitated or if determined that it not feasible, the buildings may be demolished and reconstructed. Vehicle access to the site will be from Auiki Street. The total cost to develop the FDC facilities is estimated to be \$2,000,000.

The site is not in the SMA.



(3) Mililani Mauka II Elementary School

District: 'Ewa
TMK: 9-5-002:001
Applicant: Department of Accounting and General Services
1151 Punchbowl Street, Room 430
Honolulu, Hawai'i 96813
Contact: Ralph Morita (586-0486)

Approving Agency/Accepting

Authority: Same as above.
Consultant: Pacific Architects, Inc.
2020 South King Street
Honolulu, Hawai'i 96826
Contact: Clifford Murakami (949-1601)

Public Comment

Deadline: July 9, 2001
Status: DEA First Notice pending public comment.
Address comments to the applicant with copies to the consultant and OEQC.

Permits

Required: Grading, Building

The State of Hawai'i Department of Accounting and General Services for the Department of Education proposes to construct Mililani Mauka II Elementary School. The proposed school will be situated on 12 acres of private property in Mililani Mauka, that will be subdivided and deeded to the State of Hawai'i. The property is bound by Meheula Parkway to the North, Kuaoa Road on the West, Lehiwa Drive on the East and a new residential development on the South.

The proposed school will serve the upper Mililani Mauka residential developments planned and under construction, and will also relieve the current over-crowding at the existing Mililani Mauka Elementary School. The school will serve pre-kindergarten to fifth grade levels and have a design enrollment of 650 students with the ability to go to a year-round multi-track program that would increase the capacity to 866 students.

The proposed school development will include parking for approximately 70 staff and visitors; and Administration/CSSS Building; a Cafetorium with a convention kitchen; a Library/Media Center/Computer Resource Center Building; two (2) Classroom buildings; a Covered Playcourt; a Mechanical/Electrical Building; and recreational playgrounds. Also planned for the campus are identified sites for three (3)

O'ahu Notices

JUNE 8, 2001

future portable classrooms and a six (6) classroom building. The campus further has a prominent multi-purpose courtyard that serves fire protection maneuvering requirements, additional recreational area, and an assembly area for outdoor programs and activities.

Final Environmental Assessments/Findings of No Significant Impacts (FONSI)



(4) Wai'alaie Country Club Golf Course Improvements

District: Honolulu
TMK: 3-5-23:portion 1
Applicant: Wai'alaie Country Club
4997 Kahala Avenue
Honolulu, Hawai'i 96816
Contact: Allen Lum (734-2151)

Approving Agency/Accepting Authority: City and County of Honolulu
Department of Planning and Permitting
650 South King Street
Honolulu, Hawai'i 96813
Contact: Steve Tagawa (523-4817)

Consultant: Kauahikaua & Chun Architects
567 South King Street, Suite 108
Honolulu, Hawai'i 96813
Contact: Dwight Kauahikaua (526-2283)

Status: FEA/FONSI issued, project may proceed.

Permits Required: SMA, SSV, LUO height variance

The applicant proposes various safety and operational modifications to the existing Wai'alaie Country Club Golf Course. The proposed improvements include: 1) modifications to the existing driving range with the relocation and addition of taller safety nets mounted on 60-foot high poles; 2) the construction of a paved cart path within the 40-foot shoreline setback along the fairway/hole No. 8; and 3) installation of a maintenance gate near hole No. 3, at Waiholo Street. The applicant has dropped their earlier proposal to construct a 1,280 foot long 12-foot wide maintenance path along fairway/hole No. 9, exiting at Waiholo Street.

At the driving range, target greens would be added, some trees would be removed and relocated. Safety netting would be hung to a total of forty (maximum) 60-foot high poles, installed at 50-foot intervals along 680 feet of the range (on both sides). An additional 5 poles would be installed around the existing employee parking lot. The metal poles will be 2-feet in diameter (untapered), and installed at a depth of 12 feet below the existing grade. The fairway bunkers on the left side of hole No. 18 would be modified to allow the installation of the new safety netting. According to the applicant, the driving range improvements are necessary to address existing safety concerns which are exacerbated during professional tournaments, such as the Sony Open.

The proposed 8-foot wide concrete cart path will be 1,100 feet long, with approximately 640 feet located within the 40-foot shoreline setback. The path will cross Wai'anui Stream, over an existing nonconforming concrete bridge located within the 40-foot shoreline setback. Pursuant to Chapter 23, Revised Ordinances of Honolulu (ROH), the construction of the cart path is prohibited within 40 feet of the certified shoreline (as determined by the State of Hawai'i) without first obtaining a Shoreline Setback Variance.

Pursuant to Chapter 25, ROH, the proposed improvements, which are estimated to cost approximately \$351,000, require the approval of a Major Special Management Area (SMA) Use Permit. The relocation of the driving range safety nets onto 60-foot high poles also requires the approval of a zoning variance pursuant to Land Use Ordinance Section 21-3.4-1, which limit structures to a height of 25 feet.

Draft Environmental Impact Statements



(5) Waimanalo Gulch Sanitary Landfill Expansion (Revised Supplemental)

District: 'Ewa
TMK: 9-2-03:072 and 073
Applicant: City and County of Honolulu
Department of Environmental Services
650 South King Street, 6th Floor
Honolulu, Hawai'i 96813
Contact: Wilma Namumnart (527-5378)

Approving Agency/Accepting Authority: Mayor, City and County of Honolulu

Consultant: 530 South King Street, Room 300
Honolulu, Hawai'i 96813
R.M. Towill Corporation
420 Waiakamilo Road, Suite 411
Honolulu, Hawai'i 96817
Contact: Brian Takeda (842-1133)

Public Comment

Deadline: July 23, 2001
Status: RSDEIS First Notice pending public comment. Address comments to the applicant with copies to the approving agency or accepting authority, the consultant and OEQC.

Permits

Required: SUP, CUP, NPDES

Waimanalo Gulch Sanitary Landfill is located in Waimanalo Gulch, Kahe Valley, O'ahu. The site is owned by the City and County of Honolulu and under jurisdiction of the Department of Environmental Services (ENV). The landfill is operated on behalf of ENV by Waste Management of Hawaii, Inc.

The existing property occupies approximately 200 acres. Of the 200 acres, 86.5 acres have been in use since the landfill became operational in 1989. The proposed project seeks to expand the current landfill area by a proposed 60.5 acres to provide additional landfill space for the disposal of over 1,400 tons of solid waste accepted daily at the site. The proposed project will be contained within the existing 200 acres of the site.

A prior Draft Supplemental EIS was published for the project in May 2000 in the OEQC Bulletin. Based on comments received, ENV determined that a Revised Draft SEIS be made available for public review and comment.

This Revised Draft Supplemental Environmental Impact Statement addresses the potential for environmental impacts associated with expansion of the existing landfill footprint. The purpose of this document is to inform interested parties of the proposed project and to seek public input on subject areas which should be addressed.

National Environmental Policy Act



(6) Renovation of Quads B, C, D, E and F at Schofield Barracks Military Reservation for the Whole Barracks Renewal Program (Supplemental EA and FONSI)

District: Wahiawa
Applicant: 25th Infantry Division (Light) and U.S. Army, Hawai'i
Schofield Barracks, Hawai'i 96857-5013
Contact: Peter Yuh, Jr. (656-2878 x 1051)

Public Comment

Deadline: July 9, 2001

The U.S. Army Hawai'i is proposing to renovate Quads B, C, D, E and F at Schofield Barracks Oahu, Hawai'i to comply with the Whole Barracks Renewal (WBR) Program. The Supplemental Environmental Assessment is tiered to the Final Programmatic Environmental Assessment and Finding of No Significant Impact for the U.S. Army Whole Barracks Renewal Program, O'ahu, Hawaii that was completed in July 1995 for the Department of the Army. Buildings used as barracks will be completely renovated to improve living conditions for unaccompanied enlisted soldiers. Dining facilities will be repaired and renovated. Billeting functions will be separated from unit operations and headquarters facilities to provide a higher degree of privacy, security, and comfort for the soldier. Company operations facilities with arms vaults, equipment maintenance areas, unit storage and equipment storage areas will be repaired. Intrusion detection systems (IDS) will be installed in all arms vaults.

Quads B, C, D, E and F are located within the Schofield Barracks historic District. All renovation work will be accomplished in a manner that is consistent with the preservation requirements for the district. Based on the Army's Section 106 coordination and consultation with the Hawai'i State Historic Preservation Division, the State Historic Preservation Officer has determined that the Proposed Action will have an adverse effect on the Quads. To obtain a finding of "no adverse effect," specific mitigation measures will be implemented as prior to any construction.

The review period for the SEA and FNSI closes on July 9, 2001. Copies for review can be obtained by contacting Peter Yuh, Jr. at 656-2878, extension 1051. Any comments should be sent to: Peter Yuh, Jr., NEPA Coordinator, Direc-

O'ahu Notices

JUNE 8, 2001

torate of Public Works, U.S. Army Garrison-Hawai'i,
Schofield Barracks, Hawai'i 96857-5013.

Previously Published Projects

Draft Environmental Impact Statements

Kaunala Residential Subdivision

Applicant: Kaunala Beach Estates, LLC (formerly
Commercial Investment Hawaii, LLC)
43 Ahui Street
Honolulu, Hawai'i 96813
Contact: Mrs. Randolyn Grobe (523-0955)

Approving Agency/Accepting

Authority: City and County of Honolulu
Department of Planning and Permitting
650 South King Street
Honolulu, Hawai'i 96813
Contact: Jeff Lee (527-6274)

Public Comment

Deadline: June 22, 2001

Final Environmental Impact Statements

West Mamala Bay Facilities Plan

Applicant: City and County of Honolulu
Department of Design and Construction
650 South King Street, 14th Floor
Honolulu, Hawai'i 96813
Contact: Bill Liu (523-4551)

Approving Agency/Accepting

Authority: City and County of Honolulu
Department of Planning and Permitting
650 South King Street, 7th Floor
Honolulu, Hawai'i 96813
Contact: Randall Fujiki (523-4432)

Status: FEIS currently being reviewed by the City
and County of Honolulu, Department of
Planning and Permitting.



Pearl Harbor Integrated Natural Resources Management Plan

The Pearl Harbor Integrated Natural Resources Management Plan (INRMP) is a plan for the management, conservation and rehabilitation of natural resources on Navy land at Pearl Harbor, while still supporting the installation's military mission. The document presents a plan for fish and wildlife management, land management, forestry management, and fish and wildlife-oriented recreation. The INRMP planning horizon is ten years, and will be used by installation personnel to guide and prioritize short (0 to 2 years) and mid-range (3 to 5 years) actions and projects, as well as longer term (6 to 10 years) resource conservation planning.

The INRMP is required under the federal Sikes Act Improvement Amendments (SAIA) of 1997. The Pearl Harbor Naval Complex INRMP is one of four INRMPs being prepared for Navy installations in Hawaii. The other three installations are Naval Magazine (NAVMAG) Pearl Harbor, Naval Computer and Telecommunications Area Master Station Pacific (NCTAMS PAC) and Pacific Missile Range Facility (PMRF) Barking Sands, Kauai.

The study area for the Pearl Harbor INRMP encompasses most of the Pearl Harbor Naval Complex main base, the waters of the harbor to the channel entrance and the intertidal areas of Pearl Harbor. In addition, the INRMP covers two outlying sites—the Waiawa Watershed and the Red Hill Fuel Storage area. Most of the fast lands are developed and have little remaining natural resource value.


As required by the SAIA, the Pearl Harbor INRMP is being prepared in cooperation with the U.S. Fish and Wildlife Service, National Marine Fisheries Service, and State of Hawaii Department of Land & Natural Resources. Other State agencies (Dept. of Business, Economic Development & Tourism, Department of Health) have also been contacted.

The INRMP identifies objectives and projects for implementation over the next five years. The INRMP will be reviewed annually and updated every five years.

Appropriate NEPA documentation is being prepared for the INRMP objectives.

Written public review comments may be sent to the following address by **Monday, 29 June 2001**: Pacific Division Naval Facilities Engineering Command, 258 Makalapa Drive, Suite 100, Pearl Harbor, HI 96860-3134, Attn. Mr. Stephen Smith, LN232ss.

Final Environmental Assessments/Findings of No Significant Impacts (FONSI)



(1) Waiolani 'Elua Subdivision

District: Wailuku
TMK: 3-5-4:95
Applicant: Scott Nunokawa & Haunani Lemn
P.O. Box 946
Wailuku, Hawai'i 96793
Contact: Scott Nunokawa (986-0099)

Approving Agency/Accepting Authority: County of Maui
Department of Planning
250 South High Street
Wailuku, Hawai'i 96793
Contact: Joe Alueta (270-7735)

Consultant: Munekiyo & Hiraga, Inc.
305 High Street, Suite 104
Wailuku, Hawai'i 96793
Contact: Michael Munekiyo (244-2015)

Status: FEA/FONSI issued, project may proceed.
Permits Required: District Boundary & Community Plan Amendments, Zoning change, Construction, NPDES, Grading

Applicants Scott Nunokawa and Haunani Lemn are proposing to develop a residential subdivision in Waikapu, Maui, Hawai'i. The 6.058 acre parcel is planned for subdivision of approximately 25 single-family lots, having a minimum lot size of 7,500 square feet.

The project is designed to reflect a subdivision concept integrated with the original 116-lot Waiolani Subdivision located to the immediate south. In this context, the subdivision's proposed design would reflect compatibility with the neighboring Waiolani Subdivision in terms of lot layout and product design. Access to the project would be via Pilikana Street, which provides primary access to Honoapi'ilani Highway.

The subject property is currently designated "Agricultural" by the State Land Use Commission, "Agriculture" by the Wailuku-Kahului Community Plan and County zoned "Agricultural". Therefore, the applicants are seeking a District Boundary Amendment, Community Plan Amendment and a Change in Zoning.

It is noted that the Maui County Council is currently considering the 10-year update to the 1987 Wailuku-Kahului Community Plan with the subject property being proposed for "Single Family" use under this update process. The Council's update process notwithstanding, the applicants are seeking to amend the Community Plan under a separate application process to ensure the timely consideration of their Community Plan Amendment request. Should the Council complete the 10-year update within the next few months, the separate application filed by the applicants will be withdrawn.

The start of construction for the subdivision improvements is anticipated to begin upon receipt of the subject land use approvals.

Help Wanted: Watershed Managing Coordinator

The East Maui Watershed Partnership Project is looking for a coordinator. Please call Lynnette Kinoshita at 956-3932.

Maui Notices

JUNE 8, 2001

Previously Published Projects Pending Public Comments

Draft Environmental Assessments

Ukumehame Firing Range Management Plan

Applicant: Hawai'i Army National Guard (HIARNG)
HIENG, Department of Defense
3949 Diamond Head Road,
Honolulu, Hawai'i 96816-4495
Contact: Melissa Dumaran (733-4268)

Approving Agency/Accepting

Authority: Same as above.

Public Comment

Deadline: June 22, 2001

Wailuku-Kahului Wastewater Reclamation Facility Modifications

Applicant: County of Maui
Department of Public Works and Waste
Management
200 South High Street
Wailuku, Hawai'i 96793
Contact: Dave Taylor (270-7417)

Approving Agency/Accepting

Authority: Same as above.

Public Comment

Deadline: June 22, 2001



Lana'i Notices

Previously Published Projects Pending Public Comments

Draft Environmental Assessments

Kaunalapau Harbor Breakwater Repair

Applicant: State Department of Transportation
Harbors Division
79 S. Nimitz Highway
Honolulu, Hawai'i 96813
Contact: Fred Pascua (587-1888)
and
U.S. Army Corps of Engineers
Honolulu Engineer District
Building 230
Fort Shafter, Hawai'i 96858-5440
Contact: Jim Hatashima (438-2264)

Approving Agency/Accepting

Authority: State Department of Transportation
Harbors Division
79 S. Nimitz Highway
Honolulu, Hawai'i 96813
Contact: Fred Pascua (587-1888)

Public Comment

Deadline: June 22, 2001



Draft Environmental Assessments



(1) Humu'ula Koa Salvage-Reforestation and Gorse Control

District: North Hilo
TMK: 3-8-01:02 por., 07 por., 09 por.
Applicant: Department of Hawaiian Home Lands
P.O. Box 1879
Honolulu, Hawai'i 96805
Contact: Mike McElroy (586-3823)


Approving Agency/Accepting Authority: Same as above.

Public Comment

Deadline: July 9, 2001
Status: DEA First Notice pending public comment.
Address comments to the applicant with a copy to OEQC.

Permits Required: None

The proposed project consists of two parts. (1) The koa project proposes to salvage koa (*Accacia koa*) from pasture lands and reforest the 125 acre parcel with koa. Leave trees would be selected based on their current health, diameter, and height and would remain to provide nesting, insect foraging habitat, and koa seed production onsite. The area will be fenced to control feral ungulates and the soil scarified to stimulate koa seedling growth from existing seed present in the soil. Salvage operations will be done in segments of 5 to 15 acres. (2) The gorse project proposes to plant a 250 foot wide perimeter of sugi (*Cryptomeria japonica*) trees to contain the leading edge of a gorse (*Ulex europaeus*) infestation. The perimeter totals about 320 acres. It is anticipated that sugi will shade the gorse sufficient to keep it from producing seeds. Gorse control currently consists of aerial spraying, ground spraying, and burning. Each year that sugi impedes gorse growth results in decreased herbicide use. Trial plantings of ten acres each of koa, mamane (*Sophora crysophylla*), and Douglas fir (*Pseudotsuga menziesii*) will be planted inside the perimeter to test which species can grow at the 6,000 to 7,000 foot project elevation to further abate gorse growth. Funding for the gorse project will come from the koa project.



The expected impacts of the proposed project are reforestation and improved watershed, decreased herbicide use, forest-based economic opportunities, and control gorse growth and expansion with a value-added land use.

The koa project site is located on Keanakolu Road on the northeast flank of Mauna Kea between the Keanakolu Ranger Station and the Douglas Historical Monument in Humu'ula, Hawai'i. The project is within the North Hilo district of Hawaii county. Elevation in the project area is between 5,400 and 5,800 feet. The koa project area is bordered on the south and east by the Laupahoehoe Forest Reserve and pasture lands to the north and west. The landowner is the Department of Hawaiian Home Lands. Access is provided via the Keanakolu/Mana Road.

The gorse project site is located on Keanakolu Road about two miles past the Humu'ula sheep station and near Pu'u Loa. The project is within the North Hilo district of Hawai'i county. Elevation in the project area is 6,000 to 7,000 feet. The landowner is the Department of Hawaiian Home Lands. Access is provided via the Keanakolu/Mana Road.

Hawai'i Notices

JUNE 8, 2001

Final Environmental Assessments/Findings of No Significant Impacts (FONSI)

and DOH are discussing implementing another environmentally beneficial project in lieu of the harbor project. Surveys conducted as part of the Effluent Reuse Master Plan (February 1999) identified 20 other existing and future potential sites in the North Kona area for reuse of the effluent including 12 sites which will require R-1 quality water.



(2) Kealakehe Wastewater Treatment Plant Effluent Reuse Master Plan



District: North Kona
TMK: NA
Applicant: County of Hawai'i
Department of Environmental Management
25 Aupuni Street
Hilo, Hawai'i 96720
Contact: Peter Boucher (961-8338)

Approving Agency/Accepting

Authority: Same as above.
Consultant: Wilson Okamoto & Associates, Inc.
1907 South Beretania Street, Suite 400
Honolulu, Hawai'i 96826
Contact: John Sakaguchi (946-2277)
Status: FEA/FONSI issued, project may proceed.

Permits

Required: NA

The County of Hawai'i Department of Public Works constructed the Kealakehe Wastewater Treatment Plant (WWTP) near Kailua-Kona with the intent to reuse effluent for irrigation of the proposed Kealakehe Golf Course which, due to a variety of factors, has never been constructed. As a result, since 1993, the primary method for disposal of R-2 quality effluent from the WWTP has been use of a temporary sump located in the lava fields east or mauka of Queen Ka'ahumanu Highway, about 2,000 feet northeast of the WWTP.

The County of Hawai'i and the State of Hawaii Department of Health (DOH) have agreed to develop plans to reuse the effluent from the WWTP as the primary method for effluent disposal rather than continuing use of the temporary sump. Further, in November 1997, the County and the DOH entered into a Consent Order that requires the County to expend \$175,000 toward providing R-2 water for irrigation of landscaping within Honokohau Harbor, although the County

Final Environmental Assessments/Findings of No Significant Impacts (FONSI)

(1) Lydgate Park Bike Trail Project

District: Lihu'e
TMK: 3-09-06:01 & 3-09-02:34
Applicant: County of Kaua'i
Department of Public Works
4444 Rice Street, Suite 275
Lihu'e, Hawai'i 96766
Contact: Doug Haigh (241-6650)

Approving Agency/Accepting

Authority: Same as above.
Consultant: MDG, Inc.
820 Santa Fe Drive
Denver, Colorado 80204
Contact: Sara Edi Grimes (303-571-5787)

Status: FEA/FONSI issued, project may proceed.
Permits Required: CDUA, SMA, zoning, SSV, building, historic review, Fed. 4(f) review

The Lydgate Park Trail project involves the construction of a concrete 10' wide approximately 2.4 miles long bicycle path that will surround the park and link various areas within the park. The project will also include the construction of community-build pedestrian bridge and observation area, picnic facilities, camping sites, a maintenance building, comfort station, sports fields, and parking.

The bike trail will be placed primarily in areas that have social trails or roads existing. All elements of the project will be constructed where there are no issues of slope for runoff, and where there are no endangered or threatened plants or animals. The comfort station will be placed in the location of the footprint of the golf course clubhouse, which has been torn down and the maintenance building will be constructed where there has been considerable construction and work at the sewage treatment facility located on site. The camping pads will not require excavation.



Final Environmental Impact Statements

(2) North Pacific Acoustic Laboratory

District: Offshore
TMK: N/A
Applicant: University of California San Diego
Scripps Institution of Oceanography
IGPP-0225, 9500 Gilman Drive
La Jolla, California 92093-0225
Contact: Dr. Peter Worcester (858-534-8031)

Approving Agency/Accepting

Authority: Department of Land and Natural Resources
P.O. Box 621
Honolulu, Hawai'i 96809
Contact: Traver Carroll (587-0439)
Consultant: Marine Acoustics, Inc.
809 Aquidneck Avenue
Middletown, Rhode Island 02842
Contact: Kathleen Raposa (401-847-7508)
Status: FEIS currently being review by the Department of Land and Natural Resources.

Permits Required: CDUA

Kaua'i Notices

JUNE 8, 2001

Scripps Institution of Oceanography, University of California, San Diego proposes to retain in place and reuse the power cable and sound source previously installed and used by the Acoustic Thermometry of Ocean Climate (ATOC) Project for an additional five years to carry out the North Pacific Acoustic Laboratory (NPAL) project. The source is located on the seafloor at a depth of 807 meters (2648 ft.), approximately 8 nautical miles (14.8 km) north of Kaua'i at 22°20.94'N, 159° 34.18'W.

Under the proposed action, the seabed power cable and sound source would remain in their present locations, and transmissions would continue with approximately the same signal parameters and transmission schedule used in the ATOC project in order to 1) perform the second phase of research on the feasibility and value of large-scale acoustic thermometry; 2) study the behavior of sound transmissions in the ocean over long distances; and 3) conduct studies on the possible long-term effects from the sound transmissions on marine life. At the conclusion of the five-year period, the seabed power cable, and possibly the sound source, would be abandoned in place.

The NPAL project is funded by the Office of Naval Research (ONR) and will be carried out by Scripps in conjunction with the Applied Physics Laboratory of the University of Washington.

Formerly known as the Kaua'i Acoustic Thermometry of Ocean Climate (ATOC), Phase 2.

Withdrawal



Bonn Lot Consolidation & Single Family Residence

The applicant has withdrawn its application and Environmental Assessment submitted to the Department of Land and Natural Resources for the lot consolidation and single family residence use located at Ha'ena, Kaua'i. The notice of the draft EA was published in the *April 8, 2001* issue of the Environmental Notice.

Federal Notices

Beaches Environmental Assessment and Coastal Health Act

The Beaches Environmental Assessment and Coastal Health Act amends the Clean Water Act (CWA) to reduce the risk of disease to users of the Nation's recreational waters. EPA wants coastal states and territories to apply for development grants on or before July 30, 2001. Contact Terry Fleming USEPA Region 9, 75 Hawthorne Street WTR-2, San Francisco, California 94105; telephone (415) 744-1939; facsimile (415) 744-1078; electronic mail fleming.terrence@epa.gov. Recipients are not required to provide matching funds for development grants at this time (see, 66 F.R. 29308, May 30, 2001).

Endangered Species Application

Owen T. Muramatsu, Kane'ohe, (application no. PRT-042201) seeks a permit to import the sport-hunted trophy of one male bontebok (*Damaliscus pygargus dorcas*) Send comments by June 20 to the Director, U.S. Fish and Wildlife Service, Division of Management Authority, 4401 North Fairfax Drive, Room 700, Arlington, Virginia 22203 (see, 66 F.R. 28195, May 22, 2001).

Maui Home and Highway Nominated to the National Register of Historic Places

The State Historic Preservation Officer of the Hawai'i Department of Land and Natural Resources has nominated: (1) the house of Frank and Theresa Gomes, 32 Pakani Place, Makawao (No. 01000616); and (2) the Hana Belt Road, Hana Highway (Route 360), and Pi'ilani Highway Route 31 (No. 01000615) to the National Register of Historic Places. Nominations for the above properties being considered for listing in the National Register were received by the National Park Service before May 5, 2001. Pursuant to section 60.13 of 36 CFR Part 60 written comments concerning the significance of these properties under the National Register criteria for evaluation may be forwarded to the National Register, National Park Service, 1849 C St. NW., NC400, Washington, DC 20240. Written comments should be submitted by June 1, 2001 (see, 66 F.R.27534, May 17, 2001).

Shoreline Notices

JUNE 8, 2001

Shoreline Certification Applications

Pursuant to § 13 -222-12, HAR the following shoreline certification applications are available for inspection at the DLNR District Land Offices on Kaua'i, Hawai'i and Maui and at Room 220, 1151 Punchbowl St., Honolulu, O'ahu (telephone: 587-0414). All comments shall be submitted in writing to the State Land Surveyor, 1151 Punchbowl Street, Room 210, Honolulu, Hawai'i 96813 and postmarked no later than fifteen (15) calendar days from the date of the public notice of the application.

Case No.	Date	Location	Applicant	TMK
OA-678-2	4/13/01	Lot 16-G Land Court Application 242, land situated at Ewa Beach, Oahu, Hawaii Address: 91-243 Ewa Beach Road Purpose: <u>Re-certification/Building Permit</u>	DJNS Surveying and Mapping, Inc., for Rachel Haili	9-1-23: 22
OA-751-2	5/16/01	Lot 1, File Plan 279, Niu Beach Lots, Portion of former Kalaniana'ole Highway and Accreted Land, at Niu, Waikiki, Honolulu, Oahu, Hawaii Address: 5857 Kalaniana'ole Highway Purpose: <u>Building Permit</u>	Walter P. Thompson, Inc., for Steven K. Baker	3-7-02: 01
OA-161-2	5/17/01	Lot 8 and lot 8-A of Waialae Beach Lots Portion of Royal Patent 3578, Land Commission Award 10613, Apana 3 to A. Paki, land situated at Waialae Iki, Oahu, Hawaii Address: 4945 Kalaniana'ole Highway Purpose: New Construction	DJNS Surveying and Mapping, Inc., for Sueko Inao	3-5-22: 13
MA-251	5/18/01	Being a portion of Land Patent 8129, Land Commission Award 8559-B, Apana 23 to William C. Lunalilo, at Honolua, Lahaina, Maui, Hawaii Address: Not assigned - Vacant Purpose: Determine Setback	Warren S. Unemori Engineering, Inc., for John & Susan Brennan	4-2-04: 31
OA-829	5/18/01	Being a portion of lot A, of the Panahana Subdivision, Portion of R.P 5583, Land Commission Award 2937 to W. Harbottle, at Panahana & Malae, Kaneohe, Koolaulupoko, Oahu, Hawaii Address: 285 Kaneohe Bay Drive, Kaneohe Purpose: <u>Improvements</u>	Towill, Shigeoka & Associates, Inc., for John King	4-4-07: 08 & Por. A
HA-038-2	5/18/01	Being the whole of Royal Patent 4265, Land Commission Award 9915, Apana 2 to Limahana and a Portion of Royal Patent 4475, Land Commission Award 7713, Apana 43 to V. Kamamalu, at Holualoa 1 st and 2 nd , North Kona, Hawaii Address: Not assigned - Vacant Purpose: <u>Building Permit</u>	Wes Thomas Associates, for Danny Pettit, Pettit Revocable Trust DTD	7-6-17: 40 & Por. 28
OA-830	5/18/01	Lot 1-A-13, as shown on map 40 of Land Court application 1089, land situated at Kamananui, Wailua, Island of Oahu, Hawaii Address: 67-309 Kiapoko Place, Wailua Purpose: Building Permit	Jaime Alimboyoguen, LPLS, for Kalaniana'ole-55 Limited	6-7-14: 04
MO-065	5/21/01	Part B, portion of R.P. 5458, Land Commission Award 5191 to Kahiaina, at Waialua, Molokai, Hawaii Address: Not Assigned - Vacant Purpose: <u>Construct Beach House</u>	Robert K. Sing, LPLS for Arthur K. Chu, Trust	5-7-03: 68
MA-252	5/24/01	Lot 96, as shown on map 80 of Land Court Application 1744, at Hanakaoo, Lahaina, Island of Hawaii, Hawaii Address: 60 Kai Ala Place Purpose: Determine Shoreline Setback	Tanaka Engineers, Inc., for James J. Falk II	4-4-14: 15
MA-253	5/24/01	Portion of R.P 2340, LCAw 8468, Ap 3 to Kamakaala & Lot 2 to Kualii, Sec. 2, of Hamakuapoko Hui, land situated at Makaehu, Hamakuapoko, Island of Maui, Hawaii Address: 23-B Nalu Place, Paia Purpose: Building Permit	Akamai Land Surveyors, Inc., for Robert Bonner	2-6-2: 19

Shoreline Notices

JUNE 8, 2001

Shoreline Certifications and Rejections

Pursuant to §13-222-26, HAR the following shorelines have been certified or rejected by the DLNR. A person may appeal a certification or rejection to the BLNR, 1151 Punchbowl Street, Room 220, Honolulu, Hawai'i 96813, by requesting in writing a contested case hearing no later than twenty (20) calendar days from the date of public notice of certification or rejection.

OA-287-2	5/22/01 Certified	Portion of Lualualei Beach Park, City and County of Honolulu under Executive Order 106, land situated at Lualualei, Waianae, Island of Oahu, Hawaii Address: 86-081 Farrington Highway Purpose: <u>Install New Telecommunication Lines</u>	R. M. Towill Corporation, for Tycom	8-6-01: por of 7
OA-824	5/22/01 Certified	Portion of Old Government Road Civil No. 98-2217-05 at Kaalawai, Honolulu, Island of Oahu, Hawaii Address: 22 Kaalawai Place Purpose: <u>Building Permit</u>	Walter P. Thompson, Inc., for Rajan Watumull	3-1-39: 08
OA-187-2	5/22/01 Certified	Lot 956 Land Court Application 1095, as shown on Map 104, Koolauloa, Island of Oahu, Hawaii Address: 57-477 Kamehameha Highway Purpose: <u>Construction of House</u>	DJNS Surveying and Mapping, Inc., for Cathleen Caballero,	5-7-05: 02
HA-245	5/22/01 Certified	Kapoho – Kalapana Road Portion of Grant 1940 and 1895 at Kamaili – Kaueleau and Opihikao Beach, Puna, Island of Hawaii, Hawaii Address: Kamaili - Kaueleau, and Opihikao Beach Purpose: <u>Obtain SMA Permit and CDUA Permit for Related Improvements to Kalapana Roadway</u>	ControlPoint Surveying, Inc., for County of Hawaii	1-3-2: por. 35 and 1-3-4: 10, 12, 22 & 71
HA-246	5/22/01 Certified	Grant 2164, portion of Apana 2 and Apana 3, Kamaili, Puna, Island of Hawaii, Hawaii Address: Seaward along Kalapana Road Purpose: <u>Kalapana Roadway Improvements</u>	ControlPoint Surveying, Inc., for County of Hawaii	1-3-2: 5 & 9
OA-287-2	5/22/01 Certified	Portion of Lualualei Beach Park, City and County of Honolulu under Executive Order 106, land situated at Lualualei, Waianae, Island of Oahu, Hawaii Address: 86-081 Farrington Hwy, Lualualei Beach Park Purpose: <u>Install New Telecommunication Lines</u>	R. M. Towill Corporation, for Tycom	8-6-01: por. 7
HA-247	5/22/01 Certified	Portion of Kauaea, Opihikao Homestead and Kauaea, Kauaea, Puna, Island of Hawaii, Hawaii Address: Seaward along Kapoho-Kalapana Road Purpose: <u>Kalapana Roadway Improvements</u>	ControlPoint Surveying, Inc., for County of Hawaii	1-3-3: 3 & 5
OA-825	5/22/01 Certified	Lot 71 of Land Court Application 1052, land situated at Makaha, Waianae, Island of Oahu, Hawaii Address: 84-853 Moua Street Purpose: <u>Building Permit</u>	Walter P. Thompson, Inc., for David Pham	8-4-5: 16

Conservation District Notices

JUNE 8, 2001

Departmental Permits

Persons interested in commenting on the following Conservation District Use Application (Departmental Permit) must submit comments to the Department of Land and Natural Resources. Also, anyone interested in receiving notification of determinations on Conservation District Use Applications (Departmental Permits) must submit requests to DLNR that include the following information:

- 1) Name and address of the requestor;
- 2) The departmental permit for which the requestor would like to receive notice of determination; and
- 3) The date the notice was initially published in the Environmental Notice.

Both comments and requests for notification of determinations must be submitted to DLNR within thirty days from the initial date that the notice was published in the Environmental Notice.

Please send comments and requests to:
State of Hawai'i
Department of Land and Natural Resources
Land Division
1151 Punchbowl Street, Room 220
Honolulu, Hawai'i 96813

Although DLNR will make every effort to notify those interested in the subject CDUA, it is not obligated to notify any person not strictly complying with the above requirements. For more information, please contact Masa Alkire at 587-0385.



Renovations and Additions to a single family residence

File No.: CDUA OA-3033D
Name of Applicant: Edward Yonemoto
Location: Kane'ohe, O'ahu
TMK: 4-7-32:29
Proposed Action: Addition to an Existing Single Family Residence
Chapter 343, HRS determination: Exempt
Applicant's Contact: Edward Yonemoto (808) 239-6648



Construction of a Residential Garage

File No.: CDUA OA-3037D
Name of Applicant: Verne Takagi and Debra H. Dugan-Takagi
Location: Tantalus, O'ahu
TMK: 2-5-16:19
Proposed Action: Construction of a Residential Garage
Chapter 343, HRS determination: Exempt
Applicant's Contact: Verne Takagi and Debra Duggan-Takagi (808) 943-8623

Environmental Council Notices

Environmental Council Meetings

The Environmental Council is scheduled to meet on **Wed., June 13, 2001 at 2:30 p.m.** in the **State Capitol, Room 312**, Honolulu, O'ahu.

The Council's various committees are tentatively scheduled to meet the same day prior to the full Council meeting. Please call on or after June 7, 2001 for the final agenda.

Any person desiring to attend the meetings and requiring an accommodation (taped materials or sign language interpreter) may request assistance provided such a request is made five (5) working days prior to the scheduled meetings. This request may be made by writing to Mr. William Petti, Chair, Environmental Council c/o OEQC, 235 S. Beretania Street, Suite 702, Honolulu, Hawai'i 96813 or by fax at (808) 586-4186.

Coastal Zone News

JUNE 8, 2001

Federal Consistency Reviews

The Hawai'i Coastal Zone Management (CZM) Program has received the following federal actions to review for consistency with the CZM objectives and policies in Chapter 205A, Hawai'i Revised Statutes. This public notice is being provided in accordance with section 306(d)(14) of the National Coastal Zone Management Act of 1972, as amended. For general information about CZM federal consistency please call John Nakagawa with the Hawai'i CZM Program at 587-2878. For neighboring islands use the following toll free numbers: Lana'i & Moloka'i: 486-4644 x7-2878, Kaua'i: 2743141 x7-2878, Maui: 984-2400 x7-2878 or Hawai'i: 974-4000 x7-2878.

For specific information or questions about an action listed below please contact the CZM staff person identified for each action. Federally mandated deadlines require that comments be received by the date specified for each CZM consistency review and can be mailed to:

David W. Blane, Director
Office of Planning
Dept. of Business, Economic Development and Tourism
P.O. Box 2359
Honolulu, Hawai'i 96804

Or, fax comments to the Hawai'i CZM Program at 587-2899.

(1) Install Sewer Force Main, Ford Island to Pearl Harbor Naval Station, O'ahu

Federal Action: Negative Determination

Federal Agency: Department of the Navy

Contact: Suzanne Baba, 472-1386

Location: Pearl Harbor, O'ahu

CZM Contact: John Nakagawa, 587-2878

Proposed Action:

The Navy is proposing to install a 20-inch high-density polyethylene force main from Ford Island to the Pearl Harbor Naval Station. The force main will extend approximately 1,312 feet under the Pearl Harbor channel and will be approximately 33 feet below the channel bottom. Pipe installation will be by horizontal directional drilling from land. The Navy filed a CZM federal consistency negative determination stating that the activity will not affect the coastal zone outside of federally controlled areas and therefore, is not subject to review by the Hawaii CZM Program.

(2) Rehabilitation of the Kahului Harbor East Revetment, Maui

Federal Action: Federal Activity

Federal Agency: U.S. Army Corps of Engineers

Contact: Robert Moncrief, 438-7000

CZM Contact: John Nakagawa, 587-2878

Proposed Action:

The U.S. Army Corps of Engineers proposes to rehabilitate the Kahului Harbor east revetment to repair periodic damage from high waves. Problems that need to be corrected include settling, missing or displaced stones and crest failure. The project involves removing and resetting existing armor stones along the 1000-foot project reach. A new single layer of armor stones would be placed on top the reset stones, raising the crest elevation from +10.5 to +12.0 feet above the mean lower low water and resulting in a new crest width of 9.5 feet.

Comments Due: June 22, 2001

(3) TGN Hawaii Fiber Optic Cable System Landings at Wai'anae, O'ahu

Federal Action: Federal Permit, Department of the Army
Permit File No. 200100309

Federal Agency: U.S. Army Corps of Engineers

Contact: Lolly Silva, 438-7023

Applicant: TyCom Networks (US) Inc.

Contact: RM Towill Corporation, Chester T. Koga, 842-1133

CZM Contact: Debra Tom, 587-2840

Proposed Action:

TyCom Networks (US) Inc. proposes to install fiber optic cable landings at Kahe Beach park and near the Wai'anae Wastewater Treatment Plant Outfall on O'ahu. No discharge of fill material will be taking place in waters of the US and work will be conducted in navigable waters, therefore this project is being reviewed under a Department of the Army Letter of Permission.

Comments Due: June 22, 2001

Pollution Control Permits

JUNE 8, 2001

Department of Health Permits

The following is a list of some pollution control permits currently being reviewed by the State Department of Health. For more information about any of the listed permits, please contact the appropriate branch or office of the Environmental Management Division at 919 Ala Moana Boulevard, Honolulu.

Branch Permit Type	Applicant & Permit Number	Project Location	Pertinent Date	Proposed Use
Clean Air Branch 586-4200, Temporary Noncovered Source Permit	West Hawaii Concrete NSP 0352-01-NT (Amendment)	Waimea Quarry, Waimea, Hawaii	Issued: 5/8/01	75 CY/Hr. Portable Concrete Batch Plant with 110 kW Diesel Engine Generator
Clean Air Branch 586-4200, Covered Source Permit	Aloha Petroleum, Ltd. CSP 0307-02-C	Hilo Sales Terminal 999 Kalaniana'ole Avenue, Hilo, Hawaii	Comments Due: 7/5/01	Two 10,000 bbl Internal Floating Roof Storage Tanks, Nos. HT-901 and HT-902
Clean Air Branch 586-4200, Covered Source Permit	Hawaii Electric Light Company (HELCO) CSP 0235-01-C	Puna Generating Station, Keaau, Hawaii	Comments Due: 7/5/01	20 MW Combustion Turbine, 600 kW Diesel Engine Generator, and 15.5 MW Boiler with Multi-Cyclone Dust Collector
Clean Water Branch, 586-4309, NPDES Permit	Honolulu Board of Water Supply, #01-CW-PW-09	Kaaawa, Punaluu and Kahana, Oahu	Comments Due: 6/27/01	Discharge hydrotesting water and storm water to Kahana Bay, Maipuna Stream & an unnamed stream
Clean Water Branch, 586-4309, Water Quality Certification	U.S. Navy #01-CW-WQC-03	Fort Kamehameha Wastewater Treatment Plant, Pearl Harbor, Oahu	Comments Due: 6/13/01	Sewer Outfall Replacement

