



## COMMISSION MEETINGS

Date/Location	Meeting Materials
January 16, 2018 DLNR Board Room	<p><a href="#">AGENDA</a></p> <ul style="list-style-type: none"><li>Item B1: <a href="#">Application For After-The-Fact Well Construction / Pump Installation Permits, Flint Dug Well (Well No.5331-002), Well Construction: 72-inch Casing Diameter, 14-ft Deep Well Pump Installation:10 gpm for Individual Domestic Household and Irrigation Use, TMK (2) 3-3-018:005, Mokuhanu, 'Iao, Maui</a></li><li>Item C1: <a href="#">Department of the Navy (NAVFAC) Update on Red Hill Administrative Order of Consent (AOC) Activities.</a></li><li>Item C2: <a href="#">"Ground Water Management Area Designation Petition Decision: Keauhou Aquifer System Area – Next Steps"</a> (Presented to Hawaii Water Works Association (HWWA)/Hawaii Rural Water Association (HRWA) Joint Conference in Kona on November 2, 2017)</li></ul> <p><a href="#">MINUTES</a></p>
February 20, 2018	CANCELED
March 20, 2018 University of Hawaii Maui College Pilina Multipurpose Room 310 W. Kaahumanu Ave. Kahului, Maui 96732	<p><a href="#">AGENDA</a></p> <ul style="list-style-type: none"><li>Item B1: <a href="#">Amended Interim Instream Flow Standards For the Surface Water Hydrologic Units of Ukumehame (6004), Olowalu (6005), Launiupoko, (6006), and Kaua'ula (6007), Maui</a><ul style="list-style-type: none"><li>Briefing: <a href="#">Staff presentation to Amend the Interim Instream Flow Standards for the Surface Water Hydrologic Units of Ukumehame, Olowalu, Launiupoko, Kaua'ula</a></li><li><a href="#">West Maui Information webpage</a></li><li>Exhibit 1: <a href="#">Instream Flow Standard Assessment Report, Island of Maui, Hydrologic Unit 6004, Ukumehame, PR-2018-01</a> (6.5 MB)</li><li>Exhibit 2: <a href="#">Instream Flow Standard Assessment Report, Island of Maui, Hydrologic Unit 6005, Olowalu, PR-2018-02</a> (6.2 MB)</li><li>Exhibit 3: <a href="#">Instream Flow Standard Assessment Report, Island of Maui, Hydrologic Unit 6006, Launiupoko, PR-2018-03</a> (6.2 MB)</li><li>Exhibit 4: <a href="#">Instream Flow Standard Assessment Report, Island of Maui, Hydrologic Unit 6007, Kaua'ula, PR-2018-04</a> (6.8 MB)</li><li>Exhibit 5: <a href="#">Compilation of Public Testimony, Hydrologic Units Ukumehame (6004), Olowalu (6005), Launiupoko (6006), Kaua'ula (6007), Island of Maui, March 2018, PR-2018-05</a> (9.8 MB)</li></ul></li><li>Item B2: <a href="#">Hanalei Traders, Inc. Application for a Stream Channel Alteration Permit Biowall Stabilization Project, Hanalei River, Hanalei, Kaua'i, TMK: (4) 5-5-010:067</a></li><li>Item B3: <a href="#">Request Imposing a Fine Against Landowner Olowalu Elua Associates LLC for Construction of a Stream Diversion Works and Diverting Water Without a Permit Required in HRS §174C-93 and HAR §13-168-32; Approve an After-the-Fact Stream Diversion Works Permit (SDWP.4722.6) Application for Construction of a Dam/Spillway to Divert 273,000 gallons per day Subject to Special Conditions Including Completion of a Remediation Plan; Olowalu Stream, Olowalu, Maui, Tax Map Key No.: (2) 4-8-003:108</a></li><li>Item B4: <a href="#">Request Imposing a Fine Against the Landowner Bock Family Revocable Trust for Altering the Stream Without a Permit Required in HRS §174C-71 and HAR §13-169-50; Approve an After-the-Fact Stream Channel Alteration Permit (SCAP.4700.6) Application for the Installation of Two Road Structures and Culverts and about 800 Feet of Channelization Subject to Special Conditions Including Completion of a Remediation Plan; East Kuiaha Stream, Ha'ikū, Maui, TMK: (2) 2-7-012:254</a></li></ul> <p><a href="#">MINUTES</a> (with Addendum)</p>



Date/Location	Meeting Materials
April 17, 2018 West Hawai'i Civic Center Council Chambers 74-5044 Ane Keohokalole Hwy. Kailua-Kona, Hawai'i 96740	<p data-bbox="347 333 448 359"><a href="#">AGENDA</a></p> <ul data-bbox="347 380 1511 684" style="list-style-type: none"><li data-bbox="347 380 1511 453">▪ Item B1: <a href="#">Request for Approval to Amend Hawaii Administrative Rule §13-168-12(a), Well Construction and Pump Installation Standards, to Increase the Permit Application Filing Fee from \$25 to \$300 for Well Construction and Pump Installation Permits</a></li><li data-bbox="347 474 1511 527">▪ Item B2: <a href="#">Request for Approval to Amend Hawaii Administrative Rules §13-167-10(b), Penalties, §13-168-3(a), Penalties, and §13-169-3(a), Penalties, to Increase the Maximum Fine Amount from \$1,000 to \$5,000</a></li><li data-bbox="347 548 1511 600">▪ Item C1: <a href="#">Groundwater Management Area Designation Petition Decision: Keauhou Aquifer System Area-Updates on Action Items</a></li><li data-bbox="347 621 1511 642">▪ Item C2: <a href="#">Modeling the Groundwater-Flow System of the Keauhou area, Hawaii – by U.S. Geological Survey</a></li><li data-bbox="347 663 1511 684">▪ Item C3: <a href="#">Models, Monitoring and Adaptive Management – by National Park Service</a></li></ul> <p data-bbox="347 705 448 726"><a href="#">MINUTES</a></p>
May 15, 2018 DLNR Board Room	<p data-bbox="347 747 448 772"><a href="#">AGENDA</a></p> <ul data-bbox="347 793 1528 1209" style="list-style-type: none"><li data-bbox="347 793 1528 930">▪ Item B1: <a href="#">Request Imposing a Fine Against Landowner Olowalu Elua Associates LLC for Construction of a Stream Diversion Works and Diverting Water Without a Permit Required in HRS §174C-93 and HAR §13-168-32; Approve an After-the-Fact Stream Diversion Works Permit (SDWP.4722.6) Application for Construction of a Dam/Spillway to Divert 273,000 gallons per day Subject to Special Conditions Including Completion of a Remediation Plan; Olowalu Stream, Olowalu, Maui, Tax Map Key No.: (2) 4-8-003:108</a></li><li data-bbox="347 951 1528 1087">▪ Item B2: <a href="#">Request Imposing a Fine Against the Landowner Bock Family Revocable Trust for Altering the Stream Without a Permit Required in HRS §174C-71 and HAR §13-169-50; Approve an After-the-Fact Stream Channel Alteration Permit (SCAP.4700.6) Application for the Installation of Two Road Structures and Culverts and about 800 Feet of Channelization Subject to Special Conditions Including Completion of a Remediation Plan; East Kuiaha Stream, Ha'ikū, Maui, TMK: (2) 2-7-012:254</a></li><li data-bbox="347 1108 1528 1129">▪ Item B-Presentation 1: <a href="#">'IKE Wai (EPSCoR) Project Update</a></li><li data-bbox="347 1150 1528 1171">▪ Item B-Presentation 2: <a href="#">Maui Island Water Use and Development Plan Update, Part III Sector Reports Draft</a></li><li data-bbox="347 1192 1528 1213">▪ Item B-Presentation 3: <a href="#">Symposium on Groundwater Dependent Ecosystems-Keauhou, Island of Hawaii</a></li></ul> <p data-bbox="347 1234 448 1255"><a href="#">MINUTES</a></p>
June 19, 2018 DLNR Board Room	<p data-bbox="347 1272 448 1297"><a href="#">AGENDA</a></p> <ul data-bbox="347 1318 1511 1650" style="list-style-type: none"><li data-bbox="347 1318 1511 1392">▪ Item B1: <a href="#">Dole Food Company, Inc. Hawaii APPLICATION FOR A GROUND WATER USE PERMIT Waialua Pump 17 (Well No. 3-3404-001), TMK (1) 6-4-001:001, GWUP No. 00972 Agricultural Use of 4.121 mgd potable ground water Waialua Ground Water Management Area, Oahu</a></li><li data-bbox="347 1413 1511 1528">▪ Item B2: <a href="#">Action on the Request for a Contested Case Hearing Before the Commission on Water Resource Management On the Amended Interim Instream Flow Standards for the Surface Water Hydrologic Units of Ukumehame, Olowalu, Launiupoko, and Kaua'ula By Steve Strombeck and the Strombeck Family Revocable Trust, Lahaina, Hawai'i</a></li><li data-bbox="347 1549 1511 1650">▪ Item B3: <a href="#">Action on the Request for a Contested Case Hearing Before the Commission on Water Resource Management On the Amended Interim Instream Flow Standards for the Surface Water Hydrologic Units of Ukumehame, Olowalu, Launiupoko, and Kaua'ula By Mahanalua Nui Homeowners Association, Inc., Makila Plantations Homeowners Association, Inc., and Pu'unoa Homeowners Association, Inc., Lahaina, Hawai'i</a></li></ul> <p data-bbox="347 1692 448 1713"><a href="#">MINUTES</a></p>



Date/Location	Meeting Materials
July 17, 2018 DLNR Board Room	<p><a href="#">AGENDA</a></p> <ul style="list-style-type: none"><li>Item B1: <a href="#">Authorize the Commission on Water Resource Management to Conduct a Limited Meeting on August 20, 2018 as a Site Visit to View the Kaua'i Island Utility Cooperative's Stream Diversion Works on the Wai'ale'ale and Waikoko streams and Upper and Lower Waiahi Hydropower Plants, Wailua, Kaua'i, Hawai'i</a></li><li>Item B2: <a href="#">County of Maui, Department of Public Works Application for a Stream Channel Alteration Permit for Nāpili Culverts Replacement Project Nāpili Stream, Nāpili, Maui, TMK Nos.: (2) 4-3-001:003(por.): 4-3-002:023(por.)</a></li></ul> <p><a href="#">MINUTES</a></p>
August 20, 2018 Limited Meeting Various Sites in East Kaua'i	<p><a href="#">AGENDA</a></p> <ul style="list-style-type: none"><li><a href="#">Link to Video of Limited Meeting</a></li></ul>
August 21, 2018 Kaua'i Community College Fine Art Auditorium 3-1901 Kaumuali'i Highway Līhu'e, Hawai'i 96766	<p><a href="#">AGENDA</a></p> <ul style="list-style-type: none"><li>Item B1: <a href="#">Request to Enter into a Joint Funding Agreement with U.S. Geological Survey For Statewide Hydrologic Data Collection and Water Resource Monitoring for Federal Fiscal Year (FFY) 2019</a></li><li>Item B2: <a href="#">Amended Interim Instream Flow Standards For the Surface Water Hydrologic Unit of Wailua (2040): Waikoko and North For Wailua Streams</a><ul style="list-style-type: none"><li>Exhibit 1: <a href="#">Instream Flow Standard Assessment Report, Island of Kaua'i, Hydrologic Unit 2040, Wailua, DRAFT PR-2018-06 (21.8 MB)</a></li><li><a href="#">Staff presentation for Implementation of the Amended the Interim Instream Flow Standards for Kaua'ula Stream (16.2 MB)</a></li></ul></li><li>Item C1: <a href="#">Update on U.S. Geological Survey Low-Flow Characterization of Streams in Southeast Kaua'i (7.4 MB)</a></li></ul> <p><a href="#">MINUTES</a></p>
September 18, 2018 DLNR Board Room	<p><a href="#">AGENDA</a></p> <ul style="list-style-type: none"><li>Item B1: <a href="#">Reservations of Ground Water for Department of Hawaiian Home Lands</a></li><li>Item B2: <a href="#">City and County of Honolulu, Department of Design and Construction, Application for a Stream Channel Alteration Permit, Kawa Stream and Ditch Improvements, Kawa Stream, Kāne'ohe, O'ahu, TMK: 4-5-066:063, 4-5-067:065; 4-5-070:049 and 4-5-084:059</a></li><li>Item C1: <a href="#">Water Resource Protection Plan Update (6.2 MB)</a></li><li>Item C2: <a href="#">Informational Update on the Implementation of Interim Instream Flow Standards for Kauaula Stream, West Maui (8.5 MB)</a></li></ul> <p><a href="#">MINUTES</a></p>
October 16, 2018 DLNR Board Room	<p><a href="#">AGENDA</a></p> <ul style="list-style-type: none"><li>Item B1: <a href="#">Department of Hawaiian Home Lands' Reservation of 0.513 Million Gallons per Day of Surface Water from the Wailua River, Wailua Surface Water Hydrologic Unit, Kaua'i</a></li><li>Item B2: <a href="#">Action on the Petitions for a Contested Case Hearing Before the Commission on Water Resource Management Filed By Kauai Island Utility Cooperative, Earthjustice on Behalf of Hui Ho'opulapula Nā Wai O Puna, James Torio, Department of Hawaiian Home Lands, and Grove Farm Company, Inc. Regarding Agenda Item B-2, August 21, 2018: Amended Interim Instream Flow Standards For the Surface Water Hydrologic Unit of Wailua (2040): Waikoko Stream and North Fork Wailua River (Wai'ale'ale Stream), East Kaua'i, Island of Kaua'i, State of Hawai'i; and Delegation of Authority to the Chairperson to Appoint a Hearings Officer</a></li><li>Item B3: <a href="#">Ohana Water, LLC Application for a Ground Water Use, Well Construction and Pump Installation Permits Ohana Water Well (Well No. 3-3856-010), TMK (1) 5-5-008:055, GWUP No. 1053 New Domestic and Agricultural Use for 0.471 mgd Ko'olauloa Ground Water Management Area, O'ahu</a></li><li>Item C1: <a href="#">Red Hill Update by the Department of Health</a></li></ul> <p><a href="#">MINUTES</a></p>



---

Date/Location	Meeting Materials
November 20, 2018 West Maui Veterans Hall 198 Fleming Road Lahaina, Hawai'i 96761	<a href="#">AGENDA</a> <ul style="list-style-type: none"><li>▪ Item B1: <a href="#">Federal Highway Administration, Central Federal Lands Highway Division, Application for a Stream Channel Alteration Permit (SCAP.4910.2), Wainiha Stream Bridge Replacement, Wainiha, Kaua'i, TMK: various</a></li><li>▪ Item B2: <a href="#">Amended Interim Instream Flow Standards For the Surface Water Hydrologic Unit of Kahoma (6008): Kahoma and Kanahā Streams</a><ul style="list-style-type: none"><li>▪ Exhibit 1: <a href="#">Instream Flow Standard Assessment Report, Island of Maui, Hydrologic Unit 6008, Kahoma, PR-2018-09</a> (17 MB)</li><li>▪ Exhibit 2: <a href="#">Compilation of Public Review Comments, Hydrologic Unit Kahoma (6008), Kahoma Stream, Kanahā Stream, November 2018, PR-2018-09</a> (6.2 MB)</li></ul></li></ul>
	<a href="#">MINUTES</a>
December 18, 2018	CANCELED ( <a href="#">Agenda</a> )

---



---

## **NEWS RELEASES**

<b>Date</b>	<b>Subject</b>
May 17, 2018	<a href="#">State Water Commission Fines Maui Company for Unpermitted Construction, Defers Fines on Another Water Violation</a>
June 20, 2018	<a href="#">Decision on East Maui Interim Instream Flow Standards Released</a>
October 2, 2018	<a href="#">"Imagine A Day Without Water" Invites Attention to Importance of Fresh Water and Conserving Precious Resource</a>
November 28, 2018	<a href="#">Instream Flow Standards for Kahoma and Kanahā Streams Set</a>

---



## **PUBLIC NOTICES**

<b>Date</b>	<b>Subject</b>
February 26, 2018	<a href="#">Agenda for the Nominating Committee Meeting of the Commission on Water Resource Management</a>
February 27, 2018	<a href="#">Agenda for the Nominating Committee Meeting of the Commission on Water Resource Management</a>
March 12, 2018	<a href="#">Public Notice: Application for Water Use Permit, Waialua Ground Water Management Area, Oahu</a>
March 27, 2018	<a href="#">Agenda for the Nominating Committee Meeting of the Commission on Water Resource Management</a>
April 23, 2018	<a href="#">Public Notice: Application for Water Use Permit, Koolauloa Ground Water Management Area, Oahu</a>
June 1, 2018	<a href="#">Notice of Public Fact Gathering Meeting: Instream Flow Standard Assessment Report for the Hydrologic Unit of Wailua (2040) – Waikoko and North Fork Wailua Streams – Commission on Water Resource Management</a>
September 25, 2018	<a href="#">Notice of Public Fact Gathering Meeting: Instream Flow Standard Assessment Report for the Hydrologic Unit of Kahoma (6008) – Commission on Water Resource Management</a>
October 26, 2018	<a href="#">Public Hearing Notice: Update to the Water Resource Protection Plan</a>
November 20, 2018	<a href="#">Public Notice: Application for Water Use Permit, Makaiwa Ground Water Management Area, Oahu</a>