JOSH GREEN, M.D.



DAWN N. S. CHANG

MICHAEL G. BUCK KENNETH S. FINK, M.D., MGA, MPH NEIL J. HANNAHS AURORA KAGAWA-VIVIANI, PH.D. WAYNE K. KATAYAMA PAUL J. MEYER

M. KALEO MANUEL

STATE OF HAWAI'I | KA MOKU'ĀINA 'O HAWAI'I DEPARTMENT OF LAND AND NATURAL RESOURCES | KA 'OIHANA KUMUWAIWAI 'ĀINA COMMISSION ON WATER RESOURCE MANAGEMENT | KE KAHUWAI PONO P.O. BOX 621 HONOLULU, HAWAII 96809

### STAFF SUBMITTAL

### COMMISSION ON WATER RESOURCE MANAGEMENT

April 18, 2023 Honolulu, Hawaiʻi

Approval of Stream Diversion Works Permit Application (SDWP.5971.4) and Special Conditions, Molokai Properties Limited, Abandonment of Stream Diversion Works No. 866.4, To Remove Pipes and Concrete from Stream Intake by Use of Hand Tools, Unnamed Tributary to East Kawela Stream, Kawela, Moloka'i, Tax Map Key: (2) 5-4-003:026; and

Declare that Project is Exempt from Environmental Assessment Requirements under <u>Hawaii Revised Statutes Chapter 343</u>, and <u>Hawaii Administrative Rules Chapter 11-200.1</u>.

<u>APPLICANT</u> Molokai Properties, Ltd PO Box 259 Maunaloa, HI 96770 LANDOWNER Same

### SUMMARY OF REQUEST

Approve Stream Diversion Works Permit Application (SDWP.5971.4) submitted by Molokai Properties, Ltd. (Molokai Properties), that proposes to abandon Stream Diversion Works No. 866.4 and remove pipes and concrete from the Unnamed Tributary to East Kawela Stream.

Find that SDWP.5971.4 is exempt from Hawaii Revised Statutes, Chapter 343 per the Comprehensive Exemption List for the Commission, reviewed and concurred upon by the Environmental Council on January 5, 2021.

LOCATION: Unnamed Tributary to East Kawela Stream, Moloka'i. See Figure 1.




Figure 1: Location, Unnamed Tributary to East Kawela Stream, Moloka'i.

### BACKGROUND

In 1989, Molokai Ranch, Ltd. (Molokai Ranch), registered Diversion 866.4 consisting of concrete and pipe. In 1988, diverted water averaged 17 million gallons per month. The water was used for domestic uses, cattle, and agriculture. See **Exhibit 1**.

On April 19, 2022, the Commission on Water Resource Management (Commission) approved the full restoration of East Kawela Tributary as part of a larger staff submittal to address portions

of a complaint against waste by Molokai Ranch, filed by Moloka'i No Ka Heke (CDR.5310.4), and amending the interim instream flow standards (interim IFS) for the surface water hydrologic units of Kawela (4037), Kaunakakai (4039), and Manawainui (4041), Moloka'i. In order to implement the approved interim IFS for East Kawela Tributary, Molokai Ranch was required to abandon stream diversion works No. 866.4. Under the formal abandonment, the Commission required that all associated piping be removed to provide high quality habitat for endemic threatened or endangered damselflies, promote the aesthetic and recreational values of the stream, increase the available habitat for endemic amphidromous fish, and support culturally and ecologically important riparian plants. The staff submittal can be viewed online at <a href="https://files.hawaii.gov/dlnr/cwrm/submittal/2022/sb20220419C2.pdf">https://files.hawaii.gov/dlnr/cwrm/submittal/2022/sb20220419C2.pdf</a>.

On December 21, 2022, Molokai Properties, filed a complete SDWP.5971.4 application that can be viewed online at <u>https://files.hawaii.gov/dlnr/cwrm/swreview/SDWP\_5971\_4.pdf</u>.

### STREAM DESCRIPTION

In the Kawela hydrologic unit, there are two main tributaries: the East Fork and West Fork. The U.S. Geological Survey (USGS) has maintained a station (16415000) above the East Fork Kawela intake (Diversion 867) since November 2018. The mean daily flow in East Fork Kawela Stream above Diversion 867 was approximately 19.3 mgd. Diversion 866 has not been in use since 2005. The median annual rainfall is 120 inches, the longest flow path is approximately five (5) miles long. The interim instream flow standard for all streams on Molokai, as adopted by the Commission on June 15, 1988, shall be that amount of water flowing in each stream on the effective date of this standard, and as that flow may naturally vary throughout the year and from year to year without further amounts of water being diverted offstream through new or expanded diversions. HAR §13-169-47. See the April 19, 2022 submittal for more information. It is available online at <a href="https://files.hawaii.gov/dlnr/cwrm/submittal/2022/sb20220419C2.pdf">https://files.hawaii.gov/dlnr/cwrm/submittal/2022/sb20220419C2.pdf</a>.

### PROJECT DESCRIPTION

Remove all of the existing pipes within the Unnamed Tributary to East Kawela Stream and broken concrete (if any) within the immediate area of the diversion dam with hand tools only. The project is expected to take several hours on a good weather day. See **Figure 2**.

Figure 2: Site Photos.



Diversion pipe from diversion dam.



Upstream view of diversion dam and disconnected pipe.



Downstream view of diversion dam and disconnected pipe.



Close view of diversion dam and disconnected pipe on left bank of stream.

### AGENCY REVIEW COMMENTS

Maui County, Planning Department: No comments received.

Department of Hawaiian Home Land (DHHL): No comments received.

Department of Land and Natural Resources (DLNR), Aha Moku: No comments received.

DLNR, Aquatic Resources: No objections.

DLNR, Engineering: No comments received.

*CWRM staff response:* The project area is in Zone X, areas determined to be outside the 0.2% annual chance floodplain.

DLNR, Forestry and Wildlife (DOFAW): State-listed waterbirds such as the Hawaiian stilt (Himantopus mexicanus knudseni) and Hawaiian coot (Fulica alai) could potentially occur at or in the vicinity of the proposed project site. It is against State law to harm or harass these species. If any of these species are present during construction, all activities within 100 feet (30 meters) should cease and the bird or birds should not be approached. Work may continue after the bird or birds leave the area of their own accord. If a nest is discovered at any point, please contact the Moloka'i Branch DOFAW Office at (808) 553-1745. DOFAW recommends minimizing the movement of plant or soil material between worksites. Soil and plant material may contain detrimental fungal pathogens (e.g., Rapid 'Ōhi'a Death), vertebrate and invertebrate pests (e.g., Coqui Frogs, Little Fire Ants, etc.), or invasive plant parts (e.g., Albizia, Barbados Gooseberry, Bo Tree, etc.) that could harm our native species and ecosystems. We recommend consulting the Moloka'i/Maui Invasive Species Committee (MoMISC) at (808) 553-5236 ext. 6585 to help plan, design, and construct the project, learn of any high-risk invasive species in the area, and ways to mitigate their spread. All equipment, materials, and personnel should be cleaned of excess soil and debris to minimize the risk of spreading invasive species. Although Rapid 'Ōhi'a Death is not known to occur on Moloka'i, we urge caution if working around any 'ōhi'a trees to avoid injuring them as a best practice precautionary measure to prevent spread of the disease. We appreciate your efforts to work with our office for the conservation of our native species. These comments are general guidelines and should not be considered comprehensive for this site or project. It is the responsibility of the applicant to do their own due diligence to avoid any negative environmental impacts.

### CWRM Staff Response: Added as a special condition by reference. See Exhibit 2.

DLNR, Historic Preservation (SHPD): A search of SHPD records indicates an archaeological inventory survey (AIS) has not been conducted within the current project area. However, SHPD previously reviewed a fencing project that included the subject parcel and made a project effect determination of determination of no historic properties affected (Log No. Doc. No. 0401SC12). No historic properties have been previously identified within the current project area.

Based on the information provided, SHPD concurs with the project effect determination of "No historic properties affected" for the current project. Pursuant to HAR §13-275-7(e) and HAR §13-284-7(e), when the SHPD agrees that the action will not affect any significant historic properties, this is SHPD's written concurrence and historic preservation review ends. The HRS 6E historic preservation review process has ended. The permit issuance and project initiate on process may proceed.

### CWRM Staff Response: SHPD review is satisfied. See Exhibit 3.

DLNR, Land Division: No comments received.

DLNR, Office of Conservation and Coastal Lands: No objections.

DLNR, State Parks: No comments.

Dept. of Health (DOH), Clean Water Branch: The DOH standard comments can be reviewed on their website at: <u>https://health.hawaii.gov/cwb/files/2018/05/Memo-CWB-Standard-Comments.pdf</u>.

*CWRM Staff Response:* The lead agency for the protection of water quality is the Department of Health, Clean Water Branch, which administers the Federal Clean Water Act (33 U.S.C. §1251 et seq.) and the State Water Pollution Act (HRS Ch. 342D; HAR Ch. 11-54 Water Quality Standards; and HAR Ch. 11-55 Water Pollution Control). HAR §11-54-1 through §11-54-8 defines Best Management Practices and water quality criteria applicable to inland and nearshore waters and are based on the Federal Clean Water Act. HAR Ch. 11-55 Appendix C defines discharges of storm water associated with construction activity. HRS 174C-66 states that the DOH oversees the State's water quality control program.

Office of Hawaiian Affairs: No comments received.

US Army Corps of Engineers: No comments received.

US Fish and Wildlife Service (FWS): There are a few points for the listed plant *Sesbania tomentosa* in the area. We recommend implementing the plant avoidance and minimization measures attached if any work would occur in the nearby terrestrial areas. Please employ applicable Best Management Practices for any inwater work.

CWRM Staff Response: Added as a special condition by reference. See Exhibit 4.

Public Comments: No comments received.

### TRADITIONAL AND CUSTOMARY PRACTICES

1) The identity and scope of cultural, historical, or natural resources in which traditional and customary native Hawaiian rights are exercised in the area.

The Applicant stated, "N/A"

*CWRM Staff Response:* Freshwater flowing as springs in the Kawela hydrologic unit supports culturally important fishing and gathering practices along the coastline, including nearshore species for subsistence, the gathering of varieties of limu, and the management of loko pu'uone and loko kuapā, variations of loko i'a found near Kawela. Historically, Kawela was famous as a place of "Pu'uhonua", a special refuge and safety for the island of Moloka'i. Kawela supported a large population center and the stream ranked outstanding (4 of 4) for its cultural values by the Hawaii Stream Assessment. Fishing, hunting, and gathering are prevalent subsistence practices. The community also perpetuates religious and spiritual traditions. For example, Kawela features prominently in pule, while others gather fresh water for ho'okupu. A summary of these practices are found in the April 19, 2022 staff submittal cited above.

2) The extent to which those resources, including traditional and customary native Hawaiian rights, will be affected or impaired by the proposed action.

The Applicant stated, "N/A"

*CWRM Staff Response:* The anticipated impacts to traditional and customary practices should improve with the diversion removed.

3) What feasible action, if any, could be taken by the Commission in regards to this application to reasonably protect native Hawaiian rights.

The Applicant stated, "N/A"

CWRM Staff Response: No further action as identified.

### HRS CHAPTER 343 – ENVIRONMENTAL ASSESSMENT (EA) COMPLIANCE

Under Hawaii Revised Statutes (HRS) §343-5(a), an EA shall be required for actions, as summarized in part below, that propose:

- (1) use of state land or county lands, or the use of state or county funds;
- (2) use within any land classified as a conservation district;
- (3) use within a shoreline area;
- (4) use within any historic site as designated in the National Register or Hawaii Register;
- (5) use within the Waikiki area of O'ahu;
- (6) any amendments to existing county general plans where the amendment would result in designations other than agriculture, conservation, or preservation;
- (7) any reclassification of any land classified as a conservation district;
- (8) construction of new or the expansion or modification of existing helicopter facilities within the State, that may affect: (A) any land classified as a conservation district; (B) a shoreline area; or (C) any historic site as designated in the National Register or Hawaii Register;
- (9) any (A) wastewater treatment unit, except an individual wastewater system or a wastewater treatment unit serving fewer than fifty single-family dwellings or the equivalent; (B) Waste-to-energy facility; (C) Landfill; (D) Oil refinery; or (E) Powergenerating facility.

*CWRM Staff Response:* The proposed action triggers an EA because the diversion is located in the Conservation District. However, per Hawaii Administrative Rule (HAR) §11-200.1-15(a) some actions, because they will individually and cumulatively probably have minimal or no significant effects, can be declared exempt from the preparation of an EA.

The subject project is exempt from the preparation of an environmental assessment in accordance with HAR 1-200.1-15(c)(1), operations, repairs, or maintenance of existing structures, facilities, equipment, or topographical features, involving minor expansion or minor change of use beyond that previously existing.

The project is exempt from the preparation of an environmental assessment per HAR §11-200.1-15(c)(6) and falls under Exemption Class 6 of the Comprehensive Exemption List for the Commission, reviewed and concurred upon by the Environmental Council on January 5, 2021, providing for the "Demolition of structures, except those structure that are listed on the national register or Hawaii Register of Historic Places." Specifically, under Part 1, Item 3, "Demolition and removal or existing structures, facilities, utilities, and other improvements, except those structures located on any historic site as designated in the National Register or Hawaii Register as provide for in the National Historic Preservation Act of 1966, 16 U.S.C §§470 et. seq., as amended, or HRS Chapter 6E."

### STAFF REVIEW

Review of the permit application by Commission staff is subject to the consideration of the legal authorities cited in **Exhibit 6**.

HAR §13-168-35(b) sets out the general criteria for ruling on abandoning a stream diversion works. Each application for a stream diversion permit to perform abandonment work shall be made on forms furnished by the commission, shall not require a fee, and shall include:

- (1) The name and address of the applicant;
- (2) The location and description of the proposed stream diversion work abandonment;
- (3) An assessment of the impact the abandonment will have on the stream environment;
- (4) Relevant maps, plans, and drawings; and
- (5) Other information as may be necessary for the commission to determine the merits of the proposed stream channel alteration, including any hazards to public health, safety, or welfare, and the desirability of issuing a permit.

*CWRM Staff Response:* It is anticipated that removing the diversion will improve instream and noninstream uses. There is one diversion (No. 869.4), registered by Molokai Ranch, that appears to be located approximately 0.5 mile downstream of the subject action. However, its actual location has not been confirmed by Commission staff and there is evidence which suggested that the diversion, when registered, had been incorrectly located on the submitted map.

### RECOMMENDATION

That the Commission:

- 1. Approve Stream Diversion Works Permit (SDWP.5971.4) to abandon Stream Diversion Works No. 866.4, remove pipes and concrete from the Unnamed Tributary to East Kawela Stream subject to the standard conditions in **Exhibit 5** and the special conditions below:
  - a. In conformance with the Division of Forestry and Wildlife recommendations, incorporated by reference to **Exhibit 2**, the permittee shall: 1) cease all work activities when State-listed waterbirds are within 100 feet of the project site; and 2) minimize the

movement of plant or soil material between worksites, to prevent the introduction and spread of invasive species.

- b. In conformance with the U.S. Fish and Wildlife Service recommendations, incorporated by reference to **Exhibit 4**, the permittee shall: 1) implement the plant avoidance and minimization measures identified if any work would occur in the nearby terrestrial areas; and 2) employ applicable Best Management Practices for any inwater work.
- 2. Find that SDWP.5971.4 is exempt from HRS, Chapter 343.

Ola i ka wai,

Muker 0

M. KALEO MANUEL Deputy Director

Exhibits:

- 1. Registration of Stream Diversion Works and Declaration of Water Use 866.4, filed in 1990.
- 2. State Division of Forestry and Wildlife comment letter, dated January 31, 2023.
- 3. State Historic Preservation Division letter, dated March 30, 2023
- 4. USFWS comments and email, dated February 3, 2023.
- 5. Standard Stream Diversion Works Permit Conditions.
- 6. Legal Authorities.

APPROVED FOR SUBMITTAL:

DAWN N. S. CHANG Chairperson

Form 0010-2	U D	
		Address and a second se
	(a)	
		<u> </u>
		TE OF HAWAI ER RESOURCE MANAGEMENT
		ND AND NATURAL RESOURCES
		In Resource Management
D	CONTRATION OF C	
	EGISTRATION OF 5	TREAM DIVERSION WORKS
	DECLARATIC	ON OF WATER USE
		the state of the second s
	has so all a literation to a	
possible, sign, and mail for	m to the Division of Water Resource	I available or not applicable, indicate as N/A. Fill out as completely a e Management, P.O. Box 373, Honokulu, Hawaii 95609, Phone 545-394
or 548-7543 for assistance.		
MULTI-SOURCE SYSTEMS	I: For a system of two or more dive	rsion structures, submit a single package to describe the complete system
of this form for each struct	ture and measurement point. On I	wing all diversion structures and measurement points, and a separate cop orms describing diversion structures, complete parts A, B, D, and E. O
forms describing measurem	ent points, complete parts A, B, and	E.
OTDEAM MANE.	Pack Vauala In	take ISLAND: Molokai
		ISLAND: MOLOKAL
	TURE NAME:	
DIVERSION SYSTE	M NAME: Kawela	Intake
DIVERSION WORKS	S OPERATOR	B. OWNER OF DIVERSION WORKS SITE
Firm name: Mol	lokai Ranch, Ltd.	Firm name: Molokai Ranch, Ltd.
Contact person: Address:P.O. E	lox 8	Contact person: Address:P. O. Box 8
Address:	1	Address:
Maunaloa, Mo	DIOKAL, HAWAII	
06770	552-2767	Maunaloa, Molokal, Hawall
Zip: 96770 Pho	one: 552-2767	Maunaloa, MOlokai, Hawaii Zip: 96770 Phone: 552-2767
Zip: 96770 Pho	olokai, Hawaii one: 552-2767	Zip: <u>96770</u> Phone: <u>552-2767</u>
STREAM DIVERSIO	N LOCATION	
STREAM DIVERSIO Tax Map Key: 5-4	N LOCATION	ace, District:Kawela
STREAM DIVERSIO Tax Map Key: 5-4	N LOCATION	
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad	N LOCATION	ace, District:Kawela
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA	N LOCATION <u>-03</u> Town, Pt "map (scale 1:24,000), tab	ace, District: <u>Kawela</u> map, or other map showing the diversion location.
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA	N LOCATION <u>-03</u> Town, Pt "map (scale 1:24,000), tab	ace, District:Kawela
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged"	IN LOCATION 1-03 Town, Pl " map (scale 1:24,000), tab ion site is: 29 Perennial (w ? 57 Yes T No	ace, District: <u>Kawela</u> map, or other map showing the diversion location.
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag	IN LOCATION -0.3 Town, Pl map (scale 1:24,000), tay ion site is: Perennial (w ? Yes No pe name, and show location	ace, District: <u>Kawela</u> map, or other map showing the diversion location. ther is always lowing) [Intermittent (channel is sometimes dy) n on map. Name: Kawela Intake
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag	IN LOCATION -0.3 Town, Pl map (scale 1:24,000), tay ion site is: Perennial (w ? Yes No pe name, and show location	ace, District: <u>Kawela</u> map, or other map showing the diversion location. ther is always lowing) [Intermittent (Channel is sometimes day) n on map. Name: Kawela Intake
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag	IN LOCATION -0.3 Town, Pl map (scale 1:24,000), tay ion site is: Perennial (w ? Yes No pe name, and show location	ace, District: <u>Kawela</u> map, or other map showing the diversion location.
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers Is streamflow gaged" If yes, provide gag Average flow before	IN LOCATION 1-03 Town, Pl " map (scale 1:24,000), tax ion site is: 12 Perennial (w ? 12 Yes No ye name, and show location diversion: 25 to 2500	ace, District: <u>Kawela</u> map, or other map showing the diversion location. ther is always lowing) [Intermittent (channel is sometimes dy) n on map. Name: Kawela Intake
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers Is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC	IN LOCATION -0.3 Town, Pl map (scale 1:24,000), tax ion site is: 2 Perennial (w ? 2 Yes No re name, and show location diversion: 25 to 2500 TURE DATA	ace, District: <u>Kawela</u> t map, or other map showing the diversion location. ther is always flowing) Intermittent (channel is sometimes day) n on map. Name: <u>Kawela Intake</u> ) mgd gpm cts
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u>	IN LOCATION  -0.3 Town, Pl map (scale 1:24,000), tax ion site is: 29 Perennial (w	ace, District: <u>Kawela</u> t map, or other map showing the diversion location. ther is always towing) Intermittent (Channel is sometimes day) n on map. Name: <u>Kawela Intake</u> ) mgd gpm cfs there may use towing): <u>3750-3800</u>
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u>	IN LOCATION  -0.3 Town, Pl map (scale 1:24,000), tax ion site is: 29 Perennial (w	ace, District: <u>Kawela</u> t map, or other map showing the diversion location. ther is always towing) intermittent (Channel is sometimes day) n on map. Name: <u>Kawela Intake</u> ) mgd gpm icts
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is	IN LOCATION  -0.3 Town, Pl map (scale 1:24,000), tax ion site is: 19 Perennial (w 2  Yes No 10 N	ace, District: <u>Kawela</u> map, or other map showing the diversion location. mer is always towing) intermittent (Channel is sometimes dry) n on map. Name: <u>Kawela Intake</u> mgd gpm is cfs towe mer as lead): <u>3750-3800</u> d G Pipe Other (Describe):
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is:	IN LOCATION  -0.3 Town, Pl map (scale 1:24,000), tax ion site is: 1 Perennial (w 2 X Yes No 1	ace, District: <u>Kawela</u> map, or other map showing the diversion location. map, or other map showing the diversion location. map, or other map showing the diversion location. Market is always towing) Intermittent (channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> Market Market (channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> mgd gpmcts terminoled
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is:	IN LOCATION  -0.3 Town, Pl map (scale 1:24,000), tax ion site is: 19 Perennial (w 2  Yes No 10 N	ace, District: <u>Kawela</u> map, or other map showing the diversion location. map, or other map showing the diversion location. map, or other map showing the diversion location. There is always towing) Intermittent (channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> mapd g gpmcts toos muse see tool): <u>3750-3800</u> d g PipeOther (Describe):
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is: Divertable capacity is	IN LOCATION 1-03 Town, Pl 1 map (scale 1:24,000), tax 1 map (scale 1:2	ace, District: <u>Kawela</u> map, or other map showing the diversion location. map, or other map showing the diversion location. map, or other map showing the diversion location. Market is always flowing) [] Intermittent (Channel is sometimes dy) mon map. Name: <u>Kawela Intake</u> Market Market (Channel is sometimes dy) mod [] gpm [] cfs minolled pd [] gpm [] cfs
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is: Divertable capacity is	IN LOCATION 1-03 Town, Pl 1 map (scale 1:24,000), tax 1 map (scale 1:2	ace, District: <u>Kawela</u> map, or other map showing the diversion location. map, or other map showing the diversion location. map, or other map showing the diversion location. Market is always towing) Intermittent (channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> Market Market (channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> mgd gpmcts terminoled
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is: Divertable capacity is	IN LOCATION 1-03 Town, Pl 1 map (scale 1:24,000), tax 1 map (scale 1:2	ace, District: <u>Kawela</u> map, or other map showing the diversion location. Her is always flowing)   Intermittent (Channel is sometimes dy) n on map. Name: <u>Kawela Intake</u>   mgd gpm   cfs there muse we level): <u>3750-3800</u> d gr Pipe   Other (Describe): princolled pd   gpm   cfs raph of the diversion works, if available.
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is: Divertable capacity is	IN LOCATION 1-03 Town, Pl 1 map (scale 1:24,000), tax 1 map (scale 1:2	ace, District: <u>Kawela</u> map, or other map showing the diversion location. Her is always flowing) [ Intermittent (Channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> ] mgd [] gpm [] cfs there muse we level): <u>3750-3800</u> d [] Pipe [] Other (Describe): princolled pd [] gpm [] cfs raph of the diversion works, if available.
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is: Divertable capacity is Submit an "as-built"	IN LOCATION 1-03 Town, Pl 1 map (scale 1:24,000), tax 1 map (scale 1:2	ace, District: <u>Kawela</u> map, or other map showing the diversion location. Her is always flowing) [ Intermittent (Channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> ] mgd [] gpm [] cfs there muse as level): <u>3750-3800</u> d [] Pipe [] Other (Describe): princolled pd [] gpm [] cfs raph of the diversion works, if available.
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is: Divertable capacity is Submit an "as-built"	IN LOCATION 1-03 Town, Pl 1 map (scale 1:24,000), tax 1 map (scale 1:2	ace, District: <u>Kawela</u> map, or other map showing the diversion location. Her is always flowing) [Intermittent (Channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> ] mgd [gpm ] cfs d [g] Pipe ] Other (Describe): princolled pd ] gpm ] cfs raph of the diversion works, if available. (continued over)
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is: Divertable capacity is Submit an "as-built" For Official Use Only Date received:	IN LOCATION 1-03 Town, Pl 1 map (scale 1:24,000), tax 1 map (scale 1:2	ace, District: <u>Kawela</u> map, or other map showing the diversion location. mer is always flowing) [Intermittent (channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> ] mgd [gpm ] cfs there mere as tent): <u>3750-3800</u> d [g] Pipe [Other (Describe):
STREAM DIVERSIO Tax Map Key: <u>5-4</u> Attach USGS "Quad STREAM DATA Streamflow at divers is streamflow gaged" If yes, provide gag Average flow before DIVERSION STRUC Year constructed: <u>1</u> Diversion structure is Diverted flow is: Divertable capacity is Submit an "as-built" For Official Use Only Date received:	IN LOCATION -03 Town, Pl rmap (scale 1:24,000), tax ion site is: ☑ Perennial (w ? ☑ Yes □ No te name, and show locatio diversion: 25 to 2500 TURE DATA 939 Elevation (w Controlled □ Unco S: _550 □ mg drawing and dated photoge 	ace, District: <u>Kawela</u> map, or other map showing the diversion location. Her is always flowing) [Intermittent (channel is sometimes dy) n on map. Name: <u>Kawela Intake</u> ] mgd [gpm ] cfs there mus as level): <u>3750-3800</u> d [g] Pipe ] Other (Describe): princolled pd ] gpm ] cfs raph of the diversion works, if available. (continued over)

**EXHIBIT 1** 

F. DECLARATION OF WATER USE

		ent point (show on k		Kawela Intak Other:	e
Nethod of meas Description	urement (check box ion:Meter	and describe below):		Rating flume	Cther
Quantity of Use elender years 1963 t	hrough 1987): ga	aled monthly water use llons per m IN	onth (mill:	sorbed on the reverse side Lons ) measurement)	of this form, for
	1983	1984	1985	1986	<u>1987</u> 23.8
January				28.8	23.8
February	and the second second	-	-	23.0	2.3
March					22.0
April			FORM I W	22.0	19.0
May				18.0	17.0
June	and the second			16.0	17.0
July	<u> </u>			13.0	13.0
August	CAR HINNELS I			10.0	12.0
September	the second second		design of the second second	12.0	11.0
October	Sec. Blues	final		18.0	14.0
November	and the second second			18.0	17.0
December				23.1	19.0
ANNUAL	[]				
ypical times of	2010	all apply and provide ad	direct internation on	indicated )*	
Category		Additional In			
Munic resorts, hole	ipal (including No, businesses)				
Dome	StiC (systems scople or less)	Number of s	ervice connectio	ns:4	
🗆 Irrigati	ion	Acres Irrigat Crop(s):	Sugar	Pineapple	

A PROPERTY.	- Horizon And Construction of the second sec
Municipal (including resorts, hotels, businesses)	
Domestic (systems Serving 25 people or less)	Number of service connections:4
Irrigation	Acres Irrigated: Crop(s): Sugar Pineapple Other (specify): Non-Crop: Landscape Golf Course Other (specify): Method: Drip Furrow Sprinkler
Industrial	Cooling Manufacturing Mill Other (specify):
Military	
Other	Specify (hymetock, hydroelectric, aquaculture, etc.): Cattle & Ag.Irrigation

Location of USB (Describe the location of water use, relative to the diversion, and indicate on location map. If water is used by others, submit a flat of their names and addresses.):

I declare that the knowledge and be	e contents of the abovelief, true, correct, and o	ve Declaration complete.	of	Water	Use	are,	10	the	best	of	my
Water User's Sign	nature:	100				D	ate				
Water User's Sign Printed Name:	Molokai RAnch,	Ltd.				_ D	ate				_

DAWN N.S. CHANG

CIVARPERSON BOARD OF LAND AND NATURAL RESOURCES COMMISSION ON WATER RESOURCE MANAGEMENT


LAURA H.E. KAARUA FIRST DEPUTY M. KALED MANUEL DEPUTY DIRECTOR - WATER AQUATIC RESOLRCES BOATING AND OCEAN RECREATION

BUREAU OF CONVEYANCES COMMISSION ON WATER RESOURCE

MANAGEMENT CONSERVATION AND COASTAL LANDS CONSERVATION AND RESOURCES ENFORCEMENT

ENGINEERING FORESTRY AND WILDLIFE HISTORIC PRESERVATION KAHOOLAWE ISLAND RESERVE COMMISSION

LAND STATE PARKS





#### STATE OF HAWAI'I | KA MOKU'ÄINA 'O HAWAI'I DEPARTMENT OF LAND AND NATURAL RESOURCES KA 'OIHANA KUMUWAIWAI 'ÄINA

DIVISION OF FORESTRY AND WILDLIFE 1151 PUNCHBOWL STREET, ROOM 325 HONOLULU, HAWAII 96813

January 31, 2023

### MEMORANDUM

Log no. 3953

- TO: M. Kaleo Manuel, Deputy Director Commission on Water Resources Management
- FROM: LAINIE BERRY, Wildlife Program Manager Division of Forestry and Wildlife
- SUBJECT: Division of Forestry and Wildlife Comments for the Stream Diversion Works Permit (SDWP.5971.4) Application for the East Kawela Stream on Moloka'i

The Department of Land and Natural Resources, Division of Forestry and Wildlife (DOFAW) has received your request for comments for the SDWP.5971.4 application to remove and abandon the Registration of Stream Diversion Works and Declaration of Water Use No. 866.4 on the East Kawela Stream located on the island of Moloka'i; TMK: (2) 5-4-003:026. The proposed project consists of removing all the existing piping within the stream bed and broken concrete (if any) within the immediate area of the diversion dam using hand tools only.

State-listed waterbirds such as the Hawaiian stilt (*Himantopus mexicanus knudseni*) and Hawaiian coot (*Fulica alai*) could potentially occur at or in the vicinity of the proposed project site. It is against State law to harm or harass these species. If any of these species are present during construction, all activities within 100 feet (30 meters) should cease and the bird or birds should not be approached. Work may continue after the bird or birds leave the area of their own accord. If a nest is discovered at any point, please contact the Moloka'i Branch DOFAW Office at (808) 553-1745.

DOFAW recommends minimizing the movement of plant or soil material between worksites. Soil and plant material may contain detrimental fungal pathogens (e.g., Rapid 'Ōhi'a Death), vertebrate and invertebrate pests (e.g., Coqui Frogs, Little Fire Ants, etc.), or invasive plant parts (e.g., Albizia, Barbados Gooseberry, Bo Tree, etc.) that could harm our native species and ecosystems. We recommend consulting the Moloka'i/Maui Invasive Species Committee (MoMISC) at (808) 553-5236 ext. 6585 to help plan, design, and construct the project, learn of any high-risk invasive species in the area, and ways to mitigate their spread. All equipment, materials, and personnel should be cleaned of excess soil and debris to minimize the risk of spreading invasive species.

Although Rapid 'Õhi'a Death is not known to occur on Moloka'i, we urge caution if working around any 'õhi'a trees to avoid injuring them as a best practice precautionary measure to prevent spread of the disease.

We appreciate your efforts to work with our office for the conservation of our native species. These comments are general guidelines and should not be considered comprehensive for this site or project. It is the responsibility of the applicant to do their own due diligence to avoid any negative environmental impacts. Should the scope of the project change significantly, or should it become apparent that threatened or endangered species may be impacted, please contact our staff as soon as possible. If you have any questions, please contact Myrna N. Girald Pérez, Protected Species Habitat Conservation Planning Associate at (808) 265-3276 or myrna.girald-perez@hawaii.gov.

Sincerely,

LAINIE BERRY Wildlife Program Manager

JOSH GREEN, M.D. GOVERNOR | KE KIA'ĂINA

SYLVIA LUKE LIEUTENANT GOVERNOR | KA HOPE KIA'ÄINA





#### STATE OF HAWAII | KA MOKU'ĀINA 'O HAWAI'I DEPARTMENT OF LAND AND NATURAL RESOURCES KA 'OIHANA KUMUWAIWAI 'ĀINA

STATE HISTORIC PRESERVATION DIVISION KAKUHIHEWA BUILDING 601 KAMOKILA BLVD, STE 555 KAPOLEI, HAWAII 96707

March 30, 2023

M. Kaleo Manuel, Director State of Hawaii Department of Land and Natural Resources State Commission on Water Resource Management P.O. Box 621 Honolulu, Hawai'i 96809 c/o Dean D. Uyeno Email: <u>dean.d.uyeno@hawaii.gov</u>

Archaeology

IN REPLY REFER TO:

Doc. No. 2303SN16

Project No. 2023PR00018

Dear M. Kaleo Manuel:

SUBJECT: Chapter 6E-8 and 6E-42 Historic Preservation Review – State Commission on Water Resource Management Stream Diversion Works Permit Application (SDWP.5971.4) Abandonment of a Registration of Stream Diversion Works and Declaration of Water Use (No. 866.4) Request for Concurrence with Effect Determination Kawela Ahupua'a, Kona District, Island of Moloka'i TMK: (2) 5-4-003:026 por.

This letter provides the State Historic Preservation Division's (SHPD's) review of the subject State Commission on Water Resource Management (CWRM) Stream Diversion Works Permit Application for the abandonment of a Registration of Stream Diversion Works and Declaration of Water Use (No. 866.4), last used in 2005. The Molokai Properties, Ltd. (applicant) proposes the subject private project involving the removal of pipes and concrete with hand tools within a 1.0-acre project area on the subject property. SHPD received the current submission with additional information on January 11, 2023, which included a Stream Diversion Works Permit Application, HRS 6E Submittal Form, construction plans, and a letter from the CWRM requesting SHPD's concurrence with a project effect determination of no historic properties affected.

A search of SHPD records indicates an archaeological inventory survey (AIS) has not been conducted within the current project area. However, SHPD previously reviewed a fencing project that included the subject parcel and made a project effect determination of determination of no historic properties affected (Log No. Doc. No. 0401SC12). No historic properties have been previously identified within the current project area.

Based on the information provided, SHPD concurs with the CWRM's project effect determination of "No historic properties affected" for the current project. Pursuant to HAR §13-275-7(e) and HAR §13-284-7(e), when the SHPD agrees that the action will not affect any significant historic properties, this is the SHPD's written concurrence and historic preservation review ends. The HRS 6E historic preservation review process has ended. The permit issuance and project initiation process may proceed.

## **EXHIBIT 3**

DAWN N.S. CHANG CHAIRPERSON BOARD OF LAND AND NATURAL RESOURCES COMMISSION ON WATER RESOURCE MANAGEMENT

> LAURA H.E. KAAKUA FIRST DEPUTY

M. KALEO MANUEL DEPUTY DIRECTOR - WATER

DEPUTY DIRECTOR - WATER AQUATING AND OCEAN RECORDENTION BUREAU OCOMEYNNESS COMMISSION ON WATER RESOURCES MANAGEMENT CONSERVATION AND COASTALLANDS CONSERVATION AND DOCASTALLANDS CONSERVATION AND DOCASTALLANDS CONSERVATION AND RESOURCES ENFORCEMENT ENGINEERING FORESTRY AND WILDLIFE HISTORIC PRESERVATION KAHOOLAWE ISAND RESERVE COMMISSION LAND STATE PARKS M. Kaleo Manuel 03/30/2023 pg. 2

**Please annotate on the construction plans:** In the unlikely event that subsurface historic resources, including human skeletal remains, structural remains, cultural deposits, artifacts, sand deposits, or sink holes are identified during the demolition and/or construction work, cease work in the immediate vicinity of the find, protect the find from additional disturbance, and contact the State Historic Preservation Division, at (808) 652-1510.

Please contact Andrew McCallister, Maui Archaeologist IV, at <u>andrew.mccallister@hawaii.gov</u> for any matters regarding this letter.

Aloha, Alan Downer

Alan S. Downer, PhD Administrator, State Historic Preservation Division Deputy State Historic Preservation Officer

cc: Todd Sventin, applicant, <u>tsventin@moloairanch.com</u> Harold Edwards, consultant, <u>harold@itcwater.com</u>

From:	Asman, Lindsy
To:	Alakai, Rebecca R
Subject:	[EXTERNAL] East (5971.4) and West (54970.4) Gulch Stream Diversion Works Permit Applications - FWS Comments
Date:	Friday, February 3, 2023 2:12:05 PM
Attachments:	SDWP 5971 4.East Kawela Gulch Diversion Molokai.pdf
	SDWP 5970 4.West Kawela Gulch Diversion Molokai.pdf
	Plant Avoidance and Minimization Measures FINAL Feb 2022.docx
	<u>BMPs For Work In or Around Aquatic Environment_revised Nov 2018.doc</u>

### Hello Rebecca,

Thank you for requesting our comments, and we apologize for the delayed response. We have the following recommendations related to these permit applications:

- 1. There are a few points for the listed plant *Sesbania tomentosa* in the area. We recommend implementing the plant avoidance and minimization measures attached if any work would occur in the nearby terrestrial areas.
- 2. Please employ applicable Best Management Practices for any inwater work (see attached).

### Thank you!

Lindsy Asman (she/her) <u>Why are pronouns important?</u> Island Team Manager for Hawai'i Island and Maui Nui Pacific Islands Fish and Wildlife Office U.S. Fish and Wildlife Service 300 Ala Moana Blvd., Room 3-122, Honolulu, HI 96850 Work Phone: 808-792-9490 https://www.fws.gov/pacificislands/

The boundary of the area occupied by listed plants should be marked with flagging by the surveyor. To avoid or minimize potential adverse effects to listed plants, we recommend adherence to buffer distances for the activities in the **Table below**. Where disturbed Whenever possible we recommend using native plants for landscaping purposes. The following websites are good resources to use areas do not need to be maintained as an open area, restore disturbed areas using native plants as appropriate for the location. (http://hawaiiscape.wpengine.com/publications/), Native Hawaiian Plants for Landscaping, Conservation, and Reforestation (https://www.ctahr.hawaii.edu/oc/freepubs/pdf/of-30.pdf), and Best Native Plants for Landscapes when choosing landscaping plants: Landscape Industry Council of Hawai'i Native Plant Poster (https://www.ctahr.hawaii.edu/oc/freepubs/pdf/OF-40.pdf)

If listed plants occur in a project area, the avoidance buffers are recommended to reduce direct and indirect impacts to listed plants from project activities. However, where project activities will occur within the recommended buffer distances, additional consultation is required. The impacts to the plants of concern within the buffer area may be reduced by placing temporary fencing or other barriers at the boundary of the disturbance, as far from the affected plants as practicable.	e recommended to reduce direct occur within the recommended l Ter area may be reduced by plac nts as practicable.	and indirect impacts to listed plants ouffer distances, additional consultation sing temporary fencing or other barriers
The above guidelines apply to areas outside of designated critical habitat. If project activities occur within designated critical habitat unit boundaries, additional consultation is required.	cal habitat. If project activities c	occur within designated critical habitat
All activities, including site surveys, risk introducing nonnative species into project areas. Specific attention needs to be made to ensure that all equipment, personnel and supplies are properly checked and are free of contamination (weed seeds, organic matter, or other contaminants) before entering project areas. Quarantines and or management activities occurring on specific priority invasive species proximal to project areas need to be considered or adequately addressed. This information can be acquired by contacting local experts such as those on local invasive species committees (Kauai: <u>https://www.kauaiisc.org/</u> ; Oahu: <u>https://www.oahuisc.org/</u> ; Maui Nui: <u>https://maniinvasive_org/</u> ; Maui Nuii <u>https://maniinvasive_org/</u> ; Maui Nui: <u>https://maniinvasive_org/</u> ; Maui Nui: <u>https://maniinvasive_org/</u> ; Mui	e species into project areas. Spechecked and are free of contami and or management activities o quately addressed. This information: inai: <u>https://www.kauaiisc.org/;</u>	cific attention needs to be made to ination (weed seeds, organic matter, or ccurring on specific priority invasive tion can be acquired by contacting local Oahu: <u>https://www.oahuisc.org/</u> ; Maui
Table 1. Recommended buffer distances to minimize and avoid	1 potential adverse impacts to li	minimize and avoid potential adverse impacts to listed plants from activities listed below.
Action	Buffer Distance (feet (meters)) - Keep Project Activity This Far Away from Listed Plant	) - Keep Project Activity This n Listed Plant
	Grasses/Herbs/Shrubs and Terrestrial Orchids	Trees and Arboreal Orchids
Walking, hiking, surveys	3 ft (1 m)	3 ft (1 m)
Cutting and Removing Vegetation By Hand or Hand Tools (e.g., weeding)	3 ft (1 m)	3 ft (1 m)
Mechanical Removal of Individual Plants or Woody Vegetation (e.g., chainsaw, weed eater)	3 ft up to height of removed vegetation (whichever greater)	3 ft up to height of removed vegetation (whichever greater)
Removal of Vegetation with Heavy Equipment (e.g., bulldozer, tractor, "bush hog")	2x width equipment + height of vegetation	820 ft (250 m)

Use of Approved Use of Approved Use for Approved Use of Approved Use of Approved Vehicle-mounted tank sprayer	hand application (no wand applicator; spot treatment)	10 ft (3 m)	Crown diameter
	Ground-based Spray Application; manual pump with wand, backpack	50 ft (15 m)	Crown diameter
	Ground-based Spray Application; vehicle-mounted tank sprayer	50 ft (15 m)	Crown diameter
(following label) Aerial Spray (ball applicator)	ull applicator)	250 ft (76 m)	250 ft (76 m)
Aerial Applicatio technology (indivi	Aerial Application – herbicide ballistic technology (individual plant treatment)	100 ft (30 m)	Crown diameter
Aerial Spray (boom)	(mo	Further consultation required	Further consultation required
Use of Insecticides (pollinators, seed dispersers)	lispersers)	Further consultation required	Further consultation required
Ground/Soil Disturbance/Outplanting/Fencing (Hand tools, e.g. shovel, `õ`ō; Small mechanized tools, e.g., auger)	g/Fencing (Hand tools, ols, e.g., auger)	20 ft (6 m)	2x crown diameter
Ground/Soil Disturbance (Heavy Equipment)	ipment)	328 ft (100 m)	820 ft (250 m)
Surface Hardening/Soil	Trails (e.g., human, ungulates)	20 ft (6 m)	2x crown diameter
	Roads/Utility Corridors, Buildings/Structures	328 ft (100 m)	820 ft (250 m)
Prescribed Burns		Further consultation required	Further consultation required
Farming/Ranching/Silviculture		820 ft (250 m)	820 ft (250 m)

Crown: The leafy top of a tree.

Herb: A plant, either annual, biennial, or perennial, with the non-woody stems dying back to the ground at the end of the growing season.

Shrub: A perennial woody plant with usually several to numerous primary stems arising from or relatively near the ground. Tree: A woody perennial that usually has a single trunk

### **References Cited**

USFWS. 2010. Endangered and threatened wildlife and plants; determination of endangered status for 48 species on Kauai and designation of critical habitat. Federal Register 75: 18960–19165.

. 2012. Endangered and threatened wildlife and plants; endangered status for 23 species on Oahu and designation of critical habitat for 124 species; final rule. Federal Register 77: 57648–57862.

. 2013a Endangered and threatened wildlife and plants; determination of endangered status for 38 species from Molokai, Lanai, and Maui. Federal Register 78: 32014–32065.

. 2013b. Endangered and threatened wildlife and plants; determination of endangered species status for 15 species on Hawaii Island. Federal Register 78: 64638–64690.

. 2016. Endangered and threatened wildlife and plants; determination of endangered status for 49 species from the Hawaiian Islands. Federal Register 81: 67786–67860.

. 2016. USFWS Rare plant database. Unpublished.

Wagner, W.L., Sohmer, S., and D.R. Herbst. 1999. Manual of the flowering plants of Hawaii, revised edition. Honolulu, Hawaii. University of Hawaii and Bishop Museum Press. 1,919 pp.

### U.S. Fish and Wildlife Service Recommended Standard Best Management Practices (BMPs)

The U.S. Fish and Wildlife Service (Service) recommends the following measures are incorporated into project planning to avoid or minimize impacts to fish and wildlife resources. Incorporation of these BMPs may reduce negative impacts to aquatic habitats from project construction-related activities. These BMPs are recommended in addition to, and do not override any terms, conditions, or other recommendations prepared by the Service, other Federal, state, or local agencies. Please contact the Service Aquatic Ecosystems Conservation Program at 808-792-9400 with any questions.

- 1. Authorized dredging and filling-related activities that may result in the temporary or permanent loss of aquatic habitats should be designed to avoid indirect, negative impacts to aquatic habitats that extend beyond the planned project area.
- 2. Dredging/filling in the marine environment should be scheduled to avoid coral spawning and recruitment periods, and sea turtle nesting and hatching periods. Because these periods vary throughout the Pacific islands, we recommend contacting the relevant local, state, or Federal fish and wildlife resource agency for site specific guidance.
- 3. Turbidity and siltation from project-related work should be minimized and contained within the project area by silt containment devices and curtailing work during flooding or adverse tidal and weather conditions. The BMPs should occur for the life of the construction period until turbidity and siltation within the project area is stabilized. All project construction-related debris and sediment containment devices should be removed and disposed of at an approved site.
- 4. All project construction-related materials and equipment (i.e., dredges, vessels, backhoes, silt curtains, etc.) to be placed in an aquatic environment should be inspected for pollutants including, but not limited to; marine fouling organisms, grease, oil, etc., and cleaned to remove pollutants prior to use. Project related activities should not result in any debris disposal, non-native species introductions, or attraction of non-native pests to the affected or adjacent aquatic or terrestrial habitats. Implementing both a litter-control plan and a Hazard Analysis and Critical Control Point plan (HACCP see <a href="https://www.fws.gov/policy/A1750fw1.html">https://www.fws.gov/policy/A1750fw1.html</a>) can prevent attraction and introduction of non-native species.
- 5. Project construction-related materials (i.e., fill, revetment rock, pipe, etc.) should not be stockpiled in, or in close proximity to aquatic habitats and should be protected from erosion (e.g., with filter fabric, etc.), to prevent materials from being carried into waters by wind, rain, or high surf.
- 6. Fueling of project-related vehicles and equipment should occur away from the aquatic environment and a contingency plan to control petroleum products accidentally spilled during the project should be developed. The plan should be retained on site with the person responsible for compliance with the plan. Absorbent pads and containment booms should be stored on-site to facilitate the clean-up of accidental petroleum releases.
- 7. All deliberately exposed soil or under-layer materials used in the project near water should be protected from erosion and stabilized as soon as possible with geotextile, filter fabric or native or non-invasive vegetation matting, hydro-seeding, etc.

### STANDARD STREAM DIVERSION WORKS PERMIT CONDITIONS (Revised December 15, 2020)

- 1. The permit application and staff submittal approved by the Commission at its meeting on the above date shall be incorporated herein by reference.
- 2. The permittee, owner and/or operator of the stream diversion works shall provide and maintain an approved meter or other appropriate device or means for measuring and reporting total water usage on a monthly (calendar or work schedule) basis to the Commission per HAR §13-168-7 Report of Water Use.
- 2. The project may require other agency approvals regarding wetlands, water quality, grading, stockpiling, endangered species, and floodways. The permittee shall comply with all other applicable statutes, ordinances, and regulations of the Federal, State and county governments, including, but not limited to, instream flow standards.
- 3. The permittee, his successors, assigns, officers, employees, contractors, agents, and representatives, shall indemnify, defend, and hold the State of Hawaii harmless from and against any claim or demand for loss, liability, or damage including claims for property damage, personal injury, or death arising out of any act or omission of the permittee or his successors, assigns, officers, employees, contractors, and agents under this permit or related to the granting of this permit.
- 4. The permittee shall notify the Commission, by letter, of the actual dates of project initiation and completion. The permittee shall submit a set of as-built plans and photos in pdf format of the completed work to the Commission upon completion of this project. This permit may be revoked if work is not started within six (6) months after the date of approval or if work is suspended or abandoned for six (6) months, unless otherwise specified. The proposed work under this stream channel alteration permit shall be completed within two (2) years from the date of permit approval, unless otherwise specified. The permit may be extended by the Commission upon showing of good cause and good-faith performance. A request to extend the permit shall be submitted to the Commission no later than three (3) months prior to the date the permit after giving the permittee notice of the proposed action and an opportunity to be heard.
- 5. Before proceeding with any work authorized by the Commission, the permittee shall submit one set of construction plans and specifications in PDF format to determine consistency with the conditions of the permit and the declarations set forth in the permit application.
- 6. The permittee shall implement site-specific, construction Best Management Practices in consultation with the DOH Clean Water Branch and other agencies as applicable, that are designed, implemented, operated, and maintained by the permittee and its contractor to properly isolate and confine activities and to contain and prevent any potential pollutant(s) discharges from adversely impacting State waters per HRS Ch. 342D Water Pollution; HAR §11-54-1 through §11-54-8 Water Quality Standards; and HAR Ch. 11-55 Water Pollution Control, Appendix C.
- 7. The permittee shall protect and preserve the natural character of the stream bank and stream bed to the greatest extent possible. The permittee shall plant or cover lands denuded of vegetation as quickly as possible to prevent erosion and use native plant species common to riparian environments to improve the habitat quality of the stream environment.
- 8. In the event that subsurface cultural remains such as artifacts, burials or deposits of shells or charcoal are encountered during excavation work, the permittee shall stop work in the area of the find and contact the Department's Historic Preservation Division immediately. Work may commence only after written concurrence by the State Historic Preservation Division.

# **EXHIBIT 5**

### LEGAL AUTHORITIES

Water as a Public Trust. The four public trust purposes are:

- 1. Maintenance of waters in their natural state.
- 2. Domestic water use of the general public, particularly drinking water.
- 3. The exercise of Native Hawaiian and traditional and customary rights, including appurtenant rights. Waiahole, 94 Hawaii 97; 9 P.3d 409 (2000).
- 4. Reservations of water for use on Hawaiian home lands. Waiola O Molokai, Inc., 103 Hawaii 401; 83 P.3d 664 (2004).

Activities on undeveloped lands. Public Access Shoreline Hawaii v. Hawaii County Planning Commission (PASH I). 79 Hawaii 246 (1993).

HRS §174C-26 <u>Filing of declaration</u>. (a) Any person making a use of water in any area of the State shall file a declaration of the person's use with the commission within one year from the effective date of rules adopted to implement this chapter.

(b) When the commission requires filing of declarations by rules, it shall cause public notice of the rule to be given statewide for filings in the city and county of Honolulu and areawide or countywide statewide for filings in counties other than the city and county of Honolulu. The commission shall also cause notice of the rules to be given by mail to any person required to file of whom the commission has or could readily obtain knowledge or who has requested mailed notice to be given when the commission adopts rules requiring the filing of declarations.

(c) The declarations shall be in such form and contain such information as the commission by rule prescribes, including the quantity of water used, the purpose or manner of the use, the time of taking the water, and the point of withdrawal or diversion of the water. Each declaration shall contain a statement, signed and sworn to by the person required to file the declaration, or by some other person duly authorized in the person's behalf, to the effect that the contents thereof are true to the best of the person's knowledge and belief.

HRS §174C-71 <u>Protection of instream uses.</u> The commission shall establish and administer a statewide instream use protection program. In carrying out this part, the commission shall cooperate with the United States government or any of its agencies, other state agencies, and the county governments and any of their agencies. In the performance of its duties the commission shall:

- (2) Establish interim instream flow standards;
  - (D) In considering a petition to adopt an interim instream flow standard, the commission shall weigh the importance of the present or potential instream values with the importance of the present or potential uses of water for noninstream purposes, including the economic impact of restricting such uses;
- (3) Protect stream channels from alteration whenever practicable to provide for fishery, wildlife, recreational, aesthetic, scenic, and other beneficial instream uses;
  - (A) The commission shall require persons to obtain a permit from the commission prior to undertaking a stream channel alteration; provided that routine streambed and drainageway maintenance activities and maintenance of existing facilities are exempt from obtaining a permit;

# **EXHIBIT 6**

(C) The commission shall establish guidelines for processing and considering applications for stream channel alterations consistent with section 174C-93;

HRS §174C-92 <u>Registration of existing stream diversion works</u>. Any person owning or operating a stream diversion works within or outside of a water management area shall register such work with the commission. Registration shall be on the forms provided by the commission. Reporting requirements on the registration forms shall be reasonable.

HRS §174C-95 <u>Abandonment</u>. Any owner of any stream diversion work wishing to abandon or remove such work shall first obtain a permit to do so from the commission.

### HAR §13-168-2 Definitions.

"Instream flow standard" means a quantity or flow of water or depth of water which is required to be present at a specific location in a stream system at certain specified times of the year to protect aquatic life, wildlife, recreational, aesthetic, scenic, and other beneficial instream uses.

"Instream use" means beneficial uses of stream water for significant purposes which are located in the stream and which are achieved by leaving the water in the stream. Instream uses include, but are not limited to:

- (1) Maintenance of aquatic life and wildlife habitats;
- (2) Outdoor recreational activities;
- (3) Maintenance of ecosystems such as estuaries, wetlands, and stream vegetation;
- (4) Aesthetic values such as waterfalls and scenic waterways;
- (5) Navigation;
- (6) Instream hydropower generation;
- (7) Maintenance of water quality;
- (8) The conveyance of irrigation and domestic water supplies to downstream points of diversion; and
- (9) The protection of traditional and customary Hawaiian rights.

"Stream diversion" means the act of diverting, pumping or otherwise removing water from a stream into a channel, ditch, pipeline, or other conduit.

"Stream diversion works" means any artificial structure, excavation, pipeline, or other conduit constructed singly or in combination, for the purpose of diverting or otherwise removing water from a stream into a channel, ditch, tunnel, pipeline, etc.

HAR §13-168-5 <u>Declaration of water use.</u> (a) Any person making a use of water from a well or stream diversion works in existence on the effective date of these rules in any area of the state shall file a declaration of the person's use with the commission within one year from the effective date of these rules.

(c) Declarations by the user shall be made on forms provided by the commission and shall contain information including, but not limited to, the location of the water sources and all usage-related facts, or information within his knowledge or possession. The user shall include a declaration of the manner, purposes, and time in which the water source is being used and operated, the rate and volume of water being withdrawn or diverted therefrom, and the method or means of measuring and controlling the water taken or used. Each declaration shall contain a statement, signed and sworn to by the person required to file the declaration, or by some other

person duly authorized in the person's behalf, to the effect that the contents thereof are true to the best of the person's knowledge and belief.

HAR §13-168-31 <u>Registration of existing stream diversion works</u>. Within one year from the effective date of these rules, the owner or operator of any stream diversion works in any area of the state shall register such facility with the commission. Registration shall be on the forms provided by the commission and shall include information such as location, dimensions, elevations, divertible capacity, construction plans, method of measuring flows, and all other facts or information reasonably required.

HAR §13-168-35 <u>Abandoned stream diversion works</u>. (a) The owner of any stream diversion works wishing to abandon or remove such works shall first obtain a stream diversion permit issued or caused to be issued by the commission. No abandonment work shall be undertaken by the applicant until such a permit is issued by the commission.

(b) Each application for a stream diversion permit to perform abandonment work shall be made on forms furnished by the commission, shall not require a fee, and shall include:

- (1) The name and address of the applicant;
- (2) The location and description of the proposed stream diversion work abandonment;
- (3) An assessment of the impact the abandonment will have on the stream environment;
- (4) Relevant maps, plans, and drawings; and
- (5) Other information as may be necessary for the commission to determine the merits of the proposed stream channel alteration, including any hazards to public health, safety, or welfare, and the desirability of issuing a permit.

HAR §13-169-47 Interim instream flow standard for Molokai. The Interim Instream Flow Standard for all streams on Molokai, as adopted by the commission on water resource management on June 15, 1988, shall be that amount of water flowing in each stream on the effective date of this standard, and as that flow may naturally vary throughout the year and from year to year without further amounts of water being diverted offstream through new or expanded diversions, and under the stream conditions existing on the effective date of the standard.