



- No precleaning required
 Effective on fabric and air

this product in a manner inconsistent with its labeling. Do not use on glasses, dishes or utensils.

To Disinfect: Heavy soil must be removed prior to disinfecting. Hold can upright 6"-8" from surface. Spray surface until thoroughly wet. Let stand for 5 minutes. Allow to air dry. A potable water rinse is required for food-contact surfaces.

To Reduce Allergens*: Spray surface until thoroughly wet. Allow to air dry. To Sanitize Soft Surfaces: Heavy soil must be removed prior to sanitizing. Hold can upright 6"-8" from surface. Spray until fabric is wet. DO NOT SATURATE. Let stand for 30 seconds. Allow to air dry. Reapply as necessary.

To Sanitize the Air: Close all doors, windows, and air vents. Hold can upright and spray towards center of room for 10 seconds. For maximum effectiveness, relative humidity should be between 45% and 70%. Resume normal air ventilation after spray has settled. • Day Care Centers • Offices • Restaurants • Kitchens • Repeat as needed. To Control Mold and Mildew on Fabric: Heavy soil must be removed prior to application to control mold and mildew. Hold can upright 6"-8" from surface. Spray surface until wet and repeat every 3 weeks to prevent regrowth.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice. Have the product container or label Questions? Comments? Call toll-free 1-800-492-9729, Visit with you when calling a poison control center or doctor or going for us at www.cloroxpro.com. For more product ingredient treatment. Questions or comments? Call 1-800-492-9729. PHYSICAL information, visit www.smartlabel.org. HAZARDS: Flammable. Contents under pressure. Keep away from heat, Mfd. for Clorox Professional Products Company, 1221 sparks, and open flame. Do not puncture or incinerate container. Broadway, Oakland, CA 94612. © 2014, 2019 Made in Exposure to temperatures above 130°F may cause bursting.

STORAGE/DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide Storage: Store at temperatures below 130°F in a locked storage area inaccessible to children and persons unfamiliar with its use. Pesticide **Disposal:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Container Handling: DO NOT PUNCTURE OR INCINERATE! Offer for recycling; if not available, discard in trash. If partially filled: Call your local solid waste agency for disposal instructions.



Bacteria - 5 minute contact time: Acinetobacter baumannii • Community Associated Methicillin-Resistant Staphylococcus **DIRECTIONS FOR USE:** It is a violation of Federal law to use <u>aureus • Enterobacter aerogenes • Extended Spectrum</u> Beta-Lactamase (ESBL) producing Escherichia coli . Klebsiella pneumoniae • Methicillin Resistant Staphylococcus aureus (MRSA) . Multi-drug Resistant Enterococcus faecium . Multi-drug Resistant Klebsiella pneumoniae . Multi-drug Resistant Staphylococcus aureus . Multi-drug Resistant Streptococcus pneumoniae · Pseudomonas aeruginosa · Salmonella enterica • Staphylococcus aureus • Vancomycin Resistant Enterococcus faecalis (VRE)

†Viruses - 5 minute contact time: Coxsackie Type B3 Virus • Hepatitis A Virus • Herpes Simplex Virus Type 1 • Influenza A Virus • Respiratory syncytial virus (RSV) • Rhinovirus 37 • Rotavirus

Fungus - 5 minute contact time: Trichophyton interdigitale Will disinfect hard, nonporous surfaces in: Schools • Dorms Hotels • Health Clubs • Restrooms • Public Areas Surfaces: Garbage Cans • Diaper Pails • Diaper Changing Tables • Desks • Gym Equipment • Tables • Faucets • Countertops • Doorknobs • Handles • Showers • Stainless Steel SANITIZATION: Soft Surface Sanitization - 30 second contact time:

Enterobacter aerogenes . Staphylococcus aureus Use on couches, chairs, curtains and other soft surfaces. FABRIC MILDEWSTAT: Fungi: Aspergillus brasiliensis • Penicillium variabile CONTAINS NO PHOSPHORUS.

USA of global components. CloroxPro is a registered trademark of Clorox Professional Products Company. Clorox is a registered trademark of The Clorox Company. Patents: www.thecloroxcompany.com/patents/ EPA Reg. No. 67619-29, EPA Est. No. 58996-MO-1(UY). 74216-IL-1 (WV). Beginning of batch code indicates Est. No. *Cockroach matter, dust mite matter, pet dander.





DISINFECTANT & SANITIZER

KILLS 99.9% OF BACTERIA AND VIRUSES[†]

- 1. Disinfects in One Step
- 2. Reduces Allergens*
- 3. Sanitizes Soft Surfaces
- 4. Sanitizes the Air

FRESH CITRUS SCENT

NET WT. 0.875 LB (14 OZ) 397 g

- One-step disinfectant Reduces allergens*
- No precleaning required Effective on fabric and air
- Fresh citrus scent

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on glasses, dishes or utensils.

To Disinfect: Heavy soil must be removed prior to disinfecting. Hold can upright 6"-8" from surface. Spray surface until thoroughly wet. Let stand for 5 minutes. Allow to air dry. A potable water rinse is required for food-contact surfaces.

To Reduce Allergens*: Spray surface until thoroughly wet. Allow to air dry. To Sanitize Soft Surfaces: Heavy soil must be removed prior to sanitizing. Hold can upright 6"-8" from surface. Spray until fabric is wet, DO NOT SATURATE, Let stand for 30 seconds. Allow to air dry. Reapply as necessary.

To Sanitize the Air: Close all doors, windows, and air vents. Hold can upright and spray towards center of room for 10 seconds. For maximum effectiveness, relative humidity should be between 45% and 70%. Resume normal air ventilation after spray has settled. Repeat as needed. To Control Mold and Mildew on Fabric: Hotels • Health Clubs • Restrooms • Public Areas Surfaces: Heavy soil must be removed prior to application to control mold and mildew. Hold can upright 6"-8" from surface. Spray surface until wet and repeat every 3 weeks to prevent regrowth.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice. Have the product container or label Questions? Comments? Call toll-free 1-800-492-9729. Visit with you when calling a poison control center or doctor or going for us at www.cloroxpro.com. For more product ingredient treatment. Questions or comments? Call 1-800-492-9729. PHYSICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, Mfd. for Clorox Professional Products Company, 1221 sparks, and open flame. Do not puncture or incinerate container. Broadway, Oakland, CA 94612. © 2014, 2019 Made in Exposure to temperatures above 130°F may cause bursting.

STORAGE/DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide Storage: Store at temperatures below 130°F in a locked storage area inaccessible to children and persons unfamiliar with its use. Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Container Handling: DO NOT PUNCTURE OR INCINERATE! Offer for recycling; if not available, discard in trash. If partially filled: Call your local solid waste agency for disposal instructions.



DISINFFCTION

Bacteria - 5 minute contact time: Acinetobacter baumannii • Community Associated Methicillin-Resistant Staphylococcus aureus • Enterobacter aerogenes • Extended Spectrum Beta-Lactamase (ESBL) producing Escherichia coli • Klebsiella pneumoniae • Methicillin Resistant Staphylococcus aureus (MRSA) . Multi-drug Resistant Enterococcus faecium . Multi-drug Resistant Klebsiella pneumoniae • Multi-drug Resistant Staphylococcus aureus . Multi-drug Resistant Streptococcus pneumoniae · Pseudomonas aeruginosa · Salmonella enterica • Staphylococcus aureus • Vancomycin Resistant Enterococcus faecalis (VRE)

†Viruses - 5 minute contact time: Coxsackie Type B3 Virus • Hepatitis A Virus • Herpes Simplex Virus Type 1 • Influenza A Virus • Respiratory syncytial virus (RSV) • Rhinovirus 37 •

Fungus - 5 minute contact time: Trichophyton interdigitale Will disinfect hard, nonporous surfaces in: Schools • Dorms • Day Care Centers • Offices • Restaurants • Kitchens • Garbage Cans • Diaper Pails • Diaper Changing Tables • Desks Gym Equipment
 Tables
 Faucets
 Countertops Doorknobs • Handles • Showers • Stainless Steel

SANITIZATION: Soft Surface Sanitization - 30 second contact time:

Enterobacter aerogenes . Staphylococcus aureus Use on couches, chairs, curtains and other soft surfaces. FABRIC MILDEWSTAT: Fungi: Asperaillus brasiliensis • Penicillium variabile CONTAINS NO PHOSPHORUS.

*Cockroach matter, dust mite matter, pet dander.

information, visit www.smartlabel.org.

USA of global components. CloroxPro is a registered trademark of Clorox Professional Products Company, Clorox is a registered trademark of The Clorox Company. Patents: www.thecloroxcompany.com/patents/ EPA Reg. No. 67619-29. EPA Est. No. 58996-MO-1(UY), 74216-IL-1 (WV). Beginning of batch code indicates Est. No.



*Not recycled in all communities