

# Germicidal CleanerQ

MIX EACH PACKET WITH 1 QUART OF WATER.

EPA Reg. No. 1839-168-8722 EPA Est. No. 88120-WI-1



STATE OF HAWAII  
Department of Agriculture  
**ACCEPTED**  
LICENSE NO.  
**8402.5**

## ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride .....	0.814%
Dioctyl dimethyl ammonium chloride.....	0.407%
Didecyl dimethyl ammonium chloride.....	0.407%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride .....	1.085%
INERT INGREDIENTS .....	<u>97.287%</u>
Total	100.000%

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

See booklet for additional information and Directions for Use

**DISPOSAL:** Do not reuse; discard empty packet by putting in trash.

NOT FOR INDIVIDUAL SALE

# CP232

**You may contact 1-800-535-5053  
for emergency medical treatment information.**

Sold By PortionPac Chemical Corp., 312-226-0400  
901 Lake Street, 2190, Oak Park, IL 60303



**NET CONTENTS: 1 fl oz per packet**

# Germicidal CleanerQ

EPA Reg. No. 1839-168-8722 EPA Est. No. 88120-WI-1

## ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride .....	0.814%
Diocetyl dimethyl ammonium chloride.....	0.407%
Didecyl dimethyl ammonium chloride.....	0.407%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride .....	1.085%
<b>INERT INGREDIENTS .....</b>	<b>97.287%</b>
<b>Total</b>	<b>100.000%</b>

## KEEP OUT OF REACH OF CHILDREN DANGER

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

### DANGER

**KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if absorbed through skin. Harmful if swallowed. Wear goggles or face shield, rubber gloves, and protective clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

See insert for complete information.

## STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

**PESTICIDE STORAGE** - Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in an area inaccessible to children. **PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL** - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instruction for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill. **PACKET DISPOSAL** - Do not reuse; discard empty container and put in trash.

**FIRST AID:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**You may contact 1-800-535-5053  
for emergency medical treatment information.**

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.  
See booklet for additional information and Directions for Use

**Net Contents: 132 – 1 fl oz per packet Total 132 fl ozs (1.03 gal)**

Sold by PortionPac Chemical Corp., 312-226-0400  
901 Lake Street, 2190, Oak Park, IL 60303

# CP232

1 86041 40232



# Germicidal CleanerQ

MIX EACH PACKET WITH 1 QUART OF WATER.

EPA Reg. No. 1839-168-8722 EPA Est. No. 88120-WI-1

## ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride .....0.814%

Dioctyl dimethyl ammonium chloride.....0.407%

Didecyl dimethyl ammonium chloride.....0.407%

Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>) dimethyl

benzyl ammonium chloride .....1.085%

INERT INGREDIENTS .....97.287%

Total 100.000%

## KEEP OUT OF REACH OF CHILDREN DANGER

See booklet for additional information and Directions for Use

**DISPOSAL:** Do not reuse; discard empty packet by putting in trash.

NOT FOR INDIVIDUAL SALE

NET CONTENTS: 1 fl oz per packet

# 232

**You may contact 1-800-535-5053  
for emergency medical treatment information.**

Sold By PortionPac Chemical Corp., 312-226-0400

901 Lake Street, 2190, Oak Park, IL 60303

# Germicidal CleanerQ

EPA Reg. No. 1839-168-8722 EPA Est. No. 88120-WI-1

## ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride .....	0.814%
Diocetyl dimethyl ammonium chloride.....	0.407%
Didecyl dimethyl ammonium chloride .....	0.407%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride .....	1.085%

INERT INGREDIENTS .....97.287%

Total 100.000%

## KEEP OUT OF REACH OF CHILDREN DANGER

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

### DANGER

**KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if absorbed through skin. Harmful if swallowed. Wear goggles or face shield, rubber gloves, and protective clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

See insert for complete information.

## STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

**PESTICIDE STORAGE** - Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in an area inaccessible to children. **PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL** - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instruction for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill. **PACKET DISPOSAL** - Do not reuse; discard empty container and put in trash.

**FIRST AID:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**You may contact 1-800-535-5053  
for emergency medical treatment information.**

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See booklet for additional information and Directions for Use

**Net Contents: 132 – 1 fl oz per packet Total 132 fl ozs (1.03 gal)**

Sold by PortionPac Chemical Corp., 312-226-0400  
901 Lake Street, 2190, Oak Park, IL 60303

**232**

0 86041 40232

# Germicidal CleanerQ

EPA Reg. No. 1839-168-8722 EPA Est. No. 88120-WI-1

Net Contents: 10 – 1 fl oz per packet Total 10 fl ozs (0.08 gal)

## KEEP OUT OF REACH OF CHILDREN DANGER

### ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride .....	0.814%
Dioctyl dimethyl ammonium chloride.....	0.407%
Didecyl dimethyl ammonium chloride .....	0.407%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride .....	1.085%
INERT INGREDIENTS .....	97.287%
Total	100.000%

**FIRST AID:** Use the product container or label with you when calling a poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**You may contact 1-800-535-5053  
for emergency medical treatment information.**

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.  
See booklet for additional information and Directions for Use

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

#### DANGER

**KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if absorbed through skin. Harmful if swallowed. Wear goggles or face shield, rubber gloves, and protective clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.  
See insert for complete information.

### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.  
**PESTICIDE STORAGE** - Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in an area inaccessible to children. **PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL** - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instruction for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill. **PACKET DISPOSAL** – Do not reuse; discard empty container and put in trash.

232

0 86041 10232

Sold by PortionPac Chemical Corp., 312-226-0400  
901 Lake Street, 2190, Oak Park, IL 60303

**PRECAUTIONARY STATEMENTS**  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.  
**DANGER**  
**KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if absorbed through skin. Harmful if swallowed. Wear goggles or face shield, rubber gloves, and protective clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.  
See insert for complete information.

**STORAGE AND DISPOSAL**  
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.  
**PESTICIDE STORAGE** - Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in an area inaccessible to children. **PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL** - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instruction for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill. **PACKET DISPOSAL** – Do not reuse; discard empty container and put in trash.

# Germicidal CleanerQ

EPA Reg. No. 1839-168-8722   EPA Est. No. 88120-WI-1

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

**FIRST AID:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**You may contact 1-800-535-5053 for emergency medical treatment information.**

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See booklet for additional information and Directions for Use

**Net Contents: 30 – 1 fl oz per packet Total 30 fl ozs (0.23 gal)**

Sold by PortionPac Chemical Corp., 312-226-0400  
901 Lake Street, 2190, Oak Park, IL 60303

ACTIVE INGREDIENTS	
Octyl decyl dimethyl ammonium chloride .....	0.814%
Dioctyl dimethyl ammonium chloride.....	0.407%
Didecyl dimethyl ammonium chloride.....	0.407%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride .....	1.085%
INERT INGREDIENTS .....	97.287%
<b>Total</b>	<b>100.000%</b>

**232**

0 86041 00232

# Germicidal CleanerQ

MIX EACH PACKET WITH 1 QUART OF WATER.

EPA Reg. No. 1839-168-8722 EPA Est. No. 88120-WI-1

## ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride .....	0.814%
Diocetyl dimethyl ammonium chloride.....	0.407%
Didecyl dimethyl ammonium chloride.....	0.407%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride .....	1.085%
INERT INGREDIENTS .....	<u>97.287%</u>
Total	100.000%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

See booklet for additional information and Directions for Use

**DISPOSAL:** Do not reuse; discard empty packet by putting in trash.

NOT FOR INDIVIDUAL SALE

NET CONTENTS: 1 fl oz per packet

# 232

**You may contact 1-800-535-5053  
for emergency medical treatment information.**

Sold By PortionPac Chemical Corp., 312-226-0400  
901 Lake Street, 2190, Oak Park, IL 60303

**PRECAUTIONARY STATEMENTS**  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.  
**DANGER**  
**KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if absorbed through skin. Harmful if swallowed. Wear goggles or face shield, rubber gloves, and protective clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.  
See insert for complete information.

**STORAGE AND DISPOSAL**  
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.  
**PESTICIDE STORAGE** - Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in an area inaccessible to children. **PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL** - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instruction for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill. **PACKET DISPOSAL** – Do not reuse; discard empty container and put in trash.

# Germicidal CleanerQ

EPA Reg. No. 1839-168-8722   EPA Est. No. 88120-WI-1

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

**FIRST AID:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**You may contact 1-800-535-5053 for emergency medical treatment information.**

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See booklet for additional information and Directions for Use

**Net Contents: 30 – 1 fl oz per packet Total 30 fl ozs (0.23 gal)**

Sold by PortionPac Chemical Corp., 312-226-0400  
901 Lake Street, 2190, Oak Park, IL 60303

ACTIVE INGREDIENTS	
Octyl decyl dimethyl ammonium chloride .....	0.814%
Dioctyl dimethyl ammonium chloride.....	0.407%
Didecyl dimethyl ammonium chloride.....	0.407%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride .....	1.085%
<b>INERT INGREDIENTS .....</b>	<b>97.287%</b>
<b>Total</b>	<b>100.000%</b>

**232**

0 86041 01232



# Germicidal CleanerQ

CLEANER, DISINFECTANT, DETERGENT, \*VIRUCIDE, FUNGICIDE (against pathogenic fungi)

## ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride .....	0.814%
Dioctyl dimethyl ammonium chloride .....	0.407%
Didecyl dimethyl ammonium chloride .....	0.407%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride .....	1.085%
<b>INERT INGREDIENTS .....</b>	<b>97.287%</b>
<b>Total .....</b>	<b>100.000%</b>

EPA Reg. No. 1839-168-8722 EPA Est. No. 88120-WI-1

## KEEP OUT OF REACH OF CHILDREN DANGER

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**You may contact 1-800-535-5053  
for emergency medical treatment information.**

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

- More Value: Save money, time & space
- Less waste: Fewer bottles go to landfills
- Great value. Concentrates deliver lower cost per ounce vs. ready to use products.
- Save Time. Easy storage, have extra on hand, don't run out of product

This product for use in:

- Hospitals<sup>2</sup>, nursing homes<sup>2</sup>, medical and dental offices and clinics<sup>2</sup>, operating rooms<sup>2</sup>, isolation wards<sup>2</sup>, and medical research facilities<sup>2</sup>
- Restaurants<sup>1</sup> and bars<sup>1</sup>, cafeterias<sup>1</sup>, institutional kitchens<sup>1</sup>, fast food operations<sup>1</sup> and food storage areas<sup>1</sup>.
- Institutional facilities, laboratories, factories, business and office buildings, restrooms, hotels and motels and transportation terminals.
- Institutions, schools and colleges, churches, classrooms, athletic facilities and locker rooms.
- Food processing plants<sup>1</sup>.
- Veterinary clinics, kennels, breeding and grooming establishments, zoos, pet shops, and other animal care facilities.
- Automotive garages, boats, ships, campers, trailers, mobile homes, cars, buses, trains, taxis and airplanes.

This product is formulated to a pH of 5.5-7.5 and will not dull high-gloss floor finishes with repeated use.

When used as directed, this product will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

This product is a one step<sup>1</sup> safe for surfaces disinfectant that is effective against a broad spectrum of bacteria, is virucidal<sup>2</sup> (including HIV-1, HIV-2, HBV and HCV) and inhibits the growth of mold and mildew and their odors when used as directed.

This product is a no rinse pH of 5.5-7.5 disinfectant cleaner that disinfects, cleans and deodorizes in one labor saving step<sup>1</sup>.

This product kills the virus that causes COVID-19 \*\*\* on hard non-porous surfaces in 1 minute.

### CLAIM QUALIFIERS

<sup>1</sup> Non-food contact use sites

<sup>2</sup>This product is not for use on critical and semi-critical medical device surfaces.

<sup>4</sup>when used according to disinfection directions

\*\*\*SARS-Related Coronavirus 2

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Labeling must be in the possession of the user at the time of using the product. See container label for FIRST AID and PRECAUTIONARY STATEMENTS and complete DIRECTIONS for USE before applying. Use of this product is subject to the precautions and limitations imposed by the label affixed to the container for this product.

This product is not for use on critical and semi-critical medical device surfaces.

Surfaces which may contact food must be rinsed thoroughly with potable water after use.

**DISINFECTION** - To disinfect inanimate, hard non-porous surfaces add 4 ounces of this product per gallon of water (or equivalent dilution). Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain visibly wet for 10 minutes or 1 minute for SARS-Related Coronavirus 2 (SARS-CoV-2), then remove excess liquid. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray mist. For visibly soiled areas, a pre-cleaning step is required.

**FUNGICIDAL ACTIVITY** - At the 4 ounce per gallon dilution (or equivalent dilution), this product is fungicidal against the pathogenic fungi, Trichophyton interdigitale, formerly known as Trichophyton mentagrophytes (Athlete's Foot Fungus) (a cause of ringworm) and Candida albicans. Apply solution with a cloth, sponge or hand pump trigger sprayer to hard, non-porous surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard non-porous surfaces commonly contacted by bare feet. Allow the surface to remain visibly wet for 10 minutes, then remove excess liquid. Diluted product should be applied daily or more frequently with heavy facility use.

**\*VIRUCIDAL ACTIVITY** - This product when used on environmental, inanimate, hard, non-porous surfaces exhibits effective virucidal activity against HIV-1, HIV-2, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Virus Type 1 (causative agent of fever blisters), Herpes Simplex Virus Type 2 (genital), Influenza A<sub>2</sub>/Hong Kong Virus, Vaccinia Virus, Rotavirus, Human Coronavirus (ATCC VR-740, Strain 229E), SARS associated Coronavirus, Bovine Viral Diarrhea Virus (BVDV), Pseudorabies Virus, Bovine Rhinotracheitis Virus, Feline Leukemia Virus, Feline Picornavirus, Avian Influenza A Virus H9N2, Avian Influenza A Virus H3N2, Canine Distemper Virus, Rabies Virus, Paramyxovirus (Mumps), Porcine Respiratory & Reproductive Syndrome Virus (PRRSV), and SARS-Related Coronavirus 2 (SARS-CoV-2) (USA-WA1/2020) (BEI NR-52281). Add 4 ounces of the product per gallon of water (or equivalent dilution). For visibly soiled areas, a pre-cleaning step is required. Apply solution with a cloth, mop, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow the surface to remain visibly wet for 10 minutes, then remove excess liquid.

**KILLS HIV-1, HIV-2, HBV, and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 or Type 2 (HIV-1 or HIV-2), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HIV-2, HBV, and HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

**CONTACT TIME:** Allow surface to remain visibly wet for 10 minutes.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

**MILDEWSTAT** - To control mold and mildew (*Aspergillus niger*) and the odors they cause on pre-cleaned, hard, non-porous inanimate surfaces add 4 ounces of this product per gallon of water. Apply solution with a cloth, mop, sponge or hand pump trigger sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

**GENERAL CLEANING** - Apply this product to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. This product can be diluted at 4 ounces per gallon (or equivalent dilution) or applied at full strength. Thoroughly wet soiled surface and scrub as necessary. This product may be used to clean porous or non-porous surfaces.

**DEODORIZATION** - To deodorize, apply this product as indicated under the heading DISINFECTION.

**Veterinary Practice/Animal Care/Animal Laboratory/Zoos/Pet Shop/Kennels Disinfection Directions:** For cleaning and disinfecting the following hard non-porous surfaces: equipment not used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feed from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 4 ounces of this product per gallon of water (or equivalent dilution) for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

**BACTERICIDAL STABILITY OF USE-SOLUTION:** Tests confirm that this product when diluted at 4 ounces/gallon (or equivalent dilution) in hard water up to 400 ppm (as CaCO<sub>3</sub>) remains effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella* (choleraesuis) enterica for up to 1 month when stored in a sealed container such as a spray bottle at room temperature. If the product becomes visibly dirty or contaminated, the use-solution must be discarded and fresh use-solution prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-solution does not apply to open containers such as buckets or pails.

**PACKETS** - Open and pour contents into 0.25 gallons of water (or equivalent dilution). Keep packets in box until ready to use.

**Non-Acid Toilet Bowl Disinfection/Cleaner Directions:** Remove visible filth prior to disinfection.

**From concentrate:** Add 4 ounces to the toilet bowl and mix. Use brush or sponge to apply this solution to all bowl surfaces above water line. Scrub surfaces completely, making sure to scrub under the rim, allow to stand for 10 minutes and flush.

**From use-solution:** Empty toilet bowl or urinal and apply 4 ounces per gallon (or equivalent dilution) use-solution to exposed surfaces, brush or swab thoroughly under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

**For heavy duty use:** Empty toilet bowl or urinal and apply 16 ounces per gallon (or equivalent dilution) use-solution to exposed surfaces, brush or swab thoroughly under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

**To disinfect food processing premises:** floors, walls, and storage areas, add 4 ounces of this product per gallon of water (or equivalent dilution). For visibly soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain visibly wet for 10 minutes, then remove excess liquid. Before using this product, food products and packaging materials must be removed from the area or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

**To disinfect food service establishment or restaurant food contact surfaces:** floors, walls, storage areas, countertops, appliances, and tables, add 4 ounces of this product per gallon of water (or equivalent dilution). For visibly soiled areas, a pre-cleaning step is required. Apply solution with a cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow the surface to remain visibly wet for 10 minutes, then remove excess liquid and rinse the surface with potable water. This product cannot be used to clean the following food contact surfaces: utensils, glassware and dishes.

**BACTERICIDAL ACTIVITY** - At the 4 ounce per gallon dilution (or equivalent dilution), this product demonstrates effective disinfectant activity against the organisms: *Pseudomonas aeruginosa* PRD-10, *Salmonella* (choleraesuis) enterica, *Staphylococcus aureus*, *Staphylococcus aureus* (clinical isolate), *Bordetella bronchiseptica*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterobacter cloacae*, *Enterobacter cloacae* (clinical isolate), *Enterococcus faecalis*, *Enterococcus faecalis* (clinical isolate), *Escherichia coli*, *Escherichia coli* (clinical isolate), *Fusobacterium necrophorum*, *Klebsiella pneumoniae* subsp. *pneumoniae*, *Lactobacillus casei* subsp. *rhamnosus*, *Listeria monocytogenes*, *Pasteurella multocida*, *Proteus vulgaris*, *Proteus mirabilis* ATCC 9921, *Proteus mirabilis* ATCC 25933, *Salmonella* (paratyphi B) enterica, *Salmonella* (typhi) enterica, *Salmonella* (typhimurium) enterica, *Salmonella* (pullorum) enterica, *Serratia marcescens*, *Shigella sonnei*, *Shigella flexneri* Type 2b, *Shigella dysenteriae*, *Staphylococcus aureus* subsp. *aureus*, *Staphylococcus epidermidis*, *Staphylococcus epidermidis* (clinical isolate), *Streptococcus pyogenes* (Clinical - Flesh Eating Strain BIRD M3), *Streptococcus pyogenes* Group A, *Xanthomonas maltophilia* (clinical isolate), *Vancomycin resistant Enterococcus faecalis* (VRE), *Methicillin resistant Staphylococcus aureus* (MRSA), *Vancomycin intermediate resistant Staphylococcus aureus* (VISA), *Community Associated Methicillin resistant Staphylococcus aureus* (CA-MRSA) NRS 123 Genotype USA400, *Community Associated Methicillin resistant Staphylococcus aureus* (CA-MRSA) NRS 384 Genotype USA300, *Salmonella* (enteritidis) enterica, *Ampicillin resistant Acinetobacter baumannii*, *Cefazolin resistant Acinetobacter baumannii*, *Ceftazidime resistant Acinetobacter baumannii*, *Ceftriaxone resistant Acinetobacter baumannii*, *Gentamicin resistant Acinetobacter baumannii*, *Tobramycin resistant Acinetobacter baumannii*, *Ciprofloxacin resistant Acinetobacter baumannii*, *Levofloxacin resistant Acinetobacter baumannii* and *Bactrim resistant Acinetobacter baumannii*.

**Disinfection of Barber/Salon Tools** **Directions:** Immerse pre-cleaned barber/salon tools in a use-solution (or equivalent dilution) of 4 ounces of this product per gallon of water for at least 10 minutes. Rinse instruments thoroughly and dry before reuse. A fresh use-solution must be prepared daily or more often if the use-solution becomes visibly dirty. **NOTE:** Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed from the use-solution after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged immersion may cause damage to stainless steel or metal instruments.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

**PESTICIDE STORAGE** - Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in an area inaccessible to children.

**PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL** - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying.

Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instruction for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill.

**PACKET DISPOSAL** – Do not reuse; discard empty container and put in trash.

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.  
DANGER

**KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if absorbed through skin. Harmful if swallowed. Wear goggles or face shield, rubber gloves, and protective clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Germicidal CleanerQ

CLEANER, DISINFECTANT, DETERGENT, \*VIRUCIDE, FUNGICIDE (against pathogenic fungi)

<b>ACTIVE INGREDIENTS</b>	
Octyl decyl dimethyl ammonium chloride .....	0.814%
Dioctyl dimethyl ammonium chloride .....	0.407%
Didecyl dimethyl ammonium chloride .....	0.407%
Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chloride .....	1.085%
<b>INERT INGREDIENTS</b> .....	<u>97.287%</u>
<b>Total</b>	100.000%

EPA Reg. No. 1839-168-8722 EPA Est. No. 88120-WI-1

KEEP OUT OF REACH OF CHILDREN  
DANGER

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **If Swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**You may contact 1-800-535-5053 for emergency medical treatment information.**

**NOTE TO PHYSICIAN**  
Probable mucosal damage may contraindicate the use of gastric lavage.

ORDER NO: 232 - CP232

5

PortionPac®

Sold by:  
PortionPac Chemical Corp.  
901 Lake Street, 2190  
Oak Park, IL 60303  
312-226-0400  
fax: 312-226-5400

BOTTOM  
GLUE

22b