PROPOSED HO'OPILI DISTRICT BOUNDARY AMENDMENT

LOT C-2

Being all of Lot 98-B (Map 442) and being also portions of Lots 10069-A (Map 1162) and 10078 (Map 785) and portions of Exclusion 3 and 5 (Map 1) of Land Court Application 1069, covered by R.P. 6971, L.C. Aw. 11216, Apana 8 to M. Kekaunohi.

Situate at Honouliuli, Ewa, Oahu, Hawaii

Beginning at the Northwest corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAPUAI NEW" being 3,228.04 feet South and 8,394.45 feet East, and running by azimuths measured clockwise from true South:

1.	235°	30'	1,530.53 feet	along the remainder of Lot 1006-A (Map 1162) of Land Court Application 1069;
2.	233°	22'	988.71 feet	along same;
3.	323°	22'	5.00 feet	along same;
4.	233°	22'	157.62 feet	along same;
5.	268°	44'	806.24 feet	along same;
6.	224°	13'	1,198.11 feet	along same;
7.	268°	44'	123.16 feet	along the Southeast side of Farrington Highway;
8.	358°	44'	200.00 feet	along Lot 2654 (Map 273) of Land Court Application 1069;
9.	268°	44'	246.00 feet	along same;
10.	334°	15'	212.18 feet	along the Southwest side of Old Fort Weaver Road;
11.	Thence a	long same, on a	a curve to the left	with a radius of 352.00 feet, the chord azimuth and distance being: 306° 07' 30" 331.86 feet;

407.89 feet along the South side of Old Fort Weaver Road;

12.

278°

00,

13.	333°	13'	30"	276.52 feet	along the Westerly side of Old Fort Weaver Road;
14.	Thence a	llong s	ame, on a	curve to the left	with a radius of 1,662.10 feet, the chord azimuth and distance being: 329° 05' 45" 239.36 feet;
15.	324°	58'		101.98 feet	along same;
16.	Thence a	llong s	ame, on a	curve to the righ	nt with a radius of 611.01 feet, the chord azimuth and distance being: 356° 28' 20" 638.60 feet;
17.	27°	58'	40"	338.56 feet	along same;
18.	177°	58'	40"	8.00 feet	along a jog on the Westerly side of Old Fort Weaver Road;
19.	27°	58'	40"	98.76 feet	along the Westerly side of Old Fort Weaver Road;
20.	Thence a	llong s	ame, on a	curve to the left	with a radius of 749.30 feet, the chord azimuth and distance being: 23° 58' 11" 104.75 feet;
21.	289°	57'	42"	8.00 feet	along a jog on the Westerly side of Old Fort Weaver Road;
22.	Thence a	long th	ne Westerl	y side of Old We	eaver Road, on a curve to the left with a radius of 741.30 feet, the chord azimuth and distance being: 8° 59' 26" 282.16 feet;
23.	358°	01'	10"	240.97 feet	along same;
24.	Thence a	llong s	ame, on a	curve to the righ	nt with a radius of 548.00 feet, the chord azimuth and distance being: 8° 24' 55" 197.77 feet;
25.	18°	48'	40"	472.96 feet	along same;
26.	Thence a	ilong s	ame, on a	curve to the left	with a radius of 434.30 feet, the chord azimuth and distance being: 357° 34' 25" 314.64 feet;
27.	336°	20'	10"	761.67 feet	along same;

28.	Thence a	long sa	ame, on a	curve to the left	with a radius of 2,317.00 feet, the chord azimuth and distance being: 333° 11' 05" 254.75 feet;
29.	330°	02'		214.71 feet	along same;
30.	240°	02'		68.23 feet	along the remainder of Old Fort Weaver Road and along Lot 98-D (Map 442) of Land Court Application 1069;
31.	307°	17'		276.16 feet	along Lot 98-D (Map 442) of Land Court Application 1069;
32.	285°	40'		98.51 feet	along same;
33.	265°	28'	28"	56.70 feet	along same;
34.	270°	39'	40"	332.55 feet	along same;
35.	9°	08'		65.31 feet	along the Westerly side of Fort Weaver Road (F.A.S.P. No. S-RS- 07060 (2));
36.	358°	03'		60.65 feet	along same;
37.	354°	33'	30"	60.81 feet	along same;
38.	0°	41'	50"	60.13 feet	along same;
39.	Thence a	long s	ame, on a	curve to the left	with a radius of 2,090.00 feet, the chord azimuth and distance being: 6° 11' 34" 450.55 feet;
40.	353°	05'	40"	104.72 feet	along same;
41.	Thence a	long s	ame, on a	curve to the left	with a radius of 2,080.00 feet, the chord azimuth and distance being: 351° 24' 12" 415.82 feet;
42.	345°	40'		61.22 feet	along same;
43.	345°	38'	25.56"	146.14 feet	along same;
44.	345°	40'		437.36 feet	along same;

45.	70°	01'	10"	313.04 feet	along Lot 3178-A-2 (Map 427) of Land Court Application 1069;
46.	33°	52'		151.24 feet	along same;
47.	40°	52'	20"	95.49 feet	along Lot 10069-B (Map 1162) of Land Court Application 1069;
48.	345°	40'		523.09 feet	along same;
49.	252°	41'		171.15 feet	along same;
50.	254°	51'		231.26 feet	along same;
51.	260°	36'		100.91 feet	along same;
52.	345°	40'		121.18 feet	along the Westerly side of Fort Weaver Road (F.A.S.P. No. S-RS- 0760 (2));
53.	75°	55'		315.84 feet	along Lot 18277 (Map 1442) of Land Court Application 1069;
54.	77°	56'		232.45 feet	along same;
55.	79°	10'		215.27 feet	along same;
56.	65°	52'		89.63 feet	along same;
57.	111°	20'		324.83 feet	along the remainder of Lot 10069-A (Map 1162) of Land Court Application 1069;
58.	21°	20'		380.98 feet	along same;
59.	75°	40'		237.25 feet	along Lot 18277 (Map 1442) of Land Court Application 1069;
60.	136°	41'		4,085.43 feet	along the remainder of Lot 10078 (Map 785) and the remainder of Lot 10069-A (Map 1162) of Land Court Application 1069;

61. 141° 08' 05"

3,561.80 feet along the remainder of Lot 10069-A (Map 1162) of Land Court Application 1069 to the point of beginning and containing an area of 586.040 acre.

January 21, 2011 Honolulu, Hawaii



Gary S. Takamoto

Licensed Professional Land Surveyor

Certificate Number 7946 License Expires 4/12