THE ORIGINAL OF THE DOCUMENT RECONDED AS POLLOWS: STATE OF HAWAII

BUREAU OF CONVEYANCES

| DATE | PILATE |
|-------------|-----------------------|
| DOCUMENT NO | |
| | MAR 18, 2010 11:00 AM |

| LAND COURT | REGULAR SYSTEM | | | | |
|--|-----------------------------|--|--|--|--|
| (AREA ABOVE RESERVED FOR RE | CORDING INFORMATION) | | | | |
| After Recordation, Return by Mail or Pick-up Phone#: | | | | | |
| FILL IN NAME AND ADDRESS BELOW: | | | | | |
| Race A. Randle Development Manager/Forest City Hawaii 5173 Nimitz Road Honolulu, HI 96818 | | | | | |
| | DOCUMENT CONTAINS _6_ PAGES | | | | |
| OWNER: | | | | | |
| FHT KAMAKANA, LLC 201 Merchant Street, Suite 2000 Honolulu, Hawai'i 96813 | | | | | |
| AFFECTS TAX MAP KEY: (3)7-4-021:020 | = | | | | |



March 18, 2010 2006.73.0301 / 10E-029R

Registrar of Conveyances State of Hawai'i Kalanimoku Building 1151 Punchbowl Street, Room 120 Honolulu, Hawai'i 96813

SUBJECT:

SUBDIVISION OF LOT A INTO LOTS A-1, A-2, A-3, A-4 AND A-5, AND

DESIGNATION OF EASEMENTS A-1, A-2, A-3, A-4 AND A-5

Being a Portion of R.P. 6851, L.C. Award 8452, 'Apana 12 to A. Keohokalole

(Certificate of Boundaries No. 45)

Keahuolū, North Kona, Island of Hawai'i, Hawai'i

Tax Map Key: (3) 7-4-021:020

PROFESSIONAL LAND SURVEYOR

No. 12972

Please include the attached legal metes and bounds description of Lot A-1 to Doc. No. 2010-011981 dated January 27, 2010.

I hereby certify that the attached metes and bounds legal descriptions for the subject parcels conform with the attached map.

Sincerely,

BELT COLLINS HAWAII LTD.

Clayton M. Kaneshiro

Licensed Professional Land Surveyor

Clarenton M. ffm

Certificate Number 12972

CMK:aca Enclosure



DESCRIPTION

Lot A-1

Being a portion of Royal Patent 6851, Land Commission Award 8452, Apana 12 to A. Keohokalole (Certificate of Boundaries No. 45)

Situated at Keahuolu, North Kona, Island of Hawaii, Hawaii

Beginning at the Northeast corner of this parcel of land and on the north side of Palani Road, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KEAHUOLU" being 2,799.82 feet North and 14,497.58 feet East, thence running by azimuths measured clockwise from True South:

| 1. | 7° 17' 20" | 1,122.82 | feet along the north sid | de of Palani Road; |
|----|----------------------|------------|---|--|
| 2. | Thence along the nor | th side of | Palani Road, on a curve the chord azimuth and 30° 41' 50" | to the right with a radius of 1,412.70 feet, distance being: 1,122.48 feet; |
| 3. | 54° 06' 20" | 1,059.35 | feet along the north sig | de of Palani Road; |
| 4. | 144° 06' 20" | 160.00 | feet along the Water C Reservoir Site; | ommission of the County of Hawaii |
| 5. | 54° 06' 20" | 160.00 | feet along the Water C Reservoir Site; | ommission of the County of Hawaii |
| 6. | 324° 06' 20" | 134.38 | feet along the Water C Reservoir Site; | ommission of the County of Hawaii |
| 7. | Thence along Lot A-5 | of R.P. 68 | | 12 to A. Keohokalole (Certificate of a curve to the right with a radius of 40.00 and distance being: 48.08 feet; |

149° 30'
 1,290.56 feet along Lot C-3 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A.
 Keohokalole (Certificate of Boundaries No. 45);

9. Thence along Lot C-3 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the right with a radius of 6,000.00 feet, the chord azimuth and distance being:

150° 59'
310.63 feet;

| | 10. | 152° 28' | 692.92 | feet along Lot C-3 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
|------------|-----|------------------------|------------|--|
| | 11. | 242° 28' | 76.00 | feet along Lot A-2 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
| | 12. | 152° 28' | 192.00 | feet along Lot A-2 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
| | 13. | 62° 28' | 76.00 | feet along Lot A-2 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
| | 14. | 152° 28' | 97.28 | feet along Lot C-3 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
| | 15. | Thence along Lot A-3 o | of R.P. 68 | B51, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the right with a radius of 30.00 feet, the chord azimuth and distance being: 34.10 feet; |
| | 16. | Thence along Lot A-3 o | of R.P. 68 | B51, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the with a radius of 680.00 feet, the chord azimuth and distance being: 50.16 feet; |
| | 17. | 152° 18' | 107.47 | feet along Lot A-3 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
| | 18. | Thence along Lot A-3 o | f R.P. 68 | 51, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the right with a radius of 30.00 feet, the chord azimuth and distance being: 39.03 feet; |
| | 19. | 143° 28' | 271.70 | feet along Lot A-3 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
| | 20. | 151° 11' 1 | ,015.93 | feet along Lot C-3 and Lot 2-B-3 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
| ** | 21. | Thence along Lot A-4 o | f R.P. 68 | 51, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the right with a radius of 30.00 feet, the chord azimuth and distance being: 34.90 feet; |
| # 55 | | | | |
| <i>2</i> * | a | es gr III | | |

Thence along Lot A-4 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the with a radius of 680.00 feet, the chord azimuth and distance being: 224° 22' 51" 48.84 feet; 23. 109.00 feet along Lot A-4 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. 151° 10' Keohokalole (Certificate of Boundaries No. 45); 24. Thence along Lot A-4 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the right with a radius of 30.00 feet, the chord azimuth and distance being: 108° 03' 59" 35.52 feet; 25. 144° 22' 285.12 feet along Lot A-4 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); 26. Thence along Lot 2-B-3 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the right with a radius of 6,000.00 feet, the chord azimuth and distance being: 154° 46' 35.2" 98.70 feet: 27. 234° 24' 898.10 feet along Lot B-2 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); 28. Thence along Lot B-2 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the right with a radius of 590.00 feet, the chord azimuth and distance being: 165° 59' 40" 676.91 feet: 29. 201° 00' 47.00 feet along Lot B-2 of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); 30. 255° 15' 98.57 feet along Lot 31 of The Villages of La 'i' Opua Phase I (File Plan 2128); 31. 201° 00' 117.06 feet along Lot 31 of The Villages of La 'i' Opua Phase I (File Plan 2128); 32. 295° 11' 1,012.62 feet along Lot C of the Government Land of Kealakehe and portion of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45);

22.

| 33. | Thence along Lot C o | f the Gove | ernment Land of Kealakehe and portion of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45), on a curve to the left with a radius of 2,060.00 feet, the chord azimuth and distance being: 199° 01' 02" 629.16 feet; |
|-----|-----------------------|--------------|---|
| 34. | 190° 14' | 48.33 | feet along Lot C of the Government Land of Kealakehe and portion of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
| 35. | 254° 11' 02" | 89.04 | feet along Lot 37 of The Villages of La 'i' Opua Phase I (File Plan 2128); |
| 36. | 190° 14' | 3.79 | feet along Lot 37 of The Villages of La 'i' Opua Phase I (File Plan 2128); |
| 37. | Thence along Lot 37 o | of The Villa | ages of La 'i' Opua Phase I (File Plan 2128), on a curve to the right with a radius of 30.00 feet, the chord azimuth and distance being: 42.43 feet; |
| 38. | 280° 14' | 39.13 | feet along Lot 33 and Lot 34 of The Villages of La 'i' Opua Phase I (File Plan 2128); |
| 39. | 254° 11' 02" | 182.17 | feet along Lot 34 of The Villages of La 'i' Opua Phase I (File Plan 2128); |
| 40. | 280° 14' | 787.44 | feet along Lot D of the Government Land of Kealakehe and portion of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Certificate of Boundaries No. 45); |
| 41. | 15° 00' | 2,449.46 | feet along Lot 1-A of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Cerificate of Boundaries No. 45); |

w ...

1,709.68 feet along Lot 1-A of R.P. 6851, L.C. Aw. 8452, Ap. 12 to A. Keohokalole (Cerificate of Boundaries No. 45) to the point of beginning and containing an Area of 271.028 Acres.

2153 North King Street Suite 200 Honolulu, Hawaii 96819

October 2, 2009



BELT COLLINS HAWAII LTD.

Licensed Professional Land Surveyor Certificate Number 12972