

PARCEL 5

TAX MAP KEY: (2) 4-5-10

SITUATED AT LAHAINA, MAUI, HAWAII

BEING PORTIONS OF R.P. 1840, L.C. AW. 424, AP. 1 AND 2  
TO KANEHOEWAA; R.P. 5666, L.C. AW. 4760, AP. 1 TO LELEHU;

R. P. 2651, L.C. AW. 11150, AP. 4 TO KEONE;

R.P. 1839, L.C. AW. 3702, AP. 2 TO D. MALO; R.P. 2650,  
L.C. AW. 312, AP. 1 TO KEAWEIWI; R.P. 4388, L.C. AW. 8452,

AP. 4 TO A. KEOHOKALOLE; GRANT 1891, AP. 7 TO D. BALDWIN;

GRANT 11073 TO PIONEER MILL COMPANY, LTD. AND

GRANT 2993 TO W. AP. JONES

BEING ALSO A PORTION OF PARCEL 5-A,

KAHOMA STREAM FLOOD CONTROL PROJECT


Beginning at the Northwest corner of this Parcel of Land, being also the Southwest corner of Right-of-Way Parcel 7, Kahoma Stream Flood Control Project, the coordinates of said point of beginning referred to Government Survey Triangulation Station "LAINA" being 4,773.03 feet South and 3,757.12 feet West and running by azimuths measured clockwise from True South:

1. 282° 18' 124.42 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
2. 192° 18' 70.00 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
3. 276° 30' 50.89 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
4. 279° 40' 206.30 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;

5. 274° 06' 309.16 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
6. 265° 19' 309.17 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
7. 260° 08' 40" 103.18 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
8. 257° 32' 103.18 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
9. 252° 48' 257.66 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
10. 245° 31' 257.82 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
11. 241° 16' 154.21 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
12. 238° 30' 411.99 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
13. 227° 05' 150.33 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
14. 230° 54' 150.00 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
15. 242° 12' 40" 101.98 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
16. 230° 54' 5.05 feet along Right-of-Way Parcel 7, Kahoma Stream Flood Control Project;
17. 34° 00' 136.99 feet along L.P. 8352, L.C. Aw. 327 to Z. Kaauwai;
18. 6° 00' 300.00 feet along L.P. 8352, L.C. Aw. 327 to Z. Kaauwai and R.P. 4475, L.C. Aw. ~~7713~~, Ap. 27 to V. Kamamalu;
19. 52° 36' 38.95 feet along Lui Street;

20. Thence, along Lui Street on a curve to the left with a radius of 230.00 feet, the chord azimuth and distance being:  
40° 33' 52" 95.92 feet;
21. 52° 36' 85.45 feet along Lot A, Kelawea Subdivision (File Plan 621);
22. 63° 10' 546.02 feet along Lots A, B, 8, 7, 6, 5, 4, 3, 2, 1, Kelawea Subdivision (File Plan 621);
23. 333° 10' 59.34 feet along Lot 1, Kelawea Subdivision (File Plan 621);
24. 54° 30' 39.01 feet along Lot 44, Kuhua Tract No. 1 (File Plan 508);
25. 147° 40' 6.42 feet along Lot 44, Kuhua Tract No. 1 (File Plan 508);
26. 71° 26' 23.91 feet along Lot 44, Kuhua Tract No. 1 (File Plan 508);
27. 74° 59' 85.40 feet along Lots 44 and 45, Kuhua Tract No. 1 (File Plan 508);
28. 60° 00' 88.07 feet along Lot 46, Kuhua Tract No. 1 (File Plan 508);
29. 332° 55' 31.09 feet along Lot 46, Kuhua Tract No. 1 (File Plan 508);
30. 69° 05' 113.50 feet along R.P. 2650, L.C. Aw. 312, Ap. 3 to R. Keaweiki;
31. 154° 55' 12.09 feet along Lot 82, Kuhua Tract No. 3 (File Plan 516);
32. 66° 57' 101.44 feet along Lot 82, Kuhua Tract No. 3 (File Plan 516);
33. 77° 14' 80.83 feet along Lots 81 and 80, Kuhua Tract No. 3 (File Plan 516);
34. 84° 14' 23.78 feet along Lot 79, Kuhua Tract No. 3 (File Plan 516);
35. 93° 04' 25.93 feet along Lot 79, Kuhua Tract No. 3 (File Plan 516);
36. 103° 15' 60.30 feet along Lots 79 and 78, Kuhua Tract No. 3 (File Plan 516); -
37. 112° 42' 143.40 feet along Lots 78 and 69, Kuhua Tract No. 3 (File Plan 516);

38. 100° 43' 80.10 feet along Lot 69, Kuhua Tract No. 3 (File Plan 516);
39. 90° 56' 24.98 feet along Lot 69, Kuhua Tract No. 3 (File Plan 516);
40. 70° 15' 24.11 feet along Lot 69, Kuhua Tract No. 3 (File Plan 516);
41. 63° 25' 63.88 feet along Lots 69 and 68, Kuhua Tract No. 3 (File Plan 516);
42. 51° 27' 144.18 feet along Lots 68, 55, 54, Kuhua Tract No. 3 (File Plan 516);
43. 51° 14' 80.01 feet along Lot 54, Kuhua Tract No. 3 (File Plan 516) and along Kopili Street;
44. 107° 01' 36.54 feet along Kopili Street;
45. 233° 50' 384.00 feet along Kahoma Stream Parcel 6 (C.S.F. 21,571);
46. Thence, along the north side of Old Kahoma Stream, the direct azimuth and distance being:  
91° 14' 17" 962.09 feet;
47. 181° 44' 136.11 feet along Parcel 1-B-1, Kahoma Stream Flood Control Project to the point of beginning and containing an area of 16.683 Acres.



R. T. TANAKA ENGINEERS, INC.

*Kirk T. Tanaka*

Kirk T. Tanaka  
 Licensed Professional Surveyor  
 Certificate No. 7223-LS  
 License Expires: April 30, 2008

871 Kolu Street, Suite 201  
 Wailuku, Hawaii 96793

September 6, 2005  
 Revised: November 12, 2007